

2023

# Drug Formulary

Formulario de Medicamentos

## HMO – 1 Tier

Imperial Insurance Traditional Plus (HMO) 007



IMPERIAL INSURANCE COMPANIES

# 007 - Imperial Insurance Traditional Plus (HMO)

## 2023 Formulary (List of Covered Drugs)

**PLEASE READ: THIS DOCUMENT CONTAINS INFORMATION  
ABOUT THE DRUGS WE COVER IN THIS PLAN**

HPMS Approved Formulary File Submission ID 00023510, Version Number 15.

This formulary was updated on 09/19/2023. For more recent information or other questions, please contact Imperial Health Plan of California, Inc. (HMO) (HMO SNP) Customer Service at 1-800-838-8271, or, for TTY users, 711, October 1 – March 31: Monday – Sunday, from 8:00 a.m. – 8:00 p.m. or April 1 – September 30: Monday – Friday, from 8:00 a.m. – 8:00 p.m., or visit [www.imperialhealthplan.com](http://www.imperialhealthplan.com).

**Important Message About What You Pay for Vaccines** - Our plan covers most Part D vaccines at no cost to you, even if you haven't paid your deductible. Call Member Services for more information.

**Important Message About What You Pay for Insulin** - You won't pay more than \$35 for a one-month supply of each insulin product covered by our plan, no matter what cost-sharing tier it's on, even if you haven't paid your deductible.

IR\_344 H2793 Drug Formulary 1T\_C ENG 09/16/22

# Contents

|                                                                                                       |     |
|-------------------------------------------------------------------------------------------------------|-----|
| What is the Imperial Health Plan Formulary? .....                                                     | 3   |
| Can the Formulary (drug list) change? .....                                                           | 3   |
| How do I use the Formulary? .....                                                                     | 4   |
| What are generic drugs?.....                                                                          | 4   |
| Are there any restrictions on my coverage? .....                                                      | 4   |
| What if my drug is not on the Formulary? .....                                                        | 5   |
| How do I request an exception to the Imperial Health Plan Formulary? .....                            | 5   |
| What do I do before I can talk to my doctor about changing my drugs or requesting an exception? ..... | 5   |
| For more information .....                                                                            | 6   |
| Imperial Insurance Companies' Formulary .....                                                         | 6   |
| Index of Drugs .....                                                                                  | 200 |

**Note to existing members:** This formulary has changed since last year. Please review this document to make sure that it still contains the drugs you take.

When this drug list (formulary) refers to “we,” “us,” or “our,” it means Imperial Insurance Companies, Inc. (HMO) (HMO SNP). When it refers to “plan” or “our plan,” it means Imperial Insurance Companies.

This document includes a list of the drugs (formulary) for our plan which is current as of 09/19/2023. For an updated formulary, please contact us. Our contact information, along with the date we last updated the formulary, appears on the front and back cover pages.

You must generally use network pharmacies to use your prescription drug benefit. Benefits, formulary, pharmacy network, and/or copayments/coinsurance may change on January 1, 2023, and from time to time during the year.

## What is the Imperial Insurance Companies Formulary?

A formulary is a list of covered drugs selected by our plan in consultation with a team of health care providers, which represents the prescription therapies believed to be a necessary part of a quality treatment program. We will generally cover the drugs listed in our formulary as long as the drug is medically necessary, the prescription is filled at an Imperial Insurance Companies network pharmacy, and other plan rules are followed. For more information on how to fill your prescriptions, please review your Evidence of Coverage.

## Can the Formulary (drug list) change?

Most changes in drug coverage happen on January 1, but we may add or remove drugs on the Drug List during the year, move them to different cost-sharing tiers, or add new restrictions. We must follow the Medicare rules in making these changes.

**Changes that can affect you this year:** In the below cases, you will be affected by coverage changes during the year:

- **New generic drugs.** We may immediately remove a brand-name drug on our Drug List if we are replacing it with a new generic drug that will appear on the same or lower cost-sharing tier and with the same or fewer restrictions. Also, when adding the new generic drug, we may decide to keep the brand-name drug on our Drug List, but immediately move it to a different cost-sharing tier or add new restrictions. If you are currently taking that brand-name drug, we may not tell you in advance before we make that change, but we will later provide you with information about the specific change(s) we have made.
  - If we make such a change, you or your prescriber can ask us to make an exception and continue to cover the brand-name drug for you. The notice we provide you will also include information on how to request an exception, and you can find information in the section below titled “How do I request an exception to the Imperial Health Plan Formulary?”
- **Drugs removed from the market.** If the Food and Drug Administration deems a drug on our formulary to be unsafe or the drug’s manufacturer removes the drug from the market, we will immediately remove the drug from our formulary and provide notice to members who take the drug.
- **Other changes.** We may make other changes that affect members currently taking a drug. For instance, we may add a generic drug that is not new to the market to replace a brand-name drug currently on the formulary or add new restrictions to the brand-name drug or move it to a different cost-sharing tier or both (only for plan 007). Or we may make changes based on new clinical guidelines. If we remove drugs from our formulary, or add prior authorization, quantity limits and/or step therapy restrictions on a drug or move a drug to a higher cost-sharing tier, we must notify affected members of the change at least 30 days before the change becomes effective, or at the time the member requests a refill of the drug, at which time the member will receive a 30-day supply of the drug.
  - If we make these other changes, you or your prescriber can ask us to make an exception and continue to cover the brand-name drug for you. The notice we provide you will also include information on how to request an exception, and you can also find information in the section below entitled “How do I request an exception to the Imperial Insurance Companies Formulary?”

**Changes that will not affect you if you are currently taking the drug.** Generally, if you are taking a drug on our 2023 formulary that was covered at the beginning of the year, we will not discontinue or reduce coverage of the drug during the 2023 coverage year except as described above. This means these drugs will remain available at the same cost-sharing and with no new restrictions for those members taking them for the remainder of the coverage year. You will not get direct notice this year about changes that do not affect you. However, on January 1 of the next year, such changes would affect you, and it is important to check the Drug List for the new benefit year for any changes to drugs.

The enclosed formulary is current as of 09/19/2023. To get updated information about the drugs covered by our plan please contact us. Our contact information appears on the front and back cover pages. In the event of non-maintenance changes to the formulary throughout the plan year, we may make changes via errata sheets mailed to you. Additionally, you may visit our website for a link to the errata sheet.

## How do I use the Formulary?

There are two ways to find your drug within the formulary:

### Medical Condition

The formulary begins on page 19. The drugs in this formulary are grouped into categories depending on the type of medical conditions that they are used to treat. For example, drugs used to treat a heart condition are listed under the category, "CARDIOVASCULAR". If you know what your drug is used for, look for the category name in the list that begins on 14. Then look under the category name for your drug.

### Alphabetical Listing

If you are not sure what category to look under, you should look for your drug in the Index that begins on page 200. The Index provides an alphabetical list of all of the drugs included in this document. Both brand-name drugs and generic drugs are listed in the Index. Look in the Index and find your drug. Next to your drug, you will see the page number where you can find coverage information. Turn to the page listed in the Index and find the name of your drug in the first column of the list.

## What are generic drugs?

Our plan covers both brand-name drugs and generic drugs. A generic drug is approved by the FDA as having the same active ingredient as the brand-name drug. Generally, generic drugs cost less than brand-name drugs.

## Are there any restrictions on my coverage?

Some covered drugs may have additional requirements or limits on coverage. These requirements and limits may include:

- **Prior Authorization:** Our plan requires you or your physician to get prior authorization for certain drugs. This means that you will need to get approval from us before you fill your prescriptions. If you don't get approval, we may not cover the drug.
- **Quantity Limits:** For certain drugs, our plan limits the amount of the drug that we will cover. For example, our plan provides 60 per prescription for celecoxib. This may be in addition to a standard one-month or three-month supply.
- **Step Therapy:** In some cases, our plan requires you to first try certain drugs to treat your medical condition before we will cover another drug for that condition. For example, if Drug A and Drug B both treat your medical condition, we may not cover Drug B unless you try Drug A first. If Drug A does not work for you, we will then cover Drug B.

You can find out if your drug has any additional requirements or limits by looking in the formulary that begins on page 19. You can also get more information about the restrictions applied to specific covered drugs by visiting our website. We have posted online documents that explain our prior authorization and step therapy restrictions. You may also ask us to send you a copy. Our contact information, along with the date we last updated the formulary, appears on the front and back cover pages.

You can ask us to make an exception to these restrictions or limits or for a list of other, similar drugs that may treat your health condition. See the section, "How do I request an exception to the Imperial Insurance Companies formulary?" on page 5 for information about how to request an exception.

## What if my drug is not on the Formulary?

If your drug is not included in this formulary (list of covered drugs), you should first contact Member Services and ask if your drug is covered.

If you learn that our plan does not cover your drug, you have two options:

- You can ask Member Services for a list of similar drugs that are covered by our plan. When you receive the list, show it to your doctor and ask him or her to prescribe a similar drug that is covered by our plan.
- You can ask our plan to make an exception and cover your drug. See below for information about how to request an exception.

## How do I request an exception to the Imperial Insurance Companies Formulary?

You can ask us to make an exception to our coverage rules. There are several types of exceptions that you can ask us to make.

- You can ask us to cover a drug even if it is not on our formulary. If approved, this drug will be covered at a pre-determined cost-sharing level, and you would not be able to ask us to provide the drug at a lower cost-sharing level.
- You can ask us to cover a formulary drug at lower cost-sharing level unless the drug is on the specialty tier. If approved, this would lower the amount you must pay for your drug.
- You can ask us to waive coverage restrictions or limits on your drug. For example, for certain drugs, our plan limits the amount of the drug that we will cover. If your drug has a quantity limit, you can ask us to waive the limit and cover a greater amount.

Generally, we will only approve your request for an exception if the alternative drugs included on the plan's formulary, the lower cost-sharing drug or additional utilization restrictions would not be as effective in treating your condition and/or would cause you to have adverse medical effects.

You should contact us to ask us for an initial coverage decision for a formulary, tier (only for plan 007), or utilization restriction exception. **When you request a formulary, tier (only for plan 007), or utilization restriction exception you should submit a statement from your prescriber or physician supporting your request.** Generally, we must make our decision within 72 hours of getting your prescriber's supporting statement. You can request an expedited (fast) exception if you or your doctor believe that your health could be seriously harmed by waiting up to 72 hours for a decision. If your request to expedite is granted, we must give you a decision no later than 24 hours after we get a supporting statement from your doctor or other prescriber.

## What do I do before I can talk to my doctor about changing my drugs or requesting an exception?

As a new or continuing member in our plan you may be taking drugs that are not on our formulary. Or, you may be taking a drug that is on our formulary but your ability to get it is limited. For example, you may need a prior authorization from us before you can fill your prescription. You should talk to your doctor to decide if you should switch to an appropriate drug that we cover or request a formulary exception so that we will cover the drug you take. While you talk to your doctor to determine the right course of action for you, we may cover your drug in certain cases during the first 90 days you are a member of our plan.

For each of your drugs that is not on our formulary or if your ability to get your drugs is limited, we will cover a temporary 30-day supply. If your prescription is written for fewer days, we'll allow refills to provide up to a maximum 30-day supply of medication. After your first 30-day supply, we will not pay for these drugs, even if you have been a member of the plan less than 90 days.

If you are a resident of a long-term care facility and you need a drug that is not on our formulary or if your ability to get your drugs is limited, but you are past the first 90 days of membership in our plan, we will cover a 31-day emergency supply of that drug while you pursue a formulary exception.

Exceptions are available for beneficiaries who have experienced a change in the level of care they are receiving which requires them to transition from one facility or treatment center to another. Examples of situations in which beneficiaries would be eligible for the one-time temporary fill exception when they are outside of the three-month effective date into the Part D program are as follows:

1. Beneficiary was discharged from the hospital and was provided a discharge list of medications based upon the formulary of the hospital.
2. Beneficiaries who end their skilled nursing facility Medicare Part A stay (where payments include all pharmacy charges) and who need to revert back to their Part D plan formulary.
3. Beneficiaries who give up Hospice Status to revert back to standard Medicare Part A and B benefits.
4. Beneficiaries who are discharged from Chronic Psychiatric Hospitals with medication regimens that are highly individualized.

## For more information

For more detailed information about your plan's prescription drug coverage, please review your Evidence of Coverage and other plan materials.

If you have questions about Imperial Insurance Companies, please contact us. Our contact information, along with the date we last updated the formulary, appears on the front and back cover pages.

If you have general questions about Medicare prescription drug coverage, please call Medicare at 1-800-MEDICARE (1-800-633-4227) 24 hours a day/7 days a week. TTY users should call 1-877-486-2048 or, visit <http://www.medicare.gov>.

## Imperial Insurance Companies Formulary

The formulary that begins on the next page provides coverage information about the drugs covered by our plan. If you have trouble finding your drug in the list, turn to the Index that begins on page 200.

The first column of the chart lists the drug name. Brand-name drugs are capitalized (e.g., HUMIRA) and generic drugs are listed in lower-case italics (e.g., *celecoxib*).

The information in the Requirements/Limits column tells you if our plan has any special requirements for coverage of your drug.

# 007 - Imperial Insurance Traditional Plus (HMO)

## Formulario para 2023 (Lista de medicamentos cubiertos)

**LEA LO SIGUIENTE: ESTE DOCUMENTO CONTIENE INFORMACIÓN  
ACERCA DE LOS MEDICAMENTOS QUE CUBRIMOS EN ESTE PLAN**

HPMS Approved Formulary File Submission ID 00023510, Version Number 15.

Este formulario se actualizó el 19/09/2023. Para obtener información más reciente o si tiene otras preguntas, comuníquese con el Departamento de Servicio al Cliente de Imperial, Inc. (HMO) (HMO SNP) llamando al 1-800-838-8271, o para los usuarios de TTY al 711, del 1 de octubre al 31 de marzo: lunes a domingo, de 6:00 a.m. a 8:00 p.m. PST o del 1 de abril al 30 de septiembre: lunes a viernes, de 6:00 a.m. a 8:00 p.m. PST, o visite [www.imperialhealthplan.com](http://www.imperialhealthplan.com).

**Mensaje importante sobre lo que paga por las vacunas:** nuestro plan cubre la mayoría de las vacunas de la Parte D sin costo para usted, incluso si no ha pagado su deducible. Llame a nuestro Departamento de membresía para obtener más información.

**Mensaje importante sobre lo que paga por la insulina:** no pagará más de \$35 por un suministro de un mes de cada producto de insulina cubierto por nuestro plan, sin importar en qué nivel de costo compartido se encuentre, incluso si no ha pagado su deducible.

IR\_344 H2793 Drug Formulary 1T\_C ENG 09/16/22

# Contenido

|                                                                                                                                   |     |
|-----------------------------------------------------------------------------------------------------------------------------------|-----|
| ¿Qué es el Formulario de Imperial Health Plan? .....                                                                              | 9   |
| ¿Puede cambiar el Formulario (lista de medicamentos) ? .....                                                                      | 9   |
| ¿Cómo utilizo el Formulario? .....                                                                                                | 10  |
| ¿Qué son los medicamentos genéricos? .....                                                                                        | 10  |
| ¿Hay alguna restricción en mi cobertura? .....                                                                                    | 11  |
| ¿Qué pasa si mi medicamento no está en el Formulario? .....                                                                       | 11  |
| ¿Cómo puedo solicitar que se haga una excepción al Formulario de Imperial Health Plan? .....                                      | 11  |
| ¿Qué debo hacer antes de hablar con mi médico sobre el cambio de los medicamentos que tomo o la solicitud de una excepción? ..... | 12  |
| Para obtener más información.....                                                                                                 | 13  |
| Formulario de Imperial Insurance Companies .....                                                                                  | 13  |
| Índice de drogas .....                                                                                                            | 200 |

**Nota para los miembros actuales:** este Formulario ha cambiado con respecto al año pasado. Revise este documento para asegurarse de que aún contiene los medicamentos que toma.

Cuando esta Lista de medicamentos (Formulario) menciona “nosotros”, “nos” o “nuestro”, hace referencia a Imperial Insurance Companies, Inc. (HMO) (HMO SNP). Cuando dice “plan” o “nuestro plan”, hace referencia a Imperial Insurance Companies.

Este documento incluye una lista de los medicamentos (Formulario) de nuestro plan, la cual está en vigencia desde el 19/09/2023. Para obtener un formulario actualizado, comuníquese con nosotros. Nuestra información de contacto, junto con la fecha de la última actualización del Formulario, aparece en las páginas de la portada y la portada posterior.

Generalmente, debe concurrir a las farmacias de la red para usar el beneficio de medicamentos con receta. Los beneficios, el formulario, la red de farmacias o los copagos/el coseguro pueden cambiar el 1 de enero de 2023 y periódicamente durante el año.

## ¿Qué es el Formulario de Imperial Insurance Companies?

Un Formulario es una lista de medicamentos cubiertos seleccionados por nuestro plan con la colaboración de un equipo de proveedores de atención médica, que representa los tratamientos con receta que se considera que son parte necesaria de un programa de tratamiento de calidad. Normalmente, cubriremos los medicamentos incluidos en el formulario, siempre que el medicamento sea médicamente necesario, el medicamento con receta se obtenga en una farmacia de la red de Imperial Insurance Companies y se cumpla con otras normas del plan. Para obtener más información sobre cómo obtener sus medicamentos con receta, consulte la Evidencia de cobertura.

## ¿Puede cambiar el Formulario (lista de medicamentos)?

La mayoría de los cambios en la cobertura de los medicamentos ocurre el 1 de enero, pero nosotros podríamos agregar o quitar medicamentos de la Lista de medicamentos durante el año, moverlos a diferentes niveles de costo compartido o agregar nuevas restricciones. Debemos seguir las normas de Medicare al hacer estos cambios.

**Cambios que pueden afectarlo este año:** en los casos a continuación, usted se verá afectado por los cambios de cobertura durante el año:

- **Nuevos medicamentos genéricos.** Podemos eliminar inmediatamente un medicamento de marca de nuestra Lista de medicamentos si lo reemplazamos con un nuevo medicamento genérico que aparecerá en el mismo nivel de costo compartido o en un nivel de costo compartido más bajo y con las mismas restricciones o menos. Además, cuando agreguemos el nuevo medicamento genérico, podemos decidir mantener el medicamento de marca en nuestra Lista de medicamentos, pero inmediatamente moverlo a un nivel de costo compartido diferente o agregar nuevas restricciones. Si actualmente está tomando ese medicamento de marca, quizás no le informemos con antelación antes de que realicemos el cambio, pero más adelante le proporcionaremos información sobre los cambios específicos que hemos realizado.
  - Si realizamos un cambio, usted o la persona autorizada a dar recetas pueden solicitarnos que hagamos una excepción y sigamos cubriendo el medicamento de marca para usted. En el aviso que le proporcionamos también se incluirá información sobre cómo solicitar una excepción, y usted puede encontrar información en la sección a continuación titulada “¿Cómo puedo solicitar que se haga una excepción al Formulario de Imperial Insurance Companies?”
- **Medicamentos retirados del mercado.** Si la Administración de Drogas y Alimentos considera que un medicamento de nuestro Formulario es inseguro o el fabricante del medicamento lo retira del mercado, eliminaremos de inmediato dicho medicamento de nuestro Formulario y les notificaremos a los miembros que toman el medicamento en cuestión.
- **Otros cambios.** Podemos hacer otros cambios que afectan a los miembros que actualmente toman un medicamento. Por ejemplo, podemos agregar un medicamento genérico que no es nuevo en el mercado para reemplazar un medicamento de marca que actualmente se encuentre en el Formulario, o agregar nuevas restricciones al medicamento de marca o moverlo a un nivel de costo compartido diferente o ambos (solo para el plan 007) o ambas cosas. O bien, podemos hacer cambios en función de las nuevas pautas clínicas. Si retiramos medicamentos de nuestro Formulario, o agregamos autorizaciones previas, restricciones de límite de cantidad o de tratamiento escalonado en un medicamento o si pasamos un medicamento a un nivel superior de costo compartido, debemos notificarles a los miembros afectados por el cambio al menos 30 días antes de que entre en vigencia dicho cambio, o cuando el miembro solicite un resurtido del medicamento, momento en el cual el miembro recibirá un suministro del medicamento para 30 días.

- Si realizamos estos otros cambios, usted o la persona autorizada a dar recetas pueden solicitarnos que hagamos una excepción y sigamos cubriendo el medicamento de marca para usted. En el aviso que le proporcionamos también se incluirá información sobre cómo solicitar una excepción, y usted también puede encontrar información en la sección a continuación titulada “¿Cómo puedo solicitar que se haga una excepción al Formulario de Imperial Insurance Companies?”

**Cambios que no lo afectarán si actualmente toma el medicamento.** En general, si usted toma un medicamento de nuestro Formulario para 2023 que estaba cubierto al comienzo del año, nosotros no discontinuaremos ni reduciremos la cobertura del medicamento durante el año de cobertura 2023, excepto como se describe anteriormente. Esto significa que, por el resto del año de cobertura, estos medicamentos continuarán disponibles al mismo costo compartido y sin nuevas restricciones para aquellos miembros que estén tomándolos. No recibirá un aviso directo este año sobre cambios que no lo afectan. Sin embargo, dichos cambios lo afectarían a partir del 1 de enero del año siguiente, y es importante que verifique la Lista de medicamentos del nuevo año de beneficios por cualquier cambio en los medicamentos.

El Formulario adjunto es vigente a partir del 19/09/2023. Para recibir información actualizada sobre los medicamentos cubiertos por nuestro plan, comuníquese con nosotros. Nuestra información de contacto aparece en las páginas de la portada y la portada posterior. En caso de cambios al formulario durante el año del plan que no sean relacionados al mantenimiento, podemos realizar cambios a través de las hojas de correcciones que le enviemos. Además, puede visitar nuestro sitio web para encontrar un enlace a la hoja de correcciones.

## ¿Cómo utilizo el Formulario?

Hay dos formas para encontrar su medicamento dentro del Formulario:

### Afección médica

El Formulario comienza en la página 19. Los medicamentos de este Formulario están agrupados en categorías según el tipo de afección médica para cuyo tratamiento se los emplea. Por ejemplo, los medicamentos utilizados para tratar una afección cardíaca se enumeran dentro de la categoría “CARDIOVASCULAR”. Si sabe para qué se utiliza su medicamento, busque el nombre de la categoría en la lista que empieza en la página 16. Luego, busque su medicamento debajo del nombre de la categoría.

### Listado alfabético

Si no está seguro de qué categoría consultar, debe buscar su medicamento en el Índice que comienza en la página 200. El Índice proporciona una lista alfabética de todos los medicamentos incluidos en este documento. En el Índice, están tanto los medicamentos de marca como los genéricos. Busque en el Índice y encuentre su medicamento. Junto a su medicamento, verá el número de página donde puede encontrar información acerca de la cobertura. Vaya a la página que figura en el Índice y encuentre el nombre de su medicamento en la primera columna de la lista.

## ¿Qué son los medicamentos genéricos?

Nuestro plan cubre tanto los medicamentos de marca como los genéricos. Un medicamento genérico está aprobado por la Administración de Drogas y Alimentos (FDA) dado que se considera que tiene el mismo ingrediente activo que el medicamento de marca. Normalmente, los medicamentos genéricos cuestan menos que los de marca.

## ¿Hay alguna restricción en mi cobertura?

Algunos medicamentos cubiertos pueden tener requisitos o límites adicionales de cobertura. Estos requisitos y límites pueden incluir:

- **Autorización previa:** Nuestro plan exige que usted o su médico obtenga una autorización previa para determinados medicamentos. Esto significa que necesitará contar con la aprobación de nosotros antes de obtener sus medicamentos con receta. Si no consigue la autorización, es posible que no cubramos el medicamento.
- **Límites de cantidad:** para ciertos medicamentos, nuestro plan limita la cantidad del medicamento que cubriremos. Por ejemplo, nuestro plan proporciona 60 por receta para celecoxib. Esto puede ser complementario a un suministro estándar para un mes o tres meses.
- **Tratamiento escalonado:** en algunos casos, nuestro plan requiere que usted primero pruebe ciertos medicamentos para tratar su afección médica antes de que cubramos otro medicamento para esa enfermedad. Por ejemplo, si el medicamento A y el medicamento B tratan su afección médica, es posible que no cubramos el medicamento B a menos que usted pruebe primero el medicamento A. Si el medicamento A no funciona para usted, entonces cubriremos el medicamento B.

Para averiguar si su medicamento tiene requisitos o límites adicionales, consulte el Formulario que empieza en la página 19. También puede obtener más información sobre las restricciones que se aplican a medicamentos cubiertos específicos en nuestro sitio Web. Hemos publicado documentos en línea que explican nuestras restricciones de autorización previa y tratamiento escalonado. También puede pedirnos que le enviemos una copia. Nuestra información de contacto, junto con la fecha de la última actualización del Formulario, aparece en las páginas de la portada y la portada posterior.

Puede pedirnos que hagamos una excepción a estas restricciones o límites, o puede solicitarnos una lista de otros medicamentos similares que puedan tratar su afección médica. Consulte la sección “¿Cómo puedo solicitar que se haga una excepción al Formulario de Imperial Insurance Companies?” en la página 11 para obtener información acerca de cómo solicitar una excepción.

## ¿Qué pasa si mi medicamento no está en el Formulario?

Si el medicamento que toma no está incluido en este Formulario (lista de medicamentos cubiertos), primero debe comunicarse con nuestro Departamento de Membresía y preguntar si su medicamento está cubierto.

Si resulta que nuestro plan no cubre el medicamento que toma, tiene dos alternativas:

- Puede pedir a nuestro Departamento de Membresía una lista de medicamentos similares que estén cubiertos por nuestro plan. Cuando reciba la lista, muéstresela a su médico y pídale que le recete un medicamento similar que esté cubierto por nuestro plan.
- Puede solicitar que nuestro plan haga una excepción y cubra su medicamento. Consulte a continuación para obtener información sobre cómo solicitar una excepción.

## ¿Cómo puedo solicitar que se haga una excepción al Formulario de Imperial Insurance Companies

Puede solicitarnos que hagamos una excepción a nuestras normas de cobertura. Hay varios tipos de excepciones que puede solicitarnos.

- Puede pedirnos que cubramos un medicamento, incluso si no está en nuestro Formulario. Si se aprueba, este medicamento estará cubierto a un nivel de costo compartido predeterminado, y usted no podrá pedirnos que le brindemos el medicamento a un nivel de costo compartido menor.

- Puede pedirnos que cubramos un medicamento del Formulario a un nivel de costo compartido menor, a menos que el medicamento esté incluido en el nivel de medicamentos especializados. Si se aprueba, esto reduciría el monto que usted debe pagar por su medicamento.
- Puede pedirnos que no apliquemos restricciones o límites de cobertura para su medicamento. Por ejemplo, para ciertos medicamentos, nuestro plan limita la cantidad del medicamento que cubriremos. Si su medicamento tiene un límite de cantidad, puede pedirnos que hagamos una excepción al límite y cubramos una cantidad mayor.

Por lo general, solo aprobaremos su pedido de excepción si los medicamentos alternativos incluidos en el Formulario del plan, el medicamento de menor costo compartido o las restricciones de uso adicionales no fueran tan efectivos para tratar su afección o pudieran causarle efectos médicos adversos.

Debe comunicarse con nosotros para solicitarnos una decisión inicial de cobertura para una excepción al Formulario, nivel (solo para el plan 007), o a la restricción de uso. **Cuando solicita una excepción al Formulario, nivel (solo para el plan 007), o a la restricción de uso, debe presentar una declaración de su médico o de la persona autorizada a dar recetas que respalde su solicitud.** Por lo general, debemos tomar una decisión dentro de las 72 horas a partir de la fecha de haber recibido la declaración que respalda su solicitud por parte de la persona autorizada a dar recetas. Puede solicitar una excepción acelerada (rápida) si usted o su médico consideran que esperar 72 horas para la toma de la decisión podría perjudicar gravemente su salud. Si se le concede el trámite rápido de la excepción, debemos comunicarle nuestra decisión a más tardar dentro de las 24 horas después de haber recibido la declaración de respaldo de su médico o de otra persona autorizada a dar recetas.

## ¿Qué debo hacer antes de hablar con mi médico sobre el cambio de los medicamentos que tomo o la solicitud de una excepción?

Como miembro nuevo o permanente de nuestro plan, es posible que esté tomando medicamentos que no están incluidos en el Formulario. También es posible que esté tomando un medicamento incluido en el Formulario, pero su capacidad de conseguirlo sea limitada. Por ejemplo, puede necesitar nuestra autorización previa antes de poder obtener su medicamento con receta. Debe consultar con su médico para decidir si debe cambiar su medicamento por uno apropiado que nosotros cubramos o solicitar una excepción al formulario para que le cubramos el medicamento que toma. Mientras evalúa con su médico el procedimiento adecuado para seguir en su caso, podemos cubrir su medicamento, en ciertos casos, durante los primeros 90 días en que usted sea miembro de nuestro plan.

Para cada uno de sus medicamentos que no está incluido en el Formulario o si su capacidad para conseguir los medicamentos es limitada, cubriremos un suministro temporal para 30 días. Si su receta está indicada para menos días, permitiremos que realice resurtidos por un máximo de hasta 30 días del medicamento. Después del primer suministro para 30 días, no seguiremos pagando estos medicamentos, incluso si ha sido miembro del plan durante menos de 90 días.

Si es residente de un centro de atención a largo plazo y necesita un medicamento que no está en el Formulario o si su capacidad para conseguir los medicamentos es limitada, pero ya pasaron los primeros 90 días de membresía en nuestro plan, cubriremos un suministro de emergencia del medicamento para 31 días mientras solicita la excepción al formulario.

Las excepciones se encuentran disponibles para aquellos beneficiarios que hayan sufrido un cambio de nivel en la atención que reciben, el cual exige que se muden de una instalación o centro de tratamiento a otro. Los siguientes son ejemplos de las situaciones en las que los beneficiarios serían elegibles para una excepción de una sola vez de un surtido temporal al encontrarse fuera del plazo de los tres meses posteriores a la fecha de vigencia del programa de la Parte D:

1. El beneficiario fue dado de alta del hospital y recibió una lista de medicamentos del alta según el formulario del hospital.
2. Los beneficiarios quienes terminan su estancia de Medicare Parte A en un centro de enfermería especializada (en la que los pagos incluyen todas las tarifas de farmacia) y quienes necesitan volver al formulario de su plan de la Parte D.
3. Los beneficiarios que pierden su estatus de hospicio para volver a los beneficios estándares de Medicare Parte A y B.
4. Los beneficiarios que son dados de alta de hospitales psiquiátricos crónicos con regímenes de medicamentos altamente individualizados.

## Para obtener más información

Para obtener información más detallada sobre la cobertura para medicamentos con receta de su plan, consulte la Evidencia de cobertura y otra documentación del plan.

Si tiene alguna pregunta sobre Imperial Insurance Companies, comuníquese con nosotros. Nuestra información de contacto, junto con la fecha de la última actualización del Formulario, aparece en las páginas de la portada y la portada posterior.

Si tiene preguntas generales sobre su cobertura para medicamentos con receta de Medicare, llame a Medicare al 1-800-MEDICARE (1-800-633-4227), las 24 horas, los 7 días de la semana. Los usuarios de TTY deben llamar al 1-877-486-2048, o visite <http://www.medicare.gov>.

## Formulario de Imperial Insurance Companies

El formulario que comienza en la siguiente página proporciona información acerca de la cobertura de los medicamentos cubiertos por nuestro plan. Si tiene alguna dificultad para encontrar el medicamento que toma en la lista, consulte el Índice que comienza en la página 200.

La primera columna de la tabla menciona el nombre del medicamento. Los medicamentos de marca están en letra mayúscula (por ejemplo, HUMIRA), y los medicamentos genéricos están en letra minúscula y cursiva (por ejemplo, *celecoxib*).

La información incluida en la columna de Requisitos/límites indica si nuestro plan tiene algún requisito especial para la cobertura del medicamento.

# Imperial MAPD 2023 1-Tier (List of Covered Drugs)

## List of Drugs by Medical Condition

|                                                                                |    |
|--------------------------------------------------------------------------------|----|
| ANALGESICS.....                                                                | 19 |
| ANESTHETICS.....                                                               | 21 |
| ANTI-ADDICTION/ SUBSTANCE ABUSE TREATMENT AGENTS.....                          | 21 |
| ANTIBACTERIALS .....                                                           | 22 |
| ANTICONVULSANTS .....                                                          | 28 |
| ANTIDEMENTIA AGENTS.....                                                       | 31 |
| ANTIDEPRESSANTS .....                                                          | 32 |
| ANTIEMETICS.....                                                               | 35 |
| ANTIFUNGALS .....                                                              | 36 |
| ANTIGOUT AGENTS .....                                                          | 37 |
| ANTIMIGRAINE AGENTS .....                                                      | 37 |
| ANTIMYASTHENIC AGENTS .....                                                    | 38 |
| ANTIMYCOBACTERIALS .....                                                       | 39 |
| ANTINEOPLASTICS.....                                                           | 39 |
| ANTIPARASITICS.....                                                            | 47 |
| ANTIPARKINSON AGENTS.....                                                      | 47 |
| ANTIPSYCHOTICS .....                                                           | 48 |
| ANTISPASTICITY AGENTS .....                                                    | 52 |
| ANTIVIRALS.....                                                                | 52 |
| ANXIOLYTICS.....                                                               | 56 |
| BIPOLAR AGENTS.....                                                            | 57 |
| BLOOD GLUCOSE REGULATORS .....                                                 | 57 |
| BLOOD PRODUCTS AND MODIFIERS .....                                             | 61 |
| CARDIOVASCULAR AGENTS .....                                                    | 63 |
| CENTRAL NERVOUS SYSTEM AGENTS .....                                            | 70 |
| DENTAL AND ORAL AGENTS .....                                                   | 72 |
| DERMATOLOGICAL AGENTS .....                                                    | 72 |
| ELECTROLYTES/MINERALS/METALS/VITAMINS .....                                    | 76 |
| GASTROINTESTINAL AGENTS.....                                                   | 79 |
| GENETIC OR ENZYME OR PROTEIN DISORDER: REPLACEMENT, MODIFIERS, TREATMENT ..... | 81 |
| GENITOURINARY AGENTS .....                                                     | 82 |

|                                                                                    |     |
|------------------------------------------------------------------------------------|-----|
| HORMONAL AGENTS, STIMULANT/ REPLACEMENT/ MODIFYING (ADRENAL) .....                 | 83  |
| HORMONAL AGENTS, STIMULANT/ REPLACEMENT/ MODIFYING (PITUITARY).....                | 84  |
| HORMONAL AGENTS, STIMULANT/ REPLACEMENT/ MODIFYING (SEX HORMONES/ MODIFIERS) ..... | 84  |
| HORMONAL AGENTS, STIMULANT/ REPLACEMENT/ MODIFYING (THYROID).....                  | 90  |
| HORMONAL AGENTS, SUPPRESSANT (PITUITARY) .....                                     | 90  |
| HORMONAL AGENTS, SUPPRESSANT (THYROID) .....                                       | 91  |
| IMMUNOLOGICAL AGENTS .....                                                         | 91  |
| INFLAMMATORY BOWEL DISEASE AGENTS.....                                             | 97  |
| METABOLIC BONE DISEASE AGENTS.....                                                 | 98  |
| OPHTHALMIC AGENTS.....                                                             | 99  |
| OTIC AGENTS .....                                                                  | 102 |
| RESPIRATORY TRACT/ PULMONARY AGENTS.....                                           | 102 |
| SKELETAL MUSCLE RELAXANTS .....                                                    | 106 |
| SLEEP DISORDER AGENTS.....                                                         | 106 |

# Imperial MAPD 2023 1-Tier (Lista de Medicamentos Cubiertos)

## Lista de medicamentos por condición médica

|                                                                                                           |     |
|-----------------------------------------------------------------------------------------------------------|-----|
| AGENTES ANTIESPASTICIDAD .....                                                                            | 108 |
| AGENTES ANTIMIASTENICOS.....                                                                              | 108 |
| AGENTES ANTIMIGRAÑOSOS.....                                                                               | 108 |
| AGENTES ANTIPARKINSON .....                                                                               | 109 |
| AGENTES BIPOLES .....                                                                                     | 110 |
| AGENTES CARDIOVASCULARES .....                                                                            | 111 |
| AGENTES DE ANTIDEMENCIA.....                                                                              | 118 |
| AGENTES DEL SISTEMA NERVIOSO CENTRAL .....                                                                | 119 |
| AGENTES DENTALES Y ORALES .....                                                                           | 121 |
| AGENTES DERMATOLÓGICOS .....                                                                              | 122 |
| AGENTES GASTROINTESTINALES.....                                                                           | 126 |
| AGENTES GENITOURINARIOS .....                                                                             | 128 |
| AGENTES HORMONALES, ESTIMULANTES/ DE REEMPLAZO/ MODIFICADORES (HORMONAS<br>SEXUALES/ MODIFICADORES) ..... | 129 |
| AGENTES HORMONALES, ESTIMULANTES/ DE REEMPLAZO/ MODIFICADORES (PITUITARIA) .....                          | 134 |
| AGENTES HORMONALES, ESTIMULANTES/ DE REEMPLAZO/ MODIFICADORES<br>(SUPRARRENALES) .....                    | 135 |
| AGENTES HORMONALES, ESTIMULANTES/ DE REEMPLAZO/ MODIFICADORES (TIROIDES).....                             | 135 |
| AGENTES HORMONALES, SUPRESORES (PITUITARIA).....                                                          | 136 |
| AGENTES HORMONALES, SUPRESORES (TIROIDES) .....                                                           | 137 |
| AGENTES INMUNOLÓGICOS .....                                                                               | 137 |
| AGENTES METABÓLICOS PARA LA ENFERMEDAD ÓSEA .....                                                         | 143 |
| AGENTES OFTÁLMICOS.....                                                                                   | 144 |
| AGENTES ÓTICOS.....                                                                                       | 147 |
| AGENTES PARA ENFERMEDAD INTESTINAL INFLAMATORIA .....                                                     | 148 |
| AGENTES PARA TRASTORNO DEL SUEÑO .....                                                                    | 148 |
| AGENTES PARA TRASTORNO GENÉTICO, DE ENZIMAS o PROTEÍNAS: REEMPLAZO,<br>MODIFICADORES, TRATAMIENTO.....    | 149 |
| AGENTES PARA TRATAMIENTO DE ABUSO DE SUSTANCIAS/ANTI-ADICCIÓN .....                                       | 150 |
| AGENTES PARA TRATAMIENTO DE LA GOTA .....                                                                 | 151 |
| AGENTES PULMONARES/ TRACTO RESPIRATORIO.....                                                              | 151 |
| ANALGÉSICOS.....                                                                                          | 155 |

|                                                |     |
|------------------------------------------------|-----|
| ANESTÉSICOS .....                              | 158 |
| ANSIOLÍTICOS .....                             | 158 |
| ANTIBACTERIANOS .....                          | 159 |
| ANTICONVULSIVOS .....                          | 165 |
| ANTIDEPRESIVOS .....                           | 168 |
| ANTIEMÉTICOS .....                             | 171 |
| ANTIMICOBACTERIANOS.....                       | 172 |
| ANTIMICÓTICOS .....                            | 173 |
| ANTINEOPLÁSICOS .....                          | 174 |
| ANTIPARASITARIOS .....                         | 182 |
| ANTIPSICÓTICOS .....                           | 183 |
| ANTIVIRALES .....                              | 186 |
| ELECTROLITOS/MINERALES/METALES/VITAMINAS ..... | 191 |
| PRODUCTOS Y MODIFICADORES DE SANGRE .....      | 194 |
| REGULADORES DE GLUCOSA EN SANGRE.....          | 196 |
| RELAJANTES DEL MÚSCULO ESQUELÉTICO .....       | 199 |

# Legend

## 1: Covered Medications

**BvD:** Part B vs. Part D- This prescription drug may be covered under Medicare Part B or D depending upon the circumstances. Information may need to be submitted describing the use and setting of the drug to make the determination.

**MO:** Mail Order Eligible- This prescription may also be available via mail.

**PA:** Prior Authorization- You (or your physician) are required to get prior authorization before you fill your prescription for this drug. Without prior approval, we may not cover this drug.

**QL:** Quantity Limit- There is a limit on the amount of this drug that is covered per prescription, or within a specific time frame.

**ST:** Step Therapy - In some cases, you may be required to first try certain drugs to treat your medical condition before we will cover another drug for that condition.

# La leyenda

## 1: Medicamentos cubiertos

**BvD:** Algunos medicamentos pueden tener cobertura de la Parte B o D de Medicare, según las circunstancias.

**MO:** El pedido por correo es elegible.

**PA:** Autorización previa. Usted (o su médico) debe obtener una autorización previa antes de que llene su receta para este medicamento. Sin aprobación previa, es posible que no cubramos este medicamento.

**QL:** Limite de cantidad. Un limite de cantidad se ha implementado en el medicamento recetado.

**ST:** Terapia escalonada. Los requisitos de la terapia escalonada deben cumplirse antes de surtir el medicamento recetado.

# Imperial MAPD 2023 1-Tier (List of Covered Drugs)

| Drug Name                                                              | Drug Tier | Requirements/Limits     |
|------------------------------------------------------------------------|-----------|-------------------------|
| <b>ANALGESICS</b>                                                      |           |                         |
| <b><i>Analgesics</i></b>                                               |           |                         |
| <i>butalbital-apap-cafeine oral tablet 50-325-40mg</i>                 | 1         | QL (180 EA per 30 days) |
| <i>butalbital-asa-caff-codeine oral capsule 50-325-40-30mg</i>         | 1         | QL (180 EA per 30 days) |
| <i>butalbital-aspirin-cafeine oral capsule 50-325-40mg</i>             | 1         | QL (180 EA per 30 days) |
| <b><i>Nonsteroidal Anti-Inflammatory Drugs</i></b>                     |           |                         |
| <i>celecoxib oral capsule 100mg, 200mg, 400mg, 50mg</i>                | 1         | MO                      |
| <i>diclofenac potassium oral tablet 50mg</i>                           | 1         | MO                      |
| <i>diclofenac sodium er oral tablet extended release 24-hour 100mg</i> | 1         | MO                      |
| <i>diclofenac sodium external gel 1%</i>                               | 1         |                         |
| <i>diclofenac sodium oral tablet delayed release 25mg, 50mg, 75mg</i>  | 1         | MO                      |
| <i>diflunisal oral tablet 500mg</i>                                    | 1         | MO                      |
| <i>etodolac oral capsule 200mg, 300mg</i>                              | 1         | MO                      |
| <i>etodolac oral tablet 400mg, 500mg</i>                               | 1         | MO                      |
| <i>flurbiprofen oral tablet 100mg</i>                                  | 1         | MO                      |
| <i>IBU ORAL TABLET 600MG, 800MG</i>                                    | 1         | MO                      |
| <i>ibuprofen oral suspension 100mg/5ml</i>                             | 1         |                         |
| <i>ibuprofen oral tablet 400mg, 600mg, 800mg</i>                       | 1         | MO                      |
| <i>indomethacin er oral capsule extended release 75mg</i>              | 1         | MO                      |
| <i>indomethacin oral capsule 25mg, 50mg</i>                            | 1         | MO                      |
| <i>ketorolac tromethamine oral tablet 10mg</i>                         | 1         |                         |
| <i>meloxicam oral tablet 15mg, 7.5mg</i>                               | 1         | MO                      |
| <i>nabumetone oral tablet 500mg, 750mg</i>                             | 1         | MO                      |
| <i>naproxen oral suspension 125mg/5ml</i>                              | 1         | MO                      |
| <i>naproxen oral tablet 250mg, 375mg, 500mg</i>                        | 1         | MO                      |
| <i>naproxen oral tablet delayed release 375mg, 500mg</i>               | 1         | MO                      |
| <i>naproxen sodium oral tablet 275mg, 550mg</i>                        | 1         | MO                      |

| Drug Name                                                                                                                       | Drug Tier | Requirements/Limits         |
|---------------------------------------------------------------------------------------------------------------------------------|-----------|-----------------------------|
| <i>oxaprozin oral tablet 600mg</i>                                                                                              | 1         | MO                          |
| <i>piroxicam oral capsule 10mg, 20mg</i>                                                                                        | 1         | MO                          |
| <i>sulindac oral tablet 150mg, 200mg</i>                                                                                        | 1         | MO                          |
| <b>Opioid Analgesics, Long-Acting</b>                                                                                           |           |                             |
| <i>fentanyl transdermal patch 72-hour 100mcg/hr, 12mcg/hr, 25mcg/hr, 37.5mcg/hr, 50mcg/hr, 62.5mcg/hr, 75mcg/hr, 87.5mcg/hr</i> | 1         | PA; QL (10 EA per 30 days)  |
| <i>methadone hcl oral tablet 10mg, 5mg</i>                                                                                      | 1         | QL (240 EA per 30 days)     |
| <i>morphine sulfate er oral tablet extended release 100mg, 15mg, 200mg, 30mg, 60mg</i>                                          | 1         | QL (90 EA per 30 days)      |
| <i>oxycodone hcl er oral tablet er 12-hour abuse-deterrent 10mg, 20mg</i>                                                       | 1         |                             |
| <b>Opioid Analgesics, Short-Acting</b>                                                                                          |           |                             |
| <i>acetaminophen-codeine oral solution 120-12mg/5ml</i>                                                                         | 1         | QL (5000ML per 30 days)     |
| <i>acetaminophen-codeine oral tablet 300-15mg, 300-30mg, 300-60mg</i>                                                           | 1         | QL (360 EA per 30 days)     |
| <i>codeine sulfate oral tablet 15mg, 30mg, 60mg</i>                                                                             | 1         | QL (180 EA per 30 days)     |
| <i>fentanyl citrate buccal lozenge on a handle 1200mcg, 1600mcg, 200mcg, 400mcg, 600mcg, 800mcg</i>                             | 1         | PA; QL (120 EA per 30 days) |
| <i>hydrocodone-acetaminophen oral solution 7.5-325mg/15ml</i>                                                                   | 1         | QL (5500ML per 30 days)     |
| <i>hydrocodone-acetaminophen oral tablet 10-325mg, 5-325mg, 7.5-325mg</i>                                                       | 1         | QL (360 EA per 30 days)     |
| <i>hydrocodone-ibuprofen oral tablet 10-200mg, 5-200mg, 7.5-200mg</i>                                                           | 1         | QL (150 EA per 30 days)     |
| <i>hydromorphone hcl oral liquid 1mg/ml</i>                                                                                     | 1         | QL (1920ML per 30 days)     |
| <i>hydromorphone hcl oral tablet 2mg, 4mg</i>                                                                                   | 1         | QL (360 EA per 30 days)     |
| <i>hydromorphone hcl oral tablet 8mg</i>                                                                                        | 1         | QL (240 EA per 30 days)     |
| <i>morphine sulfate (concentrate) oral solution 20mg/ml</i>                                                                     | 1         | QL (600ML per 30 days)      |
| <i>morphine sulfate oral solution 10mg/5ml</i>                                                                                  | 1         | QL (1800ML per 30 days)     |
| <i>morphine sulfate oral solution 20mg/5ml</i>                                                                                  | 1         | QL (1500ML per 30 days)     |
| <i>morphine sulfate oral tablet 15mg, 30mg</i>                                                                                  | 1         | QL (180 EA per 30 days)     |
| <i>oxycodone hcl oral concentrate 100mg/5ml</i>                                                                                 | 1         | QL (180ML per 30 days)      |

| Drug Name                                                                          | Drug Tier | Requirements/Limits        |
|------------------------------------------------------------------------------------|-----------|----------------------------|
| <i>oxycodone hcl oral solution 5mg/5ml</i>                                         | 1         | QL (1080ML per 30 days)    |
| <i>oxycodone hcl oral tablet 10mg, 15mg, 20mg, 30mg, 5mg</i>                       | 1         | QL (180 EA per 30 days)    |
| <i>oxycodone-acetaminophen oral solution 5-325mg/5ml</i>                           | 1         | QL (1080ML per 30 days)    |
| <i>oxycodone-acetaminophen oral tablet 10-325mg, 2.5-325mg, 5-325mg, 7.5-325mg</i> | 1         | QL (360 EA per 30 days)    |
| <i>tramadol hcl oral tablet 100mg</i>                                              | 1         | QL (120 EA per 30 days)    |
| <i>tramadol hcl oral tablet 50mg</i>                                               | 1         | QL (240 EA per 30 days)    |
| <i>tramadol-acetaminophen oral tablet 37.5-325mg</i>                               | 1         | QL (240 EA per 30 days)    |
| <b>ANESTHETICS</b>                                                                 |           |                            |
| <b>Local Anesthetics</b>                                                           |           |                            |
| <i>lidocaine external patch 5%</i>                                                 | 1         | PA; QL (90 EA per 30 days) |
| <i>lidocaine hcl external solution 4%</i>                                          | 1         | QL (50ML per 30 days)      |
| <i>lidocaine viscous hcl mouth/throat solution 2%</i>                              | 1         |                            |
| <i>lidocaine-prilocaine external cream 2.5-2.5%</i>                                | 1         | QL (30GM per 30 days)      |
| <b>ANTI-ADDICTION/ SUBSTANCE ABUSE TREATMENT AGENTS</b>                            |           |                            |
| <b>Alcohol Deterrents/Anti-Craving</b>                                             |           |                            |
| <i>acamprosate calcium oral tablet delayed release 333mg</i>                       | 1         | MO                         |
| <i>disulfiram oral tablet 250mg</i>                                                | 1         | MO                         |
| <i>naltrexone hcl oral tablet 50mg</i>                                             | 1         |                            |
| VIVITROL INTRAMUSCULAR SUSPENSION RECONSTITUTED 380MG                              | 1         |                            |
| <b>Opioid Dependence</b>                                                           |           |                            |
| <i>buprenorphine hcl sublingual tablet sublingual 2mg, 8mg</i>                     | 1         |                            |
| <i>buprenorphine hcl-naloxone hcl sublingual tablet sublingual 2-0.5mg, 8-2mg</i>  | 1         |                            |
| SUBOXONE SUBLINGUAL FILM 12-3MG, 2-0.5MG, 4-1MG, 8-2MG                             | 1         |                            |
| <b>Opioid Reversal Agents</b>                                                      |           |                            |
| KLOXXADO NASAL LIQUID 8MG/0.1ML                                                    | 1         |                            |
| <i>naloxone hcl injection solution 0.4mg/ml</i>                                    | 1         |                            |

| Drug Name                                                                                                     | Drug Tier | Requirements/Limits |
|---------------------------------------------------------------------------------------------------------------|-----------|---------------------|
| <i>naloxone hcl injection solution cartridge 0.4mg/ml</i>                                                     | 1         |                     |
| <i>naloxone hcl injection solution prefilled syringe 2mg/2ml</i>                                              | 1         |                     |
| <i>naloxone hcl nasal liquid 4mg/0.1ml</i>                                                                    | 1         |                     |
| NARCAN NASAL LIQUID 4MG/0.1ML                                                                                 | 1         |                     |
| ZIMHI INJECTION SOLUTION PREFILLED SYRINGE 5MG/0.5ML                                                          | 1         |                     |
| <b>Smoking Cessation Agents</b>                                                                               |           |                     |
| <i>bupropion hcl er (smoking det) oral tablet extended release 12-hour 150mg</i>                              | 1         |                     |
| NICOTROL INHALATION INHALER 10MG                                                                              | 1         |                     |
| <i>varenicline tartrate oral tablet 0.5mg, 1mg</i>                                                            | 1         |                     |
| <i>varenicline tartrate oral tablet therapy pack 0.5mg x 11 &amp; 1mg x 42</i>                                | 1         |                     |
| <b>ANTIBACTERIALS</b>                                                                                         |           |                     |
| <b>Aminoglycosides</b>                                                                                        |           |                     |
| <i>amikacin sulfate injection solution 500mg/2ml</i>                                                          | 1         | BvD                 |
| ARIKAYCE INHALATION SUSPENSION 590MG/8.4ML                                                                    | 1         | PA                  |
| <i>gentamicin in saline intravenous solution 0.8-0.9mg/ml-%, 1-0.9mg/ml-%, 1.2-0.9mg/ml-%, 1.6-0.9mg/ml-%</i> | 1         |                     |
| <i>gentamicin sulfate external cream 0.1%</i>                                                                 | 1         |                     |
| <i>gentamicin sulfate external ointment 0.1%</i>                                                              | 1         |                     |
| <i>gentamicin sulfate injection solution 40mg/ml</i>                                                          | 1         |                     |
| <i>neomycin sulfate oral tablet 500mg</i>                                                                     | 1         |                     |
| <i>paromomycin sulfate oral capsule 250mg</i>                                                                 | 1         |                     |
| <i>tobramycin sulfate injection solution 10mg/ml, 80mg/2ml</i>                                                | 1         | BvD                 |
| ZEMDRI INTRAVENOUS SOLUTION 500MG/10ML                                                                        | 1         |                     |
| <b>Antibacterials, Other</b>                                                                                  |           |                     |
| <i>aztreonam injection solution reconstituted 1gm</i>                                                         | 1         |                     |
| <i>aztreonam injection solution reconstituted 2gm</i>                                                         | 1         | BvD                 |

| Drug Name                                                                                   | Drug Tier | Requirements/Limits |
|---------------------------------------------------------------------------------------------|-----------|---------------------|
| <i>clindamycin hcl oral capsule 150mg, 300mg, 75mg</i>                                      | 1         |                     |
| <i>clindamycin palmitate hcl oral solution reconstituted 75mg/5ml</i>                       | 1         |                     |
| <i>clindamycin phosphate in d5w intravenous solution 300mg/50ml, 600mg/50ml, 900mg/50ml</i> | 1         |                     |
| <i>clindamycin phosphate injection solution 300mg/2ml, 600mg/4ml, 900mg/6ml</i>             | 1         | BvD                 |
| <i>clindamycin phosphate vaginal cream 2%</i>                                               | 1         |                     |
| <i>colistimethate sodium (cba) injection solution reconstituted 150mg</i>                   | 1         | BvD                 |
| <i>daptomycin intravenous solution reconstituted 350mg, 500mg</i>                           | 1         |                     |
| FIRVANQ ORAL SOLUTION RECONSTITUTED 25MG/ML, 50MG/ML                                        | 1         |                     |
| <i>linezolid intravenous solution 600mg/300ml</i>                                           | 1         | PA                  |
| <i>linezolid oral tablet 600mg</i>                                                          | 1         | PA                  |
| <i>methenamine hippurate oral tablet 1gm</i>                                                | 1         |                     |
| <i>metronidazole external cream 0.75%</i>                                                   | 1         |                     |
| <i>metronidazole external gel 0.75%, 1%</i>                                                 | 1         |                     |
| <i>metronidazole external lotion 0.75%</i>                                                  | 1         |                     |
| <i>metronidazole intravenous solution 500mg/100ml</i>                                       | 1         | BvD                 |
| <i>metronidazole oral tablet 250mg, 500mg</i>                                               | 1         |                     |
| <i>metronidazole vaginal gel 0.75%</i>                                                      | 1         |                     |
| <i>nitrofurantoin macrocrystal oral capsule 100mg, 25mg, 50mg</i>                           | 1         |                     |
| <i>nitrofurantoin monohyd macro oral capsule 100mg</i>                                      | 1         |                     |
| <i>tigecycline intravenous solution reconstituted 50mg</i>                                  | 1         | BvD                 |
| <i>tinidazole oral tablet 250mg, 500mg</i>                                                  | 1         |                     |
| <i>trimethoprim oral tablet 100mg</i>                                                       | 1         |                     |
| <i>vancomycin hcl intravenous solution reconstituted 1gm, 10gm, 500mg, 750mg</i>            | 1         |                     |
| <i>vancomycin hcl oral capsule 125mg, 250mg</i>                                             | 1         |                     |
| <i>vancomycin hcl oral solution reconstituted 25mg/ml, 250mg/5ml</i>                        | 1         |                     |

| Drug Name                                                                     | Drug Tier | Requirements/Limits |
|-------------------------------------------------------------------------------|-----------|---------------------|
| XIFAXAN ORAL TABLET 200MG                                                     | 1         |                     |
| XIFAXAN ORAL TABLET 550MG                                                     | 1         | MO                  |
| <b>Beta-Lactam, Cephalosporins</b>                                            |           |                     |
| <i>cefaclor er oral tablet extended release 12-hour 500mg</i>                 | 1         |                     |
| <i>cefaclor oral capsule 250mg, 500mg</i>                                     | 1         |                     |
| <i>cefaclor oral suspension reconstituted 125mg/5ml, 250mg/5ml, 375mg/5ml</i> | 1         |                     |
| <i>cefadroxil oral capsule 500mg</i>                                          | 1         |                     |
| <i>cefadroxil oral suspension reconstituted 250mg/5ml, 500mg/5ml</i>          | 1         |                     |
| <i>cefadroxil oral tablet 1gm</i>                                             | 1         |                     |
| <i>cefazolin sodium injection solution reconstituted 1gm, 10gm, 500mg</i>     | 1         |                     |
| <i>cefdinir oral capsule 300mg</i>                                            | 1         |                     |
| <i>cefdinir oral suspension reconstituted 125mg/5ml, 250mg/5ml</i>            | 1         |                     |
| <i>cefepime hcl injection solution reconstituted 1gm</i>                      | 1         |                     |
| <i>cefepime hcl intravenous solution reconstituted 2gm</i>                    | 1         |                     |
| <i>cefixime oral capsule 400mg</i>                                            | 1         |                     |
| <i>cefixime oral suspension reconstituted 100mg/5ml, 200mg/5ml</i>            | 1         |                     |
| <i>cefotetan disodium injection solution reconstituted 1gm, 2gm</i>           | 1         | BvD                 |
| <i>cefoxitin sodium intravenous solution reconstituted 1gm, 10gm, 2gm</i>     | 1         | BvD                 |
| <i>cefpodoxime proxetil oral suspension reconstituted 100mg/5ml, 50mg/5ml</i> | 1         |                     |
| <i>cefpodoxime proxetil oral tablet 100mg, 200mg</i>                          | 1         |                     |
| <i>cefprozil oral suspension reconstituted 125mg/5ml, 250mg/5ml</i>           | 1         |                     |
| <i>cefprozil oral tablet 250mg, 500mg</i>                                     | 1         |                     |
| <i>ceftazidime injection solution reconstituted 1gm, 6gm</i>                  | 1         |                     |

| Drug Name                                                                                                                     | Drug Tier | Requirements/Limits |
|-------------------------------------------------------------------------------------------------------------------------------|-----------|---------------------|
| <i>ceftazidime intravenous solution reconstituted 2gm</i>                                                                     | 1         |                     |
| <i>ceftriaxone sodium injection solution reconstituted 1gm, 2gm, 250mg, 500mg</i>                                             | 1         |                     |
| <i>ceftriaxone sodium intravenous solution reconstituted 10gm</i>                                                             | 1         |                     |
| <i>cefuroxime axetil oral tablet 250mg, 500mg</i>                                                                             | 1         |                     |
| <i>cefuroxime sodium injection solution reconstituted 750mg</i>                                                               | 1         | BvD                 |
| <i>cefuroxime sodium intravenous solution reconstituted 1.5gm</i>                                                             | 1         | BvD                 |
| <i>cephalexin oral capsule 250mg, 500mg</i>                                                                                   | 1         |                     |
| <i>cephalexin oral suspension reconstituted 125mg/5ml, 250mg/5ml</i>                                                          | 1         |                     |
| <i>cephalexin oral tablet 250mg, 500mg</i>                                                                                    | 1         |                     |
| TEFLARO INTRAVENOUS SOLUTION<br>RECONSTITUTED 400MG, 600MG                                                                    | 1         | BvD                 |
| <b>Beta-Lactam, Penicillins</b>                                                                                               |           |                     |
| <i>amoxicillin oral capsule 250mg, 500mg</i>                                                                                  | 1         |                     |
| <i>amoxicillin oral suspension reconstituted 125mg/5ml, 200mg/5ml, 250mg/5ml, 400mg/5ml</i>                                   | 1         |                     |
| <i>amoxicillin oral tablet 500mg, 875mg</i>                                                                                   | 1         |                     |
| <i>amoxicillin oral tablet chewable 125mg, 250mg</i>                                                                          | 1         |                     |
| <i>amoxicillin-pot clavulanate er oral tablet extended release 12-hour 1000-62.5mg</i>                                        | 1         |                     |
| <i>amoxicillin-pot clavulanate oral suspension reconstituted 200-28.5mg/5ml, 250-62.5mg/5ml, 400-57mg/5ml, 600-42.9mg/5ml</i> | 1         |                     |
| <i>amoxicillin-pot clavulanate oral tablet 250-125mg, 500-125mg, 875-125mg</i>                                                | 1         |                     |
| <i>amoxicillin-pot clavulanate oral tablet chewable 200-28.5mg, 400-57mg</i>                                                  | 1         |                     |
| <i>ampicillin oral capsule 500mg</i>                                                                                          | 1         |                     |
| <i>ampicillin sodium injection solution reconstituted 1gm, 125mg</i>                                                          | 1         | BvD                 |
| <i>ampicillin sodium intravenous solution reconstituted 10gm</i>                                                              | 1         | BvD                 |

| Drug Name                                                                                                                  | Drug Tier | Requirements/Limits |
|----------------------------------------------------------------------------------------------------------------------------|-----------|---------------------|
| <i>ampicillin-sulbactam sodium injection solution reconstituted 1.5 (1-0.5)gm, 3 (2-1)gm</i>                               | 1         |                     |
| <i>ampicillin-sulbactam sodium intravenous solution reconstituted 15 (10-5)gm</i>                                          | 1         |                     |
| BICILLIN L-A INTRAMUSCULAR SUSPENSION<br>PREFILLED SYRINGE 1200000UNIT/2ML,<br>2400000UNIT/4ML, 600000UNIT/ML              | 1         |                     |
| <i>dicloxacillin sodium oral capsule 250mg, 500mg</i>                                                                      | 1         |                     |
| <i>nafcillin sodium injection solution reconstituted 1gm, 2gm</i>                                                          | 1         | BvD                 |
| <i>nafcillin sodium intravenous solution reconstituted 10gm</i>                                                            | 1         | BvD                 |
| <i>oxacillin sodium in dextrose intravenous solution 1gm/50ml, 2gm/50ml</i>                                                | 1         | BvD                 |
| <i>oxacillin sodium injection solution reconstituted 1gm, 2gm</i>                                                          | 1         | BvD                 |
| <i>oxacillin sodium intravenous solution reconstituted 10gm</i>                                                            | 1         | BvD                 |
| <i>penicillin g pot in dextrose intravenous solution 40000unit/ml, 60000unit/ml</i>                                        | 1         |                     |
| <i>penicillin g potassium injection solution reconstituted 20000000unit</i>                                                | 1         | BvD                 |
| <i>penicillin g sodium injection solution reconstituted 5000000unit</i>                                                    | 1         | BvD                 |
| <i>penicillin v potassium oral solution reconstituted 125mg/5ml, 250mg/5ml</i>                                             | 1         |                     |
| <i>penicillin v potassium oral tablet 250mg, 500mg</i>                                                                     | 1         |                     |
| <i>piperacillin sod-tazobactam so intravenous solution reconstituted 2.25 (2-0.25)gm, 3.375 (3-0.375)gm, 4.5 (4-0.5)gm</i> | 1         |                     |
| <b>Carbapenems</b>                                                                                                         |           |                     |
| <i>ertapenem sodium injection solution reconstituted 1gm</i>                                                               | 1         |                     |
| <i>imipenem-cilastatin intravenous solution reconstituted 250mg, 500mg</i>                                                 | 1         |                     |
| <i>meropenem intravenous solution reconstituted 1gm, 500mg</i>                                                             | 1         |                     |

| Drug Name                                                                             | Drug Tier | Requirements/Limits        |
|---------------------------------------------------------------------------------------|-----------|----------------------------|
| <b>Macrolides</b>                                                                     |           |                            |
| <i>azithromycin intravenous solution reconstituted 500mg</i>                          | 1         | BvD                        |
| <i>azithromycin oral packet 1gm</i>                                                   | 1         |                            |
| <i>azithromycin oral suspension reconstituted 100mg/5ml, 200mg/5ml</i>                | 1         |                            |
| <i>azithromycin oral tablet 250mg, 250mg (6 pack), 500mg, 500mg (3 pack), 600mg</i>   | 1         |                            |
| <i>clarithromycin er oral tablet extended release 24-hour 500mg</i>                   | 1         |                            |
| <i>clarithromycin oral suspension reconstituted 125mg/5ml, 250mg/5ml</i>              | 1         |                            |
| <i>clarithromycin oral tablet 250mg, 500mg</i>                                        | 1         |                            |
| DIFICID ORAL SUSPENSION RECONSTITUTED 40MG/ML                                         | 1         | PA; QL (136ML per 10 days) |
| DIFICID ORAL TABLET 200MG                                                             | 1         | PA; QL (20 EA per 10 days) |
| ERYTHROCIN LACTOBIONATE INTRAVENOUS SOLUTION RECONSTITUTED 500MG                      | 1         | BvD                        |
| <i>erythromycin base oral capsule delayed release particles 250mg</i>                 | 1         |                            |
| <i>erythromycin base oral tablet 250mg, 500mg</i>                                     | 1         |                            |
| <i>erythromycin ethylsuccinate oral suspension reconstituted 200mg/5ml, 400mg/5ml</i> | 1         |                            |
| <i>erythromycin ethylsuccinate oral tablet 400mg</i>                                  | 1         |                            |
| <i>erythromycin oral tablet delayed release 250mg, 333mg, 500mg</i>                   | 1         |                            |
| <b>Quinolones</b>                                                                     |           |                            |
| <i>ciprofloxacin hcl ophthalmic solution 0.3%</i>                                     | 1         |                            |
| <i>ciprofloxacin hcl oral tablet 100mg, 250mg, 500mg, 750mg</i>                       | 1         |                            |
| <i>ciprofloxacin in d5w intravenous solution 200mg/100ml</i>                          | 1         | BvD                        |
| <i>levofloxacin in d5w intravenous solution 500mg/100ml, 750mg/150ml</i>              | 1         |                            |
| <i>levofloxacin oral solution 25mg/ml</i>                                             | 1         |                            |
| <i>levofloxacin oral tablet 250mg, 500mg, 750mg</i>                                   | 1         |                            |

| Drug Name                                                            | Drug Tier | Requirements/Limits        |
|----------------------------------------------------------------------|-----------|----------------------------|
| <i>moxifloxacin hcl in nacl intravenous solution 400mg/250ml</i>     | 1         | BvD                        |
| <i>moxifloxacin hcl oral tablet 400mg</i>                            | 1         |                            |
| <i>ofloxacin oral tablet 300mg, 400mg</i>                            | 1         |                            |
| <b>Sulfonamides</b>                                                  |           |                            |
| <i>sulfacetamide sodium (acne) external lotion 10%</i>               | 1         |                            |
| <i>sulfadiazine oral tablet 500mg</i>                                | 1         |                            |
| <i>sulfamethoxazole-trimethoprim oral suspension 200-40mg/5ml</i>    | 1         |                            |
| <i>sulfamethoxazole-trimethoprim oral tablet 400-80mg, 800-160mg</i> | 1         |                            |
| <b>Tetracyclines</b>                                                 |           |                            |
| DOXY 100 INTRAVENOUS SOLUTION RECONSTITUTED 100MG                    | 1         | BvD                        |
| <i>doxycycline hyclate oral capsule 100mg, 50mg</i>                  | 1         |                            |
| <i>doxycycline hyclate oral tablet 100mg, 20mg</i>                   | 1         |                            |
| <i>doxycycline monohydrate oral capsule 100mg, 50mg</i>              | 1         |                            |
| <i>doxycycline monohydrate oral tablet 100mg, 50mg, 75mg</i>         | 1         |                            |
| <i>minocycline hcl oral capsule 100mg, 50mg, 75mg</i>                | 1         |                            |
| <i>minocycline hcl oral tablet 100mg, 50mg, 75mg</i>                 | 1         |                            |
| <i>tetracycline hcl oral capsule 250mg, 500mg</i>                    | 1         |                            |
| <b>ANTICONVULSANTS</b>                                               |           |                            |
| <b>Anticonvulsants, Other</b>                                        |           |                            |
| BRIVIACT ORAL SOLUTION 10MG/ML                                       | 1         | MO; QL (600ML per 30 days) |
| BRIVIACT ORAL TABLET 10MG, 100MG, 25MG, 50MG, 75MG                   | 1         | MO; QL (60 EA per 30 days) |
| DIACOMIT ORAL CAPSULE 250MG, 500MG                                   | 1         | PA; MO                     |
| DIACOMIT ORAL PACKET 250MG, 500MG                                    | 1         | PA; MO                     |
| EPIDIOLEX ORAL SOLUTION 100MG/ML                                     | 1         | PA; MO                     |
| <i>felbamate oral suspension 600mg/5ml</i>                           | 1         |                            |
| <i>felbamate oral tablet 400mg, 600mg</i>                            | 1         | MO                         |
| FINTEPLA ORAL SOLUTION 2.2MG/ML                                      | 1         | PA; MO                     |

| Drug Name                                                                                               | Drug Tier | Requirements/Limits             |
|---------------------------------------------------------------------------------------------------------|-----------|---------------------------------|
| FYCOMPA ORAL SUSPENSION 0.5MG/ML                                                                        | 1         | ST; MO; QL (720ML per 30 days)  |
| FYCOMPA ORAL TABLET 10MG, 12MG, 4MG, 6MG                                                                | 1         | ST; QL (30 EA per 30 days)      |
| FYCOMPA ORAL TABLET 2MG, 8MG                                                                            | 1         | ST; MO; QL (30 EA per 30 days)  |
| <i>lamotrigine er oral tablet extended release</i><br>24-hour 100mg, 200mg, 25mg, 250mg, 300mg, 50mg    | 1         | MO                              |
| <i>lamotrigine oral kit 21 x 25mg &amp; 7 x 50mg, 25 &amp; 50 &amp; 100mg, 42 x 50mg &amp; 14x100mg</i> | 1         |                                 |
| <i>lamotrigine oral tablet 100mg, 150mg, 200mg, 25mg</i>                                                | 1         | MO                              |
| <i>lamotrigine oral tablet chewable 25mg, 5mg</i>                                                       | 1         | MO                              |
| <i>lamotrigine oral tablet dispersible 100mg, 200mg, 25mg, 50mg</i>                                     | 1         | MO                              |
| <i>lamotrigine starter kit-blue oral kit 35 x 25mg</i>                                                  | 1         |                                 |
| <i>lamotrigine starter kit-green oral kit 84 x 25mg &amp; 14x100mg</i>                                  | 1         |                                 |
| <i>lamotrigine starter kit-orange oral kit 42 x 25mg &amp; 7 x 100mg</i>                                | 1         |                                 |
| <i>levetiracetam er oral tablet extended release</i><br>24-hour 500mg, 750mg                            | 1         | MO                              |
| <i>levetiracetam oral solution 100mg/ml</i>                                                             | 1         | MO                              |
| <i>levetiracetam oral tablet 1000mg, 250mg, 500mg, 750mg</i>                                            | 1         | MO                              |
| <i>phenobarbital oral elixir 20mg/5ml</i>                                                               | 1         | MO; QL (1500ML per 30 days)     |
| <i>phenobarbital oral tablet 100mg, 16.2mg, 32.4mg, 64.8mg, 97.2mg</i>                                  | 1         | MO; QL (90 EA per 30 days)      |
| <i>phenobarbital oral tablet 15mg, 60mg</i>                                                             | 1         | MO; QL (120 EA per 30 days)     |
| <i>phenobarbital oral tablet 30mg</i>                                                                   | 1         | MO; QL (300 EA per 30 days)     |
| <i>primidone oral tablet 125mg, 250mg, 50mg</i>                                                         | 1         | MO                              |
| SPRITAM ORAL TABLET DISINTEGRATING SOLUBLE 1000MG                                                       | 1         | ST; MO; QL (90 EA per 30 days)  |
| SPRITAM ORAL TABLET DISINTEGRATING SOLUBLE 250MG, 500MG, 750MG                                          | 1         | ST; MO; QL (120 EA per 30 days) |
| <i>valproic acid oral capsule 250mg</i>                                                                 | 1         | MO                              |
| <i>valproic acid oral solution 250mg/5ml</i>                                                            | 1         | MO                              |

| Drug Name                                                                                              | Drug Tier | Requirements/Limits            |
|--------------------------------------------------------------------------------------------------------|-----------|--------------------------------|
| XCOPRI (250MG DAILY DOSE) ORAL TABLET THERAPY PACK 100 & 150MG                                         | 1         | MO; QL (56 EA per 28 days)     |
| XCOPRI (350MG DAILY DOSE) ORAL TABLET THERAPY PACK 150 & 200MG                                         | 1         | MO; QL (56 EA per 28 days)     |
| XCOPRI ORAL TABLET 100MG, 150MG, 200MG, 50MG                                                           | 1         | MO; QL (60 EA per 30 days)     |
| XCOPRI ORAL TABLET THERAPY PACK 14 X 12.5MG & 14 X 25MG, 14 X 150MG & 14 X200MG, 14 X 50MG & 14 X100MG | 1         | QL (28 EA per 28 days)         |
| ZTALMY ORAL SUSPENSION 50MG/ML                                                                         | 1         | PA; QL (1100ML per 30 days)    |
| <b>Calcium Channel Modifying Agents</b>                                                                |           |                                |
| <i>ethosuximide oral capsule 250mg</i>                                                                 | 1         | MO                             |
| <i>ethosuximide oral solution 250mg/5ml</i>                                                            | 1         | MO                             |
| <i>methsuximide oral capsule 300mg</i>                                                                 | 1         | MO                             |
| ZONISADE ORAL SUSPENSION 100MG/5ML                                                                     | 1         | MO; QL (900ML per 30 days)     |
| <i>zonisamide oral capsule 100mg, 25mg, 50mg</i>                                                       | 1         | MO                             |
| <b>Gamma-Aminobutyric Acid (GABA) Augmenting Agents</b>                                                |           |                                |
| <i>clobazam oral suspension 2.5mg/ml</i>                                                               | 1         | MO; QL (480ML per 30 days)     |
| <i>clobazam oral tablet 10mg, 20mg</i>                                                                 | 1         | MO; QL (60 EA per 30 days)     |
| <i>diazepam rectal gel 10mg, 2.5mg, 20mg</i>                                                           | 1         |                                |
| <i>gabapentin oral capsule 100mg, 300mg, 400mg</i>                                                     | 1         | MO; QL (270 EA per 30 days)    |
| <i>gabapentin oral solution 250mg/5ml</i>                                                              | 1         | MO                             |
| <i>gabapentin oral tablet 600mg, 800mg</i>                                                             | 1         | MO; QL (180 EA per 30 days)    |
| NAYZILAM NASAL SOLUTION 5MG/0.1ML                                                                      | 1         |                                |
| SYMPAZAN ORAL FILM 10MG, 20MG                                                                          | 1         | ST; QL (60 EA per 30 days)     |
| SYMPAZAN ORAL FILM 5MG                                                                                 | 1         | ST; MO; QL (60 EA per 30 days) |
| <i>tiagabine hcl oral tablet 12mg, 16mg, 2mg, 4mg</i>                                                  | 1         | MO                             |
| VALTOCO 10MG DOSE NASAL LIQUID 10MG/0.1ML                                                              | 1         | ST                             |
| VALTOCO 15MG DOSE NASAL LIQUID THERAPY PACK 7.5MG/0.1ML                                                | 1         | ST                             |
| VALTOCO 20MG DOSE NASAL LIQUID THERAPY PACK 10MG/0.1ML                                                 | 1         | ST                             |
| VALTOCO 5MG DOSE NASAL LIQUID 5MG/0.1ML                                                                | 1         | ST                             |

| Drug Name                                                                           | Drug Tier | Requirements/Limits         |
|-------------------------------------------------------------------------------------|-----------|-----------------------------|
| <i>vigabatrin oral packet 500mg</i>                                                 | 1         | PA; QL (180 EA per 30 days) |
| <i>vigabatrin oral tablet 500mg</i>                                                 | 1         | PA; QL (180 EA per 30 days) |
| <b>Sodium Channel Agents</b>                                                        |           |                             |
| APTIOM ORAL TABLET 200MG, 400MG, 800MG                                              | 1         | ST; QL (30 EA per 30 days)  |
| APTIOM ORAL TABLET 600MG                                                            | 1         | ST; QL (60 EA per 30 days)  |
| <i>carbamazepine er oral capsule extended release 12-hour 100mg, 200mg, 300mg</i>   | 1         | MO                          |
| <i>carbamazepine er oral tablet extended release 12-hour 100mg, 200mg, 400mg</i>    | 1         | MO                          |
| <i>carbamazepine oral suspension 100mg/5ml</i>                                      | 1         | MO                          |
| <i>carbamazepine oral tablet 200mg</i>                                              | 1         | MO                          |
| <i>carbamazepine oral tablet chewable 100mg</i>                                     | 1         | MO                          |
| DILANTIN ORAL CAPSULE 30MG                                                          | 1         | ST; MO                      |
| EPITOL ORAL TABLET 200MG                                                            | 1         | MO                          |
| <i>lacosamide oral solution 10mg/ml</i>                                             | 1         | MO; QL (1395ML per 30 days) |
| <i>lacosamide oral tablet 100mg, 150mg, 200mg, 50mg</i>                             | 1         | MO; QL (60 EA per 30 days)  |
| <i>oxcarbazepine oral suspension 300mg/5ml</i>                                      | 1         | MO                          |
| <i>oxcarbazepine oral tablet 150mg, 300mg, 600mg</i>                                | 1         | MO                          |
| <i>phenytoin oral suspension 125mg/5ml</i>                                          | 1         | MO                          |
| <i>phenytoin oral tablet chewable 50mg</i>                                          | 1         | MO                          |
| <i>phenytoin sodium extended oral capsule 100mg, 200mg, 300mg</i>                   | 1         | MO                          |
| <i>rufinamide oral suspension 40mg/ml</i>                                           | 1         | QL (2760ML per 30 days)     |
| <i>rufinamide oral tablet 200mg</i>                                                 | 1         | MO; QL (480 EA per 30 days) |
| <i>rufinamide oral tablet 400mg</i>                                                 | 1         | QL (240 EA per 30 days)     |
| <b>ANTIDEMENTIA AGENTS</b>                                                          |           |                             |
| <b>Antidementia Agents, Other</b>                                                   |           |                             |
| <i>memantine hcl er oral capsule extended release 24-hour 14mg, 21mg, 28mg, 7mg</i> | 1         | MO; QL (30 EA per 30 days)  |
| <i>memantine hcl oral solution 2mg/ml</i>                                           | 1         | MO; QL (360ML per 30 days)  |
| <i>memantine hcl oral tablet 10mg, 5mg</i>                                          | 1         | MO; QL (60 EA per 30 days)  |
| <i>memantine hcl oral tablet 28 x 5mg &amp; 21 x 10mg</i>                           | 1         | QL (49 EA per 28 days)      |

| Drug Name                                                                                | Drug Tier | Requirements/Limits            |
|------------------------------------------------------------------------------------------|-----------|--------------------------------|
| NAMZARIC ORAL CAPSULE ER 24-HOUR THERAPY PACK 7 & 14 & 21 & 28 -10MG                     | 1         | PA                             |
| NAMZARIC ORAL CAPSULE EXTENDED RELEASE 24-HOUR 14-10MG, 21-10MG, 28-10MG, 7-10MG         | 1         | PA; MO                         |
| <b>Cholinesterase Inhibitors</b>                                                         |           |                                |
| <i>donepezil hcl oral tablet 10mg</i>                                                    | 1         | MO; QL (60 EA per 30 days)     |
| <i>donepezil hcl oral tablet 23mg, 5mg</i>                                               | 1         | MO; QL (30 EA per 30 days)     |
| <i>donepezil hcl oral tablet dispersible 10mg</i>                                        | 1         | MO; QL (60 EA per 30 days)     |
| <i>donepezil hcl oral tablet dispersible 5mg</i>                                         | 1         | MO; QL (30 EA per 30 days)     |
| <i>galantamine hydrobromide er oral capsule extended release 24-hour 16mg, 24mg, 8mg</i> | 1         | MO; QL (30 EA per 30 days)     |
| <i>galantamine hydrobromide oral solution 4mg/ml</i>                                     | 1         | MO; QL (200ML per 30 days)     |
| <i>galantamine hydrobromide oral tablet 12mg, 4mg, 8mg</i>                               | 1         | MO; QL (60 EA per 30 days)     |
| <i>rivastigmine tartrate oral capsule 1.5mg, 3mg, 4.5mg, 6mg</i>                         | 1         | MO; QL (60 EA per 30 days)     |
| <i>rivastigmine transdermal patch 24-hour 13.3mg/24hr, 4.6mg/24hr, 9.5mg/24hr</i>        | 1         | MO; QL (30 EA per 30 days)     |
| <b>ANTIDEPRESSANTS</b>                                                                   |           |                                |
| <b>Antidepressants, Other</b>                                                            |           |                                |
| AUVELITY ORAL TABLET EXTENDED RELEASE 45-105MG                                           | 1         | ST; MO; QL (60 EA per 30 days) |
| <i>bupropion hcl er (sr) oral tablet extended release 12-hour 100mg</i>                  | 1         | MO; QL (120 EA per 30 days)    |
| <i>bupropion hcl er (sr) oral tablet extended release 12-hour 150mg</i>                  | 1         | MO; QL (90 EA per 30 days)     |
| <i>bupropion hcl er (sr) oral tablet extended release 12-hour 200mg</i>                  | 1         | MO; QL (60 EA per 30 days)     |
| <i>bupropion hcl er (xl) oral tablet extended release 24-hour 150mg</i>                  | 1         | MO; QL (60 EA per 30 days)     |
| <i>bupropion hcl er (xl) oral tablet extended release 24-hour 300mg</i>                  | 1         | MO; QL (90 EA per 30 days)     |
| <i>bupropion hcl er (xl) oral tablet extended release 24-hour 450mg</i>                  | 1         | MO; QL (30 EA per 30 days)     |
| <i>bupropion hcl oral tablet 100mg</i>                                                   | 1         | MO; QL (180 EA per 30 days)    |

| Drug Name                                                                                                   | Drug Tier | Requirements/Limits             |
|-------------------------------------------------------------------------------------------------------------|-----------|---------------------------------|
| <i>bupropion hcl oral tablet 75mg</i>                                                                       | 1         | MO; QL (120 EA per 30 days)     |
| <i>mirtazapine oral tablet 15mg, 30mg, 45mg</i>                                                             | 1         | MO; QL (30 EA per 30 days)      |
| <i>mirtazapine oral tablet 7.5mg</i>                                                                        | 1         | MO; QL (45 EA per 30 days)      |
| <i>mirtazapine oral tablet dispersible 15mg, 30mg, 45mg</i>                                                 | 1         | MO; QL (30 EA per 30 days)      |
| <i>olanzapine-fluoxetine hcl oral capsule 12-25mg, 12-50mg, 6-50mg</i>                                      | 1         | MO; QL (30 EA per 30 days)      |
| <i>olanzapine-fluoxetine hcl oral capsule 3-25mg, 6-25mg</i>                                                | 1         | MO; QL (90 EA per 30 days)      |
| <b>Monoamine Oxidase Inhibitors</b>                                                                         |           |                                 |
| EMSAM TRANSDERMAL PATCH 24-HOUR 12MG/24HR, 6MG/24HR, 9MG/24HR                                               | 1         | ST; QL (30 EA per 30 days)      |
| MARPLAN ORAL TABLET 10MG                                                                                    | 1         | ST; MO; QL (180 EA per 30 days) |
| <i>phenelzine sulfate oral tablet 15mg</i>                                                                  | 1         | MO                              |
| <i>tranylcypromine sulfate oral tablet 10mg</i>                                                             | 1         | MO                              |
| <b>SSRIS/SNRIS (Selective Serotonin Reuptake Inhibitor/Serotonin and Norepinephrine Reuptake Inhibitor)</b> |           |                                 |
| <i>citalopram hydrobromide oral capsule 30mg</i>                                                            | 1         | MO; QL (30 EA per 30 days)      |
| <i>citalopram hydrobromide oral solution 10mg/5ml</i>                                                       | 1         | MO; QL (600ML per 30 days)      |
| <i>citalopram hydrobromide oral tablet 10mg, 40mg</i>                                                       | 1         | MO; QL (30 EA per 30 days)      |
| <i>citalopram hydrobromide oral tablet 20mg</i>                                                             | 1         | MO; QL (60 EA per 30 days)      |
| <i>desvenlafaxine er oral tablet extended release 24-hour 100mg, 50mg</i>                                   | 1         | MO; QL (30 EA per 30 days)      |
| <i>desvenlafaxine succinate er oral tablet extended release 24-hour 100mg, 25mg, 50mg</i>                   | 1         | MO; QL (30 EA per 30 days)      |
| <i>duloxetine hcl oral capsule delayed release particles 20mg, 30mg, 40mg, 60mg</i>                         | 1         | MO; QL (60 EA per 30 days)      |
| <i>escitalopram oxalate oral solution 5mg/5ml</i>                                                           | 1         | MO; QL (600ML per 30 days)      |
| <i>escitalopram oxalate oral tablet 10mg</i>                                                                | 1         | MO; QL (45 EA per 30 days)      |
| <i>escitalopram oxalate oral tablet 20mg</i>                                                                | 1         | MO; QL (60 EA per 30 days)      |
| <i>escitalopram oxalate oral tablet 5mg</i>                                                                 | 1         | MO; QL (30 EA per 30 days)      |
| FETZIMA ORAL CAPSULE EXTENDED RELEASE 24-HOUR 120MG, 20MG, 40MG, 80MG                                       | 1         | MO; QL (30 EA per 30 days)      |

| Drug Name                                                                                     | Drug Tier | Requirements/Limits            |
|-----------------------------------------------------------------------------------------------|-----------|--------------------------------|
| FETZIMA TITRATION ORAL CAPSULE ER<br>24-HOUR THERAPY PACK 20 & 40MG                           | 1         | QL (28 EA per 28 days)         |
| <i>fluoxetine hcl oral capsule 10mg, 20mg, 40mg</i>                                           | 1         | MO; QL (60 EA per 30 days)     |
| <i>fluoxetine hcl oral solution 20mg/5ml</i>                                                  | 1         | MO; QL (600ML per 30 days)     |
| <i>fluoxetine hcl oral tablet 10mg</i>                                                        | 1         | MO; QL (60 EA per 30 days)     |
| <i>fluoxetine hcl oral tablet 20mg</i>                                                        | 1         | MO; QL (120 EA per 30 days)    |
| <i>fluvoxamine maleate oral tablet 100mg, 25mg,<br/>50mg</i>                                  | 1         | MO; QL (90 EA per 30 days)     |
| <i>nefazodone hcl oral tablet 100mg, 150mg, 200mg,<br/>250mg, 50mg</i>                        | 1         | MO                             |
| <i>paroxetine hcl oral suspension 10mg/5ml</i>                                                | 1         | MO; QL (900ML per 30 days)     |
| <i>paroxetine hcl oral tablet 10mg, 20mg</i>                                                  | 1         | MO; QL (30 EA per 30 days)     |
| <i>paroxetine hcl oral tablet 30mg, 40mg</i>                                                  | 1         | MO; QL (60 EA per 30 days)     |
| <i>sertraline hcl oral capsule 150mg, 200mg</i>                                               | 1         | MO; QL (30 EA per 30 days)     |
| <i>sertraline hcl oral concentrate 20mg/ml</i>                                                | 1         | MO; QL (300ML per 30 days)     |
| <i>sertraline hcl oral tablet 100mg</i>                                                       | 1         | MO; QL (60 EA per 30 days)     |
| <i>sertraline hcl oral tablet 25mg, 50mg</i>                                                  | 1         | MO; QL (90 EA per 30 days)     |
| <i>trazodone hcl oral tablet 100mg, 150mg, 300mg,<br/>50mg</i>                                | 1         | MO                             |
| TRINTELLIX ORAL TABLET 10MG, 20MG, 5MG                                                        | 1         | ST; MO; QL (30 EA per 30 days) |
| <i>venlafaxine besylate er oral tablet extended<br/>release 24-hour 112.5mg</i>               | 1         | MO; QL (60 EA per 30 days)     |
| <i>venlafaxine hcl er oral capsule extended release<br/>24-hour 150mg, 37.5mg, 75mg</i>       | 1         | MO; QL (60 EA per 30 days)     |
| <i>venlafaxine hcl er oral tablet extended release<br/>24-hour 150mg, 225mg, 37.5mg, 75mg</i> | 1         | MO; QL (30 EA per 30 days)     |
| <i>venlafaxine hcl oral tablet 100mg, 25mg, 37.5mg,<br/>50mg, 75mg</i>                        | 1         | MO; QL (90 EA per 30 days)     |
| VIIBRYD STARTER PACK ORAL KIT 10 & 20MG                                                       | 1         | QL (30 EA per 30 days)         |
| <i>vilazodone hcl oral tablet 10mg, 20mg, 40mg</i>                                            | 1         | MO; QL (30 EA per 30 days)     |
| <b>Tricyclics</b>                                                                             |           |                                |
| <i>amitriptyline hcl oral tablet 10mg, 100mg, 150mg,<br/>25mg, 50mg, 75mg</i>                 | 1         | MO                             |
| <i>amoxapine oral tablet 100mg, 150mg, 25mg,<br/>50mg</i>                                     | 1         | MO                             |

| Drug Name                                                               | Drug Tier | Requirements/Limits |
|-------------------------------------------------------------------------|-----------|---------------------|
| <i>clomipramine hcl oral capsule 25mg, 50mg, 75mg</i>                   | 1         | MO                  |
| <i>desipramine hcl oral tablet 10mg, 100mg, 150mg, 25mg, 50mg, 75mg</i> | 1         | MO                  |
| <i>doxepin hcl oral capsule 10mg, 100mg, 150mg, 25mg, 50mg, 75mg</i>    | 1         | MO                  |
| <i>doxepin hcl oral concentrate 10mg/ml</i>                             | 1         | MO                  |
| <i>imipramine hcl oral tablet 10mg, 25mg, 50mg</i>                      | 1         | MO                  |
| <i>nortriptyline hcl oral capsule 10mg, 25mg, 50mg, 75mg</i>            | 1         | MO                  |
| <i>nortriptyline hcl oral solution 10mg/5ml</i>                         | 1         | MO                  |
| <i>protriptyline hcl oral tablet 10mg, 5mg</i>                          | 1         | MO                  |
| <i>trimipramine maleate oral capsule 100mg, 25mg, 50mg</i>              | 1         | MO                  |

## ANTIEMETICS

### Antiemetics, Other

|                                                         |   |         |
|---------------------------------------------------------|---|---------|
| <i>meclizine hcl oral tablet 12.5mg, 25mg</i>           | 1 |         |
| <i>prochlorperazine maleate oral tablet 10mg, 5mg</i>   | 1 | BvD; MO |
| <i>prochlorperazine rectal suppository 25mg</i>         | 1 |         |
| <i>promethazine hcl oral syrup 6.25mg/5ml</i>           | 1 |         |
| <i>promethazine hcl oral tablet 12.5mg, 25mg, 50mg</i>  | 1 |         |
| <i>promethazine hcl rectal suppository 12.5mg, 25mg</i> | 1 |         |
| <i>scopolamine transdermal patch 72-hour 1mg/3days</i>  | 1 |         |

### Emetogenic Therapy Adjuncts

|                                                       |   |                             |
|-------------------------------------------------------|---|-----------------------------|
| <i>aprepitant oral capsule 125mg, 40mg, 80mg</i>      | 1 | BvD; QL (30 EA per 30 days) |
| <i>aprepitant oral capsule 80 &amp; 125mg</i>         | 1 | BvD; QL (12 EA per 30 days) |
| <i>dronabinol oral capsule 10mg, 2.5mg, 5mg</i>       | 1 | PA; QL (60 EA per 30 days)  |
| <i>granisetron hcl oral tablet 1mg</i>                | 1 | BvD; QL (60 EA per 30 days) |
| <i>ondansetron hcl oral solution 4mg/5ml</i>          | 1 | BvD                         |
| <i>ondansetron hcl oral tablet 4mg, 8mg</i>           | 1 | BvD                         |
| <i>ondansetron oral tablet dispersible 4mg, 8mg</i>   | 1 | BvD                         |
| VARUBI (180MG DOSE) ORAL TABLET THERAPY PACK 2 X 90MG | 1 | BvD                         |

| Drug Name                                                                                       | Drug Tier | Requirements/Limits |
|-------------------------------------------------------------------------------------------------|-----------|---------------------|
| <b>ANTIFUNGALS</b>                                                                              |           |                     |
| <b>Antifungals</b>                                                                              |           |                     |
| ABELCET INTRAVENOUS SUSPENSION 5MG/ML                                                           | 1         | BvD                 |
| <i>amphotericin b intravenous solution reconstituted 50mg</i>                                   | 1         | BvD                 |
| <i>amphotericin b liposome intravenous suspension reconstituted 50mg</i>                        | 1         | BvD                 |
| <i>caspofungin acetate intravenous solution reconstituted 50mg, 70mg</i>                        | 1         |                     |
| <i>ciclopirox olamine external cream 0.77%</i>                                                  | 1         |                     |
| <i>ciclopirox olamine external suspension 0.77%</i>                                             | 1         |                     |
| <i>clotrimazole external cream 1%</i>                                                           | 1         |                     |
| <i>clotrimazole external solution 1%</i>                                                        | 1         |                     |
| <i>clotrimazole mouth/throat troche 10mg</i>                                                    | 1         |                     |
| <i>econazole nitrate external cream 1%</i>                                                      | 1         |                     |
| ERAXIS INTRAVENOUS SOLUTION RECONSTITUTED 100MG, 50MG                                           | 1         | BvD                 |
| <i>fluconazole in sodium chloride intravenous solution 200-0.9mg/100ml-%, 400-0.9mg/200ml-%</i> | 1         | BvD                 |
| <i>fluconazole oral suspension reconstituted 10mg/ml, 40mg/ml</i>                               | 1         |                     |
| <i>fluconazole oral tablet 100mg, 150mg, 200mg, 50mg</i>                                        | 1         |                     |
| <i>flucytosine oral capsule 250mg, 500mg</i>                                                    | 1         |                     |
| <i>griseofulvin microsize oral suspension 125mg/5ml</i>                                         | 1         |                     |
| <i>griseofulvin microsize oral tablet 500mg</i>                                                 | 1         |                     |
| <i>griseofulvin ultramicrosize oral tablet 125mg, 250mg</i>                                     | 1         |                     |
| <i>itraconazole oral capsule 100mg</i>                                                          | 1         | PA                  |
| <i>itraconazole oral solution 10mg/ml</i>                                                       | 1         | PA                  |
| JUBLIA EXTERNAL SOLUTION 10%                                                                    | 1         |                     |
| <i>ketoconazole external cream 2%</i>                                                           | 1         |                     |
| <i>ketoconazole external shampoo 2%</i>                                                         | 1         |                     |
| <i>ketoconazole oral tablet 200mg</i>                                                           | 1         |                     |

| Drug Name                                                        | Drug Tier | Requirements/Limits    |
|------------------------------------------------------------------|-----------|------------------------|
| NOXAFIL ORAL PACKET 300MG                                        | 1         | PA                     |
| NYAMYC EXTERNAL POWDER<br>100000UNIT/GM                          | 1         |                        |
| <i>nystatin external cream 100000unit/gm</i>                     | 1         |                        |
| <i>nystatin external ointment 100000unit/gm</i>                  | 1         |                        |
| <i>nystatin external powder 100000unit/gm</i>                    | 1         |                        |
| <i>nystatin mouth/throat suspension 100000unit/ml</i>            | 1         |                        |
| <i>nystatin oral tablet 500000unit</i>                           | 1         |                        |
| NYSTOP EXTERNAL POWDER 100000UNIT/GM                             | 1         |                        |
| <i>posaconazole oral suspension 40mg/ml</i>                      | 1         | PA                     |
| <i>posaconazole oral tablet delayed release 100mg</i>            | 1         | PA; MO                 |
| <i>terbinafine hcl oral tablet 250mg</i>                         | 1         |                        |
| <i>terconazole vaginal cream 0.4%, 0.8%</i>                      | 1         |                        |
| <i>terconazole vaginal suppository 80mg</i>                      | 1         |                        |
| <i>voriconazole intravenous solution reconstituted<br/>200mg</i> | 1         | PA                     |
| <i>voriconazole oral suspension reconstituted<br/>40mg/ml</i>    | 1         | PA                     |
| <i>voriconazole oral tablet 200mg, 50mg</i>                      | 1         | PA                     |
| <b>ANTIGOUT AGENTS</b>                                           |           |                        |
| <b><i>Antigout Agents</i></b>                                    |           |                        |
| <i>allopurinol oral tablet 100mg, 300mg</i>                      | 1         | MO                     |
| <i>colchicine oral capsule 0.6mg</i>                             | 1         |                        |
| <i>colchicine oral tablet 0.6mg</i>                              | 1         |                        |
| <i>colchicine-probenecid oral tablet 0.5-500mg</i>               | 1         | MO                     |
| <i>febuxostat oral tablet 40mg, 80mg</i>                         | 1         | PA; MO                 |
| <i>probenecid oral tablet 500mg</i>                              | 1         | MO                     |
| <b>ANTIMIGRAINE AGENTS</b>                                       |           |                        |
| <b><i>Ergot Alkaloids</i></b>                                    |           |                        |
| <i>dihydroergotamine mesylate nasal solution<br/>4mg/ml</i>      | 1         |                        |
| <i>ergotamine-caffeine oral tablet 1-100mg</i>                   | 1         | QL (40 EA per 28 days) |

| Drug Name                                                                                | Drug Tier | Requirements/Limits        |
|------------------------------------------------------------------------------------------|-----------|----------------------------|
| <b>Prophylactic</b>                                                                      |           |                            |
| EMGALITY SUBCUTANEOUS SOLUTION AUTO-INJECTOR 120MG/ML                                    | 1         | PA; MO                     |
| EMGALITY SUBCUTANEOUS SOLUTION PREFILLED SYRINGE 120MG/ML                                | 1         | PA; MO                     |
| EPRONTIA ORAL SOLUTION 25MG/ML                                                           | 1         | MO                         |
| <i>propranolol hcl er oral capsule extended release 24-hour 80mg</i>                     | 1         | MO                         |
| <i>propranolol hcl oral tablet 80mg</i>                                                  | 1         | MO                         |
| <i>topiramate er oral capsule er 24-hour sprinkle 100mg, 150mg, 200mg, 25mg, 50mg</i>    | 1         | MO                         |
| <i>topiramate oral capsule sprinkle 15mg, 25mg</i>                                       | 1         | MO                         |
| <i>topiramate oral tablet 100mg, 200mg, 25mg, 50mg</i>                                   | 1         | MO                         |
| UBRELVY ORAL TABLET 100MG, 50MG                                                          | 1         | PA; QL (16 EA per 30 days) |
| <b>Serotonin (5-HT) Receptor Agonist</b>                                                 |           |                            |
| <i>naratriptan hcl oral tablet 1mg, 2.5mg</i>                                            | 1         | QL (9 EA per 30 days)      |
| <i>rizatriptan benzoate oral tablet 10mg, 5mg</i>                                        | 1         | QL (12 EA per 30 days)     |
| <i>rizatriptan benzoate oral tablet dispersible 10mg, 5mg</i>                            | 1         | QL (12 EA per 30 days)     |
| <i>sumatriptan nasal solution 20mg/act</i>                                               | 1         | QL (12 EA per 30 days)     |
| <i>sumatriptan nasal solution 5mg/act</i>                                                | 1         | QL (18 EA per 30 days)     |
| <i>sumatriptan succinate oral tablet 100mg, 25mg, 50mg</i>                               | 1         | QL (9 EA per 30 days)      |
| <i>sumatriptan succinate refill subcutaneous solution cartridge 4mg/0.5ml, 6mg/0.5ml</i> | 1         | QL (4ML per 30 days)       |
| <i>sumatriptan succinate subcutaneous solution 6mg/0.5ml</i>                             | 1         | QL (4ML per 30 days)       |
| <i>sumatriptan succinate subcutaneous solution auto-injector 4mg/0.5ml, 6mg/0.5ml</i>    | 1         | QL (4ML per 30 days)       |
| <i>zolmitriptan oral tablet 2.5mg, 5mg</i>                                               | 1         | QL (6 EA per 30 days)      |
| <i>zolmitriptan oral tablet dispersible 2.5mg, 5mg</i>                                   | 1         | QL (6 EA per 30 days)      |
| <b>ANTIMYASTHENIC AGENTS</b>                                                             |           |                            |
| <b>Parasympathomimetics</b>                                                              |           |                            |
| <i>pyridostigmine bromide oral solution 60mg/5ml</i>                                     | 1         |                            |

| Drug Name                                                | Drug Tier | Requirements/Limits         |
|----------------------------------------------------------|-----------|-----------------------------|
| <i>pyridostigmine bromide oral tablet 30mg, 60mg</i>     | 1         |                             |
| <b>ANTIMYCOBACTERIALS</b>                                |           |                             |
| <b><i>Antimycobacterials, Other</i></b>                  |           |                             |
| <i>dapsone oral tablet 100mg, 25mg</i>                   | 1         | MO                          |
| PRIFTIN ORAL TABLET 150MG                                | 1         |                             |
| <i>rifabutin oral capsule 150mg</i>                      | 1         |                             |
| <b><i>Antituberculars</i></b>                            |           |                             |
| <i>ethambutol hcl oral tablet 100mg, 400mg</i>           | 1         |                             |
| <i>isoniazid oral syrup 50mg/5ml</i>                     | 1         | MO                          |
| <i>isoniazid oral tablet 100mg, 300mg</i>                | 1         | MO                          |
| <i>pyrazinamide oral tablet 500mg</i>                    | 1         |                             |
| <i>rifampin intravenous solution reconstituted 600mg</i> | 1         |                             |
| <i>rifampin oral capsule 150mg, 300mg</i>                | 1         |                             |
| SIRTURO ORAL TABLET 100MG, 20MG                          | 1         | PA                          |
| TRECTOR ORAL TABLET 250MG                                | 1         |                             |
| <b>ANTINEOPLASTICS</b>                                   |           |                             |
| <b><i>Alkylating Agents</i></b>                          |           |                             |
| <i>cyclophosphamide oral capsule 25mg, 50mg</i>          | 1         | BvD                         |
| <i>cyclophosphamide oral tablet 25mg, 50mg</i>           | 1         | BvD                         |
| GLEOSTINE ORAL CAPSULE 10MG, 100MG, 40MG                 | 1         | PA                          |
| LEUKERAN ORAL TABLET 2MG                                 | 1         |                             |
| MATULANE ORAL CAPSULE 50MG                               | 1         | PA                          |
| VALCHLOR EXTERNAL GEL 0.016%                             | 1         | PA; QL (60GM per 14 days)   |
| <b><i>Antiandrogens</i></b>                              |           |                             |
| <i>abiraterone acetate oral tablet 250mg, 500mg</i>      | 1         | PA; QL (120 EA per 30 days) |
| <i>bicalutamide oral tablet 50mg</i>                     | 1         |                             |
| ERLEADA ORAL TABLET 240MG                                | 1         | PA; QL (30 EA per 30 days)  |
| ERLEADA ORAL TABLET 60MG                                 | 1         | PA; QL (120 EA per 30 days) |
| LYSODREN ORAL TABLET 500MG                               | 1         |                             |
| <i>nilutamide oral tablet 150mg</i>                      | 1         | QL (60 EA per 30 days)      |

| Drug Name                                                           | Drug Tier | Requirements/Limits         |
|---------------------------------------------------------------------|-----------|-----------------------------|
| NUBEQA ORAL TABLET 300MG                                            | 1         | PA; QL (120 EA per 30 days) |
| XTANDI ORAL CAPSULE 40MG                                            | 1         | PA; QL (120 EA per 30 days) |
| XTANDI ORAL TABLET 40MG                                             | 1         | PA; QL (120 EA per 30 days) |
| XTANDI ORAL TABLET 80MG                                             | 1         | PA; QL (90 EA per 30 days)  |
| YONSA ORAL TABLET 125MG                                             | 1         | PA; QL (120 EA per 30 days) |
| <b>Antiangiogenic Agents</b>                                        |           |                             |
| <i>lenalidomide oral capsule 10mg, 15mg, 2.5mg, 20mg, 25mg, 5mg</i> | 1         | PA; QL (28 EA per 28 days)  |
| POMALYST ORAL CAPSULE 1MG, 2MG, 3MG, 4MG                            | 1         | PA; QL (21 EA per 28 days)  |
| THALOMID ORAL CAPSULE 100MG, 200MG, 50MG                            | 1         | PA; QL (30 EA per 30 days)  |
| THALOMID ORAL CAPSULE 150MG                                         | 1         | PA; QL (60 EA per 30 days)  |
| <b>Antiestrogens/Modifiers</b>                                      |           |                             |
| EMCYT ORAL CAPSULE 140MG                                            | 1         |                             |
| ORSERDU ORAL TABLET 345MG                                           | 1         | PA; QL (30 EA per 30 days)  |
| ORSERDU ORAL TABLET 86MG                                            | 1         | PA; QL (90 EA per 30 days)  |
| SOLTAMOX ORAL SOLUTION 10MG/5ML                                     | 1         | PA; MO                      |
| <i>tamoxifen citrate oral tablet 10mg, 20mg</i>                     | 1         | MO                          |
| <i>toremifene citrate oral tablet 60mg</i>                          | 1         | PA                          |
| <b>Antimetabolites</b>                                              |           |                             |
| DROXIA ORAL CAPSULE 200MG, 300MG, 400MG                             | 1         | MO                          |
| <i>hydroxyurea oral capsule 500mg</i>                               | 1         |                             |
| INQOVI ORAL TABLET 35-100MG                                         | 1         | PA                          |
| <i>mercaptopurine oral tablet 50mg</i>                              | 1         |                             |
| ONUREG ORAL TABLET 200MG, 300MG                                     | 1         | PA                          |
| PURIXAN ORAL SUSPENSION 2000MG/100ML                                | 1         |                             |
| TABLOID ORAL TABLET 40MG                                            | 1         | PA                          |
| <b>Antineoplastics, Other</b>                                       |           |                             |
| IDHIFA ORAL TABLET 100MG                                            | 1         | PA; QL (30 EA per 30 days)  |
| IDHIFA ORAL TABLET 50MG                                             | 1         | PA; QL (60 EA per 30 days)  |

| Drug Name                                                        | Drug Tier | Requirements/Limits         |
|------------------------------------------------------------------|-----------|-----------------------------|
| KISQALI FEMARA (200MG DOSE) ORAL TABLET THERAPY PACK 200 & 2.5MG | 1         | PA                          |
| KISQALI FEMARA (400MG DOSE) ORAL TABLET THERAPY PACK 200 & 2.5MG | 1         | PA                          |
| KISQALI FEMARA (600MG DOSE) ORAL TABLET THERAPY PACK 200 & 2.5MG | 1         | PA                          |
| <i>leucovorin calcium oral tablet 10mg, 15mg, 25mg, 5mg</i>      | 1         |                             |
| LONSURF ORAL TABLET 15-6.14MG, 20-8.19MG                         | 1         | PA                          |
| LUMAKRAS ORAL TABLET 120MG                                       | 1         | PA; QL (240 EA per 30 days) |
| LUMAKRAS ORAL TABLET 320MG                                       | 1         | PA; QL (90 EA per 30 days)  |
| LYNPARZA ORAL TABLET 100MG                                       | 1         | PA; QL (180 EA per 30 days) |
| LYNPARZA ORAL TABLET 150MG                                       | 1         | PA; QL (120 EA per 30 days) |
| MESNEX ORAL TABLET 400MG                                         | 1         |                             |
| NINLARO ORAL CAPSULE 2.3MG, 3MG, 4MG                             | 1         | PA                          |
| ORGOVYX ORAL TABLET 120MG                                        | 1         | PA; QL (60 EA per 30 days)  |
| SYNRIBO SUBCUTANEOUS SOLUTION RECONSTITUTED 3.5MG                | 1         | PA                          |
| VIJOICE ORAL TABLET THERAPY PACK 125MG, 200 & 50MG, 50MG         | 1         | PA                          |
| WELIREG ORAL TABLET 40MG                                         | 1         | PA; QL (90 EA per 30 days)  |
| XATMEP ORAL SOLUTION 2.5MG/ML                                    | 1         | BvD                         |
| XPOVIO (100MG ONCE WEEKLY) ORAL TABLET THERAPY PACK 50MG         | 1         | PA                          |
| XPOVIO (40MG ONCE WEEKLY) ORAL TABLET THERAPY PACK 40MG          | 1         | PA                          |
| XPOVIO (40MG TWICE WEEKLY) ORAL TABLET THERAPY PACK 40MG         | 1         | PA                          |
| XPOVIO (60MG ONCE WEEKLY) ORAL TABLET THERAPY PACK 60MG          | 1         | PA                          |
| XPOVIO (60MG TWICE WEEKLY) ORAL TABLET THERAPY PACK 20MG         | 1         | PA                          |
| XPOVIO (80MG ONCE WEEKLY) ORAL TABLET THERAPY PACK 40MG          | 1         | PA                          |
| XPOVIO (80MG TWICE WEEKLY) ORAL TABLET THERAPY PACK 20MG         | 1         | PA                          |

| Drug Name                                            | Drug Tier | Requirements/Limits         |
|------------------------------------------------------|-----------|-----------------------------|
| ZOLINZA ORAL CAPSULE 100MG                           | 1         | PA; QL (120 EA per 30 days) |
| <b><i>Aromatase Inhibitors, 3rd Generation</i></b>   |           |                             |
| <i>anastrozole oral tablet 1mg</i>                   | 1         | MO                          |
| <i>exemestane oral tablet 25mg</i>                   | 1         | MO                          |
| <i>letrozole oral tablet 2.5mg</i>                   | 1         | MO                          |
| <b><i>Molecular Target Inhibitors</i></b>            |           |                             |
| ALECENSA ORAL CAPSULE 150MG                          | 1         | PA                          |
| ALUNBRIG ORAL TABLET 180MG                           | 1         | PA; QL (30 EA per 30 days)  |
| ALUNBRIG ORAL TABLET 30MG                            | 1         | PA; QL (180 EA per 30 days) |
| ALUNBRIG ORAL TABLET 90MG                            | 1         | PA; QL (60 EA per 30 days)  |
| ALUNBRIG ORAL TABLET THERAPY PACK 90 & 180MG         | 1         | PA; QL (30 EA per 30 days)  |
| AYVAKIT ORAL TABLET 100MG, 200MG, 25MG, 300MG, 50MG  | 1         | PA; QL (30 EA per 30 days)  |
| BALVERSA ORAL TABLET 3MG                             | 1         | PA; QL (90 EA per 30 days)  |
| BALVERSA ORAL TABLET 4MG                             | 1         | PA; QL (60 EA per 30 days)  |
| BALVERSA ORAL TABLET 5MG                             | 1         | PA; QL (30 EA per 30 days)  |
| BOSULIF ORAL TABLET 100MG                            | 1         | PA; QL (120 EA per 30 days) |
| BOSULIF ORAL TABLET 400MG, 500MG                     | 1         | PA; QL (30 EA per 30 days)  |
| BRAFTOVI ORAL CAPSULE 75MG                           | 1         | PA; QL (180 EA per 30 days) |
| BRUKINSA ORAL CAPSULE 80MG                           | 1         | PA; QL (120 EA per 30 days) |
| CABOMETYX ORAL TABLET 20MG, 40MG, 60MG               | 1         | PA                          |
| CALQUENCE ORAL CAPSULE 100MG                         | 1         | PA; QL (60 EA per 30 days)  |
| CALQUENCE ORAL TABLET 100MG                          | 1         | PA; QL (60 EA per 30 days)  |
| CAPRELSA ORAL TABLET 100MG                           | 1         | PA; QL (60 EA per 30 days)  |
| CAPRELSA ORAL TABLET 300MG                           | 1         | PA; QL (30 EA per 30 days)  |
| COMETRIQ (100MG DAILY DOSE) ORAL KIT 80 & 20MG       | 1         | PA; QL (56 EA per 28 days)  |
| COMETRIQ (140MG DAILY DOSE) ORAL KIT 3 X 20MG & 80MG | 1         | PA; QL (112 EA per 28 days) |
| COMETRIQ (60MG DAILY DOSE) ORAL KIT 20MG             | 1         | PA; QL (84 EA per 28 days)  |
| COPIKTRA ORAL CAPSULE 15MG, 25MG                     | 1         | PA; QL (60 EA per 30 days)  |

| Drug Name                                             | Drug Tier | Requirements/Limits         |
|-------------------------------------------------------|-----------|-----------------------------|
| COTELLIC ORAL TABLET 20MG                             | 1         | PA; QL (63 EA per 28 days)  |
| DAURISMO ORAL TABLET 100MG, 25MG                      | 1         | PA                          |
| ERIVEDGE ORAL CAPSULE 150MG                           | 1         | PA                          |
| <i>erlotinib hcl oral tablet 100mg, 150mg</i>         | 1         | PA; QL (30 EA per 30 days)  |
| <i>erlotinib hcl oral tablet 25mg</i>                 | 1         | PA; QL (90 EA per 30 days)  |
| <i>everolimus oral tablet 10mg, 2.5mg, 5mg, 7.5mg</i> | 1         | PA; QL (30 EA per 30 days)  |
| <i>everolimus oral tablet soluble 2mg, 3mg</i>        | 1         | PA; QL (30 EA per 30 days)  |
| <i>everolimus oral tablet soluble 5mg</i>             | 1         | PA; QL (60 EA per 30 days)  |
| EXKIVITY ORAL CAPSULE 40MG                            | 1         | PA                          |
| FOTIVDA ORAL CAPSULE 0.89MG, 1.34MG                   | 1         | PA; QL (21 EA per 28 days)  |
| GAVRETO ORAL CAPSULE 100MG                            | 1         | PA; QL (120 EA per 30 days) |
| <i>gefitinib oral tablet 250mg</i>                    | 1         | PA                          |
| GILOTRIF ORAL TABLET 20MG, 30MG, 40MG                 | 1         | PA; QL (30 EA per 30 days)  |
| IBRANCE ORAL CAPSULE 100MG, 125MG, 75MG               | 1         | PA                          |
| IBRANCE ORAL TABLET 100MG, 125MG, 75MG                | 1         | PA                          |
| ICLUSIG ORAL TABLET 10MG, 30MG, 45MG                  | 1         | PA; QL (30 EA per 30 days)  |
| ICLUSIG ORAL TABLET 15MG                              | 1         | PA; QL (60 EA per 30 days)  |
| <i>imatinib mesylate oral tablet 100mg</i>            | 1         | PA; QL (90 EA per 30 days)  |
| <i>imatinib mesylate oral tablet 400mg</i>            | 1         | PA; QL (60 EA per 30 days)  |
| IMBRUVICA ORAL CAPSULE 140MG                          | 1         | PA; QL (120 EA per 30 days) |
| IMBRUVICA ORAL CAPSULE 70MG                           | 1         | PA; QL (28 EA per 28 days)  |
| IMBRUVICA ORAL SUSPENSION 70MG/ML                     | 1         | PA; QL (240ML per 30 days)  |
| IMBRUVICA ORAL TABLET 140MG, 280MG, 420MG             | 1         | PA; QL (28 EA per 28 days)  |
| INLYTA ORAL TABLET 1MG                                | 1         | PA; QL (180 EA per 30 days) |
| INLYTA ORAL TABLET 5MG                                | 1         | PA; QL (60 EA per 30 days)  |
| INREBIC ORAL CAPSULE 100MG                            | 1         | PA; QL (120 EA per 30 days) |
| JAKAFI ORAL TABLET 10MG, 15MG, 20MG, 25MG, 5MG        | 1         | PA; QL (60 EA per 30 days)  |
| JAYPIRCA ORAL TABLET 100MG                            | 1         | PA; QL (60 EA per 30 days)  |
| JAYPIRCA ORAL TABLET 50MG                             | 1         | PA; QL (30 EA per 30 days)  |
| KISQALI (200MG DOSE) ORAL TABLET THERAPY PACK 200MG   | 1         | PA                          |

| Drug Name                                                             | Drug Tier | Requirements/Limits         |
|-----------------------------------------------------------------------|-----------|-----------------------------|
| KISQALI (400MG DOSE) ORAL TABLET<br>THERAPY PACK 200MG                | 1         | PA                          |
| KISQALI (600MG DOSE) ORAL TABLET<br>THERAPY PACK 200MG                | 1         | PA                          |
| KOSELUGO ORAL CAPSULE 10MG                                            | 1         | PA; QL (240 EA per 30 days) |
| KOSELUGO ORAL CAPSULE 25MG                                            | 1         | PA; QL (120 EA per 30 days) |
| KRAZATI ORAL TABLET 200MG                                             | 1         | PA; QL (180 EA per 30 days) |
| <i>lapatinib ditosylate oral tablet 250mg</i>                         | 1         | PA; QL (180 EA per 30 days) |
| LENVIMA (10MG DAILY DOSE) ORAL CAPSULE<br>THERAPY PACK 10MG           | 1         | PA                          |
| LENVIMA (12MG DAILY DOSE) ORAL CAPSULE<br>THERAPY PACK 3 X 4MG        | 1         | PA                          |
| LENVIMA (14MG DAILY DOSE) ORAL CAPSULE<br>THERAPY PACK 10 & 4MG       | 1         | PA                          |
| LENVIMA (18MG DAILY DOSE) ORAL CAPSULE<br>THERAPY PACK 10MG & 2 X 4MG | 1         | PA                          |
| LENVIMA (20MG DAILY DOSE) ORAL CAPSULE<br>THERAPY PACK 2 X 10MG       | 1         | PA                          |
| LENVIMA (24MG DAILY DOSE) ORAL CAPSULE<br>THERAPY PACK 2 X 10MG & 4MG | 1         | PA                          |
| LENVIMA (4MG DAILY DOSE) ORAL CAPSULE<br>THERAPY PACK 4MG             | 1         | PA                          |
| LENVIMA (8MG DAILY DOSE) ORAL CAPSULE<br>THERAPY PACK 2 X 4MG         | 1         | PA                          |
| LORBRENA ORAL TABLET 100MG                                            | 1         | PA; QL (30 EA per 30 days)  |
| LORBRENA ORAL TABLET 25MG                                             | 1         | PA; QL (120 EA per 30 days) |
| LYTGOBI (12MG DAILY DOSE) ORAL TABLET<br>THERAPY PACK 4MG             | 1         | PA; QL (84 EA per 28 days)  |
| LYTGOBI (16MG DAILY DOSE) ORAL TABLET<br>THERAPY PACK 4MG             | 1         | PA; QL (112 EA per 28 days) |
| LYTGOBI (20MG DAILY DOSE) ORAL TABLET<br>THERAPY PACK 4MG             | 1         | PA; QL (140 EA per 28 days) |
| MEKINIST ORAL SOLUTION RECONSTITUTED<br>0.05MG/ML                     | 1         | PA; QL (1260ML per 30 days) |
| MEKINIST ORAL TABLET 0.5MG                                            | 1         | PA; QL (120 EA per 30 days) |
| MEKINIST ORAL TABLET 2MG                                              | 1         | PA; QL (30 EA per 30 days)  |
| MEKTOVI ORAL TABLET 15MG                                              | 1         | PA; QL (180 EA per 30 days) |

| Drug Name                                                       | Drug Tier | Requirements/Limits         |
|-----------------------------------------------------------------|-----------|-----------------------------|
| NERLYNX ORAL TABLET 40MG                                        | 1         | PA; QL (180 EA per 30 days) |
| ODOMZO ORAL CAPSULE 200MG                                       | 1         | PA                          |
| PEMAZYRE ORAL TABLET 13.5MG, 4.5MG, 9MG                         | 1         | PA; QL (14 EA per 21 days)  |
| PIQRAY (200MG DAILY DOSE) ORAL TABLET THERAPY PACK 200MG        | 1         | PA                          |
| PIQRAY (250MG DAILY DOSE) ORAL TABLET THERAPY PACK 200 & 50MG   | 1         | PA                          |
| PIQRAY (300MG DAILY DOSE) ORAL TABLET THERAPY PACK 2 X 150MG    | 1         | PA                          |
| QINLOCK ORAL TABLET 50MG                                        | 1         | PA; QL (90 EA per 30 days)  |
| RETEVMO ORAL CAPSULE 40MG                                       | 1         | PA; QL (120 EA per 30 days) |
| RETEVMO ORAL CAPSULE 80MG                                       | 1         | PA; QL (180 EA per 30 days) |
| REZLIDHIA ORAL CAPSULE 150MG                                    | 1         | PA; QL (60 EA per 30 days)  |
| ROZLYTREK ORAL CAPSULE 100MG                                    | 1         | PA; QL (150 EA per 30 days) |
| ROZLYTREK ORAL CAPSULE 200MG                                    | 1         | PA; QL (90 EA per 30 days)  |
| RUBRACA ORAL TABLET 200MG, 250MG, 300MG                         | 1         | PA                          |
| RYDAPT ORAL CAPSULE 25MG                                        | 1         | PA; QL (240 EA per 30 days) |
| SCEMBLIX ORAL TABLET 20MG, 40MG                                 | 1         | PA                          |
| <i>sorafenib tosylate oral tablet 200mg</i>                     | 1         | PA; QL (120 EA per 30 days) |
| SPRYCEL ORAL TABLET 100MG, 50MG, 70MG, 80MG                     | 1         | PA; QL (60 EA per 30 days)  |
| SPRYCEL ORAL TABLET 140MG                                       | 1         | PA; QL (30 EA per 30 days)  |
| SPRYCEL ORAL TABLET 20MG                                        | 1         | PA; QL (90 EA per 30 days)  |
| STIVARGA ORAL TABLET 40MG                                       | 1         | PA; QL (84 EA per 28 days)  |
| <i>sunitinib malate oral capsule 12.5mg, 25mg, 37.5mg, 50mg</i> | 1         | PA; QL (28 EA per 28 days)  |
| TABRECTA ORAL TABLET 150MG, 200MG                               | 1         | PA; QL (120 EA per 30 days) |
| TAFINLAR ORAL CAPSULE 50MG                                      | 1         | PA; QL (180 EA per 30 days) |
| TAFINLAR ORAL CAPSULE 75MG                                      | 1         | PA; QL (120 EA per 30 days) |
| TAFINLAR ORAL TABLET SOLUBLE 10MG                               | 1         | PA; QL (900 EA per 30 days) |
| TAGRISSO ORAL TABLET 40MG, 80MG                                 | 1         | PA                          |
| TALZENNA ORAL CAPSULE 0.1MG, 0.35MG, 0.75MG, 1MG                | 1         | PA; QL (30 EA per 30 days)  |

| Drug Name                                                        | Drug Tier | Requirements/Limits         |
|------------------------------------------------------------------|-----------|-----------------------------|
| TALZENNA ORAL CAPSULE 0.25MG                                     | 1         | PA; QL (120 EA per 30 days) |
| TALZENNA ORAL CAPSULE 0.5MG                                      | 1         | PA; QL (60 EA per 30 days)  |
| TASIGNA ORAL CAPSULE 150MG, 200MG, 50MG                          | 1         | PA; QL (120 EA per 30 days) |
| TAZVERIK ORAL TABLET 200MG                                       | 1         | PA; QL (240 EA per 30 days) |
| TEPMETKO ORAL TABLET 225MG                                       | 1         | PA; QL (60 EA per 30 days)  |
| TIBSOVO ORAL TABLET 250MG                                        | 1         | PA; QL (60 EA per 30 days)  |
| TUKYSA ORAL TABLET 150MG, 50MG                                   | 1         | PA; QL (120 EA per 30 days) |
| TURALIO ORAL CAPSULE 125MG                                       | 1         | PA; QL (120 EA per 30 days) |
| VENCLEXTA ORAL TABLET 10MG, 100MG, 50MG                          | 1         | PA                          |
| VENCLEXTA STARTING PACK ORAL TABLET THERAPY PACK 10 & 50 & 100MG | 1         | PA                          |
| VERZENIO ORAL TABLET 100MG, 150MG, 200MG, 50MG                   | 1         | PA                          |
| VITRAKVI ORAL CAPSULE 100MG                                      | 1         | PA; QL (60 EA per 30 days)  |
| VITRAKVI ORAL CAPSULE 25MG                                       | 1         | PA; QL (180 EA per 30 days) |
| VITRAKVI ORAL SOLUTION 20MG/ML                                   | 1         | PA; QL (310ML per 30 days)  |
| VIZIMPRO ORAL TABLET 15MG, 30MG, 45MG                            | 1         | PA; QL (30 EA per 30 days)  |
| VONJO ORAL CAPSULE 100MG                                         | 1         | PA                          |
| VOTRIENT ORAL TABLET 200MG                                       | 1         | PA; QL (120 EA per 30 days) |
| XALKORI ORAL CAPSULE 200MG, 250MG                                | 1         | PA; QL (120 EA per 30 days) |
| XOSPATA ORAL TABLET 40MG                                         | 1         | PA; QL (90 EA per 30 days)  |
| ZEJULA ORAL CAPSULE 100MG                                        | 1         | PA; QL (90 EA per 30 days)  |
| ZEJULA ORAL TABLET 100MG, 200MG, 300MG                           | 1         | PA; QL (30 EA per 30 days)  |
| ZELBORAF ORAL TABLET 240MG                                       | 1         | PA; QL (240 EA per 30 days) |
| ZYDELIG ORAL TABLET 100MG, 150MG                                 | 1         | PA; QL (60 EA per 30 days)  |
| ZYKADIA ORAL TABLET 150MG                                        | 1         | PA; QL (150 EA per 30 days) |
| <b>Retinoids</b>                                                 |           |                             |
| <i>bexarotene external gel 1%</i>                                | 1         | PA                          |
| <i>bexarotene oral capsule 75mg</i>                              | 1         | PA; QL (300 EA per 30 days) |
| <i>tretinoin oral capsule 10mg</i>                               | 1         |                             |

| Drug Name                                                                | Drug Tier | Requirements/Limits    |
|--------------------------------------------------------------------------|-----------|------------------------|
| <b>ANTIPARASITICS</b>                                                    |           |                        |
| <b><i>Anthelmintics</i></b>                                              |           |                        |
| <i>albendazole oral tablet 200mg</i>                                     | 1         |                        |
| EMVERM ORAL TABLET CHEWABLE 100MG                                        | 1         |                        |
| <i>ivermectin oral tablet 3mg</i>                                        | 1         | PA                     |
| <b><i>Antiprotozoals</i></b>                                             |           |                        |
| <i>atovaquone oral suspension 750mg/5ml</i>                              | 1         |                        |
| <i>atovaquone-proguanil hcl oral tablet 250-100mg, 62.5-25mg</i>         | 1         |                        |
| <i>benznidazole oral tablet 100mg, 12.5mg</i>                            | 1         |                        |
| <i>chloroquine phosphate oral tablet 250mg, 500mg</i>                    | 1         | MO                     |
| COARTEM ORAL TABLET 20-120MG                                             | 1         |                        |
| <i>hydroxychloroquine sulfate oral tablet 100mg, 200mg, 300mg, 400mg</i> | 1         | MO                     |
| LAMPIT ORAL TABLET 120MG, 30MG                                           | 1         |                        |
| <i>mefloquine hcl oral tablet 250mg</i>                                  | 1         | MO                     |
| <i>nitazoxanide oral tablet 500mg</i>                                    | 1         | QL (40 EA per 30 days) |
| <i>pentamidine isethionate inhalation solution reconstituted 300mg</i>   | 1         | BvD                    |
| <i>pentamidine isethionate injection solution reconstituted 300mg</i>    | 1         | BvD                    |
| <i>primaquine phosphate oral tablet 26.3 (15 base)mg</i>                 | 1         |                        |
| <i>quinine sulfate oral capsule 324mg</i>                                | 1         | PA                     |
| <b>ANTIPARKINSON AGENTS</b>                                              |           |                        |
| <b><i>Anticholinergics</i></b>                                           |           |                        |
| <i>benztropine mesylate oral tablet 0.5mg, 1mg, 2mg</i>                  | 1         | MO                     |
| <i>trihexyphenidyl hcl oral solution 0.4mg/ml</i>                        | 1         | MO                     |
| <i>trihexyphenidyl hcl oral tablet 2mg, 5mg</i>                          | 1         | MO                     |
| <b><i>Antiparkinson Agents, Other</i></b>                                |           |                        |
| <i>amantadine hcl oral capsule 100mg</i>                                 | 1         | MO                     |
| <i>amantadine hcl oral solution 50mg/5ml</i>                             | 1         | MO                     |
| <i>amantadine hcl oral tablet 100mg</i>                                  | 1         | MO                     |

| Drug Name                                                                                                                                   | Drug Tier | Requirements/Limits |
|---------------------------------------------------------------------------------------------------------------------------------------------|-----------|---------------------|
| <i>carbidopa-levodopa-entacapone oral tablet 12.5-50-200mg, 18.75-75-200mg, 25-100-200mg, 31.25-125-200mg, 37.5-150-200mg, 50-200-200mg</i> | 1         | MO                  |
| <i>entacapone oral tablet 200mg</i>                                                                                                         | 1         | MO                  |
| <b>Dopamine Agonists</b>                                                                                                                    |           |                     |
| <i>bromocriptine mesylate oral capsule 5mg</i>                                                                                              | 1         | MO                  |
| <i>bromocriptine mesylate oral tablet 2.5mg</i>                                                                                             | 1         | MO                  |
| NEUPRO TRANSDERMAL PATCH 24-HOUR 1MG/24HR, 2MG/24HR, 3MG/24HR, 4MG/24HR, 6MG/24HR, 8MG/24HR                                                 | 1         | MO                  |
| <i>pramipexole dihydrochloride oral tablet 0.125mg, 0.25mg, 0.5mg, 0.75mg, 1mg, 1.5mg</i>                                                   | 1         | MO                  |
| <i>ropinirole hcl oral tablet 0.25mg, 0.5mg, 1mg, 2mg, 3mg, 4mg, 5mg</i>                                                                    | 1         | MO                  |
| <b>Dopamine Precursors and/or L-Amino Acid Decarboxylase Inhibitors</b>                                                                     |           |                     |
| <i>carbidopa oral tablet 25mg</i>                                                                                                           | 1         | MO                  |
| <i>carbidopa-levodopa er oral tablet extended release 25-100mg, 50-200mg</i>                                                                | 1         | MO                  |
| <i>carbidopa-levodopa oral tablet 10-100mg, 25-100mg, 25-250mg</i>                                                                          | 1         | MO                  |
| <i>carbidopa-levodopa oral tablet dispersible 10-100mg, 25-100mg, 25-250mg</i>                                                              | 1         | MO                  |
| INBRIJA INHALATION CAPSULE 42MG                                                                                                             | 1         |                     |
| RYTARY ORAL CAPSULE EXTENDED RELEASE 23.75-95MG, 36.25-145MG, 48.75-195MG, 61.25-245MG                                                      | 1         | ST; MO              |
| <b>Monoamine Oxidase B (MAO-B) Inhibitors</b>                                                                                               |           |                     |
| <i>rasagiline mesylate oral tablet 0.5mg, 1mg</i>                                                                                           | 1         | MO                  |
| <i>selegiline hcl oral capsule 5mg</i>                                                                                                      | 1         | MO                  |
| <i>selegiline hcl oral tablet 5mg</i>                                                                                                       | 1         | MO                  |
| <b>ANTIPSYCHOTICS</b>                                                                                                                       |           |                     |
| <b>1st Generation/Typical</b>                                                                                                               |           |                     |
| <i>chlorpromazine hcl oral concentrate 100mg/ml, 30mg/ml</i>                                                                                | 1         | MO                  |

| Drug Name                                                                                         | Drug Tier | Requirements/Limits |
|---------------------------------------------------------------------------------------------------|-----------|---------------------|
| <i>chlorpromazine hcl oral tablet 10mg, 25mg</i>                                                  | 1         | BvD; MO             |
| <i>chlorpromazine hcl oral tablet 100mg, 200mg, 50mg</i>                                          | 1         | MO                  |
| <i>fluphenazine decanoate injection solution 25mg/ml</i>                                          | 1         |                     |
| <i>fluphenazine hcl injection solution 2.5mg/ml</i>                                               | 1         |                     |
| <i>fluphenazine hcl oral concentrate 5mg/ml</i>                                                   | 1         | MO                  |
| <i>fluphenazine hcl oral elixir 2.5mg/5ml</i>                                                     | 1         | MO                  |
| <i>fluphenazine hcl oral tablet 1mg, 10mg, 2.5mg, 5mg</i>                                         | 1         | MO                  |
| <i>haloperidol decanoate intramuscular solution 100mg/ml, 100mg/ml 1ml, 50mg/ml, 50mg/ml(1ml)</i> | 1         |                     |
| <i>haloperidol lactate injection solution 5mg/ml</i>                                              | 1         |                     |
| <i>haloperidol lactate oral concentrate 2mg/ml</i>                                                | 1         | MO                  |
| <i>haloperidol oral tablet 0.5mg, 1mg, 10mg, 2mg, 20mg, 5mg</i>                                   | 1         | MO                  |
| <i>loxapine succinate oral capsule 10mg, 25mg, 5mg, 50mg</i>                                      | 1         | MO                  |
| <i>molindone hcl oral tablet 10mg, 25mg, 5mg</i>                                                  | 1         | MO                  |
| <i>perphenazine oral tablet 16mg, 2mg</i>                                                         | 1         | MO                  |
| <i>perphenazine oral tablet 4mg, 8mg</i>                                                          | 1         | BvD; MO             |
| <i>pimozide oral tablet 1mg, 2mg</i>                                                              | 1         | MO                  |
| <i>thioridazine hcl oral tablet 10mg, 100mg, 25mg, 50mg</i>                                       | 1         | MO                  |
| <i>thiothixene oral capsule 1mg, 10mg, 2mg, 5mg</i>                                               | 1         | MO                  |
| <i>trifluoperazine hcl oral tablet 1mg, 10mg, 2mg, 5mg</i>                                        | 1         | MO                  |
| <b>2nd Generation/Atypical</b>                                                                    |           |                     |
| ABILIFY ASIMTUFII INTRAMUSCULAR PREFILLED SYRINGE 720MG/2.4ML, 960MG/3.2ML                        | 1         |                     |
| ABILIFY MAINTENA INTRAMUSCULAR PREFILLED SYRINGE 300MG, 400MG                                     | 1         |                     |
| ABILIFY MAINTENA INTRAMUSCULAR SUSPENSION RECONSTITUTED ER 300MG, 400MG                           | 1         |                     |

| Drug Name                                                                                                               | Drug Tier | Requirements/Limits        |
|-------------------------------------------------------------------------------------------------------------------------|-----------|----------------------------|
| <i>aripiprazole oral solution 1mg/ml</i>                                                                                | 1         | MO; QL (750ML per 30 days) |
| <i>aripiprazole oral tablet 10mg, 15mg, 2mg, 20mg, 30mg, 5mg</i>                                                        | 1         | MO; QL (30 EA per 30 days) |
| <i>aripiprazole oral tablet dispersible 10mg</i>                                                                        | 1         | QL (90 EA per 30 days)     |
| <i>aripiprazole oral tablet dispersible 15mg</i>                                                                        | 1         | QL (60 EA per 30 days)     |
| <i>asenapine maleate sublingual tablet sublingual 10mg, 2.5mg, 5mg</i>                                                  | 1         | MO; QL (60 EA per 30 days) |
| CAPLYTA ORAL CAPSULE 10.5MG, 21MG, 42MG                                                                                 | 1         |                            |
| FANAPT ORAL TABLET 1MG, 10MG, 12MG, 2MG, 4MG, 6MG, 8MG                                                                  | 1         | ST; QL (60 EA per 30 days) |
| FANAPT TITRATION PACK ORAL TABLET 1 & 2 & 4 & 6MG                                                                       | 1         | ST; QL (60 EA per 30 days) |
| INVEGA HAFYERA INTRAMUSCULAR SUSPENSION PREFILLED SYRINGE 1092MG/3.5ML, 1560MG/5ML                                      | 1         |                            |
| INVEGA SUSTENNA INTRAMUSCULAR SUSPENSION PREFILLED SYRINGE 117MG/0.75ML, 156MG/ML, 234MG/1.5ML, 39MG/0.25ML, 78MG/0.5ML | 1         |                            |
| INVEGA TRINZA INTRAMUSCULAR SUSPENSION PREFILLED SYRINGE 273MG/0.88ML, 410MG/1.32ML, 546MG/1.75ML, 819MG/2.63ML         | 1         |                            |
| <i>lurasidone hcl oral tablet 120mg, 20mg, 40mg, 60mg, 80mg</i>                                                         | 1         |                            |
| LYBALVI ORAL TABLET 10-10MG, 15-10MG, 20-10MG, 5-10MG                                                                   | 1         | ST; QL (30 EA per 30 days) |
| NUPLAZID ORAL CAPSULE 34MG                                                                                              | 1         | PA                         |
| NUPLAZID ORAL TABLET 10MG                                                                                               | 1         | PA                         |
| <i>olanzapine intramuscular solution reconstituted 10mg</i>                                                             | 1         | QL (60 EA per 30 days)     |
| <i>olanzapine oral tablet 10mg, 15mg, 2.5mg, 5mg, 7.5mg</i>                                                             | 1         | MO; QL (30 EA per 30 days) |
| <i>olanzapine oral tablet 20mg</i>                                                                                      | 1         | MO; QL (60 EA per 30 days) |
| <i>olanzapine oral tablet dispersible 10mg, 5mg</i>                                                                     | 1         | MO; QL (60 EA per 30 days) |
| <i>olanzapine oral tablet dispersible 15mg, 20mg</i>                                                                    | 1         | MO; QL (30 EA per 30 days) |

| Drug Name                                                                                 | Drug Tier | Requirements/Limits         |
|-------------------------------------------------------------------------------------------|-----------|-----------------------------|
| <i>paliperidone er oral tablet extended release</i><br>24-hour 1.5mg, 3mg, 9mg            | 1         | MO; QL (30 EA per 30 days)  |
| <i>paliperidone er oral tablet extended release</i><br>24-hour 6mg                        | 1         | MO; QL (60 EA per 30 days)  |
| <i>quetiapine fumarate er oral tablet extended release</i><br>24-hour 150mg               | 1         | MO; QL (90 EA per 30 days)  |
| <i>quetiapine fumarate er oral tablet extended release</i><br>24-hour 200mg, 300mg, 400mg | 1         | MO; QL (60 EA per 30 days)  |
| <i>quetiapine fumarate er oral tablet extended release</i><br>24-hour 50mg                | 1         | MO; QL (120 EA per 30 days) |
| <i>quetiapine fumarate oral tablet</i> 100mg, 150mg, 25mg, 300mg, 400mg, 50mg             | 1         | MO; QL (60 EA per 30 days)  |
| <i>quetiapine fumarate oral tablet</i> 200mg                                              | 1         | MO; QL (30 EA per 30 days)  |
| REXULTI ORAL TABLET 0.25MG, 0.5MG, 1MG, 2MG, 3MG, 4MG                                     | 1         |                             |
| RISPERDAL CONSTA INTRAMUSCULAR SUSPENSION RECONSTITUTED ER 12.5MG, 25MG, 37.5MG, 50MG     | 1         |                             |
| <i>risperidone oral solution</i> 1mg/ml                                                   | 1         | MO; QL (480ML per 30 days)  |
| <i>risperidone oral tablet</i> 0.25mg, 1mg, 2mg, 3mg, 4mg                                 | 1         | MO; QL (60 EA per 30 days)  |
| <i>risperidone oral tablet</i> 0.5mg                                                      | 1         | MO; QL (120 EA per 30 days) |
| <i>risperidone oral tablet dispersible</i> 0.25mg, 1mg, 2mg, 3mg                          | 1         | MO; QL (60 EA per 30 days)  |
| <i>risperidone oral tablet dispersible</i> 0.5mg, 4mg                                     | 1         | MO; QL (120 EA per 30 days) |
| SECUADO TRANSDERMAL PATCH 24-HOUR 3.8MG/24HR, 5.7MG/24HR, 7.6MG/24HR                      | 1         | ST; QL (30 EA per 30 days)  |
| VRAYLAR ORAL CAPSULE 1.5MG                                                                | 1         | ST; QL (60 EA per 30 days)  |
| VRAYLAR ORAL CAPSULE 3MG, 4.5MG, 6MG                                                      | 1         | ST; QL (30 EA per 30 days)  |
| VRAYLAR ORAL CAPSULE THERAPY PACK 1.5 & 3MG                                               | 1         | ST; QL (7 EA per 28 days)   |
| <i>ziprasidone hcl oral capsule</i> 20mg, 40mg, 60mg, 80mg                                | 1         | MO; QL (60 EA per 30 days)  |
| <i>ziprasidone mesylate intramuscular solution reconstituted</i> 20mg                     | 1         | QL (6 EA per 3 days)        |
| ZYPREXA RELPREVV INTRAMUSCULAR SUSPENSION RECONSTITUTED 210MG                             | 1         | ST                          |

| Drug Name                                                           | Drug Tier | Requirements/Limits        |
|---------------------------------------------------------------------|-----------|----------------------------|
| <b>Treatment-Resistant</b>                                          |           |                            |
| clozapine oral tablet 100mg, 200mg, 25mg, 50mg                      | 1         | QL (120 EA per 30 days)    |
| clozapine oral tablet dispersible 100mg, 12.5mg, 150mg, 200mg, 25mg | 1         | QL (120 EA per 30 days)    |
| VERSACLOZ ORAL SUSPENSION 50MG/ML                                   | 1         | ST; QL (540ML per 30 days) |
| <b>ANTISPASTICITY AGENTS</b>                                        |           |                            |
| <b>Antispasticity Agents</b>                                        |           |                            |
| baclofen oral tablet 10mg, 20mg, 5mg                                | 1         |                            |
| tizanidine hcl oral tablet 2mg, 4mg                                 | 1         |                            |
| <b>ANTIVIRALS</b>                                                   |           |                            |
| <b>Anti-Cytomegalovirus (CMV) Agents</b>                            |           |                            |
| LIVTENCITY ORAL TABLET 200MG                                        | 1         | PA                         |
| PREVYMIS ORAL TABLET 240MG, 480MG                                   | 1         | PA; QL (28 EA per 28 days) |
| valganciclovir hcl oral solution reconstituted 50mg/ml              | 1         | MO                         |
| valganciclovir hcl oral tablet 450mg                                | 1         | MO                         |
| ZIRGAN OPHTHALMIC GEL 0.15%                                         | 1         |                            |
| <b>Anti-Hepatitis B (HBV) Agents</b>                                |           |                            |
| adefovir dipivoxil oral tablet 10mg                                 | 1         | QL (30 EA per 30 days)     |
| BARACLUDE ORAL SOLUTION 0.05MG/ML                                   | 1         | QL (600ML per 30 days)     |
| entecavir oral tablet 0.5mg, 1mg                                    | 1         | MO; QL (30 EA per 30 days) |
| lamivudine oral tablet 100mg                                        | 1         | MO; QL (90 EA per 30 days) |
| VEMLIDY ORAL TABLET 25MG                                            | 1         | QL (30 EA per 30 days)     |
| <b>Anti-Hepatitis C (HCV) Agents</b>                                |           |                            |
| MAVYRET ORAL PACKET 50-20MG                                         | 1         | PA                         |
| MAVYRET ORAL TABLET 100-40MG                                        | 1         | PA                         |
| ribavirin oral capsule 200mg                                        | 1         |                            |
| ribavirin oral tablet 200mg                                         | 1         |                            |
| sofosbuvir-velpatasvir oral tablet 400-100mg                        | 1         | PA                         |
| VOSEVI ORAL TABLET 400-100-100MG                                    | 1         | PA                         |

| Drug Name                                                                       | Drug Tier | Requirements/Limits         |
|---------------------------------------------------------------------------------|-----------|-----------------------------|
| <b>Antiherpetic Agents</b>                                                      |           |                             |
| <i>acyclovir oral capsule 200mg</i>                                             | 1         |                             |
| <i>acyclovir oral suspension 200mg/5ml</i>                                      | 1         |                             |
| <i>acyclovir oral tablet 400mg, 800mg</i>                                       | 1         |                             |
| <i>acyclovir sodium intravenous solution 50mg/ml</i>                            | 1         | BvD                         |
| <i>famciclovir oral tablet 125mg, 250mg, 500mg</i>                              | 1         |                             |
| <i>trifluridine ophthalmic solution 1%</i>                                      | 1         |                             |
| <i>valacyclovir hcl oral tablet 1gm, 500mg</i>                                  | 1         |                             |
| <b>Anti-HIV Agents, Integrase Inhibitors (INSTI)</b>                            |           |                             |
| BIKTARVY ORAL TABLET 30-120-15MG, 50-200-25MG                                   | 1         | QL (30 EA per 30 days)      |
| DOVATO ORAL TABLET 50-300MG                                                     | 1         | QL (30 EA per 30 days)      |
| GENVOYA ORAL TABLET 150-150-200-10MG                                            | 1         | QL (30 EA per 30 days)      |
| ISENTRESS HD ORAL TABLET 600MG                                                  | 1         | QL (60 EA per 30 days)      |
| ISENTRESS ORAL PACKET 100MG                                                     | 1         | MO; QL (60 EA per 30 days)  |
| ISENTRESS ORAL TABLET 400MG                                                     | 1         | QL (60 EA per 30 days)      |
| ISENTRESS ORAL TABLET CHEWABLE 100MG, 25MG                                      | 1         | MO; QL (180 EA per 30 days) |
| STRIBILD ORAL TABLET 150-150-200-300MG                                          | 1         | QL (30 EA per 30 days)      |
| SYMTUZA ORAL TABLET 800-150-200-10MG                                            | 1         | QL (30 EA per 30 days)      |
| TIVICAY ORAL TABLET 10MG                                                        | 1         | MO; QL (60 EA per 30 days)  |
| TIVICAY ORAL TABLET 25MG, 50MG                                                  | 1         | QL (60 EA per 30 days)      |
| TIVICAY PD ORAL TABLET SOLUBLE 5MG                                              | 1         | MO; QL (360 EA per 30 days) |
| <b>Anti-HIV Agents, Non-Nucleoside Reverse Transcriptase Inhibitors (NNRTI)</b> |           |                             |
| COMPLERA ORAL TABLET 200-25-300MG                                               | 1         | QL (30 EA per 30 days)      |
| EDURANT ORAL TABLET 25MG                                                        | 1         | QL (30 EA per 30 days)      |
| <i>efavirenz oral capsule 200mg</i>                                             | 1         | MO; QL (120 EA per 30 days) |
| <i>efavirenz oral capsule 50mg</i>                                              | 1         | MO; QL (360 EA per 30 days) |
| <i>efavirenz oral tablet 600mg</i>                                              | 1         | MO; QL (30 EA per 30 days)  |
| <i>etravirine oral tablet 100mg</i>                                             | 1         | QL (120 EA per 30 days)     |
| <i>etravirine oral tablet 200mg</i>                                             | 1         | QL (60 EA per 30 days)      |
| INTELENCE ORAL TABLET 25MG                                                      | 1         | MO; QL (120 EA per 30 days) |

| Drug Name                                                                                 | Drug Tier | Requirements/Limits         |
|-------------------------------------------------------------------------------------------|-----------|-----------------------------|
| <i>nevirapine er oral tablet extended release 24-hour 100mg</i>                           | 1         | MO; QL (120 EA per 30 days) |
| <i>nevirapine er oral tablet extended release 24-hour 400mg</i>                           | 1         | MO; QL (30 EA per 30 days)  |
| <i>nevirapine oral suspension 50mg/5ml</i>                                                | 1         | MO; QL (1200ML per 30 days) |
| <i>nevirapine oral tablet 200mg</i>                                                       | 1         | MO; QL (60 EA per 30 days)  |
| PIFELTRO ORAL TABLET 100MG                                                                | 1         | QL (30 EA per 30 days)      |
| <b>Anti-HIV Agents, Nucleoside and Nucleotide Reverse Transcriptase Inhibitors (NRTI)</b> |           |                             |
| <i>abacavir sulfate oral solution 20mg/ml</i>                                             | 1         | MO; QL (960ML per 30 days)  |
| <i>abacavir sulfate oral tablet 300mg</i>                                                 | 1         | MO; QL (60 EA per 30 days)  |
| <i>abacavir sulfate-lamivudine oral tablet 600-300mg</i>                                  | 1         | MO; QL (30 EA per 30 days)  |
| CIMDUO ORAL TABLET 300-300MG                                                              | 1         | QL (30 EA per 30 days)      |
| DELSTRIGO ORAL TABLET 100-300-300MG                                                       | 1         | QL (30 EA per 30 days)      |
| DESCOVY ORAL TABLET 120-15MG, 200-25MG                                                    | 1         | QL (30 EA per 30 days)      |
| <i>efavirenz-emtricitab-tenofo df oral tablet 600-200-300mg</i>                           | 1         | QL (30 EA per 30 days)      |
| <i>efavirenz-lamivudine-tenofovir oral tablet 400-300-300mg, 600-300-300mg</i>            | 1         | QL (30 EA per 30 days)      |
| <i>emtricitabine oral capsule 200mg</i>                                                   | 1         | MO; QL (30 EA per 30 days)  |
| <i>emtricitabine-tenofovir df oral tablet 100-150mg, 133-200mg, 167-250mg, 200-300mg</i>  | 1         | QL (30 EA per 30 days)      |
| EMTRIVA ORAL SOLUTION 10MG/ML                                                             | 1         | MO; QL (680ML per 28 days)  |
| JULUCA ORAL TABLET 50-25MG                                                                | 1         | QL (30 EA per 30 days)      |
| <i>lamivudine oral solution 10mg/ml</i>                                                   | 1         | MO; QL (900ML per 30 days)  |
| <i>lamivudine oral tablet 150mg</i>                                                       | 1         | MO; QL (60 EA per 30 days)  |
| <i>lamivudine oral tablet 300mg</i>                                                       | 1         | MO; QL (30 EA per 30 days)  |
| <i>lamivudine-zidovudine oral tablet 150-300mg</i>                                        | 1         | MO; QL (60 EA per 30 days)  |
| ODEFSEY ORAL TABLET 200-25-25MG                                                           | 1         | QL (30 EA per 30 days)      |
| <i>tenofovir disoproxil fumarate oral tablet 300mg</i>                                    | 1         | MO; QL (30 EA per 30 days)  |
| TRIZIVIR ORAL TABLET 300-150-300MG                                                        | 1         | QL (60 EA per 30 days)      |
| VIREAD ORAL POWDER 40MG/GM                                                                | 1         | QL (240GM per 30 days)      |
| VIREAD ORAL TABLET 150MG, 200MG, 250MG                                                    | 1         | QL (30 EA per 30 days)      |
| <i>zidovudine oral capsule 100mg</i>                                                      | 1         | MO; QL (180 EA per 30 days) |

| Drug Name                                              | Drug Tier | Requirements/Limits         |
|--------------------------------------------------------|-----------|-----------------------------|
| <i>zidovudine oral syrup 50mg/5ml</i>                  | 1         | MO; QL (1680ML per 28 days) |
| <i>zidovudine oral tablet 300mg</i>                    | 1         | MO; QL (60 EA per 30 days)  |
| <b>Anti-HIV Agents, Other</b>                          |           |                             |
| FUZEON SUBCUTANEOUS SOLUTION RECONSTITUTED 90MG        | 1         | QL (60 EA per 30 days)      |
| <i>maraviroc oral tablet 150mg, 300mg</i>              | 1         | QL (120 EA per 30 days)     |
| RUKOBIA ORAL TABLET EXTENDED RELEASE 12-HOUR 600MG     | 1         | QL (60 EA per 30 days)      |
| SELZENTRY ORAL SOLUTION 20MG/ML                        | 1         | QL (1800ML per 30 days)     |
| SELZENTRY ORAL TABLET 25MG                             | 1         | MO; QL (120 EA per 30 days) |
| SELZENTRY ORAL TABLET 75MG                             | 1         | QL (60 EA per 30 days)      |
| SUNLENCA ORAL TABLET THERAPY PACK 4 X 300MG            | 1         | QL (4 EA per 180 days)      |
| SUNLENCA ORAL TABLET THERAPY PACK 5 X 300MG            | 1         | QL (5 EA per 180 days)      |
| TRIUMEQ ORAL TABLET 600-50-300MG                       | 1         | QL (30 EA per 30 days)      |
| TRIUMEQ PD ORAL TABLET SOLUBLE 60-5-30MG               | 1         | QL (180 EA per 30 days)     |
| TYBOST ORAL TABLET 150MG                               | 1         | MO; QL (30 EA per 30 days)  |
| <b>Anti-HIV Agents, Protease Inhibitors (PI)</b>       |           |                             |
| APTIVUS ORAL CAPSULE 250MG                             | 1         | QL (120 EA per 30 days)     |
| <i>atazanavir sulfate oral capsule 150mg, 200mg</i>    | 1         | MO; QL (60 EA per 30 days)  |
| <i>atazanavir sulfate oral capsule 300mg</i>           | 1         | MO; QL (30 EA per 30 days)  |
| <i>darunavir oral tablet 600mg</i>                     | 1         | QL (60 EA per 30 days)      |
| <i>darunavir oral tablet 800mg</i>                     | 1         | QL (30 EA per 30 days)      |
| EVOTAZ ORAL TABLET 300-150MG                           | 1         | QL (30 EA per 30 days)      |
| <i>fosamprenavir calcium oral tablet 700mg</i>         | 1         | QL (120 EA per 30 days)     |
| LEXIVA ORAL SUSPENSION 50MG/ML                         | 1         | MO; QL (1575ML per 28 days) |
| <i>lopinavir-ritonavir oral solution 400-100mg/5ml</i> | 1         | MO; QL (400ML per 30 days)  |
| <i>lopinavir-ritonavir oral tablet 100-25mg</i>        | 1         | MO; QL (300 EA per 30 days) |
| <i>lopinavir-ritonavir oral tablet 200-50mg</i>        | 1         | MO; QL (150 EA per 30 days) |
| NORVIR ORAL PACKET 100MG                               | 1         | MO; QL (360 EA per 30 days) |
| PREZCOBIX ORAL TABLET 800-150MG                        | 1         | QL (30 EA per 30 days)      |

| Drug Name                                                            | Drug Tier | Requirements/Limits         |
|----------------------------------------------------------------------|-----------|-----------------------------|
| PREZISTA ORAL SUSPENSION 100MG/ML                                    | 1         | QL (360ML per 30 days)      |
| PREZISTA ORAL TABLET 150MG                                           | 1         | MO; QL (240 EA per 30 days) |
| PREZISTA ORAL TABLET 75MG                                            | 1         | MO; QL (480 EA per 30 days) |
| REYATAZ ORAL PACKET 50MG                                             | 1         | MO; QL (180 EA per 30 days) |
| <i>ritonavir oral tablet 100mg</i>                                   | 1         | MO; QL (360 EA per 30 days) |
| VIRACEPT ORAL TABLET 250MG                                           | 1         | QL (300 EA per 30 days)     |
| VIRACEPT ORAL TABLET 625MG                                           | 1         | QL (120 EA per 30 days)     |
| <b>Anti-Influenza Agents</b>                                         |           |                             |
| <i>oseltamivir phosphate oral capsule 30mg, 45mg, 75mg</i>           | 1         |                             |
| <i>oseltamivir phosphate oral suspension reconstituted 6mg/ml</i>    | 1         |                             |
| RELENZA DISKHALER INHALATION AEROSOL POWDER BREATH ACTIVATED 5MG/ACT | 1         |                             |
| <i>rimantadine hcl oral tablet 100mg</i>                             | 1         |                             |
| XOFLUZA (40MG DOSE) ORAL TABLET THERAPY PACK 1 X 40MG                | 1         |                             |
| XOFLUZA (80MG DOSE) ORAL TABLET THERAPY PACK 1 X 80MG                | 1         |                             |
| <b>ANXIOLYTICS</b>                                                   |           |                             |
| <b>Anxiolytics, Other</b>                                            |           |                             |
| <i>buspirone hcl oral tablet 10mg, 15mg, 30mg, 5mg, 7.5mg</i>        | 1         |                             |
| <i>hydroxyzine hcl oral syrup 10mg/5ml</i>                           | 1         |                             |
| <i>hydroxyzine hcl oral tablet 10mg, 25mg, 50mg</i>                  | 1         |                             |
| <i>hydroxyzine pamoate oral capsule 100mg, 25mg, 50mg</i>            | 1         |                             |
| <i>oxazepam oral capsule 10mg, 15mg, 30mg</i>                        | 1         | QL (120 EA per 30 days)     |
| <b>Benzodiazepines</b>                                               |           |                             |
| ALPRAZOLAM INTENSOL ORAL CONCENTRATE 1MG/ML                          | 1         | QL (300ML per 30 days)      |
| <i>alprazolam oral tablet 0.25mg, 0.5mg</i>                          | 1         | QL (120 EA per 30 days)     |
| <i>alprazolam oral tablet 1mg</i>                                    | 1         | QL (240 EA per 30 days)     |
| <i>alprazolam oral tablet 2mg</i>                                    | 1         | QL (150 EA per 30 days)     |

| Drug Name                                                             | Drug Tier | Requirements/Limits     |
|-----------------------------------------------------------------------|-----------|-------------------------|
| <i>chlordiazepoxide hcl oral capsule 10mg, 25mg, 5mg</i>              | 1         | QL (120 EA per 30 days) |
| <i>clonazepam oral tablet 0.5mg, 1mg</i>                              | 1         | QL (90 EA per 30 days)  |
| <i>clonazepam oral tablet 2mg</i>                                     | 1         | QL (300 EA per 30 days) |
| <i>clonazepam oral tablet dispersible 0.125mg, 0.25mg, 0.5mg, 1mg</i> | 1         | QL (90 EA per 30 days)  |
| <i>clonazepam oral tablet dispersible 2mg</i>                         | 1         | QL (300 EA per 30 days) |
| <i>clorazepate dipotassium oral tablet 15mg, 3.75mg, 7.5mg</i>        | 1         | QL (180 EA per 30 days) |
| DIAZEPAM INTENSOL ORAL CONCENTRATE 5MG/ML                             | 1         | QL (240ML per 30 days)  |
| <i>diazepam oral solution 5mg/5ml</i>                                 | 1         | QL (1200ML per 30 days) |
| <i>diazepam oral tablet 10mg, 2mg</i>                                 | 1         | QL (120 EA per 30 days) |
| <i>diazepam oral tablet 5mg</i>                                       | 1         | QL (240 EA per 30 days) |
| LORAZEPAM INTENSOL ORAL CONCENTRATE 2MG/ML                            | 1         | QL (240ML per 30 days)  |
| <i>lorazepam oral tablet 0.5mg, 1mg, 2mg</i>                          | 1         | QL (150 EA per 30 days) |

## BIPOLAR AGENTS

### Mood Stabilizers

|                                                                               |   |    |
|-------------------------------------------------------------------------------|---|----|
| <i>divalproex sodium er oral tablet extended release 24-hour 250mg, 500mg</i> | 1 | MO |
| <i>divalproex sodium oral capsule delayed release sprinkle 125mg</i>          | 1 | MO |
| <i>divalproex sodium oral tablet delayed release 125mg, 250mg, 500mg</i>      | 1 | MO |
| <i>lithium carbonate er oral tablet extended release 300mg, 450mg</i>         | 1 | MO |
| <i>lithium carbonate oral capsule 150mg, 300mg, 600mg</i>                     | 1 | MO |
| <i>lithium carbonate oral tablet 300mg</i>                                    | 1 | MO |

## BLOOD GLUCOSE REGULATORS

### Antidiabetic Agents

|                                               |   |    |
|-----------------------------------------------|---|----|
| <i>acarbose oral tablet 100mg, 25mg, 50mg</i> | 1 | MO |
| <i>glimepiride oral tablet 1mg, 2mg, 4mg</i>  | 1 | MO |

| Drug Name                                                                                    | Drug Tier | Requirements/Limits |
|----------------------------------------------------------------------------------------------|-----------|---------------------|
| <i>glipizide er oral tablet extended release 24-hour 10mg, 2.5mg, 5mg</i>                    | 1         | MO                  |
| <i>glipizide oral tablet 10mg, 5mg</i>                                                       | 1         | MO                  |
| <i>glipizide-metformin hcl oral tablet 2.5-250mg, 2.5-500mg, 5-500mg</i>                     | 1         | MO                  |
| <i>glyburide-metformin oral tablet 1.25-250mg, 2.5-500mg, 5-500mg</i>                        | 1         | MO                  |
| INVOKAMET ORAL TABLET 150-1000MG, 150-500MG, 50-1000MG, 50-500MG                             | 1         | MO                  |
| INVOKAMET XR ORAL TABLET EXTENDED RELEASE 24-HOUR 150-1000MG, 150-500MG, 50-1000MG, 50-500MG | 1         | MO                  |
| INVOKANA ORAL TABLET 100MG, 300MG                                                            | 1         | MO                  |
| JANUMET ORAL TABLET 50-1000MG, 50-500MG                                                      | 1         | MO                  |
| JANUMET XR ORAL TABLET EXTENDED RELEASE 24-HOUR 100-1000MG, 50-1000MG, 50-500MG              | 1         | MO                  |
| JANUVIA ORAL TABLET 100MG, 25MG, 50MG                                                        | 1         | MO                  |
| JARDIANCE ORAL TABLET 10MG, 25MG                                                             | 1         | MO                  |
| <i>metformin hcl er oral tablet extended release 24-hour 500mg, 750mg</i>                    | 1         | MO                  |
| <i>metformin hcl oral tablet 1000mg, 500mg, 850mg</i>                                        | 1         | MO                  |
| <i>miglitol oral tablet 100mg, 25mg, 50mg</i>                                                | 1         | MO                  |
| <i>nateglinide oral tablet 120mg, 60mg</i>                                                   | 1         | MO                  |
| OZEMPIC (0.25 OR 0.5MG/DOSE) SUBCUTANEOUS SOLUTION PEN-INJECTOR 2MG/3ML                      | 1         | MO                  |
| OZEMPIC (1MG/DOSE) SUBCUTANEOUS SOLUTION PEN-INJECTOR 4MG/3ML                                | 1         | MO                  |
| OZEMPIC (2MG/DOSE) SUBCUTANEOUS SOLUTION PEN-INJECTOR 8MG/3ML                                | 1         | MO                  |
| <i>pioglitazone hcl oral tablet 15mg, 30mg, 45mg</i>                                         | 1         | MO                  |
| <i>pioglitazone hcl-glimepiride oral tablet 30-2mg, 30-4mg</i>                               | 1         | MO                  |
| <i>pioglitazone hcl-metformin hcl oral tablet 15-500mg, 15-850mg</i>                         | 1         | MO                  |

| Drug Name                                                                                            | Drug Tier | Requirements/Limits |
|------------------------------------------------------------------------------------------------------|-----------|---------------------|
| <i>repaglinide oral tablet 0.5mg, 1mg, 2mg</i>                                                       | 1         | MO                  |
| RYBELSUS ORAL TABLET 14MG, 3MG, 7MG                                                                  | 1         | MO                  |
| SYMLINPEN 120 SUBCUTANEOUS SOLUTION<br>PEN-INJECTOR 2700MCG/2.7ML                                    | 1         | PA; MO              |
| SYMLINPEN 60 SUBCUTANEOUS SOLUTION<br>PEN-INJECTOR 1500MCG/1.5ML                                     | 1         | PA; MO              |
| SYNJARDY ORAL TABLET 12.5-1000MG,<br>12.5-500MG, 5-1000MG, 5-500MG                                   | 1         | MO                  |
| SYNJARDY XR ORAL TABLET EXTENDED<br>RELEASE 24-HOUR 10-1000MG, 12.5-1000MG,<br>25-1000MG, 5-1000MG   | 1         | MO                  |
| TRULICITY SUBCUTANEOUS SOLUTION<br>PEN-INJECTOR 0.75MG/0.5ML, 1.5MG/0.5ML,<br>3MG/0.5ML, 4.5MG/0.5ML | 1         | MO                  |
| VICTOZA SUBCUTANEOUS SOLUTION<br>PEN-INJECTOR 18MG/3ML                                               | 1         | MO                  |
| XULTOPHY SUBCUTANEOUS SOLUTION<br>PEN-INJECTOR 100-3.6UNIT-MG/ML                                     | 1         | MO                  |
| <b>Glycemic Agents</b>                                                                               |           |                     |
| BAQSIMI ONE PACK NASAL POWDER<br>3MG/DOSE                                                            | 1         |                     |
| <i>diazoxide oral suspension 50mg/ml</i>                                                             | 1         |                     |
| GLUCAGEN HYPOKIT INJECTION SOLUTION<br>RECONSTITUTED 1MG                                             | 1         |                     |
| <i>glucagon emergency injection kit 1mg</i>                                                          | 1         |                     |
| KORLYM ORAL TABLET 300MG                                                                             | 1         | PA                  |
| <b>Insulins</b>                                                                                      |           |                     |
| ASSURE ID INSULIN SAFETY SYR 29G X 1/2"<br>1ML                                                       | 1         |                     |
| COMFORT ASSIST INSULIN SYRINGE 29G X<br>1/2" 1ML                                                     | 1         |                     |
| <i>cvs gauze sterile pad 2"x2"</i>                                                                   | 1         |                     |
| EXEL COMFORT POINT PEN NEEDLE 29G X<br>12MM                                                          | 1         |                     |
| FIASP FLEXTOUCH SUBCUTANEOUS<br>SOLUTION PEN-INJECTOR 100UNIT/ML                                     | 1         | MO                  |
| FIASP INJECTION SOLUTION 100UNIT/ML                                                                  | 1         | MO                  |

| Drug Name                                                                         | Drug Tier | Requirements/Limits |
|-----------------------------------------------------------------------------------|-----------|---------------------|
| FIASP PENFILL SUBCUTANEOUS SOLUTION CARTRIDGE 100UNIT/ML                          | 1         | MO                  |
| LANTUS SOLOSTAR SUBCUTANEOUS SOLUTION PEN-INJECTOR 100UNIT/ML                     | 1         | MO                  |
| LANTUS SUBCUTANEOUS SOLUTION 100UNIT/ML                                           | 1         | MO                  |
| LEVEMIR FLEXPEN SUBCUTANEOUS SOLUTION PEN-INJECTOR 100UNIT/ML                     | 1         | MO                  |
| LEVEMIR SUBCUTANEOUS SOLUTION 100UNIT/ML                                          | 1         | MO                  |
| NOVOLIN 70/30 FLEXPEN SUBCUTANEOUS SUSPENSION PEN-INJECTOR (70-30) 100UNIT/ML     | 1         | MO                  |
| NOVOLIN 70/30 SUBCUTANEOUS SUSPENSION (70-30) 100UNIT/ML                          | 1         | MO                  |
| NOVOLIN N FLEXPEN SUBCUTANEOUS SUSPENSION PEN-INJECTOR 100UNIT/ML                 | 1         | MO                  |
| NOVOLIN N SUBCUTANEOUS SUSPENSION 100UNIT/ML                                      | 1         | MO                  |
| NOVOLIN R FLEXPEN INJECTION SOLUTION PEN-INJECTOR 100UNIT/ML                      | 1         | MO                  |
| NOVOLIN R INJECTION SOLUTION 100UNIT/ML                                           | 1         | MO                  |
| NOVOLOG FLEXPEN SUBCUTANEOUS SOLUTION PEN-INJECTOR 100UNIT/ML                     | 1         | MO                  |
| NOVOLOG INJECTION SOLUTION 100UNIT/ML                                             | 1         | MO                  |
| NOVOLOG MIX 70/30 FLEXPEN SUBCUTANEOUS SUSPENSION PEN-INJECTOR (70-30) 100UNIT/ML | 1         | MO                  |
| NOVOLOG MIX 70/30 SUBCUTANEOUS SUSPENSION (70-30) 100UNIT/ML                      | 1         | MO                  |
| NOVOLOG PENFILL SUBCUTANEOUS SOLUTION CARTRIDGE 100UNIT/ML                        | 1         | MO                  |
| <i>preferred plus insulin syringe 28g x 1/2" 0.5ml</i>                            | 1         |                     |
| RELI-ON INSULIN SYRINGE 29G 0.3ML                                                 | 1         |                     |
| SOLIQUA SUBCUTANEOUS SOLUTION PEN-INJECTOR 100-33 UNT-MCG/ML                      | 1         | MO                  |

| Drug Name                                                                   | Drug Tier | Requirements/Limits |
|-----------------------------------------------------------------------------|-----------|---------------------|
| TOUJEO MAX SOLOSTAR SUBCUTANEOUS SOLUTION PEN-INJECTOR 300UNIT/ML           | 1         | MO                  |
| TOUJEO SOLOSTAR SUBCUTANEOUS SOLUTION PEN-INJECTOR 300UNIT/ML               | 1         | MO                  |
| TRESIBA FLEXTOUCH SUBCUTANEOUS SOLUTION PEN-INJECTOR 100UNIT/ML, 200UNIT/ML | 1         | MO                  |
| TRESIBA SUBCUTANEOUS SOLUTION 100UNIT/ML                                    | 1         | MO                  |

## BLOOD PRODUCTS AND MODIFIERS

### Anticoagulants

|                                                                                                         |   |                       |
|---------------------------------------------------------------------------------------------------------|---|-----------------------|
| ELIQUIS DVT/PE STARTER PACK ORAL TABLET THERAPY PACK 5MG                                                | 1 |                       |
| ELIQUIS ORAL TABLET 2.5MG, 5MG                                                                          | 1 | MO                    |
| <i>enoxaparin sodium injection solution prefilled syringe 100mg/ml, 150mg/ml</i>                        | 1 | QL (60ML per 30 days) |
| <i>enoxaparin sodium injection solution prefilled syringe 120mg/0.8ml, 80mg/0.8ml</i>                   | 1 | QL (48ML per 30 days) |
| <i>enoxaparin sodium injection solution prefilled syringe 30mg/0.3ml</i>                                | 1 | QL (18ML per 30 days) |
| <i>enoxaparin sodium injection solution prefilled syringe 40mg/0.4ml</i>                                | 1 | QL (24ML per 30 days) |
| <i>enoxaparin sodium injection solution prefilled syringe 60mg/0.6ml</i>                                | 1 | QL (36ML per 30 days) |
| <i>fondaparinux sodium subcutaneous solution 10mg/0.8ml</i>                                             | 1 | QL (24ML per 30 days) |
| <i>fondaparinux sodium subcutaneous solution 2.5mg/0.5ml</i>                                            | 1 | QL (15ML per 30 days) |
| <i>fondaparinux sodium subcutaneous solution 5mg/0.4ml</i>                                              | 1 | QL (12ML per 30 days) |
| <i>fondaparinux sodium subcutaneous solution 7.5mg/0.6ml</i>                                            | 1 | QL (18ML per 30 days) |
| <i>heparin sodium (porcine) injection solution 1000unit/ml, 10000unit/ml, 20000unit/ml, 5000unit/ml</i> | 1 | BvD                   |
| JANTOVEN ORAL TABLET 1MG, 10MG, 2MG, 2.5MG, 3MG, 4MG, 5MG, 6MG, 7.5MG                                   | 1 | MO                    |

| Drug Name                                                                                            | Drug Tier | Requirements/Limits         |
|------------------------------------------------------------------------------------------------------|-----------|-----------------------------|
| <i>warfarin sodium oral tablet 1mg, 10mg, 2mg, 2.5mg, 3mg, 4mg, 5mg, 6mg, 7.5mg</i>                  | 1         | MO                          |
| XARELTO ORAL SUSPENSION RECONSTITUTED 1MG/ML                                                         | 1         | MO                          |
| XARELTO ORAL TABLET 10MG, 15MG, 2.5MG, 20MG                                                          | 1         | MO                          |
| XARELTO STARTER PACK ORAL TABLET THERAPY PACK 15 & 20MG                                              | 1         |                             |
| <b>Blood Products and Modifiers, Other</b>                                                           |           |                             |
| <i>anagrelide hcl oral capsule 0.5mg, 1mg</i>                                                        | 1         | MO                          |
| LEUKINE INJECTION SOLUTION RECONSTITUTED 250MCG                                                      | 1         | PA                          |
| PROMACTA ORAL PACKET 12.5MG                                                                          | 1         | PA; QL (360 EA per 30 days) |
| PROMACTA ORAL PACKET 25MG                                                                            | 1         | PA; QL (180 EA per 30 days) |
| PROMACTA ORAL TABLET 12.5MG, 25MG, 50MG, 75MG                                                        | 1         | PA; QL (60 EA per 30 days)  |
| RETACRIT INJECTION SOLUTION 10000UNIT/ML, 10000UNIT/ML(1ML), 20000UNIT/ML, 4000UNIT/ML, 40000UNIT/ML | 1         | PA; QL (12ML per 28 days)   |
| RETACRIT INJECTION SOLUTION 2000UNIT/ML                                                              | 1         | PA; QL (23ML per 30 days)   |
| RETACRIT INJECTION SOLUTION 3000UNIT/ML                                                              | 1         | PA; QL (16ML per 30 days)   |
| <i>tranexamic acid oral tablet 650mg</i>                                                             | 1         |                             |
| ZARXIO INJECTION SOLUTION PREFILLED SYRINGE 300MCG/0.5ML, 480MCG/0.8ML                               | 1         | PA                          |
| ZIEXTENZO SUBCUTANEOUS SOLUTION PREFILLED SYRINGE 6MG/0.6ML                                          | 1         | PA                          |
| <b>Platelet Modifying Agents</b>                                                                     |           |                             |
| <i>aspirin-dipyridamole er oral capsule extended release 12-hour 25-200mg</i>                        | 1         | MO                          |
| BRILINTA ORAL TABLET 60MG, 90MG                                                                      | 1         | MO                          |
| CABLIVI INJECTION KIT 11MG                                                                           | 1         | PA                          |
| <i>cilostazol oral tablet 100mg, 50mg</i>                                                            | 1         | MO                          |
| <i>clopidogrel bisulfate oral tablet 75mg</i>                                                        | 1         | MO                          |
| <i>prasugrel hcl oral tablet 10mg, 5mg</i>                                                           | 1         | MO                          |

| Drug Name                                                                    | Drug Tier | Requirements/Limits         |
|------------------------------------------------------------------------------|-----------|-----------------------------|
| <b>CARDIOVASCULAR AGENTS</b>                                                 |           |                             |
| <b>Alpha-Adrenergic Agonists</b>                                             |           |                             |
| <i>clonidine hcl oral tablet 0.1mg, 0.2mg, 0.3mg</i>                         | 1         | MO                          |
| <i>clonidine transdermal patch weekly 0.1mg/24hr, 0.2mg/24hr, 0.3mg/24hr</i> | 1         | MO; QL (4 EA per 28 days)   |
| <i>droxidopa oral capsule 100mg, 200mg, 300mg</i>                            | 1         | PA; QL (180 EA per 30 days) |
| <i>guanfacine hcl oral tablet 1mg, 2mg</i>                                   | 1         | MO                          |
| <i>midodrine hcl oral tablet 10mg, 2.5mg, 5mg</i>                            | 1         |                             |
| <b>Alpha-Adrenergic Blocking Agents</b>                                      |           |                             |
| <i>doxazosin mesylate oral tablet 1mg, 2mg, 4mg, 8mg</i>                     | 1         | MO                          |
| <i>prazosin hcl oral capsule 1mg, 2mg, 5mg</i>                               | 1         | MO                          |
| <i>terazosin hcl oral capsule 1mg, 10mg, 2mg, 5mg</i>                        | 1         | MO                          |
| <b>Angiotensin II Receptor Antagonists</b>                                   |           |                             |
| <i>candesartan cilexetil oral tablet 16mg, 4mg, 8mg</i>                      | 1         | MO; QL (60 EA per 30 days)  |
| <i>candesartan cilexetil oral tablet 32mg</i>                                | 1         | MO; QL (30 EA per 30 days)  |
| <i>irbesartan oral tablet 150mg, 300mg, 75mg</i>                             | 1         | MO; QL (30 EA per 30 days)  |
| <i>losartan potassium oral tablet 100mg, 25mg</i>                            | 1         | MO; QL (30 EA per 30 days)  |
| <i>losartan potassium oral tablet 50mg</i>                                   | 1         | MO; QL (60 EA per 30 days)  |
| <i>olmesartan medoxomil oral tablet 20mg, 40mg</i>                           | 1         | MO; QL (30 EA per 30 days)  |
| <i>olmesartan medoxomil oral tablet 5mg</i>                                  | 1         | MO; QL (60 EA per 30 days)  |
| <i>telmisartan oral tablet 20mg, 40mg, 80mg</i>                              | 1         | MO; QL (30 EA per 30 days)  |
| <i>valsartan oral tablet 160mg</i>                                           | 1         | MO; QL (60 EA per 30 days)  |
| <i>valsartan oral tablet 320mg</i>                                           | 1         | MO; QL (30 EA per 30 days)  |
| <i>valsartan oral tablet 40mg, 80mg</i>                                      | 1         | MO; QL (90 EA per 30 days)  |
| <b>Angiotensin-Converting Enzyme (ACE) Inhibitors</b>                        |           |                             |
| <i>benazepril hcl oral tablet 10mg, 20mg, 40mg, 5mg</i>                      | 1         | MO                          |
| <i>captopril oral tablet 100mg, 12.5mg, 25mg, 50mg</i>                       | 1         | MO                          |
| <i>enalapril maleate oral tablet 10mg, 2.5mg, 20mg, 5mg</i>                  | 1         | MO                          |
| <i>fosinopril sodium oral tablet 10mg, 20mg, 40mg</i>                        | 1         | MO                          |

| Drug Name                                                                                    | Drug Tier | Requirements/Limits |
|----------------------------------------------------------------------------------------------|-----------|---------------------|
| <i>lisinopril oral tablet 10mg, 2.5mg, 20mg, 30mg, 40mg, 5mg</i>                             | 1         | MO                  |
| <i>moexipril hcl oral tablet 15mg, 7.5mg</i>                                                 | 1         | MO                  |
| <i>perindopril erbumine oral tablet 2mg, 4mg, 8mg</i>                                        | 1         | MO                  |
| <i>quinapril hcl oral tablet 10mg, 20mg, 40mg, 5mg</i>                                       | 1         | MO                  |
| <i>ramipril oral capsule 1.25mg, 10mg, 2.5mg, 5mg</i>                                        | 1         | MO                  |
| <i>trandolapril oral tablet 1mg, 2mg, 4mg</i>                                                | 1         | MO                  |
| <b>Antiarrhythmics</b>                                                                       |           |                     |
| <i>amiodarone hcl oral tablet 100mg, 200mg, 400mg</i>                                        | 1         | MO                  |
| <i>disopyramide phosphate oral capsule 100mg, 150mg</i>                                      | 1         | MO                  |
| <i>dofetilide oral capsule 125mcg, 250mcg, 500mcg</i>                                        | 1         | MO                  |
| <i>flecainide acetate oral tablet 100mg, 150mg, 50mg</i>                                     | 1         | MO                  |
| <i>mexiletine hcl oral capsule 150mg, 200mg, 250mg</i>                                       | 1         | MO                  |
| MULTAQ ORAL TABLET 400MG                                                                     | 1         | MO                  |
| <i>propafenone hcl oral tablet 150mg, 225mg, 300mg</i>                                       | 1         | MO                  |
| <i>quinidine sulfate oral tablet 200mg, 300mg</i>                                            | 1         | MO                  |
| <i>sotalol hcl (af) oral tablet 120mg, 160mg, 80mg</i>                                       | 1         | MO                  |
| <i>sotalol hcl oral tablet 120mg, 160mg, 240mg, 80mg</i>                                     | 1         | MO                  |
| <b>Beta-Adrenergic Blocking Agents</b>                                                       |           |                     |
| <i>acebutolol hcl oral capsule 200mg, 400mg</i>                                              | 1         | MO                  |
| <i>atenolol oral tablet 100mg, 25mg, 50mg</i>                                                | 1         | MO                  |
| <i>betaxolol hcl oral tablet 10mg, 20mg</i>                                                  | 1         | MO                  |
| <i>bisoprolol fumarate oral tablet 10mg, 5mg</i>                                             | 1         | MO                  |
| <i>carvedilol oral tablet 12.5mg, 25mg, 3.125mg, 6.25mg</i>                                  | 1         | MO                  |
| <i>labetalol hcl oral tablet 100mg, 200mg, 300mg</i>                                         | 1         | MO                  |
| <i>metoprolol succinate er oral tablet extended release 24-hour 100mg, 200mg, 25mg, 50mg</i> | 1         | MO                  |
| <i>metoprolol tartrate oral tablet 100mg, 25mg, 37.5mg, 50mg, 75mg</i>                       | 1         | MO                  |

| Drug Name                                                                                      | Drug Tier | Requirements/Limits        |
|------------------------------------------------------------------------------------------------|-----------|----------------------------|
| <i>nadolol oral tablet 20mg, 40mg, 80mg</i>                                                    | 1         | MO                         |
| <i>nebivolol hcl oral tablet 10mg, 2.5mg, 20mg, 5mg</i>                                        | 1         | MO                         |
| <i>pindolol oral tablet 10mg, 5mg</i>                                                          | 1         | MO                         |
| <i>propranolol hcl er oral capsule extended release 24-hour 120mg, 160mg, 60mg</i>             | 1         | MO                         |
| <i>propranolol hcl oral solution 20mg/5ml, 40mg/5ml</i>                                        | 1         | MO                         |
| <i>propranolol hcl oral tablet 10mg, 20mg, 40mg, 60mg</i>                                      | 1         | MO                         |
| <i>timolol maleate oral tablet 10mg, 20mg, 5mg</i>                                             | 1         | MO                         |
| <b>Calcium Channel Blocking Agents, Dihydropyridines</b>                                       |           |                            |
| <i>amlodipine besylate oral tablet 10mg, 2.5mg, 5mg</i>                                        | 1         | MO                         |
| <i>felodipine er oral tablet extended release 24-hour 10mg, 2.5mg, 5mg</i>                     | 1         | MO; QL (30 EA per 30 days) |
| <i>isradipine oral capsule 2.5mg, 5mg</i>                                                      | 1         | MO                         |
| KATERZIA ORAL SUSPENSION 1MG/ML                                                                | 1         | MO                         |
| <i>nicardipine hcl oral capsule 20mg, 30mg</i>                                                 | 1         | MO                         |
| <i>nifedipine er oral tablet extended release 24-hour 30mg, 60mg</i>                           | 1         | MO; QL (60 EA per 30 days) |
| <i>nifedipine er oral tablet extended release 24-hour 90mg</i>                                 | 1         | MO; QL (30 EA per 30 days) |
| <i>nifedipine er osmotic release oral tablet extended release 24-hour 30mg, 60mg</i>           | 1         | MO; QL (60 EA per 30 days) |
| <i>nifedipine er osmotic release oral tablet extended release 24-hour 90mg</i>                 | 1         | MO; QL (30 EA per 30 days) |
| <i>nifedipine oral capsule 10mg, 20mg</i>                                                      | 1         | MO                         |
| <b>Calcium Channel Blocking Agents, Nondihydropyridines</b>                                    |           |                            |
| CARTIA XT ORAL CAPSULE EXTENDED RELEASE 24-HOUR 120MG, 180MG, 240MG                            | 1         | MO; QL (60 EA per 30 days) |
| CARTIA XT ORAL CAPSULE EXTENDED RELEASE 24-HOUR 300MG                                          | 1         | MO; QL (30 EA per 30 days) |
| <i>diltiazem hcl er beads oral capsule extended release 24-hour 360mg, 420mg</i>               | 1         | MO; QL (30 EA per 30 days) |
| <i>diltiazem hcl er coated beads oral capsule extended release 24-hour 120mg, 180mg, 240mg</i> | 1         | MO; QL (60 EA per 30 days) |
| <i>diltiazem hcl er coated beads oral capsule extended release 24-hour 300mg</i>               | 1         | MO; QL (30 EA per 30 days) |

| Drug Name                                                                                                                                   | Drug Tier | Requirements/Limits        |
|---------------------------------------------------------------------------------------------------------------------------------------------|-----------|----------------------------|
| <i>diltiazem hcl er oral capsule extended release 12-hour 120mg, 60mg, 90mg</i>                                                             | 1         | MO                         |
| <i>diltiazem hcl oral tablet 120mg, 30mg, 60mg, 90mg</i>                                                                                    | 1         | MO                         |
| <i>dilt-xr oral capsule extended release 24-hour 120mg, 180mg, 240mg</i>                                                                    | 1         | MO; QL (60 EA per 30 days) |
| TAZTIA XT ORAL CAPSULE EXTENDED RELEASE 24-HOUR 120MG, 180MG, 240MG                                                                         | 1         | MO; QL (60 EA per 30 days) |
| TAZTIA XT ORAL CAPSULE EXTENDED RELEASE 24-HOUR 300MG, 360MG                                                                                | 1         | MO; QL (30 EA per 30 days) |
| TIADYLT ER ORAL CAPSULE EXTENDED RELEASE 24-HOUR 120MG, 180MG, 240MG                                                                        | 1         | MO; QL (60 EA per 30 days) |
| TIADYLT ER ORAL CAPSULE EXTENDED RELEASE 24-HOUR 300MG, 360MG, 420MG                                                                        | 1         | MO; QL (30 EA per 30 days) |
| <i>verapamil hcl er oral capsule extended release 24-hour 100mg, 120mg, 180mg, 200mg, 240mg, 300mg, 360mg</i>                               | 1         | MO                         |
| <i>verapamil hcl er oral tablet extended release 120mg, 180mg, 240mg</i>                                                                    | 1         | MO                         |
| <i>verapamil hcl oral tablet 120mg, 40mg, 80mg</i>                                                                                          | 1         | MO                         |
| <b>Cardiovascular Agents, Other</b>                                                                                                         |           |                            |
| <i>aliskiren fumarate oral tablet 150mg, 300mg</i>                                                                                          | 1         | MO; QL (30 EA per 30 days) |
| <i>amiloride-hydrochlorothiazide oral tablet 5-50mg</i>                                                                                     | 1         | MO                         |
| <i>amlodipine besy-benazepril hcl oral capsule 10-20mg, 10-40mg, 2.5-10mg, 5-10mg, 5-20mg, 5-40mg</i>                                       | 1         | MO                         |
| <i>amlodipine besylate-valsartan oral tablet 10-160mg, 10-320mg, 5-160mg, 5-320mg</i>                                                       | 1         | MO; QL (30 EA per 30 days) |
| <i>amlodipine-atorvastatin oral tablet 10-10mg, 10-20mg, 10-40mg, 10-80mg, 2.5-10mg, 2.5-20mg, 2.5-40mg, 5-10mg, 5-20mg, 5-40mg, 5-80mg</i> | 1         | MO; QL (30 EA per 30 days) |
| <i>amlodipine-olmesartan oral tablet 10-20mg, 10-40mg, 5-20mg, 5-40mg</i>                                                                   | 1         | MO; QL (30 EA per 30 days) |
| <i>atenolol-chlorthalidone oral tablet 100-25mg, 50-25mg</i>                                                                                | 1         | MO                         |
| <i>benazepril-hydrochlorothiazide oral tablet 10-12.5mg, 20-12.5mg, 20-25mg, 5-6.25mg</i>                                                   | 1         | MO                         |

| Drug Name                                                                                                         | Drug Tier | Requirements/Limits        |
|-------------------------------------------------------------------------------------------------------------------|-----------|----------------------------|
| <i>bisoprolol-hydrochlorothiazide oral tablet</i><br>10-6.25mg, 2.5-6.25mg, 5-6.25mg                              | 1         | MO                         |
| CAMZYOS ORAL CAPSULE 10MG, 15MG,<br>2.5MG, 5MG                                                                    | 1         | PA; QL (30 EA per 30 days) |
| <i>candesartan cilexetil-hctz oral tablet</i> 16-12.5mg,<br>32-12.5mg, 32-25mg                                    | 1         | MO; QL (30 EA per 30 days) |
| CORLANOR ORAL TABLET 5MG, 7.5MG                                                                                   | 1         | PA; MO                     |
| <i>digoxin oral solution</i> 0.05mg/ml                                                                            | 1         | MO; QL (255ML per 30 days) |
| <i>digoxin oral tablet</i> 125mcg, 250mcg                                                                         | 1         | MO; QL (30 EA per 30 days) |
| <i>enalapril-hydrochlorothiazide oral tablet</i> 10-25mg,<br>5-12.5mg                                             | 1         | MO                         |
| ENTRESTO ORAL TABLET 24-26MG, 49-51MG,<br>97-103MG                                                                | 1         | MO                         |
| FILSPARI ORAL TABLET 200MG, 400MG                                                                                 | 1         | PA; QL (30 EA per 30 days) |
| <i>fosinopril sodium-hctz oral tablet</i> 10-12.5mg,<br>20-12.5mg                                                 | 1         | MO                         |
| <i>irbesartan-hydrochlorothiazide oral tablet</i><br>150-12.5mg, 300-12.5mg                                       | 1         | MO; QL (30 EA per 30 days) |
| <i>isosorb dinitrate-hydralazine oral tablet</i> 20-37.5mg                                                        | 1         | MO                         |
| <i>lisinopril-hydrochlorothiazide oral tablet</i><br>10-12.5mg, 20-12.5mg, 20-25mg                                | 1         | MO                         |
| <i>losartan potassium-hctz oral tablet</i> 100-12.5mg,<br>100-25mg, 50-12.5mg                                     | 1         | MO; QL (30 EA per 30 days) |
| <i>metoprolol-hydrochlorothiazide oral tablet</i><br>100-25mg, 100-50mg, 50-25mg                                  | 1         | MO                         |
| <i>metyrosine oral capsule</i> 250mg                                                                              | 1         |                            |
| <i>olmesartan medoxomil-hctz oral tablet</i> 20-12.5mg,<br>40-12.5mg, 40-25mg                                     | 1         | MO; QL (30 EA per 30 days) |
| <i>olmesartan-amlodipine-hctz oral tablet</i><br>20-5-12.5mg, 40-10-12.5mg, 40-10-25mg,<br>40-5-12.5mg, 40-5-25mg | 1         | MO; QL (30 EA per 30 days) |
| <i>pentoxifylline er oral tablet extended release</i><br>400mg                                                    | 1         | MO                         |
| <i>ranolazine er oral tablet extended release</i> 12-hour<br>1000mg, 500mg                                        | 1         | MO                         |
| <i>spironolactone-hctz oral tablet</i> 25-25mg                                                                    | 1         | MO                         |

| Drug Name                                                                                              | Drug Tier | Requirements/Limits        |
|--------------------------------------------------------------------------------------------------------|-----------|----------------------------|
| <i>telmisartan-hctz oral tablet 40-12.5mg, 80-12.5mg, 80-25mg</i>                                      | 1         | MO; QL (30 EA per 30 days) |
| <i>triamterene-hctz oral capsule 37.5-25mg</i>                                                         | 1         | MO                         |
| <i>triamterene-hctz oral tablet 37.5-25mg, 75-50mg</i>                                                 | 1         | MO                         |
| <i>valsartan-hydrochlorothiazide oral tablet 160-12.5mg, 160-25mg, 320-12.5mg, 320-25mg, 80-12.5mg</i> | 1         | MO; QL (30 EA per 30 days) |
| VERQUVO ORAL TABLET 10MG, 2.5MG, 5MG                                                                   | 1         | PA; MO                     |
| <b>Diuretics, Loop</b>                                                                                 |           |                            |
| <i>bumetanide injection solution 0.25mg/ml</i>                                                         | 1         |                            |
| <i>bumetanide oral tablet 0.5mg, 1mg, 2mg</i>                                                          | 1         | MO                         |
| <i>furosemide injection solution 10mg/ml</i>                                                           | 1         | BvD                        |
| <i>furosemide oral solution 10mg/ml, 8mg/ml</i>                                                        | 1         | MO                         |
| <i>furosemide oral tablet 20mg, 40mg, 80mg</i>                                                         | 1         | MO                         |
| <i>torseamide oral tablet 10mg, 100mg, 20mg, 5mg</i>                                                   | 1         | MO                         |
| <b>Diuretics, Potassium-Sparing</b>                                                                    |           |                            |
| <i>amiloride hcl oral tablet 5mg</i>                                                                   | 1         | MO                         |
| <i>eplerenone oral tablet 25mg, 50mg</i>                                                               | 1         | MO                         |
| KERENDIA ORAL TABLET 10MG, 20MG                                                                        | 1         | MO; QL (30 EA per 30 days) |
| <i>spironolactone oral tablet 100mg, 25mg, 50mg</i>                                                    | 1         | MO                         |
| <b>Diuretics, Thiazide</b>                                                                             |           |                            |
| <i>chlorthalidone oral tablet 25mg, 50mg</i>                                                           | 1         | MO                         |
| <i>hydrochlorothiazide oral capsule 12.5mg</i>                                                         | 1         | MO                         |
| <i>hydrochlorothiazide oral tablet 12.5mg, 25mg, 50mg</i>                                              | 1         | MO                         |
| <i>indapamide oral tablet 1.25mg, 2.5mg</i>                                                            | 1         | MO                         |
| <i>metolazone oral tablet 10mg, 2.5mg, 5mg</i>                                                         | 1         | MO                         |
| <b>Dyslipidemics, Fibric Acid Derivatives</b>                                                          |           |                            |
| <i>fenofibrate micronized oral capsule 130mg, 134mg, 200mg, 67mg</i>                                   | 1         | MO; QL (30 EA per 30 days) |
| <i>fenofibrate micronized oral capsule 43mg</i>                                                        | 1         | MO; QL (60 EA per 30 days) |
| <i>fenofibrate oral capsule 150mg</i>                                                                  | 1         | MO; QL (30 EA per 30 days) |
| <i>fenofibrate oral capsule 50mg</i>                                                                   | 1         | MO; QL (60 EA per 30 days) |

| Drug Name                                                                               | Drug Tier | Requirements/Limits        |
|-----------------------------------------------------------------------------------------|-----------|----------------------------|
| <i>fenofibrate oral tablet 145mg, 160mg</i>                                             | 1         | MO; QL (30 EA per 30 days) |
| <i>fenofibrate oral tablet 48mg, 54mg</i>                                               | 1         | MO; QL (60 EA per 30 days) |
| <i>fenofibric acid oral capsule delayed release 135mg, 45mg</i>                         | 1         | MO; QL (30 EA per 30 days) |
| <i>gemfibrozil oral tablet 600mg</i>                                                    | 1         | MO; QL (60 EA per 30 days) |
| <b>Dyslipidemics, HMG COA Reductase Inhibitors</b>                                      |           |                            |
| <i>atorvastatin calcium oral tablet 10mg, 20mg, 40mg, 80mg</i>                          | 1         | MO; QL (30 EA per 30 days) |
| LIVALO ORAL TABLET 1MG, 2MG, 4MG                                                        | 1         | MO; QL (30 EA per 30 days) |
| <i>lovastatin oral tablet 10mg</i>                                                      | 1         | MO; QL (45 EA per 30 days) |
| <i>lovastatin oral tablet 20mg</i>                                                      | 1         | MO; QL (30 EA per 30 days) |
| <i>lovastatin oral tablet 40mg</i>                                                      | 1         | MO; QL (60 EA per 30 days) |
| <i>pravastatin sodium oral tablet 10mg, 20mg, 40mg, 80mg</i>                            | 1         | MO; QL (30 EA per 30 days) |
| <i>rosuvastatin calcium oral tablet 10mg, 20mg, 40mg, 5mg</i>                           | 1         | MO; QL (30 EA per 30 days) |
| <i>simvastatin oral tablet 10mg, 20mg, 40mg, 5mg, 80mg</i>                              | 1         | MO; QL (30 EA per 30 days) |
| ZYPITAMAG ORAL TABLET 2MG, 4MG                                                          | 1         | MO; QL (30 EA per 30 days) |
| <b>Dyslipidemics, Other</b>                                                             |           |                            |
| <i>cholestyramine light oral packet 4gm</i>                                             | 1         | MO                         |
| <i>cholestyramine oral packet 4gm</i>                                                   | 1         | MO                         |
| <i>colestipol hcl oral packet 5gm</i>                                                   | 1         | MO                         |
| <i>colestipol hcl oral tablet 1gm</i>                                                   | 1         | MO                         |
| <i>ezetimibe oral tablet 10mg</i>                                                       | 1         | MO; QL (30 EA per 30 days) |
| JUXTAPID ORAL CAPSULE 10MG, 20MG, 30MG, 5MG                                             | 1         | PA                         |
| <i>niacin er (antihyperlipidemic) oral tablet extended release 1000mg, 500mg, 750mg</i> | 1         | MO                         |
| <i>omega-3-acid ethyl esters oral capsule 1gm</i>                                       | 1         | MO                         |
| REPATHA PUSHTRONEX SYSTEM SUBCUTANEOUS SOLUTION CARTRIDGE 420MG/3.5ML                   | 1         | PA; MO                     |
| REPATHA SUBCUTANEOUS SOLUTION PREFILLED SYRINGE 140MG/ML                                | 1         | PA; MO                     |

| Drug Name                                                                               | Drug Tier | Requirements/Limits         |
|-----------------------------------------------------------------------------------------|-----------|-----------------------------|
| REPATHA SURECLICK SUBCUTANEOUS SOLUTION AUTO-INJECTOR 140MG/ML                          | 1         | PA; MO                      |
| VASCEPA ORAL CAPSULE 0.5GM, 1GM                                                         | 1         | MO                          |
| <b>Vasodilators, Direct-Acting Arterial/ Venous</b>                                     |           |                             |
| <i>hydralazine hcl oral tablet 10mg, 100mg, 25mg, 50mg</i>                              | 1         | MO                          |
| <i>isosorbide dinitrate oral tablet 10mg, 20mg, 30mg, 5mg</i>                           | 1         | MO                          |
| <i>isosorbide mononitrate er oral tablet extended release 24-hour 120mg, 30mg, 60mg</i> | 1         | MO                          |
| <i>isosorbide mononitrate oral tablet 10mg, 20mg</i>                                    | 1         | MO                          |
| <i>minoxidil oral tablet 10mg, 2.5mg</i>                                                | 1         | MO                          |
| NITRO-BID TRANSDERMAL OINTMENT 2%                                                       | 1         | MO                          |
| <i>nitroglycerin sublingual tablet sublingual 0.3mg, 0.4mg, 0.6mg</i>                   | 1         | MO                          |
| <i>nitroglycerin transdermal patch 24-hour 0.1mg/hr, 0.2mg/hr, 0.4mg/hr, 0.6mg/hr</i>   | 1         | MO                          |
| <i>nitroglycerin translingual solution 0.4mg/spray</i>                                  | 1         | MO                          |
| RECTIV RECTAL OINTMENT 0.4%                                                             | 1         |                             |
| <b>CENTRAL NERVOUS SYSTEM AGENTS</b>                                                    |           |                             |
| <b>Attention Deficit Hyperactivity Disorder Agents, Amphetamines</b>                    |           |                             |
| <i>amphetamine-dextroamphetamine oral tablet 10mg, 12.5mg, 15mg, 20mg, 5mg, 7.5mg</i>   | 1         | MO; QL (90 EA per 30 days)  |
| <i>amphetamine-dextroamphetamine oral tablet 30mg</i>                                   | 1         | MO; QL (60 EA per 30 days)  |
| <i>dextroamphetamine sulfate er oral capsule extended release 24-hour 10mg</i>          | 1         | MO; QL (180 EA per 30 days) |
| <i>dextroamphetamine sulfate er oral capsule extended release 24-hour 15mg</i>          | 1         | MO; QL (120 EA per 30 days) |
| <i>dextroamphetamine sulfate er oral capsule extended release 24-hour 5mg</i>           | 1         | MO; QL (360 EA per 30 days) |
| <i>dextroamphetamine sulfate oral solution 5mg/5ml</i>                                  | 1         | MO; QL (1800ML per 30 days) |
| <i>dextroamphetamine sulfate oral tablet 10mg</i>                                       | 1         | MO; QL (180 EA per 30 days) |
| <i>dextroamphetamine sulfate oral tablet 15mg</i>                                       | 1         | MO; QL (120 EA per 30 days) |
| <i>dextroamphetamine sulfate oral tablet 20mg</i>                                       | 1         | MO; QL (90 EA per 30 days)  |

| Drug Name                                                                            | Drug Tier | Requirements/Limits         |
|--------------------------------------------------------------------------------------|-----------|-----------------------------|
| <i>dextroamphetamine sulfate oral tablet 30mg</i>                                    | 1         | MO; QL (60 EA per 30 days)  |
| <i>dextroamphetamine sulfate oral tablet 5mg</i>                                     | 1         | MO; QL (150 EA per 30 days) |
| <b>Attention Deficit Hyperactivity Disorder Agents, Non-Amphetamines</b>             |           |                             |
| <i>atomoxetine hcl oral capsule 10mg, 100mg, 18mg, 25mg, 40mg, 60mg, 80mg</i>        | 1         | MO; QL (30 EA per 30 days)  |
| <i>dexmethylphenidate hcl oral tablet 10mg</i>                                       | 1         | MO; QL (60 EA per 30 days)  |
| <i>dexmethylphenidate hcl oral tablet 2.5mg</i>                                      | 1         | MO; QL (240 EA per 30 days) |
| <i>dexmethylphenidate hcl oral tablet 5mg</i>                                        | 1         | MO; QL (120 EA per 30 days) |
| <i>guanfacine hcl er oral tablet extended release 24-hour 1mg, 2mg, 3mg, 4mg</i>     | 1         | MO; QL (30 EA per 30 days)  |
| <i>methylphenidate hcl oral tablet 10mg, 20mg, 5mg</i>                               | 1         | MO; QL (90 EA per 30 days)  |
| <b>Central Nervous System, Other</b>                                                 |           |                             |
| AUSTEDO ORAL TABLET 12MG, 6MG, 9MG                                                   | 1         | PA; QL (120 EA per 30 days) |
| AUSTEDO XR ORAL TABLET EXTENDED RELEASE 24-HOUR 12MG, 6MG                            | 1         | PA; QL (90 EA per 30 days)  |
| AUSTEDO XR ORAL TABLET EXTENDED RELEASE 24-HOUR 24MG                                 | 1         | PA; QL (60 EA per 30 days)  |
| AUSTEDO XR PATIENT TITRATION ORAL TABLET EXTENDED RELEASE THERAPY PACK 6 & 12 & 24MG | 1         | PA; QL (42 EA per 28 days)  |
| DAYBUE ORAL SOLUTION 200MG/ML                                                        | 1         | PA                          |
| EVRYSDI ORAL SOLUTION RECONSTITUTED 0.75MG/ML                                        | 1         | PA                          |
| NUEDEXTA ORAL CAPSULE 20-10MG                                                        | 1         | PA; MO                      |
| <i>riluzole oral tablet 50mg</i>                                                     | 1         | PA; MO                      |
| <i>tetrabenazine oral tablet 12.5mg</i>                                              | 1         | PA; QL (240 EA per 30 days) |
| <i>tetrabenazine oral tablet 25mg</i>                                                | 1         | PA; QL (120 EA per 30 days) |
| <b>Fibromyalgia Agents</b>                                                           |           |                             |
| <i>pregabalin oral capsule 100mg, 150mg, 200mg, 25mg, 50mg</i>                       | 1         | MO; QL (90 EA per 30 days)  |
| <i>pregabalin oral capsule 225mg, 300mg</i>                                          | 1         | MO; QL (60 EA per 30 days)  |
| <i>pregabalin oral capsule 75mg</i>                                                  | 1         | MO; QL (120 EA per 30 days) |
| <i>pregabalin oral solution 20mg/ml</i>                                              | 1         | MO; QL (900ML per 30 days)  |

| Drug Name                                                             | Drug Tier | Requirements/Limits            |
|-----------------------------------------------------------------------|-----------|--------------------------------|
| SAVELLA ORAL TABLET 100MG, 12.5MG, 25MG, 50MG                         | 1         | MO; QL (60 EA per 30 days)     |
| SAVELLA TITRATION PACK ORAL 12.5 & 25 & 50MG                          | 1         | QL (55 EA per 28 days)         |
| <b>Multiple Sclerosis Agents</b>                                      |           |                                |
| AVONEX PEN INTRAMUSCULAR AUTO-INJECTOR KIT 30MCG/0.5ML                | 1         | PA                             |
| AVONEX PREFILLED INTRAMUSCULAR PREFILLED SYRINGE KIT 30MCG/0.5ML      | 1         | PA                             |
| BETASERON SUBCUTANEOUS KIT 0.3MG                                      | 1         | PA                             |
| COPAXONE SUBCUTANEOUS SOLUTION PREFILLED SYRINGE 20MG/ML, 40MG/ML     | 1         | PA                             |
| <i>dalfampridine er oral tablet extended release 12-hour 10mg</i>     | 1         | PA; MO; QL (60 EA per 30 days) |
| <i>dimethyl fumarate oral capsule delayed release 120mg, 240mg</i>    | 1         | PA                             |
| <i>dimethyl fumarate starter pack oral 120 &amp; 240mg</i>            | 1         | PA                             |
| <i>fingolimod hcl oral capsule 0.5mg</i>                              | 1         | PA                             |
| KESIMPTA SUBCUTANEOUS SOLUTION AUTO-INJECTOR 20MG/0.4ML               | 1         | PA                             |
| MAYZENT ORAL TABLET 0.25MG, 1MG, 2MG                                  | 1         | PA                             |
| MAYZENT STARTER PACK ORAL TABLET THERAPY PACK 12 X 0.25MG, 7 X 0.25MG | 1         | PA                             |
| <b>DENTAL AND ORAL AGENTS</b>                                         |           |                                |
| <b>Dental and Oral Agents</b>                                         |           |                                |
| <i>chlorhexidine gluconate mouth/throat solution 0.12%</i>            | 1         |                                |
| PERIOGARD MOUTH/THROAT SOLUTION 0.12%                                 | 1         |                                |
| <i>pilocarpine hcl oral tablet 5mg, 7.5mg</i>                         | 1         | MO                             |
| <i>triamcinolone acetonide mouth/throat paste 0.1%</i>                | 1         |                                |
| <b>DERMATOLOGICAL AGENTS</b>                                          |           |                                |
| <b>Acne and Rosacea Agents</b>                                        |           |                                |
| ACCUTANE ORAL CAPSULE 10MG, 20MG, 30MG, 40MG                          | 1         |                                |

| Drug Name                                                     | Drug Tier | Requirements/Limits |
|---------------------------------------------------------------|-----------|---------------------|
| <i>acitretin oral capsule 10mg, 17.5mg, 25mg</i>              | 1         | PA                  |
| AMNESTEEM ORAL CAPSULE 10MG, 20MG, 40MG                       | 1         |                     |
| <i>benzoyl peroxide-erythromycin external gel 5-3%</i>        | 1         |                     |
| CLARAVIS ORAL CAPSULE 10MG, 20MG, 30MG, 40MG                  | 1         |                     |
| <i>clindamycin phos-benzoyl perox external gel 1.2-5%</i>     | 1         |                     |
| <i>isotretinoin oral capsule 10mg, 20mg, 30mg, 40mg</i>       | 1         |                     |
| <i>tazarotene external cream 0.1%</i>                         | 1         | PA                  |
| <i>tazarotene external gel 0.05%, 0.1%</i>                    | 1         | PA                  |
| TAZORAC EXTERNAL CREAM 0.05%                                  | 1         | PA                  |
| <i>tretinoin external cream 0.025%, 0.05%, 0.1%</i>           | 1         | PA                  |
| <i>tretinoin external gel 0.01%, 0.025%, 0.05%</i>            | 1         | PA                  |
| <b><i>Dermatitis and Pruitus Agents</i></b>                   |           |                     |
| <i>alclometasone dipropionate external cream 0.05%</i>        | 1         |                     |
| <i>alclometasone dipropionate external ointment 0.05%</i>     | 1         |                     |
| <i>amcinonide external ointment 0.1%</i>                      | 1         |                     |
| <i>ammonium lactate external cream 12%</i>                    | 1         |                     |
| <i>ammonium lactate external lotion 12%</i>                   | 1         |                     |
| <i>betamethasone dipropionate aug external cream 0.05%</i>    | 1         |                     |
| <i>betamethasone dipropionate aug external lotion 0.05%</i>   | 1         |                     |
| <i>betamethasone dipropionate aug external ointment 0.05%</i> | 1         |                     |
| <i>betamethasone dipropionate external cream 0.05%</i>        | 1         |                     |
| <i>betamethasone dipropionate external lotion 0.05%</i>       | 1         |                     |
| <i>betamethasone dipropionate external ointment 0.05%</i>     | 1         |                     |
| <i>betamethasone valerate external cream 0.1%</i>             | 1         |                     |
| <i>betamethasone valerate external lotion 0.1%</i>            | 1         |                     |

| Drug Name                                                  | Drug Tier | Requirements/Limits |
|------------------------------------------------------------|-----------|---------------------|
| <i>betamethasone valerate external ointment 0.1%</i>       | 1         |                     |
| <i>clobetasol propionate e external cream 0.05%</i>        | 1         |                     |
| <i>clobetasol propionate external cream 0.05%</i>          | 1         |                     |
| <i>clobetasol propionate external gel 0.05%</i>            | 1         |                     |
| <i>clobetasol propionate external ointment 0.05%</i>       | 1         |                     |
| <i>clobetasol propionate external solution 0.05%</i>       | 1         |                     |
| <i>desonide external cream 0.05%</i>                       | 1         |                     |
| <i>desonide external lotion 0.05%</i>                      | 1         |                     |
| <i>desonide external ointment 0.05%</i>                    | 1         |                     |
| <i>desoximetasone external cream 0.05%, 0.25%</i>          | 1         |                     |
| <i>desoximetasone external gel 0.05%</i>                   | 1         |                     |
| <i>desoximetasone external ointment 0.25%</i>              | 1         |                     |
| EUCRISA EXTERNAL OINTMENT 2%                               | 1         |                     |
| <i>fluocinolone acetonide external cream 0.01%, 0.025%</i> | 1         |                     |
| <i>fluocinolone acetonide external ointment 0.025%</i>     | 1         |                     |
| <i>fluocinolone acetonide external solution 0.01%</i>      | 1         |                     |
| <i>fluocinonide emulsified base external cream 0.05%</i>   | 1         |                     |
| <i>fluocinonide external gel 0.05%</i>                     | 1         |                     |
| <i>fluocinonide external ointment 0.05%</i>                | 1         |                     |
| <i>fluocinonide external solution 0.05%</i>                | 1         |                     |
| <i>fluticasone propionate external cream 0.05%</i>         | 1         |                     |
| <i>fluticasone propionate external ointment 0.005%</i>     | 1         |                     |
| <i>halobetasol propionate external cream 0.05%</i>         | 1         |                     |
| <i>halobetasol propionate external ointment 0.05%</i>      | 1         |                     |
| <i>hydrocortisone (perianal) external cream 2.5%</i>       | 1         |                     |
| <i>hydrocortisone external cream 1%</i>                    | 1         |                     |
| <i>hydrocortisone external lotion 2.5%</i>                 | 1         |                     |
| <i>hydrocortisone external ointment 1%, 2.5%</i>           | 1         |                     |
| <i>hydrocortisone valerate external cream 0.2%</i>         | 1         |                     |
| <i>hydrocortisone valerate external ointment 0.2%</i>      | 1         |                     |
| <i>mometasone furoate external cream 0.1%</i>              | 1         |                     |

| Drug Name                                                           | Drug Tier | Requirements/Limits |
|---------------------------------------------------------------------|-----------|---------------------|
| <i>mometasone furoate external ointment 0.1%</i>                    | 1         |                     |
| <i>mometasone furoate external solution 0.1%</i>                    | 1         |                     |
| <i>pimecrolimus external cream 1%</i>                               | 1         |                     |
| PROCTO-MED HC EXTERNAL CREAM 2.5%                                   | 1         |                     |
| PROCTOSOL HC EXTERNAL CREAM 2.5%                                    | 1         |                     |
| PROCTOZONE-HC EXTERNAL CREAM 2.5%                                   | 1         |                     |
| <i>selenium sulfide external lotion 2.5%</i>                        | 1         |                     |
| <i>tacrolimus external ointment 0.03%, 0.1%</i>                     | 1         |                     |
| <i>triamcinolone acetonide external cream 0.025%, 0.1%, 0.5%</i>    | 1         |                     |
| <i>triamcinolone acetonide external lotion 0.025%, 0.1%</i>         | 1         |                     |
| <i>triamcinolone acetonide external ointment 0.025%, 0.1%, 0.5%</i> | 1         |                     |
| <b><i>Dermatological Agents, Other</i></b>                          |           |                     |
| <i>calcipotriene external solution 0.005%</i>                       | 1         |                     |
| <i>clotrimazole-betamethasone external cream 1-0.05%</i>            | 1         |                     |
| <i>clotrimazole-betamethasone external lotion 1-0.05%</i>           | 1         |                     |
| <i>diclofenac sodium external gel 3%</i>                            | 1         | PA                  |
| <i>fluorouracil external cream 5%</i>                               | 1         |                     |
| <i>fluorouracil external solution 2%, 5%</i>                        | 1         |                     |
| <i>global alcohol prep ease pad 70%</i>                             | 1         |                     |
| <i>hydrocortisone ace-pramoxine external cream 1-1%</i>             | 1         |                     |
| HYFTOR EXTERNAL GEL 0.2%                                            | 1         | PA                  |
| <i>imiquimod external cream 5%</i>                                  | 1         |                     |
| <i>nystatin-triamcinolone external cream 100000-0.1unit/gm-%</i>    | 1         |                     |
| <i>nystatin-triamcinolone external ointment 100000-0.1unit/gm-%</i> | 1         |                     |
| PANRETIN EXTERNAL GEL 0.1%                                          | 1         | PA                  |
| <i>podofilox external solution 0.5%</i>                             | 1         |                     |
| REGRANEX EXTERNAL GEL 0.01%                                         | 1         | PA                  |

| Drug Name                                                                                                                                                                                       | Drug Tier | Requirements/Limits |
|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----------|---------------------|
| SANTYL EXTERNAL OINTMENT 250UNIT/GM                                                                                                                                                             | 1         |                     |
| <i>silver sulfadiazine external cream 1%</i>                                                                                                                                                    | 1         |                     |
| SSD EXTERNAL CREAM 1%                                                                                                                                                                           | 1         |                     |
| <b>Pediculicides/Scabicides</b>                                                                                                                                                                 |           |                     |
| <i>malathion external lotion 0.5%</i>                                                                                                                                                           | 1         |                     |
| <i>permethrin external cream 5%</i>                                                                                                                                                             | 1         |                     |
| <b>Topical Anti-Infectives</b>                                                                                                                                                                  |           |                     |
| <i>ciclopirox external gel 0.77%</i>                                                                                                                                                            | 1         |                     |
| <i>ciclopirox external shampoo 1%</i>                                                                                                                                                           | 1         |                     |
| <i>ciclopirox external solution 8%</i>                                                                                                                                                          | 1         |                     |
| <i>clindamycin phosphate external gel 1%</i>                                                                                                                                                    | 1         |                     |
| <i>clindamycin phosphate external lotion 1%</i>                                                                                                                                                 | 1         |                     |
| <i>clindamycin phosphate external solution 1%</i>                                                                                                                                               | 1         |                     |
| <i>ery external pad 2%</i>                                                                                                                                                                      | 1         |                     |
| <i>erythromycin external gel 2%</i>                                                                                                                                                             | 1         |                     |
| <i>erythromycin external solution 2%</i>                                                                                                                                                        | 1         |                     |
| <i>mupirocin calcium external cream 2%</i>                                                                                                                                                      | 1         |                     |
| <i>mupirocin external ointment 2%</i>                                                                                                                                                           | 1         |                     |
| <b>ELECTROLYTES/MINERALS/METALS/VITAMINS</b>                                                                                                                                                    |           |                     |
| <b><i>Electrolyte/ Mineral Replacement</i></b>                                                                                                                                                  |           |                     |
| <i>carglumic acid oral tablet soluble 200mg</i>                                                                                                                                                 | 1         | PA                  |
| ISOLYTE-S PH 7.4 INTRAVENOUS SOLUTION                                                                                                                                                           | 1         | BvD                 |
| <i>kcl in dextrose-nacl intravenous solution 10-5-0.45 meq/l-%-%, 20-5-0.2 meq/l-%-%, 20-5-0.45 meq/l-%-%, 20-5-0.9 meq/l-%-%, 30-5-0.45 meq/l-%-%, 40-5-0.45 meq/l-%-%, 40-5-0.9 meq/l-%-%</i> | 1         | BvD                 |
| <i>kcl-lactated ringers-d5w intravenous solution 20 meq/l</i>                                                                                                                                   | 1         | BvD                 |
| KLOR-CON 10 ORAL TABLET EXTENDED RELEASE 10 MEQ                                                                                                                                                 | 1         | MO                  |
| KLOR-CON M10 ORAL TABLET EXTENDED RELEASE 10 MEQ                                                                                                                                                | 1         | MO                  |

| Drug Name                                                                                                | Drug Tier | Requirements/Limits |
|----------------------------------------------------------------------------------------------------------|-----------|---------------------|
| KLOR-CON M15 ORAL TABLET EXTENDED RELEASE 15 MEQ                                                         | 1         | MO                  |
| KLOR-CON M20 ORAL TABLET EXTENDED RELEASE 20 MEQ                                                         | 1         | MO                  |
| KLOR-CON ORAL PACKET 20 MEQ                                                                              | 1         | MO                  |
| KLOR-CON ORAL TABLET EXTENDED RELEASE 8 MEQ                                                              | 1         | MO                  |
| <i>magnesium sulfate injection solution 50%, 50% (10ml syringe)</i>                                      | 1         |                     |
| <i>multiple electro type 1 ph 5.5 intravenous solution</i>                                               | 1         | BvD                 |
| PLASMA-LYTE A INTRAVENOUS SOLUTION                                                                       | 1         | BvD                 |
| <i>potassium chloride crys er oral tablet extended release 10 meq, 15 meq, 20 meq</i>                    | 1         | MO                  |
| <i>potassium chloride er oral capsule extended release 10 meq, 8 meq</i>                                 | 1         | MO                  |
| <i>potassium chloride er oral tablet extended release 10 meq, 20 meq, 8 meq</i>                          | 1         | MO                  |
| <i>potassium chloride in nacl intravenous solution 20-0.45 meq/l-%, 20-0.9 meq/l-%, 40-0.9 meq/l-%</i>   | 1         | BvD                 |
| <i>potassium chloride intravenous solution 2 meq/ml, 2 meq/ml (20ml), 20 meq/100ml</i>                   | 1         | BvD                 |
| <i>potassium chloride oral packet 20 meq</i>                                                             | 1         | MO                  |
| <i>potassium chloride oral solution 20 meq/15ml (10%), 40 meq/15ml (20%)</i>                             | 1         | MO                  |
| <i>potassium citrate er oral tablet extended release 10 meq (1080mg), 15 meq (1620mg), 5 meq (540mg)</i> | 1         |                     |
| <i>potassium cl in dextrose 5% intravenous solution 20 meq/l</i>                                         | 1         | BvD                 |
| <i>sodium chloride intravenous solution 0.45%, 0.9%, 3%, 5%</i>                                          | 1         |                     |
| <i>sodium chloride irrigation solution 0.9%</i>                                                          | 1         |                     |
| <i>sodium fluoride oral tablet 2.2 (1 f)mg</i>                                                           | 1         |                     |
| <b>Electrolyte/Mineral/Metal Modifiers</b>                                                               |           |                     |
| <i>deferasirox granules oral packet 180mg, 360mg, 90mg</i>                                               | 1         | PA                  |
| <i>deferasirox oral tablet 180mg, 360mg</i>                                                              | 1         | PA                  |

| Drug Name                                                              | Drug Tier | Requirements/Limits         |
|------------------------------------------------------------------------|-----------|-----------------------------|
| <i>deferasirox oral tablet 90mg</i>                                    | 1         | PA; MO                      |
| <i>deferasirox oral tablet soluble 125mg, 250mg, 500mg</i>             | 1         | PA                          |
| <i>deferiprone oral tablet 1000mg, 500mg</i>                           | 1         | PA                          |
| FERRIPROX ORAL SOLUTION 100MG/ML                                       | 1         | PA                          |
| FERRIPROX TWICE-A-DAY ORAL TABLET 1000MG                               | 1         | PA                          |
| LOKELMA ORAL PACKET 10GM, 5GM                                          | 1         | MO                          |
| <i>sodium polystyrene sulfonate oral powder</i>                        | 1         |                             |
| SPS ORAL SUSPENSION 15GM/60ML                                          | 1         |                             |
| <i>tolvaptan oral tablet 15mg</i>                                      | 1         | PA; QL (120 EA per 30 days) |
| <i>tolvaptan oral tablet 30mg</i>                                      | 1         | PA; QL (60 EA per 30 days)  |
| <i>trientine hcl oral capsule 250mg</i>                                | 1         | PA                          |
| <b>Electrolytes/Minerals/Metals/Vitamins</b>                           |           |                             |
| CLINIMIX E/DEXTROSE (2.75/5) INTRAVENOUS SOLUTION 2.75%                | 1         | BvD                         |
| CLINIMIX E/DEXTROSE (4.25/10) INTRAVENOUS SOLUTION 4.25%               | 1         | BvD                         |
| CLINIMIX E/DEXTROSE (4.25/5) INTRAVENOUS SOLUTION 4.25%                | 1         | BvD                         |
| CLINIMIX E/DEXTROSE (5/15) INTRAVENOUS SOLUTION 5%                     | 1         | BvD                         |
| CLINIMIX E/DEXTROSE (5/20) INTRAVENOUS SOLUTION 5%                     | 1         | BvD                         |
| CLINIMIX/DEXTROSE (4.25/10) INTRAVENOUS SOLUTION 4.25%                 | 1         | BvD                         |
| CLINIMIX/DEXTROSE (4.25/5) INTRAVENOUS SOLUTION 4.25%                  | 1         | BvD                         |
| CLINIMIX/DEXTROSE (5/15) INTRAVENOUS SOLUTION 5%                       | 1         | BvD                         |
| CLINIMIX/DEXTROSE (5/20) INTRAVENOUS SOLUTION 5%                       | 1         | BvD                         |
| <i>dextrose intravenous solution 10%, 5%</i>                           | 1         | BvD                         |
| <i>dextrose-nacl intravenous solution 10-0.2%, 10-0.45%, 2.5-0.45%</i> | 1         | BvD                         |

| Drug Name                                                         | Drug Tier | Requirements/Limits         |
|-------------------------------------------------------------------|-----------|-----------------------------|
| <i>dextrose-nacl intravenous solution 5-0.2%, 5-0.45%, 5-0.9%</i> | 1         |                             |
| DOJOLVI ORAL LIQUID 100%                                          | 1         | PA                          |
| INTRALIPID INTRAVENOUS EMULSION 20%, 30%                          | 1         | BvD                         |
| ISOLYTE-P IN D5W INTRAVENOUS SOLUTION                             | 1         | BvD                         |
| <i>levocarnitine oral solution 1gm/10ml</i>                       | 1         | MO                          |
| <i>levocarnitine oral tablet 330mg</i>                            | 1         | MO                          |
| NUTRILIPID INTRAVENOUS EMULSION 20%                               | 1         | BvD                         |
| PREMASOL INTRAVENOUS SOLUTION 10%                                 | 1         | BvD                         |
| <i>prenatal oral tablet 27-1mg</i>                                | 1         |                             |
| PROSOL INTRAVENOUS SOLUTION 20%                                   | 1         | BvD                         |
| TPN ELECTROLYTES INTRAVENOUS CONCENTRATE                          | 1         | BvD                         |
| TRAVASOL INTRAVENOUS SOLUTION 10%                                 | 1         | BvD                         |
| TROPHAMINE INTRAVENOUS SOLUTION 10%                               | 1         | BvD                         |
| <b>Phosphate Binders</b>                                          |           |                             |
| AURYXIA ORAL TABLET 1GM 210MG(FE)                                 | 1         | PA; MO                      |
| <i>calcium acetate (phos binder) oral capsule 667mg</i>           | 1         | MO                          |
| <i>calcium acetate oral tablet 667mg</i>                          | 1         | MO                          |
| <i>sevelamer carbonate oral packet 0.8gm</i>                      | 1         | QL (540 EA per 30 days)     |
| <i>sevelamer carbonate oral packet 2.4gm</i>                      | 1         | QL (180 EA per 30 days)     |
| <i>sevelamer carbonate oral tablet 800mg</i>                      | 1         | MO; QL (540 EA per 30 days) |
| VELPHORO ORAL TABLET CHEWABLE 500MG                               | 1         | MO                          |
| <b>GASTROINTESTINAL AGENTS</b>                                    |           |                             |
| <b>Anti-Constipation Agents</b>                                   |           |                             |
| <i>constulose oral solution 10gm/15ml</i>                         | 1         | MO                          |
| <i>enulose oral solution 10gm/15ml</i>                            | 1         | MO                          |
| <i>generlac oral solution 10gm/15ml</i>                           | 1         | MO                          |
| <i>lactulose oral solution 10gm/15ml</i>                          | 1         | MO                          |
| LINZESS ORAL CAPSULE 145MCG, 290MCG, 72MCG                        | 1         | MO; QL (30 EA per 30 days)  |
| <i>lubiprostone oral capsule 24mcg, 8mcg</i>                      | 1         | MO; QL (60 EA per 30 days)  |

| Drug Name                                                                | Drug Tier | Requirements/Limits    |
|--------------------------------------------------------------------------|-----------|------------------------|
| MOVANTIK ORAL TABLET 12.5MG, 25MG                                        | 1         | QL (30 EA per 30 days) |
| <b>Anti-Diarrheal Agents</b>                                             |           |                        |
| <i>alosetron hcl oral tablet 0.5mg, 1mg</i>                              | 1         | QL (60 EA per 30 days) |
| <i>diphenoxylate-atropine oral liquid 2.5-0.025mg/5ml</i>                | 1         |                        |
| <i>diphenoxylate-atropine oral tablet 2.5-0.025mg</i>                    | 1         |                        |
| <i>loperamide hcl oral capsule 2mg</i>                                   | 1         |                        |
| <b>Antispasmodics, Gastrointestinal</b>                                  |           |                        |
| <i>dicyclomine hcl oral capsule 10mg</i>                                 | 1         |                        |
| <i>dicyclomine hcl oral solution 10mg/5ml</i>                            | 1         |                        |
| <i>dicyclomine hcl oral tablet 20mg</i>                                  | 1         |                        |
| <i>glycopyrrolate oral tablet 1mg, 2mg</i>                               | 1         |                        |
| <b>Gastrointestinal Agents, Other</b>                                    |           |                        |
| BYLVAY (PELLETS) ORAL CAPSULE SPRINKLE 200MCG, 600MCG                    | 1         | PA                     |
| BYLVAY ORAL CAPSULE 1200MCG, 400MCG                                      | 1         | PA                     |
| CLENPIQ ORAL SOLUTION 10-3.5-12MG-GM -GM/160ML, 10-3.5-12MG-GM -GM/175ML | 1         |                        |
| GATTEX SUBCUTANEOUS KIT 5MG                                              | 1         | PA                     |
| GAVILYTE-C ORAL SOLUTION RECONSTITUTED 240GM                             | 1         |                        |
| GAVILYTE-G ORAL SOLUTION RECONSTITUTED 236GM                             | 1         |                        |
| LIVMARLI ORAL SOLUTION 9.5MG/ML                                          | 1         | PA                     |
| <i>metoclopramide hcl oral solution 5mg/5ml</i>                          | 1         |                        |
| <i>metoclopramide hcl oral tablet 10mg, 5mg</i>                          | 1         | MO                     |
| <i>na sulfate-k sulfate-mg sulf oral solution 17.5-3.13-1.6gm/177ml</i>  | 1         |                        |
| <i>peg 3350-kcl-na bicarb-nacl oral solution reconstituted 420gm</i>     | 1         |                        |
| <i>peg-3350/electrolytes oral solution reconstituted 236gm</i>           | 1         |                        |
| SUPREP BOWEL PREP KIT ORAL SOLUTION 17.5-3.13-1.6GM/177ML                | 1         |                        |

| Drug Name                                                                                                                      | Drug Tier | Requirements/Limits |
|--------------------------------------------------------------------------------------------------------------------------------|-----------|---------------------|
| SUTAB ORAL TABLET 1479-225-188MG                                                                                               | 1         |                     |
| ursodiol oral capsule 300mg                                                                                                    | 1         | MO                  |
| ursodiol oral tablet 250mg, 500mg                                                                                              | 1         | MO                  |
| <b>Histamine2 (H2) Receptor Antagonists</b>                                                                                    |           |                     |
| famotidine oral suspension reconstituted 40mg/5ml                                                                              | 1         | MO                  |
| famotidine oral tablet 20mg, 40mg                                                                                              | 1         | MO                  |
| nizatidine oral capsule 150mg, 300mg                                                                                           | 1         | MO                  |
| <b>Protectants</b>                                                                                                             |           |                     |
| misoprostol oral tablet 100mcg, 200mcg                                                                                         | 1         | MO                  |
| sucralfate oral suspension 1gm/10ml                                                                                            | 1         | MO                  |
| sucralfate oral tablet 1gm                                                                                                     | 1         | MO                  |
| <b>Proton Pump Inhibitors</b>                                                                                                  |           |                     |
| dexlansoprazole oral capsule delayed release 30mg, 60mg                                                                        | 1         | MO                  |
| esomeprazole magnesium oral capsule delayed release 20mg, 40mg                                                                 | 1         | MO                  |
| lansoprazole oral capsule delayed release 15mg, 30mg                                                                           | 1         | MO                  |
| omeprazole oral capsule delayed release 10mg, 20mg, 40mg                                                                       | 1         | MO                  |
| pantoprazole sodium oral tablet delayed release 20mg, 40mg                                                                     | 1         | MO                  |
| <b>GENETIC OR ENZYME OR PROTEIN DISORDER: REPLACEMENT, MODIFIERS, TREATMENT</b>                                                |           |                     |
| <b>Genetic or Enzyme or Protein Disorder: Replacement, Modifiers, Treatment</b>                                                |           |                     |
| betaine oral powder                                                                                                            | 1         |                     |
| CREON ORAL CAPSULE DELAYED RELEASE PARTICLES 12000-38000UNIT, 24000-76000UNIT, 3000-9500UNIT, 36000-114000UNIT, 6000-19000UNIT | 1         | MO                  |
| cromolyn sodium oral concentrate 100mg/5ml                                                                                     | 1         | MO                  |
| CYSTAGON ORAL CAPSULE 150MG, 50MG                                                                                              | 1         | PA; MO              |
| ENDARI ORAL PACKET 5GM                                                                                                         | 1         | PA                  |

| Drug Name                                                                                                                                                                      | Drug Tier | Requirements/Limits        |
|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----------|----------------------------|
| GALAFOLD ORAL CAPSULE 123MG                                                                                                                                                    | 1         | PA                         |
| <i>miglustat oral capsule 100mg</i>                                                                                                                                            | 1         | PA                         |
| <i>nitisinone oral capsule 10mg, 2mg, 20mg, 5mg</i>                                                                                                                            | 1         | PA                         |
| PROLASTIN-C INTRAVENOUS SOLUTION<br>RECONSTITUTED 1000MG                                                                                                                       | 1         | PA                         |
| RAVICTI ORAL LIQUID 1.1GM/ML                                                                                                                                                   | 1         | PA                         |
| <i>sapropterin dihydrochloride oral packet 100mg,<br/>500mg</i>                                                                                                                | 1         | PA                         |
| <i>sapropterin dihydrochloride oral tablet 100mg</i>                                                                                                                           | 1         | PA                         |
| TEGSEDI SUBCUTANEOUS SOLUTION<br>PREFILLED SYRINGE 284MG/1.5ML                                                                                                                 | 1         | PA                         |
| VYNDAMAX ORAL CAPSULE 61MG                                                                                                                                                     | 1         | PA; QL (30 EA per 30 days) |
| XURIDEN ORAL PACKET 2GM                                                                                                                                                        | 1         | PA                         |
| ZENPEP ORAL CAPSULE DELAYED RELEASE<br>PARTICLES 10000-32000UNIT,<br>15000-47000UNIT, 20000-63000UNIT,<br>25000-79000UNIT, 3000-10000UNIT,<br>40000-126000UNIT, 5000-24000UNIT | 1         | MO                         |
| ZOKINVY ORAL CAPSULE 50MG, 75MG                                                                                                                                                | 1         | PA                         |

## GENITOURINARY AGENTS

### *Antispasmodics, Urinary*

|                                                                                         |   |                             |
|-----------------------------------------------------------------------------------------|---|-----------------------------|
| <i>darifenacin hydrobromide er oral tablet extended<br/>release 24-hour 15mg, 7.5mg</i> | 1 | MO                          |
| <i>fesoterodine fumarate er oral tablet extended<br/>release 24-hour 4mg, 8mg</i>       | 1 | MO; QL (30 EA per 30 days)  |
| MYRBETRIQ ORAL SUSPENSION<br>RECONSTITUTED ER 8MG/ML                                    | 1 | MO; QL (300ML per 30 days)  |
| MYRBETRIQ ORAL TABLET EXTENDED<br>RELEASE 24-HOUR 25MG, 50MG                            | 1 | MO; QL (30 EA per 30 days)  |
| <i>oxybutynin chloride er oral tablet extended release<br/>24-hour 10mg, 15mg, 5mg</i>  | 1 | MO; QL (60 EA per 30 days)  |
| <i>oxybutynin chloride oral syrup 5mg/5ml</i>                                           | 1 | MO; QL (600ML per 30 days)  |
| <i>oxybutynin chloride oral tablet 5mg</i>                                              | 1 | MO; QL (120 EA per 30 days) |
| <i>solifenacin succinate oral tablet 10mg, 5mg</i>                                      | 1 | MO; QL (30 EA per 30 days)  |
| <i>tolterodine tartrate er oral capsule extended<br/>release 24-hour 2mg, 4mg</i>       | 1 | MO; QL (30 EA per 30 days)  |

| Drug Name                                                                                           | Drug Tier | Requirements/Limits         |
|-----------------------------------------------------------------------------------------------------|-----------|-----------------------------|
| <i>tolterodine tartrate oral tablet 1mg, 2mg</i>                                                    | 1         | MO; QL (60 EA per 30 days)  |
| <i>trospium chloride er oral capsule extended release 24-hour 60mg</i>                              | 1         | MO; QL (30 EA per 30 days)  |
| <i>trospium chloride oral tablet 20mg</i>                                                           | 1         | MO; QL (60 EA per 30 days)  |
| <b>Benign Prostatic Hypertrophy Agents</b>                                                          |           |                             |
| <i>alfuzosin hcl er oral tablet extended release 24-hour 10mg</i>                                   | 1         | MO; QL (30 EA per 30 days)  |
| <i>dutasteride oral capsule 0.5mg</i>                                                               | 1         | MO; QL (30 EA per 30 days)  |
| <i>dutasteride-tamsulosin hcl oral capsule 0.5-0.4mg</i>                                            | 1         | MO; QL (30 EA per 30 days)  |
| <i>finasteride oral tablet 5mg</i>                                                                  | 1         | MO; QL (30 EA per 30 days)  |
| <i>silodosin oral capsule 4mg, 8mg</i>                                                              | 1         | MO; QL (30 EA per 30 days)  |
| <i>tamsulosin hcl oral capsule 0.4mg</i>                                                            | 1         | MO; QL (60 EA per 30 days)  |
| <b>Genitourinary Agents, Other</b>                                                                  |           |                             |
| <i>bethanechol chloride oral tablet 10mg, 25mg, 5mg, 50mg</i>                                       | 1         |                             |
| ELMIRON ORAL CAPSULE 100MG                                                                          | 1         |                             |
| <i>penicillamine oral tablet 250mg</i>                                                              | 1         |                             |
| <b>HORMONAL AGENTS, STIMULANT/ REPLACEMENT/ MODIFYING (ADRENAL)</b>                                 |           |                             |
| <b>Hormonal Agents, Stimulant/ Replacement/ Modifying (Adrenal)</b>                                 |           |                             |
| <i>dexamethasone oral solution 0.5mg/5ml</i>                                                        | 1         |                             |
| <i>dexamethasone oral tablet 0.5mg, 0.75mg, 1mg, 1.5mg, 2mg, 4mg, 6mg</i>                           | 1         |                             |
| <i>fludrocortisone acetate oral tablet 0.1mg</i>                                                    | 1         | MO                          |
| <i>hydrocortisone oral tablet 10mg, 20mg, 5mg</i>                                                   | 1         |                             |
| ISTURISA ORAL TABLET 1MG                                                                            | 1         | PA; QL (240 EA per 30 days) |
| ISTURISA ORAL TABLET 10MG                                                                           | 1         | PA; QL (180 EA per 30 days) |
| ISTURISA ORAL TABLET 5MG                                                                            | 1         | PA; QL (120 EA per 30 days) |
| <i>methylprednisolone oral tablet 16mg, 32mg, 4mg, 8mg</i>                                          | 1         | BvD                         |
| <i>methylprednisolone oral tablet therapy pack 4mg</i>                                              | 1         |                             |
| <i>prednisolone oral solution 15mg/5ml</i>                                                          | 1         | BvD                         |
| <i>prednisolone sodium phosphate oral solution 10mg/5ml, 20mg/5ml, 25mg/5ml, 6.7 (5 base)mg/5ml</i> | 1         | BvD                         |

| Drug Name                                                                           | Drug Tier | Requirements/Limits |
|-------------------------------------------------------------------------------------|-----------|---------------------|
| <i>prednisolone sodium phosphate oral tablet dispersible 10mg, 15mg, 30mg</i>       | 1         | BvD                 |
| PREDNISONE INTENSOL ORAL CONCENTRATE 5MG/ML                                         | 1         | BvD                 |
| <i>prednisone oral solution 5mg/5ml</i>                                             | 1         | BvD                 |
| <i>prednisone oral tablet 1mg, 10mg, 2.5mg, 20mg, 5mg, 50mg</i>                     | 1         | BvD                 |
| <i>prednisone oral tablet therapy pack 10mg (21), 10mg (48), 5mg (21), 5mg (48)</i> | 1         |                     |

## HORMONAL AGENTS, STIMULANT/ REPLACEMENT/ MODIFYING (PITUITARY)

### *Hormonal Agents, Stimulant/ Replacement/ Modifying (Pituitary)*

|                                                                 |   |    |
|-----------------------------------------------------------------|---|----|
| <i>desmopressin acetate oral tablet 0.1mg, 0.2mg</i>            | 1 | MO |
| <i>desmopressin acetate spray nasal solution 0.01%</i>          | 1 | MO |
| INCRELEX SUBCUTANEOUS SOLUTION 40MG/4ML                         | 1 | PA |
| NOC DURNA SUBLINGUAL TABLET SUBLINGUAL 27.7MCG, 55.3MCG         | 1 | MO |
| OMNITROPE SUBCUTANEOUS SOLUTION CARTRIDGE 10MG/1.5ML, 5MG/1.5ML | 1 | PA |
| OMNITROPE SUBCUTANEOUS SOLUTION RECONSTITUTED 5.8MG             | 1 | PA |

## HORMONAL AGENTS, STIMULANT/ REPLACEMENT/ MODIFYING (SEX HORMONES/ MODIFIERS)

### *Androgens*

|                                                                                                                                                                       |   |    |
|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------|---|----|
| <i>danazol oral capsule 100mg, 200mg, 50mg</i>                                                                                                                        | 1 |    |
| <i>testosterone cypionate intramuscular solution 100mg/ml, 200mg/ml, 200mg/ml (1ml)</i>                                                                               | 1 | MO |
| <i>testosterone enanthate intramuscular solution 200mg/ml</i>                                                                                                         | 1 | MO |
| <i>testosterone transdermal gel 10mg/act (2%), 12.5mg/act (1%), 20.25mg/1.25gm (1.62%), 20.25mg/act (1.62%), 25mg/2.5gm (1%), 40.5mg/2.5gm (1.62%), 50mg/5gm (1%)</i> | 1 | MO |
| <i>testosterone transdermal solution 30mg/act</i>                                                                                                                     | 1 | MO |

| Drug Name                                                                                                          | Drug Tier | Requirements/Limits |
|--------------------------------------------------------------------------------------------------------------------|-----------|---------------------|
| <b>Estrogens</b>                                                                                                   |           |                     |
| DUAVEE ORAL TABLET 0.45-20MG                                                                                       | 1         | MO                  |
| estradiol oral tablet 0.5mg, 1mg, 2mg                                                                              | 1         | MO                  |
| estradiol transdermal patch twice weekly 0.025mg/24hr, 0.0375mg/24hr, 0.05mg/24hr, 0.075mg/24hr, 0.1mg/24hr        | 1         | MO                  |
| estradiol transdermal patch weekly 0.025mg/24hr, 0.0375mg/24hr, 0.05mg/24hr, 0.06mg/24hr, 0.075mg/24hr, 0.1mg/24hr | 1         | MO                  |
| estradiol vaginal cream 0.1mg/gm                                                                                   | 1         | MO                  |
| estradiol vaginal tablet 10mcg                                                                                     | 1         | MO                  |
| IMVEXXY MAINTENANCE PACK VAGINAL INSERT 10MCG, 4MCG                                                                | 1         | MO                  |
| IMVEXXY STARTER PACK VAGINAL INSERT 10MCG, 4MCG                                                                    | 1         | MO                  |
| MENEST ORAL TABLET 0.3MG, 0.625MG, 1.25MG, 2.5MG                                                                   | 1         | MO                  |
| PREMARIN ORAL TABLET 0.3MG, 0.45MG, 0.625MG, 0.9MG, 1.25MG                                                         | 1         | MO                  |
| PREMARIN VAGINAL CREAM 0.625MG/GM                                                                                  | 1         | MO                  |
| <b>Hormonal Agents, Stimulant/ Replacement/ Modifying (Sex Hormones/ Modifiers)</b>                                |           |                     |
| ALTAVERA ORAL TABLET 0.15-30MG-MCG                                                                                 | 1         | MO                  |
| alyacen 1/35 oral tablet 1-35mg-mcg                                                                                | 1         | MO                  |
| APRI ORAL TABLET 0.15-30MG-MCG                                                                                     | 1         | MO                  |
| ARANELLE ORAL TABLET 0.5/1/0.5-35MG-MCG                                                                            | 1         | MO                  |
| AUBRA EQ ORAL TABLET 0.1-20MG-MCG                                                                                  | 1         | MO                  |
| AVIANE ORAL TABLET 0.1-20MG-MCG                                                                                    | 1         | MO                  |
| BALZIVA ORAL TABLET 0.4-35MG-MCG                                                                                   | 1         | MO                  |
| BLISOVI FE 1.5/30 ORAL TABLET 1.5-30MG-MCG                                                                         | 1         | MO                  |
| briellyn oral tablet 0.4-35mg-mcg                                                                                  | 1         | MO                  |
| CRYSSELLE-28 ORAL TABLET 0.3-30MG-MCG                                                                              | 1         | MO                  |
| CYRED EQ ORAL TABLET 0.15-30MG-MCG                                                                                 | 1         | MO                  |

| Drug Name                                                                                  | Drug Tier | Requirements/Limits |
|--------------------------------------------------------------------------------------------|-----------|---------------------|
| <i>desogestrel-ethinyl estradiol oral tablet</i><br>0.15-0.02/0.01mg (21/5), 0.15-30mg-mcg | 1         | MO                  |
| <i>drospirenone-ethinyl estradiol oral tablet</i><br>3-0.02mg, 3-0.03mg                    | 1         | MO                  |
| ELURYNG VAGINAL RING 0.12-0.015MG/24HR                                                     | 1         | MO                  |
| ENPRESSE-28 ORAL TABLET 50-30/75-40/<br>125-30MCG                                          | 1         | MO                  |
| ENSKYCE ORAL TABLET 0.15-30MG-MCG                                                          | 1         | MO                  |
| ESTARYLLA ORAL TABLET 0.25-35MG-MCG                                                        | 1         | MO                  |
| <i>ethynodiol diac-eth estradiol oral tablet</i><br>1-35mg-mcg, 1-50mg-mcg                 | 1         | MO                  |
| <i>etonogestrel-ethinyl estradiol vaginal ring</i><br>0.12-0.015mg/24hr                    | 1         | MO                  |
| FALMINA ORAL TABLET 0.1-20MG-MCG                                                           | 1         | MO                  |
| HALOETTE VAGINAL RING 0.12-0.015MG/24HR                                                    | 1         | MO                  |
| ICLEVIA ORAL TABLET 0.15-0.03MG                                                            | 1         | MO                  |
| INTRAROSA VAGINAL INSERT 6.5MG                                                             | 1         | PA; MO              |
| INTROVALE ORAL TABLET 0.15-0.03MG                                                          | 1         | MO                  |
| ISIBLOOM ORAL TABLET 0.15-30MG-MCG                                                         | 1         | MO                  |
| JASMIEL ORAL TABLET 3-0.02MG                                                               | 1         | MO                  |
| JULEBER ORAL TABLET 0.15-30MG-MCG                                                          | 1         | MO                  |
| JUNEL 1.5/30 ORAL TABLET 1.5-30MG-MCG                                                      | 1         | MO                  |
| JUNEL 1/20 ORAL TABLET 1-20MG-MCG                                                          | 1         | MO                  |
| JUNEL FE 1.5/30 ORAL TABLET 1.5-30MG-MCG                                                   | 1         | MO                  |
| JUNEL FE 1/20 ORAL TABLET 1-20MG-MCG                                                       | 1         | MO                  |
| KARIVA ORAL TABLET 0.15-0.02/0.01MG (21/5)                                                 | 1         | MO                  |
| KELNOR 1/35 ORAL TABLET 1-35MG-MCG                                                         | 1         | MO                  |
| KELNOR 1/50 ORAL TABLET 1-50MG-MCG                                                         | 1         | MO                  |
| KURVELO ORAL TABLET 0.15-30MG-MCG                                                          | 1         | MO                  |
| LARIN 1.5/30 ORAL TABLET 1.5-30MG-MCG                                                      | 1         | MO                  |
| LARIN 1/20 ORAL TABLET 1-20MG-MCG                                                          | 1         | MO                  |
| LARIN FE 1.5/30 ORAL TABLET 1.5-30MG-MCG                                                   | 1         | MO                  |
| LARIN FE 1/20 ORAL TABLET 1-20MG-MCG                                                       | 1         | MO                  |
| LEENA ORAL TABLET 0.5/1/0.5-35MG-MCG                                                       | 1         | MO                  |

| Drug Name                                                                        | Drug Tier | Requirements/Limits |
|----------------------------------------------------------------------------------|-----------|---------------------|
| LESSINA ORAL TABLET 0.1-20MG-MCG                                                 | 1         | MO                  |
| LEVONEST ORAL TABLET 50-30/75-40/<br>125-30MCG                                   | 1         | MO                  |
| <i>levonorgest-eth estrad 91-day oral tablet<br/>0.15-0.03mg</i>                 | 1         | MO                  |
| <i>levonorgestrel-ethinyl estrad oral tablet<br/>0.1-20mg-mcg, 0.15-30mg-mcg</i> | 1         | MO                  |
| <i>levonorg-eth estrad triphasic oral tablet<br/>50-30/75-40/ 125-30mcg</i>      | 1         | MO                  |
| LEVORA 0.15/30 (28) ORAL TABLET<br>0.15-30MG-MCG                                 | 1         | MO                  |
| LORYNA ORAL TABLET 3-0.02MG                                                      | 1         | MO                  |
| LOW-OGESTREL ORAL TABLET<br>0.3-30MG-MCG                                         | 1         | MO                  |
| LUTERA ORAL TABLET 0.1-20MG-MCG                                                  | 1         | MO                  |
| <i>marlissa oral tablet 0.15-30mg-mcg</i>                                        | 1         | MO                  |
| MICROGESTIN 1.5/30 ORAL TABLET<br>1.5-30MG-MCG                                   | 1         | MO                  |
| MICROGESTIN 1/20 ORAL TABLET<br>1-20MG-MCG                                       | 1         | MO                  |
| MICROGESTIN FE 1.5/30 ORAL TABLET<br>1.5-30MG-MCG                                | 1         | MO                  |
| MICROGESTIN FE 1/20 ORAL TABLET<br>1-20MG-MCG                                    | 1         | MO                  |
| MILI ORAL TABLET 0.25-35MG-MCG                                                   | 1         | MO                  |
| NECON 0.5/35 (28) ORAL TABLET<br>0.5-35MG-MCG                                    | 1         | MO                  |
| NIKKI ORAL TABLET 3-0.02MG                                                       | 1         | MO                  |
| <i>norethin ace-eth estrad-fe oral tablet 1-20mg-mcg</i>                         | 1         | MO                  |
| <i>norethindrone acet-ethinyl est oral tablet<br/>1-20mg-mcg</i>                 | 1         | MO                  |
| <i>norethindrone-eth estradiol oral tablet 1-5mg-mcg</i>                         | 1         | MO                  |
| <i>norgestimate-eth estradiol oral tablet<br/>0.25-35mg-mcg</i>                  | 1         | MO                  |
| <i>norgestim-eth estrad triphasic oral tablet<br/>0.18/0.215/0.25mg-35mcg</i>    | 1         | MO                  |

| Drug Name                                                            | Drug Tier | Requirements/Limits |
|----------------------------------------------------------------------|-----------|---------------------|
| NORTREL 0.5/35 (28) ORAL TABLET<br>0.5-35MG-MCG                      | 1         | MO                  |
| NORTREL 1/35 (21) ORAL TABLET<br>1-35MG-MCG                          | 1         | MO                  |
| NORTREL 1/35 (28) ORAL TABLET<br>1-35MG-MCG                          | 1         | MO                  |
| NORTREL 7/7/7 ORAL TABLET<br>0.5/0.75/1-35MG-MCG                     | 1         | MO                  |
| NYLIA 1/35 ORAL TABLET 1-35MG-MCG                                    | 1         | MO                  |
| NYLIA 7/7/7 ORAL TABLET<br>0.5/0.75/1-35MG-MCG                       | 1         | MO                  |
| NYMYO ORAL TABLET 0.25-35MG-MCG                                      | 1         | MO                  |
| OCELLA ORAL TABLET 3-0.03MG                                          | 1         | MO                  |
| OSPHENA ORAL TABLET 60MG                                             | 1         | PA; MO              |
| PIMTREA ORAL TABLET 0.15-0.02/0.01MG<br>(21/5)                       | 1         | MO                  |
| PORTIA-28 ORAL TABLET 0.15-30MG-MCG                                  | 1         | MO                  |
| PREMPHASE ORAL TABLET 0.625-5MG                                      | 1         | MO                  |
| PREMPRO ORAL TABLET 0.3-1.5MG,<br>0.45-1.5MG, 0.625-2.5MG, 0.625-5MG | 1         | MO                  |
| RECLIPSEN ORAL TABLET 0.15-30MG-MCG                                  | 1         | MO                  |
| SETLAKIN ORAL TABLET 0.15-0.03MG                                     | 1         | MO                  |
| SPRINTEC 28 ORAL TABLET 0.25-35MG-MCG                                | 1         | MO                  |
| SRONYX ORAL TABLET 0.1-20MG-MCG                                      | 1         | MO                  |
| SYEDA ORAL TABLET 3-0.03MG                                           | 1         | MO                  |
| TARINA FE 1/20 EQ ORAL TABLET<br>1-20MG-MCG                          | 1         | MO                  |
| TRI-ESTARYLLA ORAL TABLET<br>0.18/0.215/0.25MG-35MCG                 | 1         | MO                  |
| TRI-MILI ORAL TABLET<br>0.18/0.215/0.25MG-35MCG                      | 1         | MO                  |
| TRI-NYMYO ORAL TABLET<br>0.18/0.215/0.25MG-35MCG                     | 1         | MO                  |
| TRI-SPRINTEC ORAL TABLET<br>0.18/0.215/0.25MG-35MCG                  | 1         | MO                  |

| Drug Name                                                                                  | Drug Tier | Requirements/Limits |
|--------------------------------------------------------------------------------------------|-----------|---------------------|
| TRIVORA (28) ORAL TABLET 50-30/75-40/<br>125-30MCG                                         | 1         | MO                  |
| TRI-VYLIBRA ORAL TABLET<br>0.18/0.215/0.25MG-35MCG                                         | 1         | MO                  |
| VELIVET ORAL TABLET<br>0.1/0.125/0.15 -0.025MG                                             | 1         | MO                  |
| VESTURA ORAL TABLET 3-0.02MG                                                               | 1         | MO                  |
| VIENVA ORAL TABLET 0.1-20MG-MCG                                                            | 1         | MO                  |
| VYFEMLA ORAL TABLET 0.4-35MG-MCG                                                           | 1         | MO                  |
| VYLIBRA ORAL TABLET 0.25-35MG-MCG                                                          | 1         | MO                  |
| ZOVIA 1/35 (28) ORAL TABLET 1-35MG-MCG                                                     | 1         | MO                  |
| <b>Progestins</b>                                                                          |           |                     |
| CAMILA ORAL TABLET 0.35MG                                                                  | 1         | MO                  |
| DEBLITANE ORAL TABLET 0.35MG                                                               | 1         | MO                  |
| ERRIN ORAL TABLET 0.35MG                                                                   | 1         | MO                  |
| INCASSIA ORAL TABLET 0.35MG                                                                | 1         | MO                  |
| LYLEQ ORAL TABLET 0.35MG                                                                   | 1         | MO                  |
| LYZA ORAL TABLET 0.35MG                                                                    | 1         | MO                  |
| <i>medroxyprogesterone acetate intramuscular<br/>suspension 150mg/ml</i>                   | 1         |                     |
| <i>medroxyprogesterone acetate intramuscular<br/>suspension prefilled syringe 150mg/ml</i> | 1         |                     |
| <i>medroxyprogesterone acetate oral tablet 10mg,<br/>2.5mg, 5mg</i>                        | 1         | MO                  |
| <i>megestrol acetate oral suspension 40mg/ml</i>                                           | 1         |                     |
| <i>megestrol acetate oral suspension 625mg/5ml</i>                                         | 1         | MO                  |
| <i>megestrol acetate oral tablet 20mg, 40mg</i>                                            | 1         |                     |
| NORA-BE ORAL TABLET 0.35MG                                                                 | 1         | MO                  |
| <i>norethindrone acetate oral tablet 5mg</i>                                               | 1         | MO                  |
| <i>norethindrone oral tablet 0.35mg</i>                                                    | 1         | MO                  |
| <i>progesterone oral capsule 100mg, 200mg</i>                                              | 1         | MO                  |
| SHAROBEL ORAL TABLET 0.35MG                                                                | 1         | MO                  |

| Drug Name                                                                                                                          | Drug Tier | Requirements/Limits |
|------------------------------------------------------------------------------------------------------------------------------------|-----------|---------------------|
| <b>HORMONAL AGENTS, STIMULANT/ REPLACEMENT/ MODIFYING (THYROID)</b>                                                                |           |                     |
| <i>Hormonal Agents, Stimulant/ Replacement/ Modifying (Thyroid)</i>                                                                |           |                     |
| EUTHYROX ORAL TABLET 100MCG, 112MCG, 125MCG, 137MCG, 150MCG, 175MCG, 200MCG, 25MCG, 50MCG, 75MCG, 88MCG                            | 1         | MO                  |
| <i>levothyroxine sodium oral tablet 100mcg, 112mcg, 125mcg, 137mcg, 150mcg, 175mcg, 200mcg, 25mcg, 300mcg, 50mcg, 75mcg, 88mcg</i> | 1         | MO                  |
| LEVOXYL ORAL TABLET 100MCG, 112MCG, 125MCG, 137MCG, 150MCG, 175MCG, 200MCG, 25MCG, 50MCG, 75MCG, 88MCG                             | 1         | MO                  |
| <i>liothyronine sodium oral tablet 25mcg, 5mcg, 50mcg</i>                                                                          | 1         | MO                  |
| SYNTHROID ORAL TABLET 100MCG, 112MCG, 125MCG, 137MCG, 150MCG, 175MCG, 200MCG, 25MCG, 300MCG, 50MCG, 75MCG, 88MCG                   | 1         | MO                  |
| UNITHROID ORAL TABLET 100MCG, 112MCG, 125MCG, 137MCG, 150MCG, 175MCG, 200MCG, 25MCG, 300MCG, 50MCG, 75MCG, 88MCG                   | 1         | MO                  |
| <b>HORMONAL AGENTS, SUPPRESSANT (PITUITARY)</b>                                                                                    |           |                     |
| <i>Hormonal Agents, Suppressant (Pituitary)</i>                                                                                    |           |                     |
| <i>cabergoline oral tablet 0.5mg</i>                                                                                               | 1         |                     |
| ELIGARD SUBCUTANEOUS KIT 22.5MG, 30MG, 45MG, 7.5MG                                                                                 | 1         | PA                  |
| <i>leuprolide acetate (3 month) intramuscular injectable 22.5mg</i>                                                                | 1         | PA                  |
| <i>leuprolide acetate injection kit 1mg/0.2ml</i>                                                                                  | 1         | PA                  |
| LUPRON DEPOT (1-MONTH) INTRAMUSCULAR KIT 3.75MG, 7.5MG                                                                             | 1         | PA                  |
| LUPRON DEPOT (3-MONTH) INTRAMUSCULAR KIT 11.25MG, 22.5MG                                                                           | 1         | PA                  |
| LUPRON DEPOT (4-MONTH) INTRAMUSCULAR KIT 30MG                                                                                      | 1         | PA                  |
| LUPRON DEPOT (6-MONTH) INTRAMUSCULAR KIT 45MG                                                                                      | 1         | PA                  |

| Drug Name                                                                             | Drug Tier | Requirements/Limits        |
|---------------------------------------------------------------------------------------|-----------|----------------------------|
| LUPRON DEPOT-PED (1-MONTH)<br>INTRAMUSCULAR KIT 7.5MG                                 | 1         | PA                         |
| LUPRON DEPOT-PED (3-MONTH)<br>INTRAMUSCULAR KIT 11.25MG (PED)                         | 1         | PA                         |
| LUPRON DEPOT-PED (6-MONTH)<br>INTRAMUSCULAR KIT 45MG                                  | 1         | PA                         |
| <i>octreotide acetate injection solution 100mcg/ml,<br/>200mcg/ml, 50mcg/ml</i>       | 1         | PA; MO                     |
| <i>octreotide acetate injection solution 1000mcg/ml,<br/>500mcg/ml</i>                | 1         | PA                         |
| SIGNIFOR SUBCUTANEOUS SOLUTION<br>0.3MG/ML, 0.6MG/ML, 0.9MG/ML                        | 1         | PA; QL (60ML per 30 days)  |
| SOMAVERT SUBCUTANEOUS SOLUTION<br>RECONSTITUTED 10MG, 15MG, 20MG, 25MG,<br>30MG       | 1         | PA; QL (60 EA per 30 days) |
| SYNAREL NASAL SOLUTION 2MG/ML                                                         | 1         | PA                         |
| TRELSTAR MIXJECT INTRAMUSCULAR<br>SUSPENSION RECONSTITUTED 11.25MG,<br>22.5MG, 3.75MG | 1         | PA                         |

## HORMONAL AGENTS, SUPPRESSANT (THYROID)

### Antithyroid Agents

|                                          |   |    |
|------------------------------------------|---|----|
| <i>methimazole oral tablet 10mg, 5mg</i> | 1 | MO |
| <i>propylthiouracil oral tablet 50mg</i> | 1 | MO |

## IMMUNOLOGICAL AGENTS

### Angioedema Agents

|                                                                               |   |    |
|-------------------------------------------------------------------------------|---|----|
| FIRAZYR SUBCUTANEOUS SOLUTION<br>PREFILLED SYRINGE 30MG/3ML                   | 1 | PA |
| <i>icatibant acetate subcutaneous solution prefilled<br/>syringe 30mg/3ml</i> | 1 | PA |
| TAKHZYRO SUBCUTANEOUS SOLUTION<br>300MG/2ML                                   | 1 | PA |
| TAKHZYRO SUBCUTANEOUS SOLUTION<br>PREFILLED SYRINGE 150MG/ML, 300MG/2ML       | 1 | PA |

| Drug Name                                                                                             | Drug Tier | Requirements/Limits |
|-------------------------------------------------------------------------------------------------------|-----------|---------------------|
| <b>Immunoglobulins</b>                                                                                |           |                     |
| PANZYGA INTRAVENOUS SOLUTION<br>1GM/10ML, 10GM/100ML, 2.5GM/25ML,<br>20GM/200ML, 30GM/300ML, 5GM/50ML | 1         | BvD                 |
| PRIVIGEN INTRAVENOUS SOLUTION<br>20GM/200ML                                                           | 1         | BvD                 |
| <b>Immunological Agents, Other</b>                                                                    |           |                     |
| ARCALYST SUBCUTANEOUS SOLUTION<br>RECONSTITUTED 220MG                                                 | 1         | PA                  |
| COSENTYX (300MG DOSE) SUBCUTANEOUS<br>SOLUTION PREFILLED SYRINGE 150MG/ML                             | 1         | PA                  |
| COSENTYX SENSOREADY (300MG)<br>SUBCUTANEOUS SOLUTION AUTO-INJECTOR<br>150MG/ML                        | 1         | PA                  |
| COSENTYX SUBCUTANEOUS SOLUTION<br>PREFILLED SYRINGE 75MG/0.5ML                                        | 1         | PA                  |
| DUPIXENT SUBCUTANEOUS SOLUTION<br>PEN-INJECTOR 200MG/1.14ML, 300MG/2ML                                | 1         | PA                  |
| DUPIXENT SUBCUTANEOUS SOLUTION<br>PREFILLED SYRINGE 100MG/0.67ML,<br>200MG/1.14ML, 300MG/2ML          | 1         | PA                  |
| <i>leflunomide oral tablet 10mg, 20mg</i>                                                             | 1         | MO                  |
| RINVOQ ORAL TABLET EXTENDED RELEASE<br>24-HOUR 15MG, 30MG, 45MG                                       | 1         | PA                  |
| SKYRIZI PEN SUBCUTANEOUS SOLUTION<br>AUTO-INJECTOR 150MG/ML                                           | 1         | PA                  |
| SKYRIZI SUBCUTANEOUS SOLUTION<br>CARTRIDGE 180MG/1.2ML, 360MG/2.4ML                                   | 1         | PA                  |
| SKYRIZI SUBCUTANEOUS SOLUTION<br>PREFILLED SYRINGE 150MG/ML                                           | 1         | PA                  |
| STELARA SUBCUTANEOUS SOLUTION<br>45MG/0.5ML                                                           | 1         | PA                  |
| STELARA SUBCUTANEOUS SOLUTION<br>PREFILLED SYRINGE 45MG/0.5ML, 90MG/ML                                | 1         | PA                  |
| TAVNEOS ORAL CAPSULE 10MG                                                                             | 1         | PA                  |
| XOLAIR SUBCUTANEOUS SOLUTION<br>PREFILLED SYRINGE 150MG/ML, 75MG/0.5ML                                | 1         | PA                  |

| Drug Name                                                             | Drug Tier | Requirements/Limits             |
|-----------------------------------------------------------------------|-----------|---------------------------------|
| XOLAIR SUBCUTANEOUS SOLUTION<br>RECONSTITUTED 150MG                   | 1         | PA                              |
| <b>Immunostimulants</b>                                               |           |                                 |
| ACTIMMUNE SUBCUTANEOUS SOLUTION<br>2000000UNIT/0.5ML                  | 1         | PA                              |
| BESREMI SUBCUTANEOUS SOLUTION<br>PREFILLED SYRINGE 500MCG/ML          | 1         | PA                              |
| PEGASYS SUBCUTANEOUS SOLUTION<br>180MCG/ML                            | 1         | PA                              |
| PEGASYS SUBCUTANEOUS SOLUTION<br>PREFILLED SYRINGE 180MCG/0.5ML       | 1         | PA                              |
| <b>Immunosuppressants</b>                                             |           |                                 |
| AZASAN ORAL TABLET 100MG, 75MG                                        | 1         | BvD; MO                         |
| <i>azathioprine oral tablet 100mg, 50mg, 75mg</i>                     | 1         | BvD; MO                         |
| BENLYSTA SUBCUTANEOUS SOLUTION<br>AUTO-INJECTOR 200MG/ML              | 1         | PA                              |
| BENLYSTA SUBCUTANEOUS SOLUTION<br>PREFILLED SYRINGE 200MG/ML          | 1         | PA                              |
| <i>cyclosporine modified oral capsule 100mg, 25mg, 50mg</i>           | 1         | BvD; MO                         |
| <i>cyclosporine modified oral solution 100mg/ml</i>                   | 1         | BvD; MO                         |
| <i>cyclosporine oral capsule 100mg, 25mg</i>                          | 1         | BvD; MO                         |
| ENBREL MINI SUBCUTANEOUS SOLUTION<br>CARTRIDGE 50MG/ML                | 1         | PA                              |
| ENBREL SUBCUTANEOUS SOLUTION<br>25MG/0.5ML                            | 1         | PA                              |
| ENBREL SUBCUTANEOUS SOLUTION<br>PREFILLED SYRINGE 25MG/0.5ML, 50MG/ML | 1         | PA                              |
| ENBREL SURECLICK SUBCUTANEOUS<br>SOLUTION AUTO-INJECTOR 50MG/ML       | 1         | PA                              |
| ENSPRYNG SUBCUTANEOUS SOLUTION<br>PREFILLED SYRINGE 120MG/ML          | 1         | PA                              |
| ENVARUSUS XR ORAL TABLET EXTENDED<br>RELEASE 24-HOUR 0.75MG, 1MG, 4MG | 1         | BvD; MO                         |
| <i>everolimus oral tablet 0.25mg</i>                                  | 1         | BvD; MO; QL (60 EA per 30 days) |
| <i>everolimus oral tablet 0.5mg</i>                                   | 1         | BvD; QL (120 EA per 30 days)    |

| Drug Name                                                                                                  | Drug Tier | Requirements/Limits         |
|------------------------------------------------------------------------------------------------------------|-----------|-----------------------------|
| <i>everolimus oral tablet 0.75mg, 1mg</i>                                                                  | 1         | BvD; QL (60 EA per 30 days) |
| GENGRAF ORAL CAPSULE 100MG, 25MG                                                                           | 1         | BvD; MO                     |
| GENGRAF ORAL SOLUTION 100MG/ML                                                                             | 1         | BvD; MO                     |
| HUMIRA PEDIATRIC CROHNS START<br>SUBCUTANEOUS PREFILLED SYRINGE KIT<br>80MG/0.8ML, 80MG/0.8ML & 40MG/0.4ML | 1         | PA                          |
| HUMIRA PEN SUBCUTANEOUS<br>PEN-INJECTOR KIT 40MG/0.4ML, 40MG/0.8ML,<br>80MG/0.8ML                          | 1         | PA                          |
| HUMIRA PEN-CD/UC/HS STARTER<br>SUBCUTANEOUS PEN-INJECTOR KIT<br>40MG/0.8ML, 80MG/0.8ML                     | 1         | PA                          |
| HUMIRA PEN-PEDIATRIC UC START<br>SUBCUTANEOUS PEN-INJECTOR KIT<br>80MG/0.8ML                               | 1         | PA                          |
| HUMIRA PEN-PS/UV/ADOL HS START<br>SUBCUTANEOUS PEN-INJECTOR KIT<br>40MG/0.8ML                              | 1         | PA                          |
| HUMIRA PEN-PSOR/UEIT STARTER<br>SUBCUTANEOUS PEN-INJECTOR KIT<br>80MG/0.8ML & 40MG/0.4ML                   | 1         | PA                          |
| HUMIRA SUBCUTANEOUS PREFILLED<br>SYRINGE KIT 10MG/0.1ML, 20MG/0.2ML,<br>40MG/0.4ML, 40MG/0.8ML             | 1         | PA                          |
| LUPKYNIS ORAL CAPSULE 7.9MG                                                                                | 1         | PA; QL (180 EA per 30 days) |
| <i>methotrexate sodium (pf) injection solution<br/>50mg/2ml</i>                                            | 1         | BvD                         |
| <i>methotrexate sodium injection solution 50mg/2ml</i>                                                     | 1         | BvD                         |
| <i>methotrexate sodium oral tablet 2.5mg</i>                                                               | 1         | BvD                         |
| <i>mycophenolate mofetil oral capsule 250mg</i>                                                            | 1         | BvD; MO                     |
| <i>mycophenolate mofetil oral suspension<br/>reconstituted 200mg/ml</i>                                    | 1         | BvD                         |
| <i>mycophenolate mofetil oral tablet 500mg</i>                                                             | 1         | BvD; MO                     |
| <i>mycophenolate sodium oral tablet delayed release<br/>180mg, 360mg</i>                                   | 1         | BvD; MO                     |
| PROGRAF ORAL PACKET 0.2MG, 1MG                                                                             | 1         | BvD; MO                     |
| REZUROCK ORAL TABLET 200MG                                                                                 | 1         | PA                          |
| <i>sirolimus oral solution 1mg/ml</i>                                                                      | 1         | BvD                         |

| Drug Name                                                                         | Drug Tier | Requirements/Limits |
|-----------------------------------------------------------------------------------|-----------|---------------------|
| <i>sirolimus oral tablet 0.5mg, 1mg</i>                                           | 1         | BvD; MO             |
| <i>sirolimus oral tablet 2mg</i>                                                  | 1         | BvD                 |
| <i>tacrolimus oral capsule 0.5mg, 1mg, 5mg</i>                                    | 1         | BvD; MO             |
| TREXALL ORAL TABLET 10MG, 15MG, 5MG, 7.5MG                                        | 1         | BvD                 |
| <b>Vaccines</b>                                                                   |           |                     |
| ABRYSVO INTRAMUSCULAR SOLUTION RECONSTITUTED 120MCG/0.5ML                         | 1         |                     |
| ACTHIB INTRAMUSCULAR SOLUTION RECONSTITUTED                                       | 1         |                     |
| ADACEL INTRAMUSCULAR SUSPENSION 5-2-15.5 (PREFILLED SYRINGE), 5-2-15.5 LF-MCG/0.5 | 1         |                     |
| AREXVY INTRAMUSCULAR SUSPENSION RECONSTITUTED 120MCG/0.5ML                        | 1         |                     |
| <i>bcg vaccine injection solution reconstituted 50mg</i>                          | 1         |                     |
| BEXSERO INTRAMUSCULAR SUSPENSION PREFILLED SYRINGE                                | 1         |                     |
| BOOSTRIX INTRAMUSCULAR SUSPENSION 5-2.5-18.5 LF-MCG/0.5                           | 1         |                     |
| BOOSTRIX INTRAMUSCULAR SUSPENSION PREFILLED SYRINGE 5-2.5-18.5 LF-MCG/0.5         | 1         |                     |
| DAPTACEL INTRAMUSCULAR SUSPENSION 23-15-5                                         | 1         |                     |
| <i>diphtheria-tetanus toxoids dt intramuscular suspension 25-5 lfu/0.5ml</i>      | 1         | BvD                 |
| ENGRIX-B INJECTION SUSPENSION 20MCG/ML                                            | 1         | BvD                 |
| ENGRIX-B INJECTION SUSPENSION PREFILLED SYRINGE 10MCG/0.5ML, 20MCG/ML             | 1         | BvD                 |
| GARDASIL 9 INTRAMUSCULAR SUSPENSION                                               | 1         |                     |
| GARDASIL 9 INTRAMUSCULAR SUSPENSION PREFILLED SYRINGE                             | 1         |                     |
| HAVRIX INTRAMUSCULAR SUSPENSION 1440 EL U/ML, 720 EL U/0.5ML                      | 1         |                     |

| Drug Name                                                          | Drug Tier | Requirements/Limits |
|--------------------------------------------------------------------|-----------|---------------------|
| HEPLISAV-B INTRAMUSCULAR SOLUTION<br>PREFILLED SYRINGE 20MCG/0.5ML | 1         | BvD                 |
| HIBERIX INJECTION SOLUTION<br>RECONSTITUTED 10MCG                  | 1         |                     |
| IMOVAX RABIES INTRAMUSCULAR<br>SUSPENSION RECONSTITUTED 2.5UNIT/ML | 1         | BvD                 |
| INFANRIX INTRAMUSCULAR SUSPENSION<br>25-58-10                      | 1         |                     |
| IPOL INJECTION INJECTABLE                                          | 1         |                     |
| IXIARO INTRAMUSCULAR SUSPENSION                                    | 1         |                     |
| JYNNEOS SUBCUTANEOUS SUSPENSION<br>0.5ML                           | 1         |                     |
| KINRIX INTRAMUSCULAR SUSPENSION<br>PREFILLED SYRINGE 0.5ML         | 1         |                     |
| MENACTRA INTRAMUSCULAR SOLUTION                                    | 1         |                     |
| MENQUADFI INTRAMUSCULAR SOLUTION                                   | 1         |                     |
| MENVEO INTRAMUSCULAR SOLUTION<br>RECONSTITUTED                     | 1         |                     |
| M-M-R II INJECTION SOLUTION<br>RECONSTITUTED                       | 1         |                     |
| PEDIARIX INTRAMUSCULAR SUSPENSION<br>PREFILLED SYRINGE             | 1         |                     |
| PEDVAX HIB INTRAMUSCULAR SUSPENSION<br>7.5MCG/0.5ML                | 1         |                     |
| PENTACEL INTRAMUSCULAR SUSPENSION<br>RECONSTITUTED                 | 1         |                     |
| <i>prehevbrio intramuscular suspension 10mcg/ml</i>                | 1         | BvD                 |
| PRIORIX SUBCUTANEOUS SUSPENSION<br>RECONSTITUTED                   | 1         |                     |
| PROQUAD SUBCUTANEOUS SUSPENSION<br>RECONSTITUTED                   | 1         |                     |
| QUADRACEL INTRAMUSCULAR SUSPENSION,<br>(58 UNT/ML)                 | 1         |                     |
| QUADRACEL INTRAMUSCULAR SUSPENSION<br>PREFILLED SYRINGE 0.5ML      | 1         |                     |
| RABAERT INTRAMUSCULAR SUSPENSION<br>RECONSTITUTED                  | 1         | BvD                 |

| Drug Name                                                                                       | Drug Tier | Requirements/Limits |
|-------------------------------------------------------------------------------------------------|-----------|---------------------|
| RECOMBIVAX HB INJECTION SUSPENSION<br>10MCG/ML, 40MCG/ML, 5MCG/0.5ML                            | 1         | BvD                 |
| RECOMBIVAX HB INJECTION SUSPENSION<br>PREFILLED SYRINGE 10MCG/ML, 5MCG/0.5ML                    | 1         | BvD                 |
| ROTARIX ORAL SUSPENSION                                                                         | 1         |                     |
| ROTARIX ORAL SUSPENSION<br>RECONSTITUTED                                                        | 1         |                     |
| ROTATEQ ORAL SOLUTION                                                                           | 1         |                     |
| SHINGRIX INTRAMUSCULAR SUSPENSION<br>RECONSTITUTED 50MCG/0.5ML                                  | 1         |                     |
| TDVAX INTRAMUSCULAR SUSPENSION 2-2<br>LF/0.5ML                                                  | 1         | BvD                 |
| TENIVAC INTRAMUSCULAR INJECTABLE 5-2<br>LFU, 5-2 LFU (INJECTION)                                | 1         | BvD                 |
| TICOVAC INTRAMUSCULAR SUSPENSION<br>PREFILLED SYRINGE 1.2MCG/0.25ML,<br>2.4MCG/0.5ML            | 1         |                     |
| TRUMENBA INTRAMUSCULAR SUSPENSION<br>PREFILLED SYRINGE                                          | 1         |                     |
| TWINRIX INTRAMUSCULAR SUSPENSION<br>PREFILLED SYRINGE 720-20 ELU-MCG/ML                         | 1         |                     |
| TYPHIM VI INTRAMUSCULAR SOLUTION<br>25MCG/0.5ML                                                 | 1         |                     |
| TYPHIM VI INTRAMUSCULAR SOLUTION<br>PREFILLED SYRINGE 25MCG/0.5ML                               | 1         |                     |
| VAQTA INTRAMUSCULAR SUSPENSION<br>25UNIT/0.5ML, 25UNIT/0.5ML 0.5ML,<br>50UNIT/ML, 50UNIT/ML 1ML | 1         |                     |
| VARIVAX SUBCUTANEOUS INJECTABLE 1350<br>PFU/0.5ML                                               | 1         |                     |
| YF-VAX SUBCUTANEOUS INJECTABLE, (2.5ML<br>IN 1 VIAL, MULTI-DOSE)                                | 1         |                     |
| <b>INFLAMMATORY BOWEL DISEASE AGENTS</b>                                                        |           |                     |
| <b><i>Aminosalicylates</i></b>                                                                  |           |                     |
| <i>balsalazide disodium oral capsule 750mg</i>                                                  | 1         |                     |
| LIALDA ORAL TABLET DELAYED RELEASE<br>1.2GM                                                     | 1         | MO                  |

| Drug Name                                                                 | Drug Tier | Requirements/Limits             |
|---------------------------------------------------------------------------|-----------|---------------------------------|
| <i>mesalamine er oral capsule extended release 24-hour 0.375gm</i>        | 1         | MO                              |
| <i>mesalamine oral capsule delayed release 400mg</i>                      | 1         | MO                              |
| <i>mesalamine oral tablet delayed release 800mg</i>                       | 1         |                                 |
| <i>mesalamine rectal enema 4gm</i>                                        | 1         |                                 |
| <i>sulfasalazine oral tablet 500mg</i>                                    | 1         | MO                              |
| <i>sulfasalazine oral tablet delayed release 500mg</i>                    | 1         | MO                              |
| <b>Glucocorticoids</b>                                                    |           |                                 |
| <i>budesonide er oral tablet extended release 24-hour 9mg</i>             | 1         |                                 |
| <i>budesonide oral capsule delayed release particles 3mg</i>              | 1         |                                 |
| <i>hydrocortisone rectal enema 100mg/60ml</i>                             | 1         |                                 |
| <b>METABOLIC BONE DISEASE AGENTS</b>                                      |           |                                 |
| <b>Metabolic Bone Disease Agents</b>                                      |           |                                 |
| <i>alendronate sodium oral tablet 10mg</i>                                | 1         | MO; QL (30 EA per 30 days)      |
| <i>alendronate sodium oral tablet 35mg, 70mg</i>                          | 1         | MO; QL (4 EA per 28 days)       |
| <i>calcitonin (salmon) nasal solution 200unit/act</i>                     | 1         | BvD; MO; QL (4ML per 28 days)   |
| <i>calcitriol oral capsule 0.25mcg, 0.5mcg</i>                            | 1         | BvD; MO                         |
| <i>calcitriol oral solution 1mcg/ml</i>                                   | 1         | BvD; MO                         |
| <i>cinacalcet hcl oral tablet 30mg</i>                                    | 1         | BvD; MO; QL (60 EA per 30 days) |
| <i>cinacalcet hcl oral tablet 60mg</i>                                    | 1         | BvD; QL (60 EA per 30 days)     |
| <i>cinacalcet hcl oral tablet 90mg</i>                                    | 1         | BvD; QL (120 EA per 30 days)    |
| <i>ibandronate sodium oral tablet 150mg</i>                               | 1         | MO; QL (1 EA per 30 days)       |
| NATPARA SUBCUTANEOUS CARTRIDGE 100MCG, 25MCG, 50MCG, 75MCG                | 1         | PA                              |
| <i>paricalcitol oral capsule 1mcg, 2mcg, 4mcg</i>                         | 1         | BvD; MO                         |
| PROLIA SUBCUTANEOUS SOLUTION PREFILLED SYRINGE 60MG/ML                    | 1         | QL (1ML per 180 days)           |
| <i>raloxifene hcl oral tablet 60mg</i>                                    | 1         | MO                              |
| <i>risedronate sodium oral tablet 150mg</i>                               | 1         | MO; QL (1 EA per 28 days)       |
| <i>risedronate sodium oral tablet 30mg</i>                                | 1         | QL (30 EA per 30 days)          |
| <i>risedronate sodium oral tablet 35mg, 35mg (12 pack), 35mg (4 pack)</i> | 1         | MO; QL (4 EA per 28 days)       |

| Drug Name                                                                          | Drug Tier | Requirements/Limits         |
|------------------------------------------------------------------------------------|-----------|-----------------------------|
| <i>risedronate sodium oral tablet 5mg</i>                                          | 1         | MO; QL (30 EA per 30 days)  |
| <i>teriparatide (recombinant) subcutaneous solution pen-injector 620mcg/2.48ml</i> | 1         | PA; QL (2.48ML per 28 days) |
| TYMLOS SUBCUTANEOUS SOLUTION<br>PEN-INJECTOR 3120MCG/1.56ML                        | 1         | PA; QL (1.56ML per 30 days) |
| XGEVA SUBCUTANEOUS SOLUTION<br>120MG/1.7ML                                         | 1         | PA; QL (2ML per 28 days)    |

## OPHTHALMIC AGENTS

### *Ophthalmic Agents, Other*

|                                                                          |   |                            |
|--------------------------------------------------------------------------|---|----------------------------|
| <i>atropine sulfate ophthalmic solution 1%</i>                           | 1 | MO                         |
| <i>bacitra-neomycin-polymyxin-hc ophthalmic ointment 1%</i>              | 1 |                            |
| <i>cyclosporine ophthalmic emulsion 0.05%</i>                            | 1 | MO; QL (60 EA per 30 days) |
| CYSTADROPS OPHTHALMIC SOLUTION 0.37%                                     | 1 | PA                         |
| CYSTARAN OPHTHALMIC SOLUTION 0.44%                                       | 1 | PA                         |
| <i>neomycin-polymyxin-dexameth ophthalmic ointment 3.5-10000-0.1</i>     | 1 |                            |
| <i>neomycin-polymyxin-dexameth ophthalmic suspension 3.5-10000-0.1</i>   | 1 |                            |
| <i>neomycin-polymyxin-gramicidin ophthalmic solution 1.75-10000-.025</i> | 1 |                            |
| <i>neomycin-polymyxin-hc ophthalmic suspension 3.5-10000-1</i>           | 1 |                            |
| <i>polymyxin b-trimethoprim ophthalmic solution 10000-0.1unit/ml-%</i>   | 1 |                            |
| <i>sulfacetamide-prednisolone ophthalmic solution 10-0.23%</i>           | 1 |                            |
| <i>tobramycin-dexamethasone ophthalmic suspension 0.3-0.1%</i>           | 1 |                            |

### *Ophthalmic Anti-Allergy Agents*

|                                                 |   |  |
|-------------------------------------------------|---|--|
| <i>azelastine hcl ophthalmic solution 0.05%</i> | 1 |  |
| <i>cromolyn sodium ophthalmic solution 4%</i>   | 1 |  |
| <i>olopatadine hcl ophthalmic solution 0.1%</i> | 1 |  |

### *Ophthalmic Anti-Infectives*

|                                |   |  |
|--------------------------------|---|--|
| AZASITE OPHTHALMIC SOLUTION 1% | 1 |  |
|--------------------------------|---|--|

| Drug Name                                                             | Drug Tier | Requirements/Limits |
|-----------------------------------------------------------------------|-----------|---------------------|
| <i>bacitracin ophthalmic ointment 500unit/gm</i>                      | 1         |                     |
| <i>bacitracin-polymyxin b ophthalmic ointment 500-10000unit/gm</i>    | 1         |                     |
| <i>erythromycin ophthalmic ointment 5mg/gm</i>                        | 1         |                     |
| <i>gatifloxacin ophthalmic solution 0.5%</i>                          | 1         |                     |
| <i>gentamicin sulfate ophthalmic solution 0.3%</i>                    | 1         |                     |
| <i>moxifloxacin hcl ophthalmic solution 0.5%</i>                      | 1         |                     |
| NATACYN OPHTHALMIC SUSPENSION 5%                                      | 1         |                     |
| <i>neomycin-bacitracin zn-polymyx ophthalmic ointment 5-400-10000</i> | 1         |                     |
| <i>ofloxacin ophthalmic solution 0.3%</i>                             | 1         |                     |
| <i>sulfacetamide sodium ophthalmic solution 10%</i>                   | 1         |                     |
| <i>tobramycin ophthalmic solution 0.3%</i>                            | 1         |                     |
| <b>Ophthalmic Anti-Inflammatories</b>                                 |           |                     |
| <i>bromfenac sodium (once-daily) ophthalmic solution 0.09%</i>        | 1         |                     |
| BROMSITE OPHTHALMIC SOLUTION 0.075%                                   | 1         |                     |
| <i>dexamethasone sodium phosphate ophthalmic solution 0.1%</i>        | 1         |                     |
| <i>diclofenac sodium ophthalmic solution 0.1%</i>                     | 1         |                     |
| DUREZOL OPHTHALMIC EMULSION 0.05%                                     | 1         |                     |
| <i>fluorometholone ophthalmic suspension 0.1%</i>                     | 1         |                     |
| <i>flurbiprofen sodium ophthalmic solution 0.03%</i>                  | 1         |                     |
| ILEVRO OPHTHALMIC SUSPENSION 0.3%                                     | 1         |                     |
| <i>ketorolac tromethamine ophthalmic solution 0.4%, 0.5%</i>          | 1         |                     |
| <i>loteprednol etabonate ophthalmic suspension 0.5%</i>               | 1         |                     |
| <i>prednisolone acetate ophthalmic suspension 1%</i>                  | 1         |                     |
| <i>prednisolone sodium phosphate ophthalmic solution 1%</i>           | 1         |                     |
| <b>Ophthalmic Beta-Adrenergic Blocking Agents</b>                     |           |                     |
| <i>betaxolol hcl ophthalmic solution 0.5%</i>                         | 1         | MO                  |
| <i>carteolol hcl ophthalmic solution 1%</i>                           | 1         | MO                  |

| Drug Name                                                            | Drug Tier | Requirements/Limits |
|----------------------------------------------------------------------|-----------|---------------------|
| <i>levobunolol hcl ophthalmic solution 0.5%</i>                      | 1         | MO                  |
| <i>timolol maleate (once-daily) ophthalmic solution 0.5%</i>         | 1         | MO                  |
| <i>timolol maleate ophthalmic gel forming solution 0.25%, 0.5%</i>   | 1         | MO                  |
| <i>timolol maleate ophthalmic solution 0.25%, 0.5%</i>               | 1         | MO                  |
| <b>Ophthalmic Intraocular Pressure Lowering Agents, Other</b>        |           |                     |
| <i>acetazolamide er oral capsule extended release 12-hour 500mg</i>  | 1         | MO                  |
| <i>acetazolamide oral tablet 125mg, 250mg</i>                        | 1         | MO                  |
| ALPHAGAN P OPHTHALMIC SOLUTION 0.1%                                  | 1         | MO                  |
| <i>apraclonidine hcl ophthalmic solution 0.5%</i>                    | 1         |                     |
| AZOPT OPHTHALMIC SUSPENSION 1%                                       | 1         | MO                  |
| <i>brimonidine tartrate ophthalmic solution 0.15%, 0.2%</i>          | 1         | MO                  |
| <i>brimonidine tartrate-timolol ophthalmic solution 0.2-0.5%</i>     | 1         | MO                  |
| COMBIGAN OPHTHALMIC SOLUTION 0.2-0.5%                                | 1         | MO                  |
| <i>dorzolamide hcl ophthalmic solution 2%</i>                        | 1         | MO                  |
| <i>dorzolamide hcl-timolol mal ophthalmic solution 22.3-6.8mg/ml</i> | 1         | MO                  |
| <i>dorzolamide hcl-timolol mal pf ophthalmic solution 2-0.5%</i>     | 1         | MO                  |
| <i>methazolamide oral tablet 25mg, 50mg</i>                          | 1         | MO                  |
| <i>pilocarpine hcl ophthalmic solution 1%, 2%, 4%</i>                | 1         | MO                  |
| RHOPRESSA OPHTHALMIC SOLUTION 0.02%                                  | 1         | MO                  |
| ROCKLATAN OPHTHALMIC SOLUTION 0.02-0.005%                            | 1         | MO                  |
| SIMBRINZA OPHTHALMIC SUSPENSION 1-0.2%                               | 1         | MO                  |
| <b>Ophthalmic Prostaglandin and Prostanoid Analogs</b>               |           |                     |
| <i>latanoprost ophthalmic solution 0.005%</i>                        | 1         | MO                  |
| LUMIGAN OPHTHALMIC SOLUTION 0.01%                                    | 1         | MO                  |
| <i>travoprost (bak free) ophthalmic solution 0.004%</i>              | 1         | MO                  |

| Drug Name                                                                                    | Drug Tier | Requirements/Limits        |
|----------------------------------------------------------------------------------------------|-----------|----------------------------|
| <b>OTIC AGENTS</b>                                                                           |           |                            |
| <b>Otic Agents</b>                                                                           |           |                            |
| <i>acetic acid otic solution 2%</i>                                                          | 1         |                            |
| <i>ciprofloxacin hcl otic solution 0.2%</i>                                                  | 1         |                            |
| <i>ciprofloxacin-dexamethasone otic suspension 0.3-0.1%</i>                                  | 1         |                            |
| <i>ciprofloxacin-fluocinolone pf otic solution 0.3-0.025%</i>                                | 1         |                            |
| <i>fluocinolone acetonide otic oil 0.01%</i>                                                 | 1         |                            |
| <i>neomycin-polymyxin-hc otic solution 1%</i>                                                | 1         |                            |
| <i>neomycin-polymyxin-hc otic suspension 3.5-10000-1</i>                                     | 1         |                            |
| <i>ofloxacin otic solution 0.3%</i>                                                          | 1         |                            |
| <b>RESPIRATORY TRACT/ PULMONARY AGENTS</b>                                                   |           |                            |
| <b>Antihistamines</b>                                                                        |           |                            |
| <i>azelastine hcl nasal solution 0.1%</i>                                                    | 1         | QL (30ML per 25 days)      |
| <i>cetirizine hcl oral solution 1mg/ml</i>                                                   | 1         |                            |
| <i>cyproheptadine hcl oral syrup 2mg/5ml</i>                                                 | 1         |                            |
| <i>cyproheptadine hcl oral tablet 4mg</i>                                                    | 1         |                            |
| <i>levocetirizine dihydrochloride oral solution 2.5mg/5ml</i>                                | 1         |                            |
| <i>levocetirizine dihydrochloride oral tablet 5mg</i>                                        | 1         |                            |
| <b>Anti-Inflammatories, Inhaled Corticosteroids</b>                                          |           |                            |
| ARNUITY ELLIPTA INHALATION AEROSOL POWDER BREATH ACTIVATED 100MCG/ACT, 200MCG/ACT, 50MCG/ACT | 1         | MO; QL (30 EA per 30 days) |
| ASMANEX (120 METERED DOSES) INHALATION AEROSOL POWDER BREATH ACTIVATED 220MCG/ACT            | 1         | MO; QL (2 EA per 30 days)  |
| ASMANEX (30 METERED DOSES) INHALATION AEROSOL POWDER BREATH ACTIVATED 110MCG/ACT, 220MCG/ACT | 1         | MO; QL (2 EA per 30 days)  |
| ASMANEX (60 METERED DOSES) INHALATION AEROSOL POWDER BREATH ACTIVATED 220MCG/ACT             | 1         | MO; QL (2 EA per 30 days)  |

| Drug Name                                                                                         | Drug Tier | Requirements/Limits         |
|---------------------------------------------------------------------------------------------------|-----------|-----------------------------|
| ASMANEX HFA INHALATION AEROSOL<br>100MCG/ACT, 200MCG/ACT, 50MCG/ACT                               | 1         | MO; QL (26GM per 30 days)   |
| <i>budesonide inhalation suspension 0.25mg/2ml,<br/>0.5mg/2ml, 1mg/2ml</i>                        | 1         | BvD; MO                     |
| FLOVENT DISKUS INHALATION AEROSOL<br>POWDER BREATH ACTIVATED 100MCG/ACT,<br>250MCG/ACT, 50MCG/ACT | 1         | MO; QL (60 EA per 30 days)  |
| FLOVENT HFA INHALATION AEROSOL<br>110MCG/ACT, 220MCG/ACT                                          | 1         | MO; QL (24GM per 30 days)   |
| FLOVENT HFA INHALATION AEROSOL<br>44MCG/ACT                                                       | 1         | MO; QL (21.2GM per 30 days) |
| <i>flunisolide nasal solution 25mcg/act (0.025%)</i>                                              | 1         | QL (50ML per 30 days)       |
| <i>fluticasone propionate nasal suspension<br/>50mcg/act</i>                                      | 1         | QL (16GM per 30 days)       |
| <i>mometasone furoate nasal suspension 50mcg/act</i>                                              | 1         | QL (34GM per 30 days)       |
| <b>Antileukotrienes</b>                                                                           |           |                             |
| <i>montelukast sodium oral packet 4mg</i>                                                         | 1         | MO; QL (30 EA per 30 days)  |
| <i>montelukast sodium oral tablet 10mg</i>                                                        | 1         | MO; QL (30 EA per 30 days)  |
| <i>montelukast sodium oral tablet chewable 4mg,<br/>5mg</i>                                       | 1         | MO; QL (30 EA per 30 days)  |
| <i>zafirlukast oral tablet 10mg, 20mg</i>                                                         | 1         | MO; QL (60 EA per 30 days)  |
| <b>Bronchodilators, Anticholinergic</b>                                                           |           |                             |
| ATROVENT HFA INHALATION AEROSOL<br>SOLUTION 17MCG/ACT                                             | 1         | MO; QL (26GM per 30 days)   |
| <i>ipratropium bromide inhalation solution 0.02%</i>                                              | 1         | BvD; MO                     |
| <i>ipratropium bromide nasal solution 0.03%</i>                                                   | 1         | MO; QL (60ML per 30 days)   |
| <i>ipratropium bromide nasal solution 0.06%</i>                                                   | 1         | MO; QL (30ML per 30 days)   |
| SPIRIVA HANDIHALER INHALATION CAPSULE<br>18MCG                                                    | 1         | MO; QL (30 EA per 30 days)  |
| SPIRIVA RESPIMAT INHALATION AEROSOL<br>SOLUTION 1.25MCG/ACT, 2.5MCG/ACT                           | 1         | MO; QL (4GM per 30 days)    |
| <b>Bronchodilators, Sympathomimetic</b>                                                           |           |                             |
| <i>albuterol sulfate hfa inhalation aerosol solution<br/>108 (90 base)mcg/act</i>                 | 1         | MO; QL (17GM per 30 days)   |
| <i>albuterol sulfate hfa inhalation aerosol solution<br/>108 (90 base)mcg/act (nda020503)</i>     | 1         | MO; QL (13.4GM per 30 days) |

| Drug Name                                                                                                         | Drug Tier | Requirements/Limits        |
|-------------------------------------------------------------------------------------------------------------------|-----------|----------------------------|
| <i>albuterol sulfate hfa inhalation aerosol solution 108 (90 base)mcg/act (nda020983)</i>                         | 1         | MO; QL (36GM per 30 days)  |
| <i>albuterol sulfate inhalation nebulization solution (2.5mg/3ml) 0.083%, 0.63mg/3ml, 1.25mg/3ml, 2.5mg/0.5ml</i> | 1         | BvD; MO                    |
| <i>albuterol sulfate oral syrup 2mg/5ml</i>                                                                       | 1         | MO                         |
| <i>albuterol sulfate oral tablet 2mg, 4mg</i>                                                                     | 1         | MO                         |
| <i>epinephrine injection solution 0.3mg/0.3ml</i>                                                                 | 1         |                            |
| <i>epinephrine injection solution auto-injector 0.15mg/0.15ml, 0.15mg/0.3ml, 0.3mg/0.3ml</i>                      | 1         |                            |
| SEREVENT DISKUS INHALATION AEROSOL POWDER BREATH ACTIVATED 50MCG/ACT                                              | 1         | MO; QL (60 EA per 30 days) |
| <i>terbutaline sulfate oral tablet 2.5mg, 5mg</i>                                                                 | 1         | MO                         |
| VENTOLIN HFA INHALATION AEROSOL SOLUTION 108 (90 BASE)MCG/ACT                                                     | 1         | MO; QL (36GM per 30 days)  |
| <b>Cystic Fibrosis Agents</b>                                                                                     |           |                            |
| CAYSTON INHALATION SOLUTION RECONSTITUTED 75MG                                                                    | 1         | PA                         |
| KALYDECO ORAL PACKET 13.4MG, 25MG, 50MG, 75MG                                                                     | 1         | PA                         |
| KALYDECO ORAL TABLET 150MG                                                                                        | 1         | PA                         |
| ORKAMBI ORAL PACKET 100-125MG, 150-188MG, 75-94MG                                                                 | 1         | PA                         |
| ORKAMBI ORAL TABLET 100-125MG, 200-125MG                                                                          | 1         | PA                         |
| PULMOZYME INHALATION SOLUTION 2.5MG/2.5ML                                                                         | 1         | BvD                        |
| SYMDEKO ORAL TABLET THERAPY PACK 100-150 & 150MG, 50-75 & 75MG                                                    | 1         | PA                         |
| TOBI PODHALER INHALATION CAPSULE 28MG                                                                             | 1         | PA                         |
| <i>tobramycin inhalation nebulization solution 300mg/5ml</i>                                                      | 1         | BvD                        |
| TRIKAFTA ORAL TABLET THERAPY PACK 100-50-75 & 150MG, 50-25-37.5 & 75MG                                            | 1         | PA                         |
| TRIKAFTA ORAL THERAPY PACK 100-50-75 & 75MG, 80-40-60 & 59.5MG                                                    | 1         | PA                         |

| Drug Name                                                                                            | Drug Tier | Requirements/Limits            |
|------------------------------------------------------------------------------------------------------|-----------|--------------------------------|
| <b>Phosphodiesterase Inhibitors, Airways Disease</b>                                                 |           |                                |
| <i>roflumilast oral tablet 250mcg, 500mcg</i>                                                        | 1         | MO; QL (30 EA per 30 days)     |
| <i>theophylline er oral tablet extended release 12-hour 300mg, 450mg</i>                             | 1         | MO                             |
| <i>theophylline er oral tablet extended release 24-hour 400mg, 600mg</i>                             | 1         | MO                             |
| <b>Pulmonary Antihypertensives</b>                                                                   |           |                                |
| ADEMPAS ORAL TABLET 0.5MG, 1MG, 1.5MG, 2MG, 2.5MG                                                    | 1         | PA; QL (90 EA per 30 days)     |
| <i>ambrisentan oral tablet 10mg, 5mg</i>                                                             | 1         | PA; QL (30 EA per 30 days)     |
| <i>bosentan oral tablet 125mg, 62.5mg</i>                                                            | 1         | PA; QL (60 EA per 30 days)     |
| OPSUMIT ORAL TABLET 10MG                                                                             | 1         | PA; QL (90 EA per 30 days)     |
| <i>sildenafil citrate oral tablet 20mg</i>                                                           | 1         | PA; MO; QL (90 EA per 30 days) |
| <b>Pulmonary Fibrosis Agents</b>                                                                     |           |                                |
| OFEV ORAL CAPSULE 100MG, 150MG                                                                       | 1         | PA                             |
| <i>pirfenidone oral capsule 267mg</i>                                                                | 1         | PA                             |
| <i>pirfenidone oral tablet 267mg, 534mg, 801mg</i>                                                   | 1         | PA                             |
| <b>Respiratory Tract Agents, Other</b>                                                               |           |                                |
| <i>acetylcysteine inhalation solution 10%, 20%</i>                                                   | 1         | BvD                            |
| ADVAIR DISKUS INHALATION AEROSOL POWDER BREATH ACTIVATED 100-50MCG/ACT, 250-50MCG/ACT, 500-50MCG/ACT | 1         | MO; QL (60 EA per 30 days)     |
| ADVAIR HFA INHALATION AEROSOL 115-21MCG/ACT, 230-21MCG/ACT, 45-21MCG/ACT                             | 1         | MO; QL (12GM per 30 days)      |
| ANORO ELLIPTA INHALATION AEROSOL POWDER BREATH ACTIVATED 62.5-25MCG/ACT                              | 1         | MO; QL (60 EA per 30 days)     |
| BREO ELLIPTA INHALATION AEROSOL POWDER BREATH ACTIVATED 100-25MCG/ACT, 200-25MCG/ACT                 | 1         | MO; QL (60 EA per 30 days)     |
| BREZTRI AEROSPHERE INHALATION AEROSOL 160-9-4.8MCG/ACT                                               | 1         | MO; QL (10.7GM per 30 days)    |
| <i>budesonide-formoterol fumarate inhalation aerosol 160-4.5mcg/act, 80-4.5mcg/act</i>               | 1         | MO; QL (10.2GM per 30 days)    |

| Drug Name                                                                                                            | Drug Tier | Requirements/Limits        |
|----------------------------------------------------------------------------------------------------------------------|-----------|----------------------------|
| COMBIVENT RESPIMAT INHALATION AEROSOL SOLUTION 20-100MCG/ACT                                                         | 1         | MO; QL (4GM per 20 days)   |
| <i>cromolyn sodium inhalation nebulization solution 20mg/2ml</i>                                                     | 1         | BvD; MO                    |
| <i>fluticasone-salmeterol inhalation aerosol powder breath activated 100-50mcg/act, 250-50mcg/act, 500-50mcg/act</i> | 1         | MO; QL (60 EA per 30 days) |
| <i>fluticasone-salmeterol inhalation aerosol powder breath activated 113-14mcg/act, 232-14mcg/act, 55-14mcg/act</i>  | 1         | MO; QL (1 EA per 30 days)  |
| <i>ipratropium-albuterol inhalation solution 0.5-2.5 (3)mg/3ml</i>                                                   | 1         | BvD; MO                    |
| NUCALA SUBCUTANEOUS SOLUTION AUTO-INJECTOR 100MG/ML                                                                  | 1         | PA                         |
| NUCALA SUBCUTANEOUS SOLUTION PREFILLED SYRINGE 100MG/ML, 40MG/0.4ML                                                  | 1         | PA                         |
| NUCALA SUBCUTANEOUS SOLUTION RECONSTITUTED 100MG                                                                     | 1         | PA                         |
| TRELEGY ELLIPTA INHALATION AEROSOL POWDER BREATH ACTIVATED 100-62.5-25MCG/ACT, 200-62.5-25MCG/ACT                    | 1         | MO; QL (60 EA per 30 days) |

## SKELETAL MUSCLE RELAXANTS

### *Skeletal Muscle Relaxants*

|                                                                           |   |  |
|---------------------------------------------------------------------------|---|--|
| <i>chlorzoxazone oral tablet 250mg, 375mg, 500mg, 750mg</i>               | 1 |  |
| <i>cyclobenzaprine hcl oral tablet 10mg, 5mg, 7.5mg</i>                   | 1 |  |
| <i>methocarbamol oral tablet 500mg, 750mg</i>                             | 1 |  |
| <i>orphenadrine citrate er oral tablet extended release 12-hour 100mg</i> | 1 |  |

## SLEEP DISORDER AGENTS

### *Sleep Promoting Agents*

|                                                  |   |                         |
|--------------------------------------------------|---|-------------------------|
| BELSOMRA ORAL TABLET 10MG, 15MG, 20MG, 5MG       | 1 | QL (30 EA per 30 days)  |
| <i>temazepam oral capsule 15mg, 22.5mg, 30mg</i> | 1 | QL (30 EA per 30 days)  |
| <i>temazepam oral capsule 7.5mg</i>              | 1 | QL (120 EA per 30 days) |
| <i>zaleplon oral capsule 10mg, 5mg</i>           | 1 | QL (30 EA per 30 days)  |

| Drug Name                                                | Drug Tier | Requirements/Limits            |
|----------------------------------------------------------|-----------|--------------------------------|
| <i>zolpidem tartrate oral tablet 10mg, 5mg</i>           | 1         | QL (30 EA per 30 days)         |
| <b>Wakefulness Promoting Agents</b>                      |           |                                |
| <i>armodafinil oral tablet 150mg, 200mg, 250mg, 50mg</i> | 1         | PA; MO; QL (30 EA per 30 days) |
| <i>modafinil oral tablet 100mg, 200mg</i>                | 1         | PA; MO; QL (60 EA per 30 days) |
| <i>sodium oxybate oral solution 500mg/ml</i>             | 1         | PA; QL (540ML per 30 days)     |
| SUNOSI ORAL TABLET 150MG, 75MG                           | 1         | PA; MO; QL (30 EA per 30 days) |
| XYREM ORAL SOLUTION 500MG/ML                             | 1         | PA; QL (540ML per 30 days)     |
| XYWAV ORAL SOLUTION 500MG/ML                             | 1         | PA; QL (540ML per 30 days)     |

# Imperial MAPD 2023 1-Tier (Lista de medicamentos cubiertos)

| Nombre del medicamento                                                                   | Nivel de medicamento | Requisitos/Limites         |
|------------------------------------------------------------------------------------------|----------------------|----------------------------|
| <b>AGENTES ANTIESPASTICIDAD</b>                                                          |                      |                            |
| <b><i>Agentes Antiespasticidad</i></b>                                                   |                      |                            |
| <i>baclofen oral tablet 10mg, 20mg, 5mg</i>                                              | 1                    | MO                         |
| <i>tizanidine hcl oral tablet 2mg, 4mg</i>                                               | 1                    | MO                         |
| <b>AGENTES ANTIMIASTENICOS</b>                                                           |                      |                            |
| <b><i>Parasimpaticomiméticos</i></b>                                                     |                      |                            |
| <i>pyridostigmine bromide oral solution 60mg/5ml</i>                                     | 1                    | MO                         |
| <i>pyridostigmine bromide oral tablet 30mg, 60mg</i>                                     | 1                    | MO                         |
| <b>AGENTES ANTIMIGRAÑOSOS</b>                                                            |                      |                            |
| <b><i>Agonista del Receptor de Serotonina (5-HT)</i></b>                                 |                      |                            |
| <i>naratriptan hcl oral tablet 1mg, 2.5mg</i>                                            | 1                    | MO; QL (9 EA per 30 days)  |
| <i>rizatriptan benzoate oral tablet 10mg, 5mg</i>                                        | 1                    | MO; QL (12 EA per 30 days) |
| <i>rizatriptan benzoate oral tablet dispersible 10mg, 5mg</i>                            | 1                    | MO; QL (12 EA per 30 days) |
| <i>sumatriptan nasal solution 20mg/act</i>                                               | 1                    | MO; QL (12 EA per 30 days) |
| <i>sumatriptan nasal solution 5mg/act</i>                                                | 1                    | MO; QL (18 EA per 30 days) |
| <i>sumatriptan succinate oral tablet 100mg, 25mg, 50mg</i>                               | 1                    | MO; QL (9 EA per 30 days)  |
| <i>sumatriptan succinate refill subcutaneous solution cartridge 4mg/0.5ml, 6mg/0.5ml</i> | 1                    | MO; QL (4ML per 30 days)   |
| <i>sumatriptan succinate subcutaneous solution 6mg/0.5ml</i>                             | 1                    | MO; QL (4ML per 30 days)   |
| <i>sumatriptan succinate subcutaneous solution auto-injector 4mg/0.5ml, 6mg/0.5ml</i>    | 1                    | MO; QL (4ML per 30 days)   |
| <i>zolmitriptan oral tablet 2.5mg, 5mg</i>                                               | 1                    | MO; QL (6 EA per 30 days)  |
| <i>zolmitriptan oral tablet dispersible 2.5mg, 5mg</i>                                   | 1                    | MO; QL (6 EA per 30 days)  |
| <b><i>Alcaloides del Ergot</i></b>                                                       |                      |                            |
| <i>dihydroergotamine mesylate nasal solution 4mg/ml</i>                                  | 1                    |                            |
| <i>ergotamine-caffeine oral tablet 1-100mg</i>                                           | 1                    | MO; QL (40 EA per 28 days) |

| Nombre del medicamento                                                                                                                      | Nivel de medicamento | Requisitos/Limites             |
|---------------------------------------------------------------------------------------------------------------------------------------------|----------------------|--------------------------------|
| <b>Profiláctico</b>                                                                                                                         |                      |                                |
| EMGALITY SUBCUTANEOUS SOLUTION AUTO-INJECTOR 120MG/ML                                                                                       | 1                    | PA; MO                         |
| EMGALITY SUBCUTANEOUS SOLUTION PREFILLED SYRINGE 120MG/ML                                                                                   | 1                    | PA; MO                         |
| EPRONTIA ORAL SOLUTION 25MG/ML                                                                                                              | 1                    | MO                             |
| <i>propranolol hcl er oral capsule extended release 24-hour 80mg</i>                                                                        | 1                    | MO                             |
| <i>propranolol hcl oral tablet 80mg</i>                                                                                                     | 1                    | MO                             |
| <i>topiramate er oral capsule er 24-hour sprinkle 100mg, 150mg, 200mg, 25mg, 50mg</i>                                                       | 1                    | MO                             |
| <i>topiramate oral capsule sprinkle 15mg, 25mg</i>                                                                                          | 1                    | MO                             |
| <i>topiramate oral tablet 100mg, 200mg, 25mg, 50mg</i>                                                                                      | 1                    | MO                             |
| UBRELVY ORAL TABLET 100MG, 50MG                                                                                                             | 1                    | PA; MO; QL (16 EA per 30 days) |
| <b>AGENTES ANTIPARKINSON</b>                                                                                                                |                      |                                |
| <b>Agentes Antiparkinsonianos, Otros</b>                                                                                                    |                      |                                |
| <i>amantadine hcl oral capsule 100mg</i>                                                                                                    | 1                    | MO                             |
| <i>amantadine hcl oral solution 50mg/5ml</i>                                                                                                | 1                    | MO                             |
| <i>amantadine hcl oral tablet 100mg</i>                                                                                                     | 1                    | MO                             |
| <i>carbidopa-levodopa-entacapone oral tablet 12.5-50-200mg, 18.75-75-200mg, 25-100-200mg, 31.25-125-200mg, 37.5-150-200mg, 50-200-200mg</i> | 1                    | MO                             |
| <i>entacapone oral tablet 200mg</i>                                                                                                         | 1                    | MO                             |
| <b>Agonistas de la Dopamina</b>                                                                                                             |                      |                                |
| <i>bromocriptine mesylate oral capsule 5mg</i>                                                                                              | 1                    | MO                             |
| <i>bromocriptine mesylate oral tablet 2.5mg</i>                                                                                             | 1                    | MO                             |
| NEUPRO TRANSDERMAL PATCH 24-HOUR 1MG/24HR, 2MG/24HR, 3MG/24HR, 4MG/24HR, 6MG/24HR, 8MG/24HR                                                 | 1                    | MO                             |
| <i>pramipexole dihydrochloride oral tablet 0.125mg, 0.25mg, 0.5mg, 0.75mg, 1mg, 1.5mg</i>                                                   | 1                    | MO                             |

| Nombre del medicamento                                                                 | Nivel de medicamento | Requisitos/Limites |
|----------------------------------------------------------------------------------------|----------------------|--------------------|
| <i>ropinirole hcl oral tablet 0.25mg, 0.5mg, 1mg, 2mg, 3mg, 4mg, 5mg</i>               | 1                    | MO                 |
| <b>Anticolinérgicos</b>                                                                |                      |                    |
| <i>benztropine mesylate oral tablet 0.5mg, 1mg, 2mg</i>                                | 1                    | MO                 |
| <i>trihexyphenidyl hcl oral solution 0.4mg/ml</i>                                      | 1                    | MO                 |
| <i>trihexyphenidyl hcl oral tablet 2mg, 5mg</i>                                        | 1                    | MO                 |
| <b>Inhibidores de la Monoaminoxidasa B (MAO-B)</b>                                     |                      |                    |
| <i>rasagiline mesylate oral tablet 0.5mg, 1mg</i>                                      | 1                    | MO                 |
| <i>selegiline hcl oral capsule 5mg</i>                                                 | 1                    | MO                 |
| <i>selegiline hcl oral tablet 5mg</i>                                                  | 1                    | MO                 |
| <b>Precusores de Dopamina y/o Inhibidores de la Descarboxilasa de L-Aminoácidos</b>    |                      |                    |
| <i>carbidopa oral tablet 25mg</i>                                                      | 1                    | MO                 |
| <i>carbidopa-levodopa er oral tablet extended release 25-100mg, 50-200mg</i>           | 1                    | MO                 |
| <i>carbidopa-levodopa oral tablet 10-100mg, 25-100mg, 25-250mg</i>                     | 1                    | MO                 |
| <i>carbidopa-levodopa oral tablet dispersible 10-100mg, 25-100mg, 25-250mg</i>         | 1                    | MO                 |
| INBRIJA INHALATION CAPSULE 42MG                                                        | 1                    |                    |
| RYTARY ORAL CAPSULE EXTENDED RELEASE 23.75-95MG, 36.25-145MG, 48.75-195MG, 61.25-245MG | 1                    | ST; MO             |
| <b>AGENTES BIPOLARES</b>                                                               |                      |                    |
| <b>Estabilizadores del Estado de Ánimo</b>                                             |                      |                    |
| <i>divalproex sodium er oral tablet extended release 24-hour 250mg, 500mg</i>          | 1                    | MO                 |
| <i>divalproex sodium oral capsule delayed release sprinkle 125mg</i>                   | 1                    | MO                 |
| <i>divalproex sodium oral tablet delayed release 125mg, 250mg, 500mg</i>               | 1                    | MO                 |
| <i>lithium carbonate er oral tablet extended release 300mg, 450mg</i>                  | 1                    | MO                 |

| Nombre del medicamento                                                                         | Nivel de medicamento | Requisitos/Limites         |
|------------------------------------------------------------------------------------------------|----------------------|----------------------------|
| <i>lithium carbonate oral capsule 150mg, 300mg, 600mg</i>                                      | 1                    | MO                         |
| <i>lithium carbonate oral tablet 300mg</i>                                                     | 1                    | MO                         |
| <b>AGENTES CARDIOVASCULARES</b>                                                                |                      |                            |
| <b>Agentes Bloqueadores de los Canales de Calcio, Dihidropiridinas</b>                         |                      |                            |
| <i>amlodipine besylate oral tablet 10mg, 2.5mg, 5mg</i>                                        | 1                    | MO                         |
| <i>felodipine er oral tablet extended release 24-hour 10mg, 2.5mg, 5mg</i>                     | 1                    | MO; QL (30 EA per 30 days) |
| <i>isradipine oral capsule 2.5mg, 5mg</i>                                                      | 1                    | MO                         |
| KATERZIA ORAL SUSPENSION 1MG/ML                                                                | 1                    | MO                         |
| <i>nicardipine hcl oral capsule 20mg, 30mg</i>                                                 | 1                    | MO                         |
| <i>nifedipine er oral tablet extended release 24-hour 30mg, 60mg</i>                           | 1                    | MO; QL (60 EA per 30 days) |
| <i>nifedipine er oral tablet extended release 24-hour 90mg</i>                                 | 1                    | MO; QL (30 EA per 30 days) |
| <i>nifedipine er osmotic release oral tablet extended release 24-hour 30mg, 60mg</i>           | 1                    | MO; QL (60 EA per 30 days) |
| <i>nifedipine er osmotic release oral tablet extended release 24-hour 90mg</i>                 | 1                    | MO; QL (30 EA per 30 days) |
| <i>nifedipine oral capsule 10mg, 20mg</i>                                                      | 1                    | MO                         |
| <b>Agentes Bloqueadores de los Canales de Calcio, No Dihidropiridinas</b>                      |                      |                            |
| CARTIA XT ORAL CAPSULE EXTENDED RELEASE 24-HOUR 120MG, 180MG, 240MG                            | 1                    | MO; QL (60 EA per 30 days) |
| CARTIA XT ORAL CAPSULE EXTENDED RELEASE 24-HOUR 300MG                                          | 1                    | MO; QL (30 EA per 30 days) |
| <i>diltiazem hcl er beads oral capsule extended release 24-hour 360mg, 420mg</i>               | 1                    | MO; QL (30 EA per 30 days) |
| <i>diltiazem hcl er coated beads oral capsule extended release 24-hour 120mg, 180mg, 240mg</i> | 1                    | MO; QL (60 EA per 30 days) |
| <i>diltiazem hcl er coated beads oral capsule extended release 24-hour 300mg</i>               | 1                    | MO; QL (30 EA per 30 days) |
| <i>diltiazem hcl er oral capsule extended release 12-hour 120mg, 60mg, 90mg</i>                | 1                    | MO                         |
| <i>diltiazem hcl oral tablet 120mg, 30mg, 60mg, 90mg</i>                                       | 1                    | MO                         |

| Nombre del medicamento                                                                                        | Nivel de medicamento | Requisitos/Limites         |
|---------------------------------------------------------------------------------------------------------------|----------------------|----------------------------|
| <i>dilt-xr oral capsule extended release 24-hour 120mg, 180mg, 240mg</i>                                      | 1                    | MO; QL (60 EA per 30 days) |
| TAZTIA XT ORAL CAPSULE EXTENDED RELEASE 24-HOUR 120MG, 180MG, 240MG                                           | 1                    | MO; QL (60 EA per 30 days) |
| TAZTIA XT ORAL CAPSULE EXTENDED RELEASE 24-HOUR 300MG, 360MG                                                  | 1                    | MO; QL (30 EA per 30 days) |
| TIADYLT ER ORAL CAPSULE EXTENDED RELEASE 24-HOUR 120MG, 180MG, 240MG                                          | 1                    | MO; QL (60 EA per 30 days) |
| TIADYLT ER ORAL CAPSULE EXTENDED RELEASE 24-HOUR 300MG, 360MG, 420MG                                          | 1                    | MO; QL (30 EA per 30 days) |
| <i>verapamil hcl er oral capsule extended release 24-hour 100mg, 120mg, 180mg, 200mg, 240mg, 300mg, 360mg</i> | 1                    | MO                         |
| <i>verapamil hcl er oral tablet extended release 120mg, 180mg, 240mg</i>                                      | 1                    | MO                         |
| <i>verapamil hcl oral tablet 120mg, 40mg, 80mg</i>                                                            | 1                    | MO                         |
| <b>Agentes Bloqueantes Beta-Adrenérgicos</b>                                                                  |                      |                            |
| <i>acebutolol hcl oral capsule 200mg, 400mg</i>                                                               | 1                    | MO                         |
| <i>atenolol oral tablet 100mg, 25mg, 50mg</i>                                                                 | 1                    | MO                         |
| <i>betaxolol hcl oral tablet 10mg, 20mg</i>                                                                   | 1                    | MO                         |
| <i>bisoprolol fumarate oral tablet 10mg, 5mg</i>                                                              | 1                    | MO                         |
| <i>carvedilol oral tablet 12.5mg, 25mg, 3.125mg, 6.25mg</i>                                                   | 1                    | MO                         |
| <i>labetalol hcl oral tablet 100mg, 200mg, 300mg</i>                                                          | 1                    | MO                         |
| <i>metoprolol succinate er oral tablet extended release 24-hour 100mg, 200mg, 25mg, 50mg</i>                  | 1                    | MO                         |
| <i>metoprolol tartrate oral tablet 100mg, 25mg, 37.5mg, 50mg, 75mg</i>                                        | 1                    | MO                         |
| <i>nadolol oral tablet 20mg, 40mg, 80mg</i>                                                                   | 1                    | MO                         |
| <i>nebivolol hcl oral tablet 10mg, 2.5mg, 20mg, 5mg</i>                                                       | 1                    | MO                         |
| <i>pindolol oral tablet 10mg, 5mg</i>                                                                         | 1                    | MO                         |
| <i>propranolol hcl er oral capsule extended release 24-hour 120mg, 160mg, 60mg</i>                            | 1                    | MO                         |
| <i>propranolol hcl oral solution 20mg/5ml, 40mg/5ml</i>                                                       | 1                    | MO                         |

| Nombre del medicamento                                                                                                                      | Nivel de medicamento | Requisitos/Limites         |
|---------------------------------------------------------------------------------------------------------------------------------------------|----------------------|----------------------------|
| <i>propranolol hcl oral tablet 10mg, 20mg, 40mg, 60mg</i>                                                                                   | 1                    | MO                         |
| <i>timolol maleate oral tablet 10mg, 20mg, 5mg</i>                                                                                          | 1                    | MO                         |
| <b>Agentes Cardiovasculares, Otros</b>                                                                                                      |                      |                            |
| <i>aliskiren fumarate oral tablet 150mg, 300mg</i>                                                                                          | 1                    | MO; QL (30 EA per 30 days) |
| <i>amiloride-hydrochlorothiazide oral tablet 5-50mg</i>                                                                                     | 1                    | MO                         |
| <i>amlodipine besy-benazepril hcl oral capsule 10-20mg, 10-40mg, 2.5-10mg, 5-10mg, 5-20mg, 5-40mg</i>                                       | 1                    | MO                         |
| <i>amlodipine besylate-valsartan oral tablet 10-160mg, 10-320mg, 5-160mg, 5-320mg</i>                                                       | 1                    | MO; QL (30 EA per 30 days) |
| <i>amlodipine-atorvastatin oral tablet 10-10mg, 10-20mg, 10-40mg, 10-80mg, 2.5-10mg, 2.5-20mg, 2.5-40mg, 5-10mg, 5-20mg, 5-40mg, 5-80mg</i> | 1                    | MO; QL (30 EA per 30 days) |
| <i>amlodipine-olmesartan oral tablet 10-20mg, 10-40mg, 5-20mg, 5-40mg</i>                                                                   | 1                    | MO; QL (30 EA per 30 days) |
| <i>atenolol-chlorthalidone oral tablet 100-25mg, 50-25mg</i>                                                                                | 1                    | MO                         |
| <i>benazepril-hydrochlorothiazide oral tablet 10-12.5mg, 20-12.5mg, 20-25mg, 5-6.25mg</i>                                                   | 1                    | MO                         |
| <i>bisoprolol-hydrochlorothiazide oral tablet 10-6.25mg, 2.5-6.25mg, 5-6.25mg</i>                                                           | 1                    | MO                         |
| CAMZYOS ORAL CAPSULE 10MG, 15MG, 2.5MG, 5MG                                                                                                 | 1                    | PA; QL (30 EA per 30 days) |
| <i>candesartan cilexetil-hctz oral tablet 16-12.5mg, 32-12.5mg, 32-25mg</i>                                                                 | 1                    | MO; QL (30 EA per 30 days) |
| CORLANOR ORAL TABLET 5MG, 7.5MG                                                                                                             | 1                    | PA; MO                     |
| <i>digoxin oral solution 0.05mg/ml</i>                                                                                                      | 1                    | MO; QL (255ML per 30 days) |
| <i>digoxin oral tablet 125mcg, 250mcg</i>                                                                                                   | 1                    | MO; QL (30 EA per 30 days) |
| <i>enalapril-hydrochlorothiazide oral tablet 10-25mg, 5-12.5mg</i>                                                                          | 1                    | MO                         |
| ENTRESTO ORAL TABLET 24-26MG, 49-51MG, 97-103MG                                                                                             | 1                    | MO                         |
| FILSPARI ORAL TABLET 200MG, 400MG                                                                                                           | 1                    | PA; QL (30 EA per 30 days) |

| Nombre del medicamento                                                                                      | Nivel de medicamento | Requisitos/Limites         |
|-------------------------------------------------------------------------------------------------------------|----------------------|----------------------------|
| <i>fosinopril sodium-hctz oral tablet 10-12.5mg, 20-12.5mg</i>                                              | 1                    | MO                         |
| <i>irbesartan-hydrochlorothiazide oral tablet 150-12.5mg, 300-12.5mg</i>                                    | 1                    | MO; QL (30 EA per 30 days) |
| <i>isosorb dinitrate-hydralazine oral tablet 20-37.5mg</i>                                                  | 1                    | MO                         |
| <i>lisinopril-hydrochlorothiazide oral tablet 10-12.5mg, 20-12.5mg, 20-25mg</i>                             | 1                    | MO                         |
| <i>losartan potassium-hctz oral tablet 100-12.5mg, 100-25mg, 50-12.5mg</i>                                  | 1                    | MO; QL (30 EA per 30 days) |
| <i>metoprolol-hydrochlorothiazide oral tablet 100-25mg, 100-50mg, 50-25mg</i>                               | 1                    | MO                         |
| <i>metyrosine oral capsule 250mg</i>                                                                        | 1                    |                            |
| <i>olmesartan medoxomil-hctz oral tablet 20-12.5mg, 40-12.5mg, 40-25mg</i>                                  | 1                    | MO; QL (30 EA per 30 days) |
| <i>olmesartan-amlodipine-hctz oral tablet 20-5-12.5mg, 40-10-12.5mg, 40-10-25mg, 40-5-12.5mg, 40-5-25mg</i> | 1                    | MO; QL (30 EA per 30 days) |
| <i>pentoxifylline er oral tablet extended release 400mg</i>                                                 | 1                    | MO                         |
| <i>ranolazine er oral tablet extended release 12-hour 1000mg, 500mg</i>                                     | 1                    | MO                         |
| <i>spironolactone-hctz oral tablet 25-25mg</i>                                                              | 1                    | MO                         |
| <i>telmisartan-hctz oral tablet 40-12.5mg, 80-12.5mg, 80-25mg</i>                                           | 1                    | MO; QL (30 EA per 30 days) |
| <i>triamterene-hctz oral capsule 37.5-25mg</i>                                                              | 1                    | MO                         |
| <i>triamterene-hctz oral tablet 37.5-25mg, 75-50mg</i>                                                      | 1                    | MO                         |
| <i>valsartan-hydrochlorothiazide oral tablet 160-12.5mg, 160-25mg, 320-12.5mg, 320-25mg, 80-12.5mg</i>      | 1                    | MO; QL (30 EA per 30 days) |
| VERQUVO ORAL TABLET 10MG, 2.5MG, 5MG                                                                        | 1                    | PA; MO                     |
| <b>Agentes para Dislipidemias, Derivados del Ácido Fóbrico</b>                                              |                      |                            |
| <i>fenofibrate micronized oral capsule 130mg, 134mg, 200mg, 67mg</i>                                        | 1                    | MO; QL (30 EA per 30 days) |
| <i>fenofibrate micronized oral capsule 43mg</i>                                                             | 1                    | MO; QL (60 EA per 30 days) |
| <i>fenofibrate oral capsule 150mg</i>                                                                       | 1                    | MO; QL (30 EA per 30 days) |
| <i>fenofibrate oral capsule 50mg</i>                                                                        | 1                    | MO; QL (60 EA per 30 days) |

| Nombre del medicamento                                                                  | Nivel de medicamento | Requisitos/Limites         |
|-----------------------------------------------------------------------------------------|----------------------|----------------------------|
| <i>fenofibrate oral tablet 145mg, 160mg</i>                                             | 1                    | MO; QL (30 EA per 30 days) |
| <i>fenofibrate oral tablet 48mg, 54mg</i>                                               | 1                    | MO; QL (60 EA per 30 days) |
| <i>fenofibric acid oral capsule delayed release 135mg, 45mg</i>                         | 1                    | MO; QL (30 EA per 30 days) |
| <i>gemfibrozil oral tablet 600mg</i>                                                    | 1                    | MO; QL (60 EA per 30 days) |
| <b>Agentes para Dislipidemias, Inhibidores de la HMG COA Reductasa</b>                  |                      |                            |
| <i>atorvastatin calcium oral tablet 10mg, 20mg, 40mg, 80mg</i>                          | 1                    | MO; QL (30 EA per 30 days) |
| LIVALO ORAL TABLET 1MG, 2MG, 4MG                                                        | 1                    | MO; QL (30 EA per 30 days) |
| <i>lovastatin oral tablet 10mg</i>                                                      | 1                    | MO; QL (45 EA per 30 days) |
| <i>lovastatin oral tablet 20mg</i>                                                      | 1                    | MO; QL (30 EA per 30 days) |
| <i>lovastatin oral tablet 40mg</i>                                                      | 1                    | MO; QL (60 EA per 30 days) |
| <i>pravastatin sodium oral tablet 10mg, 20mg, 40mg, 80mg</i>                            | 1                    | MO; QL (30 EA per 30 days) |
| <i>rosuvastatin calcium oral tablet 10mg, 20mg, 40mg, 5mg</i>                           | 1                    | MO; QL (30 EA per 30 days) |
| <i>simvastatin oral tablet 10mg, 20mg, 40mg, 5mg, 80mg</i>                              | 1                    | MO; QL (30 EA per 30 days) |
| ZYPITAMAG ORAL TABLET 2MG, 4MG                                                          | 1                    | MO; QL (30 EA per 30 days) |
| <b>Agentes para Dislipidemias, Otros</b>                                                |                      |                            |
| <i>cholestyramine light oral packet 4gm</i>                                             | 1                    | MO                         |
| <i>cholestyramine oral packet 4gm</i>                                                   | 1                    | MO                         |
| <i>colestipol hcl oral packet 5gm</i>                                                   | 1                    | MO                         |
| <i>colestipol hcl oral tablet 1gm</i>                                                   | 1                    | MO                         |
| <i>ezetimibe oral tablet 10mg</i>                                                       | 1                    | MO; QL (30 EA per 30 days) |
| JUXTAPID ORAL CAPSULE 10MG, 20MG, 30MG, 5MG                                             | 1                    | PA                         |
| <i>niacin er (antihyperlipidemic) oral tablet extended release 1000mg, 500mg, 750mg</i> | 1                    | MO                         |
| <i>omega-3-acid ethyl esters oral capsule 1gm</i>                                       | 1                    | MO                         |
| REPATHA PUSHTRONEX SYSTEM SUBCUTANEOUS SOLUTION CARTRIDGE 420MG/3.5ML                   | 1                    | PA; MO                     |

| Nombre del medicamento                                                           | Nivel de medicamento | Requisitos/Limites          |
|----------------------------------------------------------------------------------|----------------------|-----------------------------|
| REPATHA SUBCUTANEOUS SOLUTION<br>PREFILLED SYRINGE 140MG/ML                      | 1                    | PA; MO                      |
| REPATHA SURECLICK SUBCUTANEOUS<br>SOLUTION AUTO-INJECTOR 140MG/ML                | 1                    | PA; MO                      |
| VASCEPA ORAL CAPSULE 0.5GM, 1GM                                                  | 1                    | MO                          |
| <b>Agonistas Alfa-Adrenérgicos</b>                                               |                      |                             |
| <i>clonidine hcl oral tablet 0.1mg, 0.2mg, 0.3mg</i>                             | 1                    | MO                          |
| <i>clonidine transdermal patch weekly 0.1mg/24hr,<br/>0.2mg/24hr, 0.3mg/24hr</i> | 1                    | MO; QL (4 EA per 28 days)   |
| <i>droxidopa oral capsule 100mg, 200mg, 300mg</i>                                | 1                    | PA; QL (180 EA per 30 days) |
| <i>guanfacine hcl oral tablet 1mg, 2mg</i>                                       | 1                    | MO                          |
| <i>midodrine hcl oral tablet 10mg, 2.5mg, 5mg</i>                                | 1                    | MO                          |
| <b>Antagonistas del Receptor de Angiotensina II</b>                              |                      |                             |
| <i>candesartan cilexetil oral tablet 16mg, 4mg, 8mg</i>                          | 1                    | MO; QL (60 EA per 30 days)  |
| <i>candesartan cilexetil oral tablet 32mg</i>                                    | 1                    | MO; QL (30 EA per 30 days)  |
| <i>irbesartan oral tablet 150mg, 300mg, 75mg</i>                                 | 1                    | MO; QL (30 EA per 30 days)  |
| <i>losartan potassium oral tablet 100mg, 25mg</i>                                | 1                    | MO; QL (30 EA per 30 days)  |
| <i>losartan potassium oral tablet 50mg</i>                                       | 1                    | MO; QL (60 EA per 30 days)  |
| <i>olmesartan medoxomil oral tablet 20mg, 40mg</i>                               | 1                    | MO; QL (30 EA per 30 days)  |
| <i>olmesartan medoxomil oral tablet 5mg</i>                                      | 1                    | MO; QL (60 EA per 30 days)  |
| <i>telmisartan oral tablet 20mg, 40mg, 80mg</i>                                  | 1                    | MO; QL (30 EA per 30 days)  |
| <i>valsartan oral tablet 160mg</i>                                               | 1                    | MO; QL (60 EA per 30 days)  |
| <i>valsartan oral tablet 320mg</i>                                               | 1                    | MO; QL (30 EA per 30 days)  |
| <i>valsartan oral tablet 40mg, 80mg</i>                                          | 1                    | MO; QL (90 EA per 30 days)  |
| <b>Antiarrítmicos</b>                                                            |                      |                             |
| <i>amiodarone hcl oral tablet 100mg, 200mg, 400mg</i>                            | 1                    | MO                          |
| <i>disopyramide phosphate oral capsule 100mg,<br/>150mg</i>                      | 1                    | MO                          |
| <i>dofetilide oral capsule 125mcg, 250mcg, 500mcg</i>                            | 1                    | MO                          |
| <i>flecainide acetate oral tablet 100mg, 150mg,<br/>50mg</i>                     | 1                    | MO                          |
| <i>mexiletine hcl oral capsule 150mg, 200mg, 250mg</i>                           | 1                    | MO                          |

| Nombre del medicamento                                    | Nivel de medicamento | Requisitos/Limites         |
|-----------------------------------------------------------|----------------------|----------------------------|
| MULTAQ ORAL TABLET 400MG                                  | 1                    | MO                         |
| <i>propafenone hcl oral tablet 150mg, 225mg, 300mg</i>    | 1                    | MO                         |
| <i>quinidine sulfate oral tablet 200mg, 300mg</i>         | 1                    | MO                         |
| <i>sotalol hcl (af) oral tablet 120mg, 160mg, 80mg</i>    | 1                    | MO                         |
| <i>sotalol hcl oral tablet 120mg, 160mg, 240mg, 80mg</i>  | 1                    | MO                         |
| <b>Bloqueadores Alfa-Adrenérgicos</b>                     |                      |                            |
| <i>doxazosin mesylate oral tablet 1mg, 2mg, 4mg, 8mg</i>  | 1                    | MO                         |
| <i>prazosin hcl oral capsule 1mg, 2mg, 5mg</i>            | 1                    | MO                         |
| <i>terazosin hcl oral capsule 1mg, 10mg, 2mg, 5mg</i>     | 1                    | MO                         |
| <b>Diuréticos, Ahorradores de Potasio</b>                 |                      |                            |
| <i>amiloride hcl oral tablet 5mg</i>                      | 1                    | MO                         |
| <i>eplerenone oral tablet 25mg, 50mg</i>                  | 1                    | MO                         |
| KERENDIA ORAL TABLET 10MG, 20MG                           | 1                    | MO; QL (30 EA per 30 days) |
| <i>spironolactone oral tablet 100mg, 25mg, 50mg</i>       | 1                    | MO                         |
| <b>Diuréticos, Bucle</b>                                  |                      |                            |
| <i>bumetanide injection solution 0.25mg/ml</i>            | 1                    | MO                         |
| <i>bumetanide oral tablet 0.5mg, 1mg, 2mg</i>             | 1                    | MO                         |
| <i>furosemide injection solution 10mg/ml</i>              | 1                    | BvD; MO                    |
| <i>furosemide oral solution 10mg/ml, 8mg/ml</i>           | 1                    | MO                         |
| <i>furosemide oral tablet 20mg, 40mg, 80mg</i>            | 1                    | MO                         |
| <i>toremide oral tablet 10mg, 100mg, 20mg, 5mg</i>        | 1                    | MO                         |
| <b>Diuréticos, Tiazidas</b>                               |                      |                            |
| <i>chlorthalidone oral tablet 25mg, 50mg</i>              | 1                    | MO                         |
| <i>hydrochlorothiazide oral capsule 12.5mg</i>            | 1                    | MO                         |
| <i>hydrochlorothiazide oral tablet 12.5mg, 25mg, 50mg</i> | 1                    | MO                         |
| <i>indapamide oral tablet 1.25mg, 2.5mg</i>               | 1                    | MO                         |
| <i>metolazone oral tablet 10mg, 2.5mg, 5mg</i>            | 1                    | MO                         |

| Nombre del medicamento                                                                  | Nivel de medicamento | Requisitos/Limites         |
|-----------------------------------------------------------------------------------------|----------------------|----------------------------|
| <b><i>Inhibidores de la Enzima Convertidora de Angiotensina (ECA)</i></b>               |                      |                            |
| <i>benazepril hcl oral tablet 10mg, 20mg, 40mg, 5mg</i>                                 | 1                    | MO                         |
| <i>captopril oral tablet 100mg, 12.5mg, 25mg, 50mg</i>                                  | 1                    | MO                         |
| <i>enalapril maleate oral tablet 10mg, 2.5mg, 20mg, 5mg</i>                             | 1                    | MO                         |
| <i>fosinopril sodium oral tablet 10mg, 20mg, 40mg</i>                                   | 1                    | MO                         |
| <i>lisinopril oral tablet 10mg, 2.5mg, 20mg, 30mg, 40mg, 5mg</i>                        | 1                    | MO                         |
| <i>moexipril hcl oral tablet 15mg, 7.5mg</i>                                            | 1                    | MO                         |
| <i>perindopril erbumine oral tablet 2mg, 4mg, 8mg</i>                                   | 1                    | MO                         |
| <i>quinapril hcl oral tablet 10mg, 20mg, 40mg, 5mg</i>                                  | 1                    | MO                         |
| <i>ramipril oral capsule 1.25mg, 10mg, 2.5mg, 5mg</i>                                   | 1                    | MO                         |
| <i>trandolapril oral tablet 1mg, 2mg, 4mg</i>                                           | 1                    | MO                         |
| <b><i>Vasodilatadores Arteriales/Venosos de Acción Directa</i></b>                      |                      |                            |
| <i>hydralazine hcl oral tablet 10mg, 100mg, 25mg, 50mg</i>                              | 1                    | MO                         |
| <i>isosorbide dinitrate oral tablet 10mg, 20mg, 30mg, 5mg</i>                           | 1                    | MO                         |
| <i>isosorbide mononitrate er oral tablet extended release 24-hour 120mg, 30mg, 60mg</i> | 1                    | MO                         |
| <i>isosorbide mononitrate oral tablet 10mg, 20mg</i>                                    | 1                    | MO                         |
| <i>minoxidil oral tablet 10mg, 2.5mg</i>                                                | 1                    | MO                         |
| NITRO-BID TRANSDERMAL OINTMENT 2%                                                       | 1                    | MO                         |
| <i>nitroglycerin sublingual tablet sublingual 0.3mg, 0.4mg, 0.6mg</i>                   | 1                    | MO                         |
| <i>nitroglycerin transdermal patch 24-hour 0.1mg/hr, 0.2mg/hr, 0.4mg/hr, 0.6mg/hr</i>   | 1                    | MO                         |
| <i>nitroglycerin translingual solution 0.4mg/spray</i>                                  | 1                    | MO                         |
| RECTIV RECTAL OINTMENT 0.4%                                                             | 1                    | MO                         |
| <b>AGENTES DE ANTIDEMENCIA</b>                                                          |                      |                            |
| <b><i>Agentes Antidemencia, Otros</i></b>                                               |                      |                            |
| <i>memantine hcl er oral capsule extended release 24-hour 14mg, 21mg, 28mg, 7mg</i>     | 1                    | MO; QL (30 EA per 30 days) |

| Nombre del medicamento                                                           | Nivel de medicamento | Requisitos/Limites         |
|----------------------------------------------------------------------------------|----------------------|----------------------------|
| <i>memantine hcl oral solution 2mg/ml</i>                                        | 1                    | MO; QL (360ML per 30 days) |
| <i>memantine hcl oral tablet 10mg, 5mg</i>                                       | 1                    | MO; QL (60 EA per 30 days) |
| <i>memantine hcl oral tablet 28 x 5mg &amp; 21 x 10mg</i>                        | 1                    | MO; QL (49 EA per 28 days) |
| NAMZARIC ORAL CAPSULE ER 24-HOUR THERAPY PACK 7 & 14 & 21 & 28 -10MG             | 1                    | PA; MO                     |
| NAMZARIC ORAL CAPSULE EXTENDED RELEASE 24-HOUR 14-10MG, 21-10MG, 28-10MG, 7-10MG | 1                    | PA; MO                     |

### ***Inhibidores de Colinesterasa***

|                                                                                          |   |                            |
|------------------------------------------------------------------------------------------|---|----------------------------|
| <i>donepezil hcl oral tablet 10mg</i>                                                    | 1 | MO; QL (60 EA per 30 days) |
| <i>donepezil hcl oral tablet 23mg, 5mg</i>                                               | 1 | MO; QL (30 EA per 30 days) |
| <i>donepezil hcl oral tablet dispersible 10mg</i>                                        | 1 | MO; QL (60 EA per 30 days) |
| <i>donepezil hcl oral tablet dispersible 5mg</i>                                         | 1 | MO; QL (30 EA per 30 days) |
| <i>galantamine hydrobromide er oral capsule extended release 24-hour 16mg, 24mg, 8mg</i> | 1 | MO; QL (30 EA per 30 days) |
| <i>galantamine hydrobromide oral solution 4mg/ml</i>                                     | 1 | MO; QL (200ML per 30 days) |
| <i>galantamine hydrobromide oral tablet 12mg, 4mg, 8mg</i>                               | 1 | MO; QL (60 EA per 30 days) |
| <i>rivastigmine tartrate oral capsule 1.5mg, 3mg, 4.5mg, 6mg</i>                         | 1 | MO; QL (60 EA per 30 days) |
| <i>rivastigmine transdermal patch 24-hour 13.3mg/24hr, 4.6mg/24hr, 9.5mg/24hr</i>        | 1 | MO; QL (30 EA per 30 days) |

## **AGENTES DEL SISTEMA NERVIOSO CENTRAL**

### ***Agentes con Trastorno por Déficit de Atención e Hiperactividad, sin Anfetaminas***

|                                                                                  |   |                             |
|----------------------------------------------------------------------------------|---|-----------------------------|
| <i>atomoxetine hcl oral capsule 10mg, 100mg, 18mg, 25mg, 40mg, 60mg, 80mg</i>    | 1 | MO; QL (30 EA per 30 days)  |
| <i>dexmethylphenidate hcl oral tablet 10mg</i>                                   | 1 | MO; QL (60 EA per 30 days)  |
| <i>dexmethylphenidate hcl oral tablet 2.5mg</i>                                  | 1 | MO; QL (240 EA per 30 days) |
| <i>dexmethylphenidate hcl oral tablet 5mg</i>                                    | 1 | MO; QL (120 EA per 30 days) |
| <i>guanfacine hcl er oral tablet extended release 24-hour 1mg, 2mg, 3mg, 4mg</i> | 1 | MO; QL (30 EA per 30 days)  |
| <i>methylphenidate hcl oral tablet 10mg, 20mg, 5mg</i>                           | 1 | MO; QL (90 EA per 30 days)  |

| Nombre del medicamento                                                                    | Nivel de medicamento | Requisitos/Limites             |
|-------------------------------------------------------------------------------------------|----------------------|--------------------------------|
| <b>Agentes de Esclerosis Múltiple</b>                                                     |                      |                                |
| AVONEX PEN INTRAMUSCULAR<br>AUTO-INJECTOR KIT 30MCG/0.5ML                                 | 1                    | PA                             |
| AVONEX PREFILLED INTRAMUSCULAR<br>PREFILLED SYRINGE KIT 30MCG/0.5ML                       | 1                    | PA                             |
| BETASERON SUBCUTANEOUS KIT 0.3MG                                                          | 1                    | PA                             |
| COPAXONE SUBCUTANEOUS SOLUTION<br>PREFILLED SYRINGE 20MG/ML, 40MG/ML                      | 1                    | PA                             |
| <i>dalfampridine er oral tablet extended release<br/>12-hour 10mg</i>                     | 1                    | PA; MO; QL (60 EA per 30 days) |
| <i>dimethyl fumarate oral capsule delayed release<br/>120mg, 240mg</i>                    | 1                    | PA                             |
| <i>dimethyl fumarate starter pack oral 120 &amp; 240mg</i>                                | 1                    | PA                             |
| <i>fingolimod hcl oral capsule 0.5mg</i>                                                  | 1                    | PA                             |
| KESIMPTA SUBCUTANEOUS SOLUTION<br>AUTO-INJECTOR 20MG/0.4ML                                | 1                    | PA                             |
| MAYZENT ORAL TABLET 0.25MG, 1MG, 2MG                                                      | 1                    | PA                             |
| MAYZENT STARTER PACK ORAL TABLET<br>THERAPY PACK 12 X 0.25MG                              | 1                    | PA                             |
| MAYZENT STARTER PACK ORAL TABLET<br>THERAPY PACK 7 X 0.25MG                               | 1                    | PA; MO                         |
| <b>Agentes de Fibromialgia</b>                                                            |                      |                                |
| <i>pregabalin oral capsule 100mg, 150mg, 200mg,<br/>25mg, 50mg</i>                        | 1                    | MO; QL (90 EA per 30 days)     |
| <i>pregabalin oral capsule 225mg, 300mg</i>                                               | 1                    | MO; QL (60 EA per 30 days)     |
| <i>pregabalin oral capsule 75mg</i>                                                       | 1                    | MO; QL (120 EA per 30 days)    |
| <i>pregabalin oral solution 20mg/ml</i>                                                   | 1                    | MO; QL (900ML per 30 days)     |
| SAVELLA ORAL TABLET 100MG, 12.5MG,<br>25MG, 50MG                                          | 1                    | MO; QL (60 EA per 30 days)     |
| SAVELLA TITRATION PACK ORAL 12.5 & 25 &<br>50MG                                           | 1                    | MO; QL (55 EA per 28 days)     |
| <b>Agentes de Trastorno por Déficit de Atención con Hiperactividad, Anfetaminas</b>       |                      |                                |
| <i>amphetamine-dextroamphetamine oral tablet<br/>10mg, 12.5mg, 15mg, 20mg, 5mg, 7.5mg</i> | 1                    | MO; QL (90 EA per 30 days)     |

| Nombre del medicamento                                                               | Nivel de medicamento | Requisitos/Limites          |
|--------------------------------------------------------------------------------------|----------------------|-----------------------------|
| <i>amphetamine-dextroamphetamine oral tablet 30mg</i>                                | 1                    | MO; QL (60 EA per 30 days)  |
| <i>dextroamphetamine sulfate er oral capsule extended release 24-hour 10mg</i>       | 1                    | MO; QL (180 EA per 30 days) |
| <i>dextroamphetamine sulfate er oral capsule extended release 24-hour 15mg</i>       | 1                    | MO; QL (120 EA per 30 days) |
| <i>dextroamphetamine sulfate er oral capsule extended release 24-hour 5mg</i>        | 1                    | MO; QL (360 EA per 30 days) |
| <i>dextroamphetamine sulfate oral solution 5mg/5ml</i>                               | 1                    | MO; QL (1800ML per 30 days) |
| <i>dextroamphetamine sulfate oral tablet 10mg</i>                                    | 1                    | MO; QL (180 EA per 30 days) |
| <i>dextroamphetamine sulfate oral tablet 15mg</i>                                    | 1                    | MO; QL (120 EA per 30 days) |
| <i>dextroamphetamine sulfate oral tablet 20mg</i>                                    | 1                    | MO; QL (90 EA per 30 days)  |
| <i>dextroamphetamine sulfate oral tablet 30mg</i>                                    | 1                    | MO; QL (60 EA per 30 days)  |
| <i>dextroamphetamine sulfate oral tablet 5mg</i>                                     | 1                    | MO; QL (150 EA per 30 days) |
| <b>Sistema Nervioso Central, Otros</b>                                               |                      |                             |
| AUSTEDO ORAL TABLET 12MG, 6MG, 9MG                                                   | 1                    | PA; QL (120 EA per 30 days) |
| AUSTEDO XR ORAL TABLET EXTENDED RELEASE 24-HOUR 12MG, 6MG                            | 1                    | PA; QL (90 EA per 30 days)  |
| AUSTEDO XR ORAL TABLET EXTENDED RELEASE 24-HOUR 24MG                                 | 1                    | PA; QL (60 EA per 30 days)  |
| AUSTEDO XR PATIENT TITRATION ORAL TABLET EXTENDED RELEASE THERAPY PACK 6 & 12 & 24MG | 1                    | PA; QL (42 EA per 28 days)  |
| DAYBUE ORAL SOLUTION 200MG/ML                                                        | 1                    | PA                          |
| EVRYSDI ORAL SOLUTION RECONSTITUTED 0.75MG/ML                                        | 1                    | PA                          |
| NUEDEXTA ORAL CAPSULE 20-10MG                                                        | 1                    | PA; MO                      |
| <i>riluzole oral tablet 50mg</i>                                                     | 1                    | PA; MO                      |
| <i>tetrabenazine oral tablet 12.5mg</i>                                              | 1                    | PA; QL (240 EA per 30 days) |
| <i>tetrabenazine oral tablet 25mg</i>                                                | 1                    | PA; QL (120 EA per 30 days) |
| <b>AGENTES DENTALES Y ORALES</b>                                                     |                      |                             |
| <b>Agentes Dentales y Orales</b>                                                     |                      |                             |
| <i>chlorhexidine gluconate mouth/throat solution 0.12%</i>                           | 1                    | MO                          |

| Nombre del medicamento                                              | Nivel de medicamento | Requisitos/Limites |
|---------------------------------------------------------------------|----------------------|--------------------|
| PERIOGARD MOUTH/THROAT SOLUTION 0.12%                               | 1                    | MO                 |
| <i>pilocarpine hcl oral tablet 5mg, 7.5mg</i>                       | 1                    | MO                 |
| <i>triamcinolone acetonide mouth/throat paste 0.1%</i>              | 1                    | MO                 |
| <b>AGENTES DERMATOLÓGICOS</b>                                       |                      |                    |
| <b><i>Agentes Dermatológicos, Otros</i></b>                         |                      |                    |
| <i>calcipotriene external solution 0.005%</i>                       | 1                    | MO                 |
| <i>clotrimazole-betamethasone external cream 1-0.05%</i>            | 1                    | MO                 |
| <i>clotrimazole-betamethasone external lotion 1-0.05%</i>           | 1                    | MO                 |
| <i>diclofenac sodium external gel 3%</i>                            | 1                    | PA; MO             |
| <i>fluorouracil external cream 5%</i>                               | 1                    | MO                 |
| <i>fluorouracil external solution 2%, 5%</i>                        | 1                    | MO                 |
| <i>global alcohol prep ease pad 70%</i>                             | 1                    | MO                 |
| <i>hydrocortisone ace-pramoxine external cream 1-1%</i>             | 1                    | MO                 |
| HYFTOR EXTERNAL GEL 0.2%                                            | 1                    | PA; MO             |
| <i>imiquimod external cream 5%</i>                                  | 1                    | MO                 |
| <i>nystatin-triamcinolone external cream 100000-0.1unit/gm-%</i>    | 1                    | MO                 |
| <i>nystatin-triamcinolone external ointment 100000-0.1unit/gm-%</i> | 1                    | MO                 |
| PANRETIN EXTERNAL GEL 0.1%                                          | 1                    | PA                 |
| <i>podofilox external solution 0.5%</i>                             | 1                    | MO                 |
| REGRANEX EXTERNAL GEL 0.01%                                         | 1                    | PA                 |
| SANTYL EXTERNAL OINTMENT 250UNIT/GM                                 | 1                    | MO                 |
| <i>silver sulfadiazine external cream 1%</i>                        | 1                    | MO                 |
| SSD EXTERNAL CREAM 1%                                               | 1                    | MO                 |
| <b><i>Agentes para Acné y Rosácea</i></b>                           |                      |                    |
| ACCUTANE ORAL CAPSULE 10MG, 20MG, 30MG, 40MG                        | 1                    | MO                 |
| <i>acitretin oral capsule 10mg, 17.5mg, 25mg</i>                    | 1                    | PA; MO             |

| Nombre del medicamento                                        | Nivel de medicamento | Requisitos/Limites |
|---------------------------------------------------------------|----------------------|--------------------|
| AMNESTEEM ORAL CAPSULE 10MG, 20MG, 40MG                       | 1                    | MO                 |
| <i>benzoyl peroxide-erythromycin external gel 5-3%</i>        | 1                    | MO                 |
| CLARAVIS ORAL CAPSULE 10MG, 20MG, 30MG, 40MG                  | 1                    | MO                 |
| <i>clindamycin phos-benzoyl perox external gel 1.2-5%</i>     | 1                    | MO                 |
| <i>isotretinoin oral capsule 10mg, 20mg, 30mg, 40mg</i>       | 1                    | MO                 |
| <i>tazarotene external cream 0.1%</i>                         | 1                    | PA; MO             |
| <i>tazarotene external gel 0.05%, 0.1%</i>                    | 1                    | PA; MO             |
| TAZORAC EXTERNAL CREAM 0.05%                                  | 1                    | PA; MO             |
| <i>tretinoin external cream 0.025%, 0.05%, 0.1%</i>           | 1                    | PA; MO             |
| <i>tretinoin external gel 0.01%, 0.025%, 0.05%</i>            | 1                    | PA; MO             |
| <b>Agentes para Dermatitis y Pruitus</b>                      |                      |                    |
| <i>alclometasone dipropionate external cream 0.05%</i>        | 1                    | MO                 |
| <i>alclometasone dipropionate external ointment 0.05%</i>     | 1                    | MO                 |
| <i>amcinonide external ointment 0.1%</i>                      | 1                    | MO                 |
| <i>ammonium lactate external cream 12%</i>                    | 1                    | MO                 |
| <i>ammonium lactate external lotion 12%</i>                   | 1                    | MO                 |
| <i>betamethasone dipropionate aug external cream 0.05%</i>    | 1                    | MO                 |
| <i>betamethasone dipropionate aug external lotion 0.05%</i>   | 1                    | MO                 |
| <i>betamethasone dipropionate aug external ointment 0.05%</i> | 1                    | MO                 |
| <i>betamethasone dipropionate external cream 0.05%</i>        | 1                    | MO                 |
| <i>betamethasone dipropionate external lotion 0.05%</i>       | 1                    | MO                 |
| <i>betamethasone dipropionate external ointment 0.05%</i>     | 1                    | MO                 |
| <i>betamethasone valerate external cream 0.1%</i>             | 1                    | MO                 |
| <i>betamethasone valerate external lotion 0.1%</i>            | 1                    | MO                 |

| Nombre del medicamento                                     | Nivel de medicamento | Requisitos/Limites |
|------------------------------------------------------------|----------------------|--------------------|
| <i>betamethasone valerate external ointment 0.1%</i>       | 1                    | MO                 |
| <i>clobetasol propionate e external cream 0.05%</i>        | 1                    | MO                 |
| <i>clobetasol propionate external cream 0.05%</i>          | 1                    | MO                 |
| <i>clobetasol propionate external gel 0.05%</i>            | 1                    | MO                 |
| <i>clobetasol propionate external ointment 0.05%</i>       | 1                    | MO                 |
| <i>clobetasol propionate external solution 0.05%</i>       | 1                    | MO                 |
| <i>desonide external cream 0.05%</i>                       | 1                    | MO                 |
| <i>desonide external lotion 0.05%</i>                      | 1                    | MO                 |
| <i>desonide external ointment 0.05%</i>                    | 1                    | MO                 |
| <i>desoximetasone external cream 0.05%, 0.25%</i>          | 1                    | MO                 |
| <i>desoximetasone external gel 0.05%</i>                   | 1                    | MO                 |
| <i>desoximetasone external ointment 0.25%</i>              | 1                    | MO                 |
| EUCRISA EXTERNAL OINTMENT 2%                               | 1                    | MO                 |
| <i>fluocinolone acetonide external cream 0.01%, 0.025%</i> | 1                    | MO                 |
| <i>fluocinolone acetonide external ointment 0.025%</i>     | 1                    | MO                 |
| <i>fluocinolone acetonide external solution 0.01%</i>      | 1                    | MO                 |
| <i>fluocinonide emulsified base external cream 0.05%</i>   | 1                    | MO                 |
| <i>fluocinonide external gel 0.05%</i>                     | 1                    | MO                 |
| <i>fluocinonide external ointment 0.05%</i>                | 1                    | MO                 |
| <i>fluocinonide external solution 0.05%</i>                | 1                    | MO                 |
| <i>fluticasone propionate external cream 0.05%</i>         | 1                    | MO                 |
| <i>fluticasone propionate external ointment 0.005%</i>     | 1                    | MO                 |
| <i>halobetasol propionate external cream 0.05%</i>         | 1                    | MO                 |
| <i>halobetasol propionate external ointment 0.05%</i>      | 1                    | MO                 |
| <i>hydrocortisone (perianal) external cream 2.5%</i>       | 1                    | MO                 |
| <i>hydrocortisone external cream 1%</i>                    | 1                    | MO                 |
| <i>hydrocortisone external lotion 2.5%</i>                 | 1                    | MO                 |
| <i>hydrocortisone external ointment 1%, 2.5%</i>           | 1                    | MO                 |
| <i>hydrocortisone valerate external cream 0.2%</i>         | 1                    | MO                 |
| <i>hydrocortisone valerate external ointment 0.2%</i>      | 1                    | MO                 |

| Nombre del medicamento                                              | Nivel de medicamento | Requisitos/Limites |
|---------------------------------------------------------------------|----------------------|--------------------|
| <i>mometasone furoate external cream 0.1%</i>                       | 1                    | MO                 |
| <i>mometasone furoate external ointment 0.1%</i>                    | 1                    | MO                 |
| <i>mometasone furoate external solution 0.1%</i>                    | 1                    | MO                 |
| <i>pimecrolimus external cream 1%</i>                               | 1                    | MO                 |
| PROCTO-MED HC EXTERNAL CREAM 2.5%                                   | 1                    | MO                 |
| PROCTOSOL HC EXTERNAL CREAM 2.5%                                    | 1                    | MO                 |
| PROCTOZONE-HC EXTERNAL CREAM 2.5%                                   | 1                    | MO                 |
| <i>selenium sulfide external lotion 2.5%</i>                        | 1                    | MO                 |
| <i>tacrolimus external ointment 0.03%, 0.1%</i>                     | 1                    | MO                 |
| <i>triamcinolone acetonide external cream 0.025%, 0.1%, 0.5%</i>    | 1                    | MO                 |
| <i>triamcinolone acetonide external lotion 0.025%, 0.1%</i>         | 1                    | MO                 |
| <i>triamcinolone acetonide external ointment 0.025%, 0.1%, 0.5%</i> | 1                    | MO                 |
| <b>Antiinfecciosos Tópicos</b>                                      |                      |                    |
| <i>ciclopirox external gel 0.77%</i>                                | 1                    | MO                 |
| <i>ciclopirox external shampoo 1%</i>                               | 1                    | MO                 |
| <i>ciclopirox external solution 8%</i>                              | 1                    | MO                 |
| <i>clindamycin phosphate external gel 1%</i>                        | 1                    | MO                 |
| <i>clindamycin phosphate external lotion 1%</i>                     | 1                    | MO                 |
| <i>clindamycin phosphate external solution 1%</i>                   | 1                    | MO                 |
| <i>ery external pad 2%</i>                                          | 1                    | MO                 |
| <i>erythromycin external gel 2%</i>                                 | 1                    | MO                 |
| <i>erythromycin external solution 2%</i>                            | 1                    | MO                 |
| <i>mupirocin calcium external cream 2%</i>                          | 1                    | MO                 |
| <i>mupirocin external ointment 2%</i>                               | 1                    | MO                 |
| <b>Pediculicidas/Escabidas</b>                                      |                      |                    |
| <i>malathion external lotion 0.5%</i>                               | 1                    | MO                 |
| <i>permethrin external cream 5%</i>                                 | 1                    | MO                 |

| Nombre del medicamento                                                   | Nivel de medicamento | Requisitos/Limites         |
|--------------------------------------------------------------------------|----------------------|----------------------------|
| <b>AGENTES GASTROINTESTINALES</b>                                        |                      |                            |
| <b>Agentes Antidiarreicos</b>                                            |                      |                            |
| <i>alosetron hcl oral tablet 0.5mg, 1mg</i>                              | 1                    | QL (60 EA per 30 days)     |
| <i>diphenoxylate-atropine oral liquid 2.5-0.025mg/5ml</i>                | 1                    | MO                         |
| <i>diphenoxylate-atropine oral tablet 2.5-0.025mg</i>                    | 1                    | MO                         |
| <i>loperamide hcl oral capsule 2mg</i>                                   | 1                    | MO                         |
| <b>Agentes Contra el Estreñimiento</b>                                   |                      |                            |
| <i>constulose oral solution 10gm/15ml</i>                                | 1                    | MO                         |
| <i>enulose oral solution 10gm/15ml</i>                                   | 1                    | MO                         |
| <i>generlac oral solution 10gm/15ml</i>                                  | 1                    | MO                         |
| <i>lactulose oral solution 10gm/15ml</i>                                 | 1                    | MO                         |
| LINZESS ORAL CAPSULE 145MCG, 290MCG, 72MCG                               | 1                    | MO; QL (30 EA per 30 days) |
| <i>lubiprostone oral capsule 24mcg, 8mcg</i>                             | 1                    | MO; QL (60 EA per 30 days) |
| MOVANTIK ORAL TABLET 12.5MG, 25MG                                        | 1                    | MO; QL (30 EA per 30 days) |
| <b>Agentes Gastrointestinales, Otros</b>                                 |                      |                            |
| BYLVAY (PELLETS) ORAL CAPSULE SPRINKLE 200MCG, 600MCG                    | 1                    | PA                         |
| BYLVAY ORAL CAPSULE 1200MCG, 400MCG                                      | 1                    | PA                         |
| CLENPIQ ORAL SOLUTION 10-3.5-12MG-GM -GM/160ML, 10-3.5-12MG-GM -GM/175ML | 1                    | MO                         |
| GATTEX SUBCUTANEOUS KIT 5MG                                              | 1                    | PA                         |
| GAVILYTE-C ORAL SOLUTION RECONSTITUTED 240GM                             | 1                    | MO                         |
| GAVILYTE-G ORAL SOLUTION RECONSTITUTED 236GM                             | 1                    | MO                         |
| LIVMARLI ORAL SOLUTION 9.5MG/ML                                          | 1                    | PA                         |
| <i>metoclopramide hcl oral solution 5mg/5ml</i>                          | 1                    | MO                         |
| <i>metoclopramide hcl oral tablet 10mg, 5mg</i>                          | 1                    | MO                         |
| <i>na sulfate-k sulfate-mg sulf oral solution 17.5-3.13-1.6gm/177ml</i>  | 1                    | MO                         |

| Nombre del medicamento                                                | Nivel de medicamento | Requisitos/Limites |
|-----------------------------------------------------------------------|----------------------|--------------------|
| <i>peg 3350-kcl-na bicarb-nacl oral solution reconstituted 420gm</i>  | 1                    | MO                 |
| <i>peg-3350/electrolytes oral solution reconstituted 236gm</i>        | 1                    | MO                 |
| SUPREP BOWEL PREP KIT ORAL SOLUTION 17.5-3.13-1.6GM/177ML             | 1                    | MO                 |
| SUTAB ORAL TABLET 1479-225-188MG                                      | 1                    | MO                 |
| <i>ursodiol oral capsule 300mg</i>                                    | 1                    | MO                 |
| <i>ursodiol oral tablet 250mg, 500mg</i>                              | 1                    | MO                 |
| <b>Antagonistas del Receptor de Histamina2 (H2)</b>                   |                      |                    |
| <i>famotidine oral suspension reconstituted 40mg/5ml</i>              | 1                    | MO                 |
| <i>famotidine oral tablet 20mg, 40mg</i>                              | 1                    | MO                 |
| <i>nizatidine oral capsule 150mg, 300mg</i>                           | 1                    | MO                 |
| <b>Antiespasmódicos, Gastrointestinales</b>                           |                      |                    |
| <i>dicyclomine hcl oral capsule 10mg</i>                              | 1                    | MO                 |
| <i>dicyclomine hcl oral solution 10mg/5ml</i>                         | 1                    | MO                 |
| <i>dicyclomine hcl oral tablet 20mg</i>                               | 1                    | MO                 |
| <i>glycopyrrolate oral tablet 1mg, 2mg</i>                            | 1                    | MO                 |
| <b>Inhibidores de la Bomba de Protones</b>                            |                      |                    |
| <i>dexlansoprazole oral capsule delayed release 30mg, 60mg</i>        | 1                    | MO                 |
| <i>esomeprazole magnesium oral capsule delayed release 20mg, 40mg</i> | 1                    | MO                 |
| <i>lansoprazole oral capsule delayed release 15mg, 30mg</i>           | 1                    | MO                 |
| <i>omeprazole oral capsule delayed release 10mg, 20mg, 40mg</i>       | 1                    | MO                 |
| <i>pantoprazole sodium oral tablet delayed release 20mg, 40mg</i>     | 1                    | MO                 |
| <b>Protectores</b>                                                    |                      |                    |
| <i>misoprostol oral tablet 100mcg, 200mcg</i>                         | 1                    | MO                 |
| <i>sucralfate oral suspension 1gm/10ml</i>                            | 1                    | MO                 |

| Nombre del medicamento                                                              | Nivel de medicamento | Requisitos/Limites          |
|-------------------------------------------------------------------------------------|----------------------|-----------------------------|
| <i>sucralfate oral tablet 1gm</i>                                                   | 1                    | MO                          |
| <b>AGENTES GENITOURINARIOS</b>                                                      |                      |                             |
| <b><i>Agentes Genitourinarios, Otros</i></b>                                        |                      |                             |
| <i>bethanechol chloride oral tablet 10mg, 25mg, 5mg, 50mg</i>                       | 1                    | MO                          |
| ELMIRON ORAL CAPSULE 100MG                                                          | 1                    | MO                          |
| <i>penicillamine oral tablet 250mg</i>                                              | 1                    |                             |
| <b><i>Agentes para Hipertrofia Prostática Benigna</i></b>                           |                      |                             |
| <i>alfuzosin hcl er oral tablet extended release 24-hour 10mg</i>                   | 1                    | MO; QL (30 EA per 30 days)  |
| <i>dutasteride oral capsule 0.5mg</i>                                               | 1                    | MO; QL (30 EA per 30 days)  |
| <i>dutasteride-tamsulosin hcl oral capsule 0.5-0.4mg</i>                            | 1                    | MO; QL (30 EA per 30 days)  |
| <i>finasteride oral tablet 5mg</i>                                                  | 1                    | MO; QL (30 EA per 30 days)  |
| <i>silodosin oral capsule 4mg, 8mg</i>                                              | 1                    | MO; QL (30 EA per 30 days)  |
| <i>tamsulosin hcl oral capsule 0.4mg</i>                                            | 1                    | MO; QL (60 EA per 30 days)  |
| <b><i>Antiespasmódicos, Urinarios</i></b>                                           |                      |                             |
| <i>darifenacin hydrobromide er oral tablet extended release 24-hour 15mg, 7.5mg</i> | 1                    | MO                          |
| <i>fesoterodine fumarate er oral tablet extended release 24-hour 4mg, 8mg</i>       | 1                    | MO; QL (30 EA per 30 days)  |
| MYRBETRIQ ORAL SUSPENSION RECONSTITUTED ER 8MG/ML                                   | 1                    | MO; QL (300ML per 30 days)  |
| MYRBETRIQ ORAL TABLET EXTENDED RELEASE 24-HOUR 25MG, 50MG                           | 1                    | MO; QL (30 EA per 30 days)  |
| <i>oxybutynin chloride er oral tablet extended release 24-hour 10mg, 15mg, 5mg</i>  | 1                    | MO; QL (60 EA per 30 days)  |
| <i>oxybutynin chloride oral syrup 5mg/5ml</i>                                       | 1                    | MO; QL (600ML per 30 days)  |
| <i>oxybutynin chloride oral tablet 5mg</i>                                          | 1                    | MO; QL (120 EA per 30 days) |
| <i>solifenacin succinate oral tablet 10mg, 5mg</i>                                  | 1                    | MO; QL (30 EA per 30 days)  |
| <i>tolterodine tartrate er oral capsule extended release 24-hour 2mg, 4mg</i>       | 1                    | MO; QL (30 EA per 30 days)  |
| <i>tolterodine tartrate oral tablet 1mg, 2mg</i>                                    | 1                    | MO; QL (60 EA per 30 days)  |

| Nombre del medicamento                                                                                         | Nivel de medicamento | Requisitos/Limites         |
|----------------------------------------------------------------------------------------------------------------|----------------------|----------------------------|
| <i>trosipium chloride er oral capsule extended release 24-hour 60mg</i>                                        | 1                    | MO; QL (30 EA per 30 days) |
| <i>trosipium chloride oral tablet 20mg</i>                                                                     | 1                    | MO; QL (60 EA per 30 days) |
| <b>AGENTES HORMONALES, ESTIMULANTES/ DE REEMPLAZO/ MODIFICADORES (HORMONAS SEXUALES/ MODIFICADORES)</b>        |                      |                            |
| <b><i>Agentes Hormonales, Estimulantes/ de Reemplazo/ Modificadores (Hormonas Sexuales/ Modificadores)</i></b> |                      |                            |
| ALTAVERA ORAL TABLET 0.15-30MG-MCG                                                                             | 1                    | MO                         |
| <i>alyacen 1/35 oral tablet 1-35mg-mcg</i>                                                                     | 1                    | MO                         |
| APRI ORAL TABLET 0.15-30MG-MCG                                                                                 | 1                    | MO                         |
| ARANELLE ORAL TABLET 0.5/1/0.5-35MG-MCG                                                                        | 1                    | MO                         |
| AUBRA EQ ORAL TABLET 0.1-20MG-MCG                                                                              | 1                    | MO                         |
| AVIANE ORAL TABLET 0.1-20MG-MCG                                                                                | 1                    | MO                         |
| BALZIVA ORAL TABLET 0.4-35MG-MCG                                                                               | 1                    | MO                         |
| BLISOVI FE 1.5/30 ORAL TABLET 1.5-30MG-MCG                                                                     | 1                    | MO                         |
| <i>briellyn oral tablet 0.4-35mg-mcg</i>                                                                       | 1                    | MO                         |
| CRYSELLE-28 ORAL TABLET 0.3-30MG-MCG                                                                           | 1                    | MO                         |
| CYRED EQ ORAL TABLET 0.15-30MG-MCG                                                                             | 1                    | MO                         |
| <i>desogestrel-ethinyl estradiol oral tablet 0.15-0.02/0.01mg (21/5), 0.15-30mg-mcg</i>                        | 1                    | MO                         |
| <i>drospirenone-ethinyl estradiol oral tablet 3-0.02mg, 3-0.03mg</i>                                           | 1                    | MO                         |
| ELURYNG VAGINAL RING 0.12-0.015MG/24HR                                                                         | 1                    | MO                         |
| ENPRESSE-28 ORAL TABLET 50-30/75-40/125-30MCG                                                                  | 1                    | MO                         |
| ENSKYCE ORAL TABLET 0.15-30MG-MCG                                                                              | 1                    | MO                         |
| ESTARYLLA ORAL TABLET 0.25-35MG-MCG                                                                            | 1                    | MO                         |
| <i>ethynodiol diac-eth estradiol oral tablet 1-35mg-mcg, 1-50mg-mcg</i>                                        | 1                    | MO                         |
| <i>etonogestrel-ethinyl estradiol vaginal ring 0.12-0.015mg/24hr</i>                                           | 1                    | MO                         |
| FALMINA ORAL TABLET 0.1-20MG-MCG                                                                               | 1                    | MO                         |

| Nombre del medicamento                                                           | Nivel de medicamento | Requisitos/Limites |
|----------------------------------------------------------------------------------|----------------------|--------------------|
| HALOETTE VAGINAL RING 0.12-0.015MG/24HR                                          | 1                    | MO                 |
| ICLEVIA ORAL TABLET 0.15-0.03MG                                                  | 1                    | MO                 |
| INTRAROSA VAGINAL INSERT 6.5MG                                                   | 1                    | PA; MO             |
| INTROVALE ORAL TABLET 0.15-0.03MG                                                | 1                    | MO                 |
| ISIBLOOM ORAL TABLET 0.15-30MG-MCG                                               | 1                    | MO                 |
| JASMIEL ORAL TABLET 3-0.02MG                                                     | 1                    | MO                 |
| JULEBER ORAL TABLET 0.15-30MG-MCG                                                | 1                    | MO                 |
| JUNEL 1.5/30 ORAL TABLET 1.5-30MG-MCG                                            | 1                    | MO                 |
| JUNEL 1/20 ORAL TABLET 1-20MG-MCG                                                | 1                    | MO                 |
| JUNEL FE 1.5/30 ORAL TABLET 1.5-30MG-MCG                                         | 1                    | MO                 |
| JUNEL FE 1/20 ORAL TABLET 1-20MG-MCG                                             | 1                    | MO                 |
| KARIVA ORAL TABLET 0.15-0.02/0.01MG (21/5)                                       | 1                    | MO                 |
| KELNOR 1/35 ORAL TABLET 1-35MG-MCG                                               | 1                    | MO                 |
| KELNOR 1/50 ORAL TABLET 1-50MG-MCG                                               | 1                    | MO                 |
| KURVELO ORAL TABLET 0.15-30MG-MCG                                                | 1                    | MO                 |
| LARIN 1.5/30 ORAL TABLET 1.5-30MG-MCG                                            | 1                    | MO                 |
| LARIN 1/20 ORAL TABLET 1-20MG-MCG                                                | 1                    | MO                 |
| LARIN FE 1.5/30 ORAL TABLET 1.5-30MG-MCG                                         | 1                    | MO                 |
| LARIN FE 1/20 ORAL TABLET 1-20MG-MCG                                             | 1                    | MO                 |
| LEENA ORAL TABLET 0.5/1/0.5-35MG-MCG                                             | 1                    | MO                 |
| LESSINA ORAL TABLET 0.1-20MG-MCG                                                 | 1                    | MO                 |
| LEVONEST ORAL TABLET 50-30/75-40/<br>125-30MCG                                   | 1                    | MO                 |
| <i>levonorgest-eth estrad 91-day oral tablet<br/>0.15-0.03mg</i>                 | 1                    | MO                 |
| <i>levonorgestrel-ethinyl estrad oral tablet<br/>0.1-20mg-mcg, 0.15-30mg-mcg</i> | 1                    | MO                 |
| <i>levonorg-eth estrad triphasic oral tablet<br/>50-30/75-40/ 125-30mcg</i>      | 1                    | MO                 |
| LEVORA 0.15/30 (28) ORAL TABLET<br>0.15-30MG-MCG                                 | 1                    | MO                 |
| LORYNA ORAL TABLET 3-0.02MG                                                      | 1                    | MO                 |

| Nombre del medicamento                                                        | Nivel de medicamento | Requisitos/Limites |
|-------------------------------------------------------------------------------|----------------------|--------------------|
| LOW-OGESTREL ORAL TABLET<br>0.3-30MG-MCG                                      | 1                    | MO                 |
| LUTERA ORAL TABLET 0.1-20MG-MCG                                               | 1                    | MO                 |
| <i>marlissa oral tablet 0.15-30mg-mcg</i>                                     | 1                    | MO                 |
| MICROGESTIN 1.5/30 ORAL TABLET<br>1.5-30MG-MCG                                | 1                    | MO                 |
| MICROGESTIN 1/20 ORAL TABLET<br>1-20MG-MCG                                    | 1                    | MO                 |
| MICROGESTIN FE 1.5/30 ORAL TABLET<br>1.5-30MG-MCG                             | 1                    | MO                 |
| MICROGESTIN FE 1/20 ORAL TABLET<br>1-20MG-MCG                                 | 1                    | MO                 |
| MILI ORAL TABLET 0.25-35MG-MCG                                                | 1                    | MO                 |
| NECON 0.5/35 (28) ORAL TABLET<br>0.5-35MG-MCG                                 | 1                    | MO                 |
| NIKKI ORAL TABLET 3-0.02MG                                                    | 1                    | MO                 |
| <i>norethin ace-eth estrad-fe oral tablet 1-20mg-mcg</i>                      | 1                    | MO                 |
| <i>norethindrone acet-ethinyl est oral tablet<br/>1-20mg-mcg</i>              | 1                    | MO                 |
| <i>norethindrone-eth estradiol oral tablet 1-5mg-mcg</i>                      | 1                    | MO                 |
| <i>norgestimate-eth estradiol oral tablet<br/>0.25-35mg-mcg</i>               | 1                    | MO                 |
| <i>norgestim-eth estrad triphasic oral tablet<br/>0.18/0.215/0.25mg-35mcg</i> | 1                    | MO                 |
| NORTREL 0.5/35 (28) ORAL TABLET<br>0.5-35MG-MCG                               | 1                    | MO                 |
| NORTREL 1/35 (21) ORAL TABLET<br>1-35MG-MCG                                   | 1                    | MO                 |
| NORTREL 1/35 (28) ORAL TABLET<br>1-35MG-MCG                                   | 1                    | MO                 |
| NORTREL 7/7/7 ORAL TABLET<br>0.5/0.75/1-35MG-MCG                              | 1                    | MO                 |
| NYLIA 1/35 ORAL TABLET 1-35MG-MCG                                             | 1                    | MO                 |
| NYLIA 7/7/7 ORAL TABLET<br>0.5/0.75/1-35MG-MCG                                | 1                    | MO                 |
| NYMYO ORAL TABLET 0.25-35MG-MCG                                               | 1                    | MO                 |

| Nombre del medicamento                                            | Nivel de medicamento | Requisitos/Limites |
|-------------------------------------------------------------------|----------------------|--------------------|
| OCELLA ORAL TABLET 3-0.03MG                                       | 1                    | MO                 |
| OSPHENA ORAL TABLET 60MG                                          | 1                    | PA; MO             |
| PIMTREA ORAL TABLET 0.15-0.02/0.01MG (21/5)                       | 1                    | MO                 |
| PORTIA-28 ORAL TABLET 0.15-30MG-MCG                               | 1                    | MO                 |
| PREMPHASE ORAL TABLET 0.625-5MG                                   | 1                    | MO                 |
| PREMPRO ORAL TABLET 0.3-1.5MG, 0.45-1.5MG, 0.625-2.5MG, 0.625-5MG | 1                    | MO                 |
| RECLIPSEN ORAL TABLET 0.15-30MG-MCG                               | 1                    | MO                 |
| SETLAKIN ORAL TABLET 0.15-0.03MG                                  | 1                    | MO                 |
| SPRINTEC 28 ORAL TABLET 0.25-35MG-MCG                             | 1                    | MO                 |
| SRONYX ORAL TABLET 0.1-20MG-MCG                                   | 1                    | MO                 |
| SYEDA ORAL TABLET 3-0.03MG                                        | 1                    | MO                 |
| TARINA FE 1/20 EQ ORAL TABLET 1-20MG-MCG                          | 1                    | MO                 |
| TRI-ESTARYLLA ORAL TABLET 0.18/0.215/0.25MG-35MCG                 | 1                    | MO                 |
| TRI-MILI ORAL TABLET 0.18/0.215/0.25MG-35MCG                      | 1                    | MO                 |
| TRI-NYMYO ORAL TABLET 0.18/0.215/0.25MG-35MCG                     | 1                    | MO                 |
| TRI-SPRINTEC ORAL TABLET 0.18/0.215/0.25MG-35MCG                  | 1                    | MO                 |
| TRIVORA (28) ORAL TABLET 50-30/75-40/125-30MCG                    | 1                    | MO                 |
| TRI-VYLIBRA ORAL TABLET 0.18/0.215/0.25MG-35MCG                   | 1                    | MO                 |
| VELIVET ORAL TABLET 0.1/0.125/0.15 -0.025MG                       | 1                    | MO                 |
| VESTURA ORAL TABLET 3-0.02MG                                      | 1                    | MO                 |
| VIENVA ORAL TABLET 0.1-20MG-MCG                                   | 1                    | MO                 |
| VYFEMLA ORAL TABLET 0.4-35MG-MCG                                  | 1                    | MO                 |
| VYLIBRA ORAL TABLET 0.25-35MG-MCG                                 | 1                    | MO                 |
| ZOVIA 1/35 (28) ORAL TABLET 1-35MG-MCG                            | 1                    | MO                 |

| Nombre del medicamento                                                                                                                                                | Nivel de medicamento | Requisitos/Limites |
|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------|----------------------|--------------------|
| <b>Andrógenos</b>                                                                                                                                                     |                      |                    |
| <i>danazol oral capsule 100mg, 200mg, 50mg</i>                                                                                                                        | 1                    | MO                 |
| <i>testosterone cypionate intramuscular solution 100mg/ml, 200mg/ml, 200mg/ml (1ml)</i>                                                                               | 1                    | MO                 |
| <i>testosterone enanthate intramuscular solution 200mg/ml</i>                                                                                                         | 1                    | MO                 |
| <i>testosterone transdermal gel 10mg/act (2%), 12.5mg/act (1%), 20.25mg/1.25gm (1.62%), 20.25mg/act (1.62%), 25mg/2.5gm (1%), 40.5mg/2.5gm (1.62%), 50mg/5gm (1%)</i> | 1                    | MO                 |
| <i>testosterone transdermal solution 30mg/act</i>                                                                                                                     | 1                    | MO                 |
| <b>Estrógenos</b>                                                                                                                                                     |                      |                    |
| DUAVEE ORAL TABLET 0.45-20MG                                                                                                                                          | 1                    | MO                 |
| <i>estradiol oral tablet 0.5mg, 1mg, 2mg</i>                                                                                                                          | 1                    | MO                 |
| <i>estradiol transdermal patch twice weekly 0.025mg/24hr, 0.0375mg/24hr, 0.05mg/24hr, 0.075mg/24hr, 0.1mg/24hr</i>                                                    | 1                    | MO                 |
| <i>estradiol transdermal patch weekly 0.025mg/24hr, 0.0375mg/24hr, 0.05mg/24hr, 0.06mg/24hr, 0.075mg/24hr, 0.1mg/24hr</i>                                             | 1                    | MO                 |
| <i>estradiol vaginal cream 0.1mg/gm</i>                                                                                                                               | 1                    | MO                 |
| <i>estradiol vaginal tablet 10mcg</i>                                                                                                                                 | 1                    | MO                 |
| IMVEXXY MAINTENANCE PACK VAGINAL INSERT 10MCG, 4MCG                                                                                                                   | 1                    | MO                 |
| IMVEXXY STARTER PACK VAGINAL INSERT 10MCG, 4MCG                                                                                                                       | 1                    | MO                 |
| MENEST ORAL TABLET 0.3MG, 0.625MG, 1.25MG, 2.5MG                                                                                                                      | 1                    | MO                 |
| PREMARIN ORAL TABLET 0.3MG, 0.45MG, 0.625MG, 0.9MG, 1.25MG                                                                                                            | 1                    | MO                 |
| PREMARIN VAGINAL CREAM 0.625MG/GM                                                                                                                                     | 1                    | MO                 |
| <b>Progestinas</b>                                                                                                                                                    |                      |                    |
| CAMILA ORAL TABLET 0.35MG                                                                                                                                             | 1                    | MO                 |
| DEBLITANE ORAL TABLET 0.35MG                                                                                                                                          | 1                    | MO                 |
| ERRIN ORAL TABLET 0.35MG                                                                                                                                              | 1                    | MO                 |

| Nombre del medicamento                                                                 | Nivel de medicamento | Requisitos/Limites |
|----------------------------------------------------------------------------------------|----------------------|--------------------|
| INCASSIA ORAL TABLET 0.35MG                                                            | 1                    | MO                 |
| LYLEQ ORAL TABLET 0.35MG                                                               | 1                    | MO                 |
| LYZA ORAL TABLET 0.35MG                                                                | 1                    | MO                 |
| <i>medroxyprogesterone acetate intramuscular suspension 150mg/ml</i>                   | 1                    | MO                 |
| <i>medroxyprogesterone acetate intramuscular suspension prefilled syringe 150mg/ml</i> | 1                    | MO                 |
| <i>medroxyprogesterone acetate oral tablet 10mg, 2.5mg, 5mg</i>                        | 1                    | MO                 |
| <i>megestrol acetate oral suspension 40mg/ml, 625mg/5ml</i>                            | 1                    | MO                 |
| <i>megestrol acetate oral tablet 20mg, 40mg</i>                                        | 1                    | MO                 |
| NORA-BE ORAL TABLET 0.35MG                                                             | 1                    | MO                 |
| <i>norethindrone acetate oral tablet 5mg</i>                                           | 1                    | MO                 |
| <i>norethindrone oral tablet 0.35mg</i>                                                | 1                    | MO                 |
| <i>progesterone oral capsule 100mg, 200mg</i>                                          | 1                    | MO                 |
| SHAROBEL ORAL TABLET 0.35MG                                                            | 1                    | MO                 |

## AGENTES HORMONALES, ESTIMULANTES/ DE REEMPLAZO/ MODIFICADORES (PITUITARIA)

### *Agentes Hormonales, Estimulantes/ de Reemplazo/ Modificadores (Pituitaria)*

|                                                                 |   |    |
|-----------------------------------------------------------------|---|----|
| <i>desmopressin acetate oral tablet 0.1mg, 0.2mg</i>            | 1 | MO |
| <i>desmopressin acetate spray nasal solution 0.01%</i>          | 1 | MO |
| INCRELEX SUBCUTANEOUS SOLUTION 40MG/4ML                         | 1 | PA |
| NOC DURNA SUBLINGUAL TABLET SUBLINGUAL 27.7MCG, 55.3MCG         | 1 | MO |
| OMNITROPE SUBCUTANEOUS SOLUTION CARTRIDGE 10MG/1.5ML, 5MG/1.5ML | 1 | PA |
| OMNITROPE SUBCUTANEOUS SOLUTION RECONSTITUTED 5.8MG             | 1 | PA |

| Nombre del medicamento                                                                                  | Nivel de medicamento | Requisitos/Limites          |
|---------------------------------------------------------------------------------------------------------|----------------------|-----------------------------|
| <b>AGENTES HORMONALES, ESTIMULANTES/ DE REEMPLAZO/ MODIFICADORES (SUPRARRENALES)</b>                    |                      |                             |
| <i><b>Agentes Hormonales, Estimulantes/ de Reemplazo/ Modificadores (Suprarrenales)</b></i>             |                      |                             |
| <i>dexamethasone oral solution 0.5mg/5ml</i>                                                            | 1                    | MO                          |
| <i>dexamethasone oral tablet 0.5mg, 0.75mg, 1mg, 1.5mg, 2mg, 4mg, 6mg</i>                               | 1                    | MO                          |
| <i>fludrocortisone acetate oral tablet 0.1mg</i>                                                        | 1                    | MO                          |
| <i>hydrocortisone oral tablet 10mg, 20mg, 5mg</i>                                                       | 1                    | MO                          |
| ISTURISA ORAL TABLET 1MG                                                                                | 1                    | PA; QL (240 EA per 30 days) |
| ISTURISA ORAL TABLET 10MG                                                                               | 1                    | PA; QL (180 EA per 30 days) |
| ISTURISA ORAL TABLET 5MG                                                                                | 1                    | PA; QL (120 EA per 30 days) |
| <i>methylprednisolone oral tablet 16mg, 32mg, 4mg, 8mg</i>                                              | 1                    | BvD; MO                     |
| <i>methylprednisolone oral tablet therapy pack 4mg</i>                                                  | 1                    | MO                          |
| <i>prednisolone oral solution 15mg/5ml</i>                                                              | 1                    | BvD; MO                     |
| <i>prednisolone sodium phosphate oral solution 10mg/5ml, 20mg/5ml, 25mg/5ml, 6.7 (5 base)mg/5ml</i>     | 1                    | BvD; MO                     |
| <i>prednisolone sodium phosphate oral tablet dispersible 10mg, 15mg, 30mg</i>                           | 1                    | BvD; MO                     |
| PREDNISONO INTENSOL ORAL CONCENTRATE 5MG/ML                                                             | 1                    | BvD; MO                     |
| <i>prednisone oral solution 5mg/5ml</i>                                                                 | 1                    | BvD; MO                     |
| <i>prednisone oral tablet 1mg, 10mg, 2.5mg, 20mg, 5mg, 50mg</i>                                         | 1                    | BvD; MO                     |
| <i>prednisone oral tablet therapy pack 10mg (21), 10mg (48), 5mg (21), 5mg (48)</i>                     | 1                    | MO                          |
| <b>AGENTES HORMONALES, ESTIMULANTES/ DE REEMPLAZO/ MODIFICADORES (TIROIDES)</b>                         |                      |                             |
| <i><b>Agentes Hormonales, Estimulantes/ de Reemplazo/ Modificadores (Tiroides)</b></i>                  |                      |                             |
| EUTHYROX ORAL TABLET 100MCG, 112MCG, 125MCG, 137MCG, 150MCG, 175MCG, 200MCG, 25MCG, 50MCG, 75MCG, 88MCG | 1                    | MO                          |

| Nombre del medicamento                                                                                                             | Nivel de medicamento | Requisitos/Limites |
|------------------------------------------------------------------------------------------------------------------------------------|----------------------|--------------------|
| <i>levothyroxine sodium oral tablet 100mcg, 112mcg, 125mcg, 137mcg, 150mcg, 175mcg, 200mcg, 25mcg, 300mcg, 50mcg, 75mcg, 88mcg</i> | 1                    | MO                 |
| LEVOXYL ORAL TABLET 100MCG, 112MCG, 125MCG, 137MCG, 150MCG, 175MCG, 200MCG, 25MCG, 50MCG, 75MCG, 88MCG                             | 1                    | MO                 |
| <i>liothyronine sodium oral tablet 25mcg, 5mcg, 50mcg</i>                                                                          | 1                    | MO                 |
| SYNTHROID ORAL TABLET 100MCG, 112MCG, 125MCG, 137MCG, 150MCG, 175MCG, 200MCG, 25MCG, 300MCG, 50MCG, 75MCG, 88MCG                   | 1                    | MO                 |
| UNITHROID ORAL TABLET 100MCG, 112MCG, 125MCG, 137MCG, 150MCG, 175MCG, 200MCG, 25MCG, 300MCG, 50MCG, 75MCG, 88MCG                   | 1                    | MO                 |

## AGENTES HORMONALES, SUPRESORES (PITUITARIA)

### Agentes Hormonales, Supresores (Pituitaria)

|                                                                     |   |        |
|---------------------------------------------------------------------|---|--------|
| <i>cabergoline oral tablet 0.5mg</i>                                | 1 | MO     |
| ELIGARD SUBCUTANEOUS KIT 22.5MG, 30MG, 45MG, 7.5MG                  | 1 | PA; MO |
| <i>leuprolide acetate (3 month) intramuscular injectable 22.5mg</i> | 1 | PA; MO |
| <i>leuprolide acetate injection kit 1mg/0.2ml</i>                   | 1 | PA; MO |
| LUPRON DEPOT (1-MONTH) INTRAMUSCULAR KIT 3.75MG, 7.5MG              | 1 | PA     |
| LUPRON DEPOT (3-MONTH) INTRAMUSCULAR KIT 11.25MG, 22.5MG            | 1 | PA     |
| LUPRON DEPOT (4-MONTH) INTRAMUSCULAR KIT 30MG                       | 1 | PA     |
| LUPRON DEPOT (6-MONTH) INTRAMUSCULAR KIT 45MG                       | 1 | PA     |
| LUPRON DEPOT-PED (1-MONTH) INTRAMUSCULAR KIT 7.5MG                  | 1 | PA     |
| LUPRON DEPOT-PED (3-MONTH) INTRAMUSCULAR KIT 11.25MG (PED)          | 1 | PA     |

| Nombre del medicamento                                                          | Nivel de medicamento | Requisitos/Limites         |
|---------------------------------------------------------------------------------|----------------------|----------------------------|
| LUPRON DEPOT-PED (6-MONTH) INTRAMUSCULAR KIT 45MG                               | 1                    | PA                         |
| <i>octreotide acetate injection solution 100mcg/ml, 200mcg/ml, 50mcg/ml</i>     | 1                    | PA; MO                     |
| <i>octreotide acetate injection solution 1000mcg/ml, 500mcg/ml</i>              | 1                    | PA                         |
| SIGNIFOR SUBCUTANEOUS SOLUTION 0.3MG/ML, 0.6MG/ML, 0.9MG/ML                     | 1                    | PA; QL (60ML per 30 days)  |
| SOMAVERT SUBCUTANEOUS SOLUTION RECONSTITUTED 10MG, 15MG, 20MG, 25MG, 30MG       | 1                    | PA; QL (60 EA per 30 days) |
| SYNAREL NASAL SOLUTION 2MG/ML                                                   | 1                    | PA                         |
| TRELSTAR MIXJECT INTRAMUSCULAR SUSPENSION RECONSTITUTED 11.25MG, 22.5MG, 3.75MG | 1                    | PA                         |

## AGENTES HORMONALES, SUPRESORES (TIROIDES)

### Agentes Antitiroideos

|                                          |   |    |
|------------------------------------------|---|----|
| <i>methimazole oral tablet 10mg, 5mg</i> | 1 | MO |
| <i>propylthiouracil oral tablet 50mg</i> | 1 | MO |

## AGENTES INMUNOLÓGICOS

### Agentes de Angioedema

|                                                                           |   |    |
|---------------------------------------------------------------------------|---|----|
| FIRAZYR SUBCUTANEOUS SOLUTION PREFILLED SYRINGE 30MG/3ML                  | 1 | PA |
| <i>icatibant acetate subcutaneous solution prefilled syringe 30mg/3ml</i> | 1 | PA |
| TAKHZYRO SUBCUTANEOUS SOLUTION 300MG/2ML                                  | 1 | PA |
| TAKHZYRO SUBCUTANEOUS SOLUTION PREFILLED SYRINGE 150MG/ML, 300MG/2ML      | 1 | PA |

### Agentes Inmunológicos, Otros

|                                                                        |   |    |
|------------------------------------------------------------------------|---|----|
| ARCALYST SUBCUTANEOUS SOLUTION RECONSTITUTED 220MG                     | 1 | PA |
| COSENTYX (300MG DOSE) SUBCUTANEOUS SOLUTION PREFILLED SYRINGE 150MG/ML | 1 | PA |

| Nombre del medicamento                                                                 | Nivel de medicamento | Requisitos/Limites |
|----------------------------------------------------------------------------------------|----------------------|--------------------|
| COSENTYX SENSOREADY (300MG) SUBCUTANEOUS SOLUTION AUTO-INJECTOR 150MG/ML               | 1                    | PA                 |
| COSENTYX SUBCUTANEOUS SOLUTION PREFILLED SYRINGE 75MG/0.5ML                            | 1                    | PA                 |
| DUPIXENT SUBCUTANEOUS SOLUTION PEN-INJECTOR 200MG/1.14ML, 300MG/2ML                    | 1                    | PA                 |
| DUPIXENT SUBCUTANEOUS SOLUTION PREFILLED SYRINGE 100MG/0.67ML, 200MG/1.14ML, 300MG/2ML | 1                    | PA                 |
| <i>leflunomide oral tablet 10mg, 20mg</i>                                              | 1                    | MO                 |
| RINVOQ ORAL TABLET EXTENDED RELEASE 24-HOUR 15MG, 30MG, 45MG                           | 1                    | PA                 |
| SKYRIZI PEN SUBCUTANEOUS SOLUTION AUTO-INJECTOR 150MG/ML                               | 1                    | PA                 |
| SKYRIZI SUBCUTANEOUS SOLUTION CARTRIDGE 180MG/1.2ML, 360MG/2.4ML                       | 1                    | PA                 |
| SKYRIZI SUBCUTANEOUS SOLUTION PREFILLED SYRINGE 150MG/ML                               | 1                    | PA                 |
| STELARA SUBCUTANEOUS SOLUTION 45MG/0.5ML                                               | 1                    | PA                 |
| STELARA SUBCUTANEOUS SOLUTION PREFILLED SYRINGE 45MG/0.5ML, 90MG/ML                    | 1                    | PA                 |
| TAVNEOS ORAL CAPSULE 10MG                                                              | 1                    | PA                 |
| XOLAIR SUBCUTANEOUS SOLUTION PREFILLED SYRINGE 150MG/ML, 75MG/0.5ML                    | 1                    | PA                 |
| XOLAIR SUBCUTANEOUS SOLUTION RECONSTITUTED 150MG                                       | 1                    | PA                 |
| <b>Inmunoestimulantes</b>                                                              |                      |                    |
| ACTIMMUNE SUBCUTANEOUS SOLUTION 2000000UNIT/0.5ML                                      | 1                    | PA                 |
| BESREMI SUBCUTANEOUS SOLUTION PREFILLED SYRINGE 500MCG/ML                              | 1                    | PA                 |
| PEGASYS SUBCUTANEOUS SOLUTION 180MCG/ML                                                | 1                    | PA                 |
| PEGASYS SUBCUTANEOUS SOLUTION PREFILLED SYRINGE 180MCG/0.5ML                           | 1                    | PA                 |

| Nombre del medicamento                                                                                | Nivel de medicamento | Requisitos/Limites              |
|-------------------------------------------------------------------------------------------------------|----------------------|---------------------------------|
| <b>Inmunoglobulinas</b>                                                                               |                      |                                 |
| PANZYGA INTRAVENOUS SOLUTION<br>1GM/10ML, 10GM/100ML, 2.5GM/25ML,<br>20GM/200ML, 30GM/300ML, 5GM/50ML | 1                    | BvD                             |
| PRIVIGEN INTRAVENOUS SOLUTION<br>20GM/200ML                                                           | 1                    | BvD                             |
| <b>Inmunosupresores</b>                                                                               |                      |                                 |
| AZASAN ORAL TABLET 100MG, 75MG                                                                        | 1                    | BvD; MO                         |
| <i>azathioprine oral tablet 100mg, 50mg, 75mg</i>                                                     | 1                    | BvD; MO                         |
| BENLYSTA SUBCUTANEOUS SOLUTION<br>AUTO-INJECTOR 200MG/ML                                              | 1                    | PA                              |
| BENLYSTA SUBCUTANEOUS SOLUTION<br>PREFILLED SYRINGE 200MG/ML                                          | 1                    | PA                              |
| <i>cyclosporine modified oral capsule 100mg, 25mg,<br/>50mg</i>                                       | 1                    | BvD; MO                         |
| <i>cyclosporine modified oral solution 100mg/ml</i>                                                   | 1                    | BvD; MO                         |
| <i>cyclosporine oral capsule 100mg, 25mg</i>                                                          | 1                    | BvD; MO                         |
| ENBREL MINI SUBCUTANEOUS SOLUTION<br>CARTRIDGE 50MG/ML                                                | 1                    | PA                              |
| ENBREL SUBCUTANEOUS SOLUTION<br>25MG/0.5ML                                                            | 1                    | PA                              |
| ENBREL SUBCUTANEOUS SOLUTION<br>PREFILLED SYRINGE 25MG/0.5ML, 50MG/ML                                 | 1                    | PA                              |
| ENBREL SURECLICK SUBCUTANEOUS<br>SOLUTION AUTO-INJECTOR 50MG/ML                                       | 1                    | PA                              |
| ENSPRYNG SUBCUTANEOUS SOLUTION<br>PREFILLED SYRINGE 120MG/ML                                          | 1                    | PA                              |
| ENVARUSUS XR ORAL TABLET EXTENDED<br>RELEASE 24-HOUR 0.75MG, 1MG, 4MG                                 | 1                    | BvD; MO                         |
| <i>everolimus oral tablet 0.25mg</i>                                                                  | 1                    | BvD; MO; QL (60 EA per 30 days) |
| <i>everolimus oral tablet 0.5mg</i>                                                                   | 1                    | BvD; QL (120 EA per 30 days)    |
| <i>everolimus oral tablet 0.75mg, 1mg</i>                                                             | 1                    | BvD; QL (60 EA per 30 days)     |
| GENGRAF ORAL CAPSULE 100MG, 25MG                                                                      | 1                    | BvD; MO                         |
| GENGRAF ORAL SOLUTION 100MG/ML                                                                        | 1                    | BvD; MO                         |

| Nombre del medicamento                                                                               | Nivel de medicamento | Requisitos/Limites          |
|------------------------------------------------------------------------------------------------------|----------------------|-----------------------------|
| HUMIRA PEDIATRIC CROHNS START SUBCUTANEOUS PREFILLED SYRINGE KIT 80MG/0.8ML, 80MG/0.8ML & 40MG/0.4ML | 1                    | PA                          |
| HUMIRA PEN SUBCUTANEOUS PEN-INJECTOR KIT 40MG/0.4ML, 40MG/0.8ML, 80MG/0.8ML                          | 1                    | PA                          |
| HUMIRA PEN-CD/UC/HS STARTER SUBCUTANEOUS PEN-INJECTOR KIT 40MG/0.8ML, 80MG/0.8ML                     | 1                    | PA                          |
| HUMIRA PEN-PEDIATRIC UC START SUBCUTANEOUS PEN-INJECTOR KIT 80MG/0.8ML                               | 1                    | PA                          |
| HUMIRA PEN-PS/UV/ADOL HS START SUBCUTANEOUS PEN-INJECTOR KIT 40MG/0.8ML                              | 1                    | PA                          |
| HUMIRA PEN-PSOR/UEIT STARTER SUBCUTANEOUS PEN-INJECTOR KIT 80MG/0.8ML & 40MG/0.4ML                   | 1                    | PA                          |
| HUMIRA SUBCUTANEOUS PREFILLED SYRINGE KIT 10MG/0.1ML, 20MG/0.2ML, 40MG/0.4ML, 40MG/0.8ML             | 1                    | PA                          |
| LUPKYNIS ORAL CAPSULE 7.9MG                                                                          | 1                    | PA; QL (180 EA per 30 days) |
| <i>methotrexate sodium (pf) injection solution 50mg/2ml</i>                                          | 1                    | BvD; MO                     |
| <i>methotrexate sodium injection solution 50mg/2ml</i>                                               | 1                    | BvD; MO                     |
| <i>methotrexate sodium oral tablet 2.5mg</i>                                                         | 1                    | BvD; MO                     |
| <i>mycophenolate mofetil oral capsule 250mg</i>                                                      | 1                    | BvD; MO                     |
| <i>mycophenolate mofetil oral suspension reconstituted 200mg/ml</i>                                  | 1                    | BvD                         |
| <i>mycophenolate mofetil oral tablet 500mg</i>                                                       | 1                    | BvD; MO                     |
| <i>mycophenolate sodium oral tablet delayed release 180mg, 360mg</i>                                 | 1                    | BvD; MO                     |
| PROGRAF ORAL PACKET 0.2MG, 1MG                                                                       | 1                    | BvD; MO                     |
| REZUROCK ORAL TABLET 200MG                                                                           | 1                    | PA                          |
| <i>sirolimus oral solution 1mg/ml</i>                                                                | 1                    | BvD                         |
| <i>sirolimus oral tablet 0.5mg, 1mg</i>                                                              | 1                    | BvD; MO                     |
| <i>sirolimus oral tablet 2mg</i>                                                                     | 1                    | BvD                         |

| Nombre del medicamento                                                            | Nivel de medicamento | Requisitos/Limites |
|-----------------------------------------------------------------------------------|----------------------|--------------------|
| <i>tacrolimus oral capsule 0.5mg, 1mg, 5mg</i>                                    | 1                    | BvD; MO            |
| TREXALL ORAL TABLET 10MG, 15MG, 5MG, 7.5MG                                        | 1                    | BvD; MO            |
| <b>Vacunas</b>                                                                    |                      |                    |
| ABRYSVO INTRAMUSCULAR SOLUTION RECONSTITUTED 120MCG/0.5ML                         | 1                    | MO                 |
| ACTHIB INTRAMUSCULAR SOLUTION RECONSTITUTED                                       | 1                    | MO                 |
| ADACEL INTRAMUSCULAR SUSPENSION 5-2-15.5 (PREFILLED SYRINGE), 5-2-15.5 LF-MCG/0.5 | 1                    | MO                 |
| AREXVY INTRAMUSCULAR SUSPENSION RECONSTITUTED 120MCG/0.5ML                        | 1                    | MO                 |
| <i>bcg vaccine injection solution reconstituted 50mg</i>                          | 1                    | MO                 |
| BEXSERO INTRAMUSCULAR SUSPENSION PREFILLED SYRINGE                                | 1                    | MO                 |
| BOOSTRIX INTRAMUSCULAR SUSPENSION 5-2.5-18.5 LF-MCG/0.5                           | 1                    | MO                 |
| BOOSTRIX INTRAMUSCULAR SUSPENSION PREFILLED SYRINGE 5-2.5-18.5 LF-MCG/0.5         | 1                    | MO                 |
| DAPTACEL INTRAMUSCULAR SUSPENSION 23-15-5                                         | 1                    | MO                 |
| <i>diphtheria-tetanus toxoids dt intramuscular suspension 25-5 lfu/0.5ml</i>      | 1                    | BvD; MO            |
| ENGRIX-B INJECTION SUSPENSION 20MCG/ML                                            | 1                    | BvD; MO            |
| ENGRIX-B INJECTION SUSPENSION PREFILLED SYRINGE 10MCG/0.5ML, 20MCG/ML             | 1                    | BvD; MO            |
| GARDASIL 9 INTRAMUSCULAR SUSPENSION                                               | 1                    | MO                 |
| GARDASIL 9 INTRAMUSCULAR SUSPENSION PREFILLED SYRINGE                             | 1                    | MO                 |
| HAVRIX INTRAMUSCULAR SUSPENSION 1440 EL U/ML, 720 EL U/0.5ML                      | 1                    | MO                 |
| HEPLISAV-B INTRAMUSCULAR SOLUTION PREFILLED SYRINGE 20MCG/0.5ML                   | 1                    | BvD; MO            |

| Nombre del medicamento                                          | Nivel de medicamento | Requisitos/Limites |
|-----------------------------------------------------------------|----------------------|--------------------|
| HIBERIX INJECTION SOLUTION RECONSTITUTED 10MCG                  | 1                    | MO                 |
| IMOVAX RABIES INTRAMUSCULAR SUSPENSION RECONSTITUTED 2.5UNIT/ML | 1                    | BvD; MO            |
| INFANRIX INTRAMUSCULAR SUSPENSION 25-58-10                      | 1                    | MO                 |
| IPOL INJECTION INJECTABLE                                       | 1                    | MO                 |
| IXIARO INTRAMUSCULAR SUSPENSION                                 | 1                    | MO                 |
| JYNNEOS SUBCUTANEOUS SUSPENSION 0.5ML                           | 1                    | MO                 |
| KINRIX INTRAMUSCULAR SUSPENSION PREFILLED SYRINGE 0.5ML         | 1                    | MO                 |
| MENACTRA INTRAMUSCULAR SOLUTION                                 | 1                    | MO                 |
| MENQUADFI INTRAMUSCULAR SOLUTION                                | 1                    | MO                 |
| MENVEO INTRAMUSCULAR SOLUTION RECONSTITUTED                     | 1                    | MO                 |
| M-M-R II INJECTION SOLUTION RECONSTITUTED                       | 1                    | MO                 |
| PEDIARIX INTRAMUSCULAR SUSPENSION PREFILLED SYRINGE             | 1                    | MO                 |
| PEDVAX HIB INTRAMUSCULAR SUSPENSION 7.5MCG/0.5ML                | 1                    | MO                 |
| PENTACEL INTRAMUSCULAR SUSPENSION RECONSTITUTED                 | 1                    | MO                 |
| <i>prehevbrio intramuscular suspension 10mcg/ml</i>             | 1                    | BvD; MO            |
| PRIORIX SUBCUTANEOUS SUSPENSION RECONSTITUTED                   | 1                    | MO                 |
| PROQUAD SUBCUTANEOUS SUSPENSION RECONSTITUTED                   | 1                    | MO                 |
| QUADRACEL INTRAMUSCULAR SUSPENSION, (58 UNT/ML)                 | 1                    | MO                 |
| QUADRACEL INTRAMUSCULAR SUSPENSION PREFILLED SYRINGE 0.5ML      | 1                    | MO                 |
| RABAVERT INTRAMUSCULAR SUSPENSION RECONSTITUTED                 | 1                    | BvD; MO            |

| Nombre del medicamento                                                                    | Nivel de medicamento | Requisitos/Limites |
|-------------------------------------------------------------------------------------------|----------------------|--------------------|
| RECOMBIVAX HB INJECTION SUSPENSION 10MCG/ML, 40MCG/ML, 5MCG/0.5ML                         | 1                    | BvD; MO            |
| RECOMBIVAX HB INJECTION SUSPENSION PREFILLED SYRINGE 10MCG/ML, 5MCG/0.5ML                 | 1                    | BvD; MO            |
| ROTARIX ORAL SUSPENSION                                                                   | 1                    | MO                 |
| ROTARIX ORAL SUSPENSION RECONSTITUTED                                                     | 1                    | MO                 |
| ROTATEQ ORAL SOLUTION                                                                     | 1                    | MO                 |
| SHINGRIX INTRAMUSCULAR SUSPENSION RECONSTITUTED 50MCG/0.5ML                               | 1                    | MO                 |
| TDVAX INTRAMUSCULAR SUSPENSION 2-2 LF/0.5ML                                               | 1                    | BvD; MO            |
| TENIVAC INTRAMUSCULAR INJECTABLE 5-2 LFU, 5-2 LFU (INJECTION)                             | 1                    | BvD; MO            |
| TICOVAC INTRAMUSCULAR SUSPENSION PREFILLED SYRINGE 1.2MCG/0.25ML, 2.4MCG/0.5ML            | 1                    | MO                 |
| TRUMENBA INTRAMUSCULAR SUSPENSION PREFILLED SYRINGE                                       | 1                    | MO                 |
| TWINRIX INTRAMUSCULAR SUSPENSION PREFILLED SYRINGE 720-20 ELU-MCG/ML                      | 1                    | MO                 |
| TYPHIM VI INTRAMUSCULAR SOLUTION 25MCG/0.5ML                                              | 1                    | MO                 |
| TYPHIM VI INTRAMUSCULAR SOLUTION PREFILLED SYRINGE 25MCG/0.5ML                            | 1                    | MO                 |
| VAQTA INTRAMUSCULAR SUSPENSION 25UNIT/0.5ML, 25UNIT/0.5ML 0.5ML, 50UNIT/ML, 50UNIT/ML 1ML | 1                    | MO                 |
| VARIVAX SUBCUTANEOUS INJECTABLE 1350 PFU/0.5ML                                            | 1                    | MO                 |
| YF-VAX SUBCUTANEOUS INJECTABLE, (2.5ML IN 1 VIAL, MULTI-DOSE)                             | 1                    | MO                 |

## AGENTES METABÓLICOS PARA LA ENFERMEDAD ÓSEA

### *Agentes Metabólicos para la Enfermedad Ósea*

|                                                  |   |                            |
|--------------------------------------------------|---|----------------------------|
| <i>alendronate sodium oral tablet 10mg</i>       | 1 | MO; QL (30 EA per 30 days) |
| <i>alendronate sodium oral tablet 35mg, 70mg</i> | 1 | MO; QL (4 EA per 28 days)  |

| Nombre del medicamento                                                             | Nivel de medicamento | Requisitos/Limites              |
|------------------------------------------------------------------------------------|----------------------|---------------------------------|
| <i>calcitonin (salmon) nasal solution 200unit/act</i>                              | 1                    | BvD; MO; QL (4ML per 28 days)   |
| <i>calcitriol oral capsule 0.25mcg, 0.5mcg</i>                                     | 1                    | BvD; MO                         |
| <i>calcitriol oral solution 1mcg/ml</i>                                            | 1                    | BvD; MO                         |
| <i>cinacalcet hcl oral tablet 30mg</i>                                             | 1                    | BvD; MO; QL (60 EA per 30 days) |
| <i>cinacalcet hcl oral tablet 60mg</i>                                             | 1                    | BvD; QL (60 EA per 30 days)     |
| <i>cinacalcet hcl oral tablet 90mg</i>                                             | 1                    | BvD; QL (120 EA per 30 days)    |
| <i>ibandronate sodium oral tablet 150mg</i>                                        | 1                    | MO; QL (1 EA per 30 days)       |
| NATPARA SUBCUTANEOUS CARTRIDGE<br>100MCG, 25MCG, 50MCG, 75MCG                      | 1                    | PA                              |
| <i>paricalcitol oral capsule 1mcg, 2mcg, 4mcg</i>                                  | 1                    | BvD; MO                         |
| PROLIA SUBCUTANEOUS SOLUTION<br>PREFILLED SYRINGE 60MG/ML                          | 1                    | MO; QL (1ML per 180 days)       |
| <i>raloxifene hcl oral tablet 60mg</i>                                             | 1                    | MO                              |
| <i>risedronate sodium oral tablet 150mg</i>                                        | 1                    | MO; QL (1 EA per 28 days)       |
| <i>risedronate sodium oral tablet 30mg, 5mg</i>                                    | 1                    | MO; QL (30 EA per 30 days)      |
| <i>risedronate sodium oral tablet 35mg, 35mg (12 pack), 35mg (4 pack)</i>          | 1                    | MO; QL (4 EA per 28 days)       |
| <i>teriparatide (recombinant) subcutaneous solution pen-injector 620mcg/2.48ml</i> | 1                    | PA; QL (2.48ML per 28 days)     |
| TYMLOS SUBCUTANEOUS SOLUTION<br>PEN-INJECTOR 3120MCG/1.56ML                        | 1                    | PA; QL (1.56ML per 30 days)     |
| XGEVA SUBCUTANEOUS SOLUTION<br>120MG/1.7ML                                         | 1                    | PA; QL (2ML per 28 days)        |

## AGENTES OFTÁLMICOS

### Agentes Oftálmicos Antialérgicos

|                                                 |   |    |
|-------------------------------------------------|---|----|
| <i>azelastine hcl ophthalmic solution 0.05%</i> | 1 | MO |
| <i>cromolyn sodium ophthalmic solution 4%</i>   | 1 | MO |
| <i>olopatadine hcl ophthalmic solution 0.1%</i> | 1 | MO |

### Agentes Oftálmicos Bloqueadores Beta-Adrenérgicos

|                                                 |   |    |
|-------------------------------------------------|---|----|
| <i>betaxolol hcl ophthalmic solution 0.5%</i>   | 1 | MO |
| <i>carteolol hcl ophthalmic solution 1%</i>     | 1 | MO |
| <i>levobunolol hcl ophthalmic solution 0.5%</i> | 1 | MO |

| Nombre del medicamento                                               | Nivel de medicamento | Requisitos/Limites         |
|----------------------------------------------------------------------|----------------------|----------------------------|
| <i>timolol maleate (once-daily) ophthalmic solution 0.5%</i>         | 1                    | MO                         |
| <i>timolol maleate ophthalmic gel forming solution 0.25%, 0.5%</i>   | 1                    | MO                         |
| <i>timolol maleate ophthalmic solution 0.25%, 0.5%</i>               | 1                    | MO                         |
| <b>Agentes Oftálmicos para Bajar la Presión Intraocular, Otros</b>   |                      |                            |
| <i>acetazolamide er oral capsule extended release 12-hour 500mg</i>  | 1                    | MO                         |
| <i>acetazolamide oral tablet 125mg, 250mg</i>                        | 1                    | MO                         |
| ALPHAGAN P OPHTHALMIC SOLUTION 0.1%                                  | 1                    | MO                         |
| <i>apraclonidine hcl ophthalmic solution 0.5%</i>                    | 1                    | MO                         |
| AZOPT OPHTHALMIC SUSPENSION 1%                                       | 1                    | MO                         |
| <i>brimonidine tartrate ophthalmic solution 0.15%, 0.2%</i>          | 1                    | MO                         |
| <i>brimonidine tartrate-timolol ophthalmic solution 0.2-0.5%</i>     | 1                    | MO                         |
| COMBIGAN OPHTHALMIC SOLUTION 0.2-0.5%                                | 1                    | MO                         |
| <i>dorzolamide hcl ophthalmic solution 2%</i>                        | 1                    | MO                         |
| <i>dorzolamide hcl-timolol mal ophthalmic solution 22.3-6.8mg/ml</i> | 1                    | MO                         |
| <i>dorzolamide hcl-timolol mal pf ophthalmic solution 2-0.5%</i>     | 1                    | MO                         |
| <i>methazolamide oral tablet 25mg, 50mg</i>                          | 1                    | MO                         |
| <i>pilocarpine hcl ophthalmic solution 1%, 2%, 4%</i>                | 1                    | MO                         |
| RHOPRESSA OPHTHALMIC SOLUTION 0.02%                                  | 1                    | MO                         |
| ROCKLATAN OPHTHALMIC SOLUTION 0.02-0.005%                            | 1                    | MO                         |
| SIMBRINZA OPHTHALMIC SUSPENSION 1-0.2%                               | 1                    | MO                         |
| <b>Agentes Oftálmicos, Otros</b>                                     |                      |                            |
| <i>atropine sulfate ophthalmic solution 1%</i>                       | 1                    | MO                         |
| <i>bacitra-neomycin-polymyxin-hc ophthalmic ointment 1%</i>          | 1                    | MO                         |
| <i>cyclosporine ophthalmic emulsion 0.05%</i>                        | 1                    | MO; QL (60 EA per 30 days) |

| Nombre del medicamento                                                   | Nivel de medicamento | Requisitos/Limites |
|--------------------------------------------------------------------------|----------------------|--------------------|
| CYSTADROPS OPHTHALMIC SOLUTION 0.37%                                     | 1                    | PA                 |
| CYSTARAN OPHTHALMIC SOLUTION 0.44%                                       | 1                    | PA                 |
| <i>neomycin-polymyxin-dexameth ophthalmic ointment 3.5-10000-0.1</i>     | 1                    | MO                 |
| <i>neomycin-polymyxin-dexameth ophthalmic suspension 3.5-10000-0.1</i>   | 1                    | MO                 |
| <i>neomycin-polymyxin-gramicidin ophthalmic solution 1.75-10000-.025</i> | 1                    | MO                 |
| <i>neomycin-polymyxin-hc ophthalmic suspension 3.5-10000-1</i>           | 1                    | MO                 |
| <i>polymyxin b-trimethoprim ophthalmic solution 10000-0.1unit/ml-%</i>   | 1                    | MO                 |
| <i>sulfacetamide-prednisolone ophthalmic solution 10-0.23%</i>           | 1                    | MO                 |
| <i>tobramycin-dexamethasone ophthalmic suspension 0.3-0.1%</i>           | 1                    | MO                 |
| <b>Análogos de Prostaglandina y Prostamida Oftálmicos</b>                |                      |                    |
| <i>latanoprost ophthalmic solution 0.005%</i>                            | 1                    | MO                 |
| LUMIGAN OPHTHALMIC SOLUTION 0.01%                                        | 1                    | MO                 |
| <i>travoprost (bak free) ophthalmic solution 0.004%</i>                  | 1                    | MO                 |
| <b>Antiinfecciosos Oftálmicos</b>                                        |                      |                    |
| AZASITE OPHTHALMIC SOLUTION 1%                                           | 1                    | MO                 |
| <i>bacitracin ophthalmic ointment 500unit/gm</i>                         | 1                    | MO                 |
| <i>bacitracin-polymyxin b ophthalmic ointment 500-10000unit/gm</i>       | 1                    | MO                 |
| <i>erythromycin ophthalmic ointment 5mg/gm</i>                           | 1                    | MO                 |
| <i>gatifloxacin ophthalmic solution 0.5%</i>                             | 1                    | MO                 |
| <i>gentamicin sulfate ophthalmic solution 0.3%</i>                       | 1                    | MO                 |
| <i>moxifloxacin hcl ophthalmic solution 0.5%</i>                         | 1                    | MO                 |
| NATACYN OPHTHALMIC SUSPENSION 5%                                         | 1                    | MO                 |
| <i>neomycin-bacitracin zn-polymyx ophthalmic ointment 5-400-10000</i>    | 1                    | MO                 |
| <i>ofloxacin ophthalmic solution 0.3%</i>                                | 1                    | MO                 |
| <i>sulfacetamide sodium ophthalmic solution 10%</i>                      | 1                    | MO                 |

| Nombre del medicamento                                         | Nivel de medicamento | Requisitos/Limites |
|----------------------------------------------------------------|----------------------|--------------------|
| <i>tobramycin ophthalmic solution 0.3%</i>                     | 1                    | MO                 |
| <b>Antiinflamatorios Oftálmicos</b>                            |                      |                    |
| <i>bromfenac sodium (once-daily) ophthalmic solution 0.09%</i> | 1                    | MO                 |
| BROMSITE OPHTHALMIC SOLUTION 0.075%                            | 1                    | MO                 |
| <i>dexamethasone sodium phosphate ophthalmic solution 0.1%</i> | 1                    | MO                 |
| <i>diclofenac sodium ophthalmic solution 0.1%</i>              | 1                    | MO                 |
| DUREZOL OPHTHALMIC EMULSION 0.05%                              | 1                    | MO                 |
| <i>fluorometholone ophthalmic suspension 0.1%</i>              | 1                    | MO                 |
| <i>flurbiprofen sodium ophthalmic solution 0.03%</i>           | 1                    | MO                 |
| ILEVRO OPHTHALMIC SUSPENSION 0.3%                              | 1                    | MO                 |
| <i>ketorolac tromethamine ophthalmic solution 0.4%, 0.5%</i>   | 1                    | MO                 |
| <i>loteprednol etabonate ophthalmic suspension 0.5%</i>        | 1                    | MO                 |
| <i>prednisolone acetate ophthalmic suspension 1%</i>           | 1                    | MO                 |
| <i>prednisolone sodium phosphate ophthalmic solution 1%</i>    | 1                    | MO                 |
| <b>AGENTES ÓTICOS</b>                                          |                      |                    |
| <b>Agentes Óticos</b>                                          |                      |                    |
| <i>acetic acid otic solution 2%</i>                            | 1                    | MO                 |
| <i>ciprofloxacin hcl otic solution 0.2%</i>                    | 1                    | MO                 |
| <i>ciprofloxacin-dexamethasone otic suspension 0.3-0.1%</i>    | 1                    | MO                 |
| <i>ciprofloxacin-fluocinolone pf otic solution 0.3-0.025%</i>  | 1                    | MO                 |
| <i>fluocinolone acetonide otic oil 0.01%</i>                   | 1                    | MO                 |
| <i>neomycin-polymyxin-hc otic solution 1%</i>                  | 1                    | MO                 |
| <i>neomycin-polymyxin-hc otic suspension 3.5-10000-1</i>       | 1                    | MO                 |
| <i>ofloxacin otic solution 0.3%</i>                            | 1                    | MO                 |

| Nombre del medicamento                                             | Nivel de medicamento | Requisitos/Limites             |
|--------------------------------------------------------------------|----------------------|--------------------------------|
| <b>AGENTES PARA ENFERMEDAD INTESTINAL INFLAMATORIA</b>             |                      |                                |
| <b>Aminosalicilatos</b>                                            |                      |                                |
| <i>balsalazide disodium oral capsule 750mg</i>                     | 1                    | MO                             |
| LIALDA ORAL TABLET DELAYED RELEASE 1.2GM                           | 1                    | MO                             |
| <i>mesalamine er oral capsule extended release 24-hour 0.375gm</i> | 1                    | MO                             |
| <i>mesalamine oral capsule delayed release 400mg</i>               | 1                    | MO                             |
| <i>mesalamine oral tablet delayed release 800mg</i>                | 1                    | MO                             |
| <i>mesalamine rectal enema 4gm</i>                                 | 1                    | MO                             |
| <i>sulfasalazine oral tablet 500mg</i>                             | 1                    | MO                             |
| <i>sulfasalazine oral tablet delayed release 500mg</i>             | 1                    | MO                             |
| <b>Glucocorticoides</b>                                            |                      |                                |
| <i>budesonide er oral tablet extended release 24-hour 9mg</i>      | 1                    | MO                             |
| <i>budesonide oral capsule delayed release particles 3mg</i>       | 1                    | MO                             |
| <i>hydrocortisone rectal enema 100mg/60ml</i>                      | 1                    | MO                             |
| <b>AGENTES PARA TRASTORNO DEL SUEÑO</b>                            |                      |                                |
| <b>Agentes Promotores de la Vigilia</b>                            |                      |                                |
| <i>armodafinil oral tablet 150mg, 200mg, 250mg, 50mg</i>           | 1                    | PA; MO; QL (30 EA per 30 days) |
| <i>modafinil oral tablet 100mg, 200mg</i>                          | 1                    | PA; MO; QL (60 EA per 30 days) |
| <i>sodium oxybate oral solution 500mg/ml</i>                       | 1                    | PA; QL (540ML per 30 days)     |
| SUNOSI ORAL TABLET 150MG, 75MG                                     | 1                    | PA; MO; QL (30 EA per 30 days) |
| XYREM ORAL SOLUTION 500MG/ML                                       | 1                    | PA; QL (540ML per 30 days)     |
| XYWAV ORAL SOLUTION 500MG/ML                                       | 1                    | PA; QL (540ML per 30 days)     |
| <b>Agentes Promotores del Sueño</b>                                |                      |                                |
| BELSOMRA ORAL TABLET 10MG, 15MG, 20MG, 5MG                         | 1                    | MO; QL (30 EA per 30 days)     |
| <i>temazepam oral capsule 15mg, 22.5mg, 30mg</i>                   | 1                    | MO; QL (30 EA per 30 days)     |
| <i>temazepam oral capsule 7.5mg</i>                                | 1                    | MO; QL (120 EA per 30 days)    |

| Nombre del medicamento                                                                                                                                             | Nivel de medicamento | Requisitos/Limites         |
|--------------------------------------------------------------------------------------------------------------------------------------------------------------------|----------------------|----------------------------|
| <i>zaleplon oral capsule 10mg, 5mg</i>                                                                                                                             | 1                    | MO; QL (30 EA per 30 days) |
| <i>zolpidem tartrate oral tablet 10mg, 5mg</i>                                                                                                                     | 1                    | MO; QL (30 EA per 30 days) |
| <b>AGENTES PARA TRASTORNO GENÉTICO, DE ENZIMAS o PROTEÍNAS: REEMPLAZO, MODIFICADORES, TRATAMIENTO</b>                                                              |                      |                            |
| <b><i>Agentes para Trastorno Genético, de Enzimas o Proteínas: Reemplazo, Modificadores, Tratamiento</i></b>                                                       |                      |                            |
| <i>betaine oral powder</i>                                                                                                                                         | 1                    |                            |
| CREON ORAL CAPSULE DELAYED RELEASE PARTICLES 12000-38000UNIT, 24000-76000UNIT, 3000-9500UNIT, 36000-114000UNIT, 6000-19000UNIT                                     | 1                    | MO                         |
| <i>cromolyn sodium oral concentrate 100mg/5ml</i>                                                                                                                  | 1                    | MO                         |
| CYSTAGON ORAL CAPSULE 150MG, 50MG                                                                                                                                  | 1                    | PA; MO                     |
| ENDARI ORAL PACKET 5GM                                                                                                                                             | 1                    | PA; MO                     |
| GALAFOLD ORAL CAPSULE 123MG                                                                                                                                        | 1                    | PA                         |
| <i>miglustat oral capsule 100mg</i>                                                                                                                                | 1                    | PA                         |
| <i>nitisinone oral capsule 10mg, 2mg, 20mg, 5mg</i>                                                                                                                | 1                    | PA                         |
| PROLASTIN-C INTRAVENOUS SOLUTION RECONSTITUTED 1000MG                                                                                                              | 1                    | PA                         |
| RAVICTI ORAL LIQUID 1.1GM/ML                                                                                                                                       | 1                    | PA                         |
| <i>sapropterin dihydrochloride oral packet 100mg, 500mg</i>                                                                                                        | 1                    | PA                         |
| <i>sapropterin dihydrochloride oral tablet 100mg</i>                                                                                                               | 1                    | PA                         |
| TEGSEDI SUBCUTANEOUS SOLUTION PREFILLED SYRINGE 284MG/1.5ML                                                                                                        | 1                    | PA                         |
| VYNDAMAX ORAL CAPSULE 61MG                                                                                                                                         | 1                    | PA; QL (30 EA per 30 days) |
| XURIDEN ORAL PACKET 2GM                                                                                                                                            | 1                    | PA                         |
| ZENPEP ORAL CAPSULE DELAYED RELEASE PARTICLES 10000-32000UNIT, 15000-47000UNIT, 20000-63000UNIT, 25000-79000UNIT, 3000-10000UNIT, 40000-126000UNIT, 5000-24000UNIT | 1                    | MO                         |
| ZOKINVY ORAL CAPSULE 50MG, 75MG                                                                                                                                    | 1                    | PA                         |

| Nombre del medicamento                                                            | Nivel de medicamento | Requisitos/Limites |
|-----------------------------------------------------------------------------------|----------------------|--------------------|
| <b>AGENTES PARA TRATAMIENTO DE ABUSO DE SUSTANCIAS/ANTI-ADICCIÓN</b>              |                      |                    |
| <b>Agentes para Dejar de Fumar</b>                                                |                      |                    |
| <i>bupropion hcl er (smoking det) oral tablet extended release 12-hour 150mg</i>  | 1                    | MO                 |
| NICOTROL INHALATION INHALER 10MG                                                  | 1                    | MO                 |
| <i>varenicline tartrate oral tablet 0.5mg, 1mg</i>                                | 1                    | MO                 |
| <i>varenicline tartrate oral tablet therapy pack 0.5mg x 11 &amp; 1mg x 42</i>    | 1                    | MO                 |
| <b>Agentes para la Reversión de Opioides</b>                                      |                      |                    |
| KLOXXADO NASAL LIQUID 8MG/0.1ML                                                   | 1                    | MO                 |
| <i>naloxone hcl injection solution 0.4mg/ml</i>                                   | 1                    | MO                 |
| <i>naloxone hcl injection solution cartridge 0.4mg/ml</i>                         | 1                    | MO                 |
| <i>naloxone hcl injection solution prefilled syringe 2mg/2ml</i>                  | 1                    | MO                 |
| <i>naloxone hcl nasal liquid 4mg/0.1ml</i>                                        | 1                    | MO                 |
| NARCAN NASAL LIQUID 4MG/0.1ML                                                     | 1                    | MO                 |
| ZIMHI INJECTION SOLUTION PREFILLED SYRINGE 5MG/0.5ML                              | 1                    | MO                 |
| <b>Dependencia de Opioides</b>                                                    |                      |                    |
| <i>buprenorphine hcl sublingual tablet sublingual 2mg, 8mg</i>                    | 1                    | MO                 |
| <i>buprenorphine hcl-naloxone hcl sublingual tablet sublingual 2-0.5mg, 8-2mg</i> | 1                    | MO                 |
| SUBOXONE SUBLINGUAL FILM 12-3MG, 2-0.5MG, 4-1MG, 8-2MG                            | 1                    | MO                 |
| <b>Disuasivos de Alcohol/Anti-Deseo</b>                                           |                      |                    |
| <i>acamprosate calcium oral tablet delayed release 333mg</i>                      | 1                    | MO                 |
| <i>disulfiram oral tablet 250mg</i>                                               | 1                    | MO                 |
| <i>naltrexone hcl oral tablet 50mg</i>                                            | 1                    | MO                 |
| VIVITROL INTRAMUSCULAR SUSPENSION RECONSTITUTED 380MG                             | 1                    |                    |

| Nombre del medicamento                                                                               | Nivel de medicamento | Requisitos/Limites          |
|------------------------------------------------------------------------------------------------------|----------------------|-----------------------------|
| <b>AGENTES PARA TRATAMIENTO DE LA GOTA</b>                                                           |                      |                             |
| <b><i>Agentes para Tratamiento de la Gota</i></b>                                                    |                      |                             |
| <i>allopurinol oral tablet 100mg, 300mg</i>                                                          | 1                    | MO                          |
| <i>colchicine oral capsule 0.6mg</i>                                                                 | 1                    | MO                          |
| <i>colchicine oral tablet 0.6mg</i>                                                                  | 1                    | MO                          |
| <i>colchicine-probenecid oral tablet 0.5-500mg</i>                                                   | 1                    | MO                          |
| <i>febuxostat oral tablet 40mg, 80mg</i>                                                             | 1                    | PA; MO                      |
| <i>probenecid oral tablet 500mg</i>                                                                  | 1                    | MO                          |
| <b>AGENTES PULMONARES/ TRACTO RESPIRATORIO</b>                                                       |                      |                             |
| <b><i>Agentes de Fibrosis Pulmonar</i></b>                                                           |                      |                             |
| OFEV ORAL CAPSULE 100MG, 150MG                                                                       | 1                    | PA                          |
| <i>pirfenidone oral capsule 267mg</i>                                                                | 1                    | PA                          |
| <i>pirfenidone oral tablet 267mg, 534mg, 801mg</i>                                                   | 1                    | PA                          |
| <b><i>Agentes del Tracto Respiratorio, Otros</i></b>                                                 |                      |                             |
| <i>acetylcysteine inhalation solution 10%, 20%</i>                                                   | 1                    | BvD; MO                     |
| ADVAIR DISKUS INHALATION AEROSOL POWDER BREATH ACTIVATED 100-50MCG/ACT, 250-50MCG/ACT, 500-50MCG/ACT | 1                    | MO; QL (60 EA per 30 days)  |
| ADVAIR HFA INHALATION AEROSOL 115-21MCG/ACT, 230-21MCG/ACT, 45-21MCG/ACT                             | 1                    | MO; QL (12GM per 30 days)   |
| ANORO ELLIPTA INHALATION AEROSOL POWDER BREATH ACTIVATED 62.5-25MCG/ACT                              | 1                    | MO; QL (60 EA per 30 days)  |
| BREO ELLIPTA INHALATION AEROSOL POWDER BREATH ACTIVATED 100-25MCG/ACT, 200-25MCG/ACT                 | 1                    | MO; QL (60 EA per 30 days)  |
| BREZTRI AEROSPHERE INHALATION AEROSOL 160-9-4.8MCG/ACT                                               | 1                    | MO; QL (10.7GM per 30 days) |
| <i>budesonide-formoterol fumarate inhalation aerosol 160-4.5mcg/act, 80-4.5mcg/act</i>               | 1                    | MO; QL (10.2GM per 30 days) |
| COMBIVENT RESPIMAT INHALATION AEROSOL SOLUTION 20-100MCG/ACT                                         | 1                    | MO; QL (4GM per 20 days)    |

| Nombre del medicamento                                                                                               | Nivel de medicamento | Requisitos/Limites         |
|----------------------------------------------------------------------------------------------------------------------|----------------------|----------------------------|
| <i>cromolyn sodium inhalation nebulization solution 20mg/2ml</i>                                                     | 1                    | BvD; MO                    |
| <i>fluticasone-salmeterol inhalation aerosol powder breath activated 100-50mcg/act, 250-50mcg/act, 500-50mcg/act</i> | 1                    | MO; QL (60 EA per 30 days) |
| <i>fluticasone-salmeterol inhalation aerosol powder breath activated 113-14mcg/act, 232-14mcg/act, 55-14mcg/act</i>  | 1                    | MO; QL (1 EA per 30 days)  |
| <i>ipratropium-albuterol inhalation solution 0.5-2.5 (3)mg/3ml</i>                                                   | 1                    | BvD; MO                    |
| NUCALA SUBCUTANEOUS SOLUTION AUTO-INJECTOR 100MG/ML                                                                  | 1                    | PA                         |
| NUCALA SUBCUTANEOUS SOLUTION PREFILLED SYRINGE 100MG/ML, 40MG/0.4ML                                                  | 1                    | PA                         |
| NUCALA SUBCUTANEOUS SOLUTION RECONSTITUTED 100MG                                                                     | 1                    | PA                         |
| TRELEGY ELLIPTA INHALATION AEROSOL POWDER BREATH ACTIVATED 100-62.5-25MCG/ACT, 200-62.5-25MCG/ACT                    | 1                    | MO; QL (60 EA per 30 days) |
| <b>Agentes para Fibrosis Quística</b>                                                                                |                      |                            |
| CAYSTON INHALATION SOLUTION RECONSTITUTED 75MG                                                                       | 1                    | PA                         |
| KALYDECO ORAL PACKET 13.4MG, 25MG, 50MG, 75MG                                                                        | 1                    | PA                         |
| KALYDECO ORAL TABLET 150MG                                                                                           | 1                    | PA                         |
| ORKAMBI ORAL PACKET 100-125MG, 150-188MG, 75-94MG                                                                    | 1                    | PA                         |
| ORKAMBI ORAL TABLET 100-125MG, 200-125MG                                                                             | 1                    | PA                         |
| PULMOZYME INHALATION SOLUTION 2.5MG/2.5ML                                                                            | 1                    | BvD                        |
| SYMDEKO ORAL TABLET THERAPY PACK 100-150 & 150MG, 50-75 & 75MG                                                       | 1                    | PA                         |
| TOBI PODHALER INHALATION CAPSULE 28MG                                                                                | 1                    | PA                         |
| <i>tobramycin inhalation nebulization solution 300mg/5ml</i>                                                         | 1                    | BvD                        |

| Nombre del medicamento                                                                       | Nivel de medicamento | Requisitos/Limites             |
|----------------------------------------------------------------------------------------------|----------------------|--------------------------------|
| TRIKAFTA ORAL TABLET THERAPY PACK 100-50-75 & 150MG, 50-25-37.5 & 75MG                       | 1                    | PA                             |
| TRIKAFTA ORAL THERAPY PACK 100-50-75 & 75MG, 80-40-60 & 59.5MG                               | 1                    | PA                             |
| <b>Antihipertensivos Pulmonares</b>                                                          |                      |                                |
| ADEMPAS ORAL TABLET 0.5MG, 1MG, 1.5MG, 2MG, 2.5MG                                            | 1                    | PA; QL (90 EA per 30 days)     |
| <i>ambrisentan oral tablet 10mg, 5mg</i>                                                     | 1                    | PA; QL (30 EA per 30 days)     |
| <i>bosentan oral tablet 125mg, 62.5mg</i>                                                    | 1                    | PA; QL (60 EA per 30 days)     |
| OPSUMIT ORAL TABLET 10MG                                                                     | 1                    | PA; QL (90 EA per 30 days)     |
| <i>sildenafil citrate oral tablet 20mg</i>                                                   | 1                    | PA; MO; QL (90 EA per 30 days) |
| <b>Antihistamínicos</b>                                                                      |                      |                                |
| <i>azelastine hcl nasal solution 0.1%</i>                                                    | 1                    | MO; QL (30ML per 25 days)      |
| <i>cetirizine hcl oral solution 1mg/ml</i>                                                   | 1                    | MO                             |
| <i>cyproheptadine hcl oral syrup 2mg/5ml</i>                                                 | 1                    | MO                             |
| <i>cyproheptadine hcl oral tablet 4mg</i>                                                    | 1                    | MO                             |
| <i>levocetirizine dihydrochloride oral solution 2.5mg/5ml</i>                                | 1                    | MO                             |
| <i>levocetirizine dihydrochloride oral tablet 5mg</i>                                        | 1                    | MO                             |
| <b>Antiinflamatorios, Corticosteroides Inhalados</b>                                         |                      |                                |
| ARNUITY ELLIPTA INHALATION AEROSOL POWDER BREATH ACTIVATED 100MCG/ACT, 200MCG/ACT, 50MCG/ACT | 1                    | MO; QL (30 EA per 30 days)     |
| ASMANEX (120 METERED DOSES) INHALATION AEROSOL POWDER BREATH ACTIVATED 220MCG/ACT            | 1                    | MO; QL (2 EA per 30 days)      |
| ASMANEX (30 METERED DOSES) INHALATION AEROSOL POWDER BREATH ACTIVATED 110MCG/ACT, 220MCG/ACT | 1                    | MO; QL (2 EA per 30 days)      |
| ASMANEX (60 METERED DOSES) INHALATION AEROSOL POWDER BREATH ACTIVATED 220MCG/ACT             | 1                    | MO; QL (2 EA per 30 days)      |
| ASMANEX HFA INHALATION AEROSOL 100MCG/ACT, 200MCG/ACT, 50MCG/ACT                             | 1                    | MO; QL (26GM per 30 days)      |

| Nombre del medicamento                                                                      | Nivel de medicamento | Requisitos/Limites          |
|---------------------------------------------------------------------------------------------|----------------------|-----------------------------|
| <i>budesonide inhalation suspension 0.25mg/2ml, 0.5mg/2ml, 1mg/2ml</i>                      | 1                    | BvD; MO                     |
| FLOVENT DISKUS INHALATION AEROSOL POWDER BREATH ACTIVATED 100MCG/ACT, 250MCG/ACT, 50MCG/ACT | 1                    | MO; QL (60 EA per 30 days)  |
| FLOVENT HFA INHALATION AEROSOL 110MCG/ACT, 220MCG/ACT                                       | 1                    | MO; QL (24GM per 30 days)   |
| FLOVENT HFA INHALATION AEROSOL 44MCG/ACT                                                    | 1                    | MO; QL (21.2GM per 30 days) |
| <i>flunisolide nasal solution 25mcg/act (0.025%)</i>                                        | 1                    | MO; QL (50ML per 30 days)   |
| <i>fluticasone propionate nasal suspension 50mcg/act</i>                                    | 1                    | MO; QL (16GM per 30 days)   |
| <i>mometasone furoate nasal suspension 50mcg/act</i>                                        | 1                    | MO; QL (34GM per 30 days)   |
| <b>Antileucotrienos</b>                                                                     |                      |                             |
| <i>montelukast sodium oral packet 4mg</i>                                                   | 1                    | MO; QL (30 EA per 30 days)  |
| <i>montelukast sodium oral tablet 10mg</i>                                                  | 1                    | MO; QL (30 EA per 30 days)  |
| <i>montelukast sodium oral tablet chewable 4mg, 5mg</i>                                     | 1                    | MO; QL (30 EA per 30 days)  |
| <i>zafirlukast oral tablet 10mg, 20mg</i>                                                   | 1                    | MO; QL (60 EA per 30 days)  |
| <b>Broncodilatadores, Anticolinérgicos</b>                                                  |                      |                             |
| ATROVENT HFA INHALATION AEROSOL SOLUTION 17MCG/ACT                                          | 1                    | MO; QL (26GM per 30 days)   |
| <i>ipratropium bromide inhalation solution 0.02%</i>                                        | 1                    | BvD; MO                     |
| <i>ipratropium bromide nasal solution 0.03%</i>                                             | 1                    | MO; QL (60ML per 30 days)   |
| <i>ipratropium bromide nasal solution 0.06%</i>                                             | 1                    | MO; QL (30ML per 30 days)   |
| SPIRIVA HANDIHALER INHALATION CAPSULE 18MCG                                                 | 1                    | MO; QL (30 EA per 30 days)  |
| SPIRIVA RESPIMAT INHALATION AEROSOL SOLUTION 1.25MCG/ACT, 2.5MCG/ACT                        | 1                    | MO; QL (4GM per 30 days)    |
| <b>Broncodilatadores, Simpaticomiméticos</b>                                                |                      |                             |
| <i>albuterol sulfate hfa inhalation aerosol solution 108 (90 base)mcg/act</i>               | 1                    | MO; QL (17GM per 30 days)   |
| <i>albuterol sulfate hfa inhalation aerosol solution 108 (90 base)mcg/act (nda020503)</i>   | 1                    | MO; QL (13.4GM per 30 days) |

| Nombre del medicamento                                                                                            | Nivel de medicamento | Requisitos/Limites         |
|-------------------------------------------------------------------------------------------------------------------|----------------------|----------------------------|
| <i>albuterol sulfate hfa inhalation aerosol solution 108 (90 base)mcg/act (nda020983)</i>                         | 1                    | MO; QL (36GM per 30 days)  |
| <i>albuterol sulfate inhalation nebulization solution (2.5mg/3ml) 0.083%, 0.63mg/3ml, 1.25mg/3ml, 2.5mg/0.5ml</i> | 1                    | BvD; MO                    |
| <i>albuterol sulfate oral syrup 2mg/5ml</i>                                                                       | 1                    | MO                         |
| <i>albuterol sulfate oral tablet 2mg, 4mg</i>                                                                     | 1                    | MO                         |
| <i>epinephrine injection solution 0.3mg/0.3ml</i>                                                                 | 1                    | MO                         |
| <i>epinephrine injection solution auto-injector 0.15mg/0.15ml, 0.15mg/0.3ml, 0.3mg/0.3ml</i>                      | 1                    | MO                         |
| SEREVENT DISKUS INHALATION AEROSOL POWDER BREATH ACTIVATED 50MCG/ACT                                              | 1                    | MO; QL (60 EA per 30 days) |
| <i>terbutaline sulfate oral tablet 2.5mg, 5mg</i>                                                                 | 1                    | MO                         |
| VENTOLIN HFA INHALATION AEROSOL SOLUTION 108 (90 BASE)MCG/ACT                                                     | 1                    | MO; QL (36GM per 30 days)  |

### ***Inhibidores de la Fosfodiesterasa, Enfermedad de las Vías Respiratorias***

|                                                                          |   |                            |
|--------------------------------------------------------------------------|---|----------------------------|
| <i>roflumilast oral tablet 250mcg, 500mcg</i>                            | 1 | MO; QL (30 EA per 30 days) |
| <i>theophylline er oral tablet extended release 12-hour 300mg, 450mg</i> | 1 | MO                         |
| <i>theophylline er oral tablet extended release 24-hour 400mg, 600mg</i> | 1 | MO                         |

## **ANALGÉSICOS**

### ***Analgésicos Opioides, de Acción Corta***

|                                                                                     |   |                                 |
|-------------------------------------------------------------------------------------|---|---------------------------------|
| <i>acetaminophen-codeine oral solution 120-12mg/5ml</i>                             | 1 | MO; QL (5000ML per 30 days)     |
| <i>acetaminophen-codeine oral tablet 300-15mg, 300-30mg, 300-60mg</i>               | 1 | MO; QL (360 EA per 30 days)     |
| <i>codeine sulfate oral tablet 15mg, 30mg, 60mg</i>                                 | 1 | MO; QL (180 EA per 30 days)     |
| <i>fentanyl citrate buccal lozenge on a handle 1200mcg, 1600mcg, 600mcg, 800mcg</i> | 1 | PA; QL (120 EA per 30 days)     |
| <i>fentanyl citrate buccal lozenge on a handle 200mcg, 400mcg</i>                   | 1 | PA; MO; QL (120 EA per 30 days) |
| <i>hydrocodone-acetaminophen oral solution 7.5-325mg/15ml</i>                       | 1 | MO; QL (5500ML per 30 days)     |

| Nombre del medicamento                                                                                                          | Nivel de medicamento | Requisitos/Limites             |
|---------------------------------------------------------------------------------------------------------------------------------|----------------------|--------------------------------|
| <i>hydrocodone-acetaminophen oral tablet 10-325mg, 5-325mg, 7.5-325mg</i>                                                       | 1                    | MO; QL (360 EA per 30 days)    |
| <i>hydrocodone-ibuprofen oral tablet 10-200mg, 5-200mg, 7.5-200mg</i>                                                           | 1                    | MO; QL (150 EA per 30 days)    |
| <i>hydromorphone hcl oral liquid 1mg/ml</i>                                                                                     | 1                    | MO; QL (1920ML per 30 days)    |
| <i>hydromorphone hcl oral tablet 2mg, 4mg</i>                                                                                   | 1                    | MO; QL (360 EA per 30 days)    |
| <i>hydromorphone hcl oral tablet 8mg</i>                                                                                        | 1                    | MO; QL (240 EA per 30 days)    |
| <i>morphine sulfate (concentrate) oral solution 20mg/ml</i>                                                                     | 1                    | MO; QL (600ML per 30 days)     |
| <i>morphine sulfate oral solution 10mg/5ml</i>                                                                                  | 1                    | MO; QL (1800ML per 30 days)    |
| <i>morphine sulfate oral solution 20mg/5ml</i>                                                                                  | 1                    | MO; QL (1500ML per 30 days)    |
| <i>morphine sulfate oral tablet 15mg, 30mg</i>                                                                                  | 1                    | MO; QL (180 EA per 30 days)    |
| <i>oxycodone hcl oral concentrate 100mg/5ml</i>                                                                                 | 1                    | MO; QL (180ML per 30 days)     |
| <i>oxycodone hcl oral solution 5mg/5ml</i>                                                                                      | 1                    | MO; QL (1080ML per 30 days)    |
| <i>oxycodone hcl oral tablet 10mg, 15mg, 20mg, 30mg, 5mg</i>                                                                    | 1                    | MO; QL (180 EA per 30 days)    |
| <i>oxycodone-acetaminophen oral solution 5-325mg/5ml</i>                                                                        | 1                    | MO; QL (1080ML per 30 days)    |
| <i>oxycodone-acetaminophen oral tablet 10-325mg, 2.5-325mg, 5-325mg, 7.5-325mg</i>                                              | 1                    | MO; QL (360 EA per 30 days)    |
| <i>tramadol hcl oral tablet 100mg</i>                                                                                           | 1                    | MO; QL (120 EA per 30 days)    |
| <i>tramadol hcl oral tablet 50mg</i>                                                                                            | 1                    | MO; QL (240 EA per 30 days)    |
| <i>tramadol-acetaminophen oral tablet 37.5-325mg</i>                                                                            | 1                    | MO; QL (240 EA per 30 days)    |
| <b>Analgésicos Opioides, de Acción Prolongada</b>                                                                               |                      |                                |
| <i>fentanyl transdermal patch 72-hour 100mcg/hr, 12mcg/hr, 25mcg/hr, 37.5mcg/hr, 50mcg/hr, 62.5mcg/hr, 75mcg/hr, 87.5mcg/hr</i> | 1                    | PA; MO; QL (10 EA per 30 days) |
| <i>methadone hcl oral tablet 10mg, 5mg</i>                                                                                      | 1                    | MO; QL (240 EA per 30 days)    |
| <i>morphine sulfate er oral tablet extended release 100mg, 15mg, 200mg, 30mg, 60mg</i>                                          | 1                    | MO; QL (90 EA per 30 days)     |
| <i>oxycodone hcl er oral tablet er 12-hour abuse-deterrent 10mg, 20mg</i>                                                       | 1                    | MO                             |
| <b>Analgésicos</b>                                                                                                              |                      |                                |
| <i>butalbital-apap-caffeine oral tablet 50-325-40mg</i>                                                                         | 1                    | MO; QL (180 EA per 30 days)    |

| Nombre del medicamento                                                 | Nivel de medicamento | Requisitos/Limites          |
|------------------------------------------------------------------------|----------------------|-----------------------------|
| <i>butalbital-asa-caff-codeine oral capsule 50-325-40-30mg</i>         | 1                    | MO; QL (180 EA per 30 days) |
| <i>butalbital-aspirin-cafeine oral capsule 50-325-40mg</i>             | 1                    | MO; QL (180 EA per 30 days) |
| <b>Fármacos Anti-Inflamatorios No Esteroideos</b>                      |                      |                             |
| <i>celecoxib oral capsule 100mg, 200mg, 400mg, 50mg</i>                | 1                    | MO                          |
| <i>diclofenac potassium oral tablet 50mg</i>                           | 1                    | MO                          |
| <i>diclofenac sodium er oral tablet extended release 24-hour 100mg</i> | 1                    | MO                          |
| <i>diclofenac sodium external gel 1%</i>                               | 1                    | MO                          |
| <i>diclofenac sodium oral tablet delayed release 25mg, 50mg, 75mg</i>  | 1                    | MO                          |
| <i>diflunisal oral tablet 500mg</i>                                    | 1                    | MO                          |
| <i>etodolac oral capsule 200mg, 300mg</i>                              | 1                    | MO                          |
| <i>etodolac oral tablet 400mg, 500mg</i>                               | 1                    | MO                          |
| <i>flurbiprofen oral tablet 100mg</i>                                  | 1                    | MO                          |
| <i>IBU ORAL TABLET 600MG, 800MG</i>                                    | 1                    | MO                          |
| <i>ibuprofen oral suspension 100mg/5ml</i>                             | 1                    | MO                          |
| <i>ibuprofen oral tablet 400mg, 600mg, 800mg</i>                       | 1                    | MO                          |
| <i>indomethacin er oral capsule extended release 75mg</i>              | 1                    | MO                          |
| <i>indomethacin oral capsule 25mg, 50mg</i>                            | 1                    | MO                          |
| <i>ketorolac tromethamine oral tablet 10mg</i>                         | 1                    | MO                          |
| <i>meloxicam oral tablet 15mg, 7.5mg</i>                               | 1                    | MO                          |
| <i>nabumetone oral tablet 500mg, 750mg</i>                             | 1                    | MO                          |
| <i>naproxen oral suspension 125mg/5ml</i>                              | 1                    | MO                          |
| <i>naproxen oral tablet 250mg, 375mg, 500mg</i>                        | 1                    | MO                          |
| <i>naproxen oral tablet delayed release 375mg, 500mg</i>               | 1                    | MO                          |
| <i>naproxen sodium oral tablet 275mg, 550mg</i>                        | 1                    | MO                          |
| <i>oxaprozin oral tablet 600mg</i>                                     | 1                    | MO                          |
| <i>piroxicam oral capsule 10mg, 20mg</i>                               | 1                    | MO                          |

| Nombre del medicamento                                                | Nivel de medicamento | Requisitos/Limites             |
|-----------------------------------------------------------------------|----------------------|--------------------------------|
| <i>sulindac oral tablet 150mg, 200mg</i>                              | 1                    | MO                             |
| <b>ANESTÉSICOS</b>                                                    |                      |                                |
| <b>Anestésicos Locales</b>                                            |                      |                                |
| <i>lidocaine external patch 5%</i>                                    | 1                    | PA; MO; QL (90 EA per 30 days) |
| <i>lidocaine hcl external solution 4%</i>                             | 1                    | MO; QL (50ML per 30 days)      |
| <i>lidocaine viscous hcl mouth/throat solution 2%</i>                 | 1                    | MO                             |
| <i>lidocaine-prilocaine external cream 2.5-2.5%</i>                   | 1                    | MO; QL (30GM per 30 days)      |
| <b>ANSIOLÍTICOS</b>                                                   |                      |                                |
| <b>Ansiolíticos, Otros</b>                                            |                      |                                |
| <i>buspirone hcl oral tablet 10mg, 15mg, 30mg, 5mg, 7.5mg</i>         | 1                    | MO                             |
| <i>hydroxyzine hcl oral syrup 10mg/5ml</i>                            | 1                    | MO                             |
| <i>hydroxyzine hcl oral tablet 10mg, 25mg, 50mg</i>                   | 1                    | MO                             |
| <i>hydroxyzine pamoate oral capsule 100mg, 25mg, 50mg</i>             | 1                    | MO                             |
| <i>oxazepam oral capsule 10mg, 15mg, 30mg</i>                         | 1                    | MO; QL (120 EA per 30 days)    |
| <b>Benzodiacepinas</b>                                                |                      |                                |
| ALPRAZOLAM INTENSOL ORAL CONCENTRATE 1MG/ML                           | 1                    | MO; QL (300ML per 30 days)     |
| <i>alprazolam oral tablet 0.25mg, 0.5mg</i>                           | 1                    | MO; QL (120 EA per 30 days)    |
| <i>alprazolam oral tablet 1mg</i>                                     | 1                    | MO; QL (240 EA per 30 days)    |
| <i>alprazolam oral tablet 2mg</i>                                     | 1                    | MO; QL (150 EA per 30 days)    |
| <i>chlordiazepoxide hcl oral capsule 10mg, 25mg, 5mg</i>              | 1                    | MO; QL (120 EA per 30 days)    |
| <i>clonazepam oral tablet 0.5mg, 1mg</i>                              | 1                    | MO; QL (90 EA per 30 days)     |
| <i>clonazepam oral tablet 2mg</i>                                     | 1                    | MO; QL (300 EA per 30 days)    |
| <i>clonazepam oral tablet dispersible 0.125mg, 0.25mg, 0.5mg, 1mg</i> | 1                    | MO; QL (90 EA per 30 days)     |
| <i>clonazepam oral tablet dispersible 2mg</i>                         | 1                    | MO; QL (300 EA per 30 days)    |
| <i>clorazepate dipotassium oral tablet 15mg, 3.75mg, 7.5mg</i>        | 1                    | MO; QL (180 EA per 30 days)    |
| DIAZEPAM INTENSOL ORAL CONCENTRATE 5MG/ML                             | 1                    | MO; QL (240ML per 30 days)     |

| Nombre del medicamento                       | Nivel de medicamento | Requisitos/Limites          |
|----------------------------------------------|----------------------|-----------------------------|
| <i>diazepam oral solution 5mg/5ml</i>        | 1                    | MO; QL (1200ML per 30 days) |
| <i>diazepam oral tablet 10mg, 2mg</i>        | 1                    | MO; QL (120 EA per 30 days) |
| <i>diazepam oral tablet 5mg</i>              | 1                    | MO; QL (240 EA per 30 days) |
| LORAZEPAM INTENSOL ORAL CONCENTRATE 2MG/ML   | 1                    | MO; QL (240ML per 30 days)  |
| <i>lorazepam oral tablet 0.5mg, 1mg, 2mg</i> | 1                    | MO; QL (150 EA per 30 days) |

## ANTIBACTERIANOS

### Aminoglucósidos

|                                                                                                               |   |         |
|---------------------------------------------------------------------------------------------------------------|---|---------|
| <i>amikacin sulfate injection solution 500mg/2ml</i>                                                          | 1 | BvD; MO |
| ARIKAYCE INHALATION SUSPENSION 590MG/8.4ML                                                                    | 1 | PA; MO  |
| <i>gentamicin in saline intravenous solution 0.8-0.9mg/ml-%, 1-0.9mg/ml-%, 1.2-0.9mg/ml-%, 1.6-0.9mg/ml-%</i> | 1 | MO      |
| <i>gentamicin sulfate external cream 0.1%</i>                                                                 | 1 | MO      |
| <i>gentamicin sulfate external ointment 0.1%</i>                                                              | 1 | MO      |
| <i>gentamicin sulfate injection solution 40mg/ml</i>                                                          | 1 | MO      |
| <i>neomycin sulfate oral tablet 500mg</i>                                                                     | 1 | MO      |
| <i>paromomycin sulfate oral capsule 250mg</i>                                                                 | 1 | MO      |
| <i>tobramycin sulfate injection solution 10mg/ml, 80mg/2ml</i>                                                | 1 | BvD; MO |
| ZEMDRI INTRAVENOUS SOLUTION 500MG/10ML                                                                        | 1 |         |

### Antibacterianos, Otros

|                                                                                             |   |         |
|---------------------------------------------------------------------------------------------|---|---------|
| <i>aztreonam injection solution reconstituted 1gm</i>                                       | 1 | MO      |
| <i>aztreonam injection solution reconstituted 2gm</i>                                       | 1 | BvD; MO |
| <i>clindamycin hcl oral capsule 150mg, 300mg, 75mg</i>                                      | 1 | MO      |
| <i>clindamycin palmitate hcl oral solution reconstituted 75mg/5ml</i>                       | 1 | MO      |
| <i>clindamycin phosphate in d5w intravenous solution 300mg/50ml, 600mg/50ml, 900mg/50ml</i> | 1 | MO      |
| <i>clindamycin phosphate injection solution 300mg/2ml, 600mg/4ml, 900mg/6ml</i>             | 1 | BvD; MO |

| Nombre del medicamento                                                           | Nivel de medicamento | Requisitos/Limites |
|----------------------------------------------------------------------------------|----------------------|--------------------|
| <i>clindamycin phosphate vaginal cream 2%</i>                                    | 1                    | MO                 |
| <i>colistimethate sodium (cba) injection solution reconstituted 150mg</i>        | 1                    | BvD; MO            |
| <i>daptomycin intravenous solution reconstituted 350mg</i>                       | 1                    | MO                 |
| <i>daptomycin intravenous solution reconstituted 500mg</i>                       | 1                    |                    |
| FIRVANQ ORAL SOLUTION RECONSTITUTED 25MG/ML, 50MG/ML                             | 1                    | MO                 |
| <i>linezolid intravenous solution 600mg/300ml</i>                                | 1                    | PA; MO             |
| <i>linezolid oral tablet 600mg</i>                                               | 1                    | PA; MO             |
| <i>methenamine hippurate oral tablet 1gm</i>                                     | 1                    | MO                 |
| <i>metronidazole external cream 0.75%</i>                                        | 1                    | MO                 |
| <i>metronidazole external gel 0.75%, 1%</i>                                      | 1                    | MO                 |
| <i>metronidazole external lotion 0.75%</i>                                       | 1                    | MO                 |
| <i>metronidazole intravenous solution 500mg/100ml</i>                            | 1                    | BvD; MO            |
| <i>metronidazole oral tablet 250mg, 500mg</i>                                    | 1                    | MO                 |
| <i>metronidazole vaginal gel 0.75%</i>                                           | 1                    | MO                 |
| <i>nitrofurantoin macrocrystal oral capsule 100mg, 25mg, 50mg</i>                | 1                    | MO                 |
| <i>nitrofurantoin monohyd macro oral capsule 100mg</i>                           | 1                    | MO                 |
| <i>tigecycline intravenous solution reconstituted 50mg</i>                       | 1                    | BvD                |
| <i>tinidazole oral tablet 250mg, 500mg</i>                                       | 1                    | MO                 |
| <i>trimethoprim oral tablet 100mg</i>                                            | 1                    | MO                 |
| <i>vancomycin hcl intravenous solution reconstituted 1gm, 10gm, 500mg, 750mg</i> | 1                    | MO                 |
| <i>vancomycin hcl oral capsule 125mg, 250mg</i>                                  | 1                    | MO                 |
| <i>vancomycin hcl oral solution reconstituted 25mg/ml, 250mg/5ml</i>             | 1                    | MO                 |
| XIFAXAN ORAL TABLET 200MG, 550MG                                                 | 1                    | MO                 |
| <b>Betalactámicos, Cefalosporinas</b>                                            |                      |                    |
| <i>cefaclor er oral tablet extended release 12-hour 500mg</i>                    | 1                    | MO                 |

| Nombre del medicamento                                                            | Nivel de medicamento | Requisitos/Limites |
|-----------------------------------------------------------------------------------|----------------------|--------------------|
| <i>cefaclor oral capsule 250mg, 500mg</i>                                         | 1                    | MO                 |
| <i>cefaclor oral suspension reconstituted 125mg/5ml, 250mg/5ml, 375mg/5ml</i>     | 1                    | MO                 |
| <i>cefadroxil oral capsule 500mg</i>                                              | 1                    | MO                 |
| <i>cefadroxil oral suspension reconstituted 250mg/5ml, 500mg/5ml</i>              | 1                    | MO                 |
| <i>cefadroxil oral tablet 1gm</i>                                                 | 1                    | MO                 |
| <i>cefazolin sodium injection solution reconstituted 1gm, 10gm, 500mg</i>         | 1                    | MO                 |
| <i>cefdinir oral capsule 300mg</i>                                                | 1                    | MO                 |
| <i>cefdinir oral suspension reconstituted 125mg/5ml, 250mg/5ml</i>                | 1                    | MO                 |
| <i>cefepime hcl injection solution reconstituted 1gm</i>                          | 1                    | MO                 |
| <i>cefepime hcl intravenous solution reconstituted 2gm</i>                        | 1                    | MO                 |
| <i>cefixime oral capsule 400mg</i>                                                | 1                    | MO                 |
| <i>cefixime oral suspension reconstituted 100mg/5ml, 200mg/5ml</i>                | 1                    | MO                 |
| <i>cefotetan disodium injection solution reconstituted 1gm, 2gm</i>               | 1                    | BvD; MO            |
| <i>cefoxitin sodium intravenous solution reconstituted 1gm, 10gm, 2gm</i>         | 1                    | BvD; MO            |
| <i>cefpodoxime proxetil oral suspension reconstituted 100mg/5ml, 50mg/5ml</i>     | 1                    | MO                 |
| <i>cefpodoxime proxetil oral tablet 100mg, 200mg</i>                              | 1                    | MO                 |
| <i>cefprozil oral suspension reconstituted 125mg/5ml, 250mg/5ml</i>               | 1                    | MO                 |
| <i>cefprozil oral tablet 250mg, 500mg</i>                                         | 1                    | MO                 |
| <i>ceftazidime injection solution reconstituted 1gm, 6gm</i>                      | 1                    | MO                 |
| <i>ceftazidime intravenous solution reconstituted 2gm</i>                         | 1                    | MO                 |
| <i>ceftriaxone sodium injection solution reconstituted 1gm, 2gm, 250mg, 500mg</i> | 1                    | MO                 |
| <i>ceftriaxone sodium intravenous solution reconstituted 10gm</i>                 | 1                    | MO                 |

| Nombre del medicamento                                                                                                        | Nivel de medicamento | Requisitos/Limites |
|-------------------------------------------------------------------------------------------------------------------------------|----------------------|--------------------|
| <i>cefuroxime axetil oral tablet 250mg, 500mg</i>                                                                             | 1                    | MO                 |
| <i>cefuroxime sodium injection solution reconstituted 750mg</i>                                                               | 1                    | BvD; MO            |
| <i>cefuroxime sodium intravenous solution reconstituted 1.5gm</i>                                                             | 1                    | BvD; MO            |
| <i>cephalexin oral capsule 250mg, 500mg</i>                                                                                   | 1                    | MO                 |
| <i>cephalexin oral suspension reconstituted 125mg/5ml, 250mg/5ml</i>                                                          | 1                    | MO                 |
| <i>cephalexin oral tablet 250mg, 500mg</i>                                                                                    | 1                    | MO                 |
| TEFLARO INTRAVENOUS SOLUTION RECONSTITUTED 400MG, 600MG                                                                       | 1                    | BvD                |
| <b>Betalactámicos, Penicilinas</b>                                                                                            |                      |                    |
| <i>amoxicillin oral capsule 250mg, 500mg</i>                                                                                  | 1                    | MO                 |
| <i>amoxicillin oral suspension reconstituted 125mg/5ml, 200mg/5ml, 250mg/5ml, 400mg/5ml</i>                                   | 1                    | MO                 |
| <i>amoxicillin oral tablet 500mg, 875mg</i>                                                                                   | 1                    | MO                 |
| <i>amoxicillin oral tablet chewable 125mg, 250mg</i>                                                                          | 1                    | MO                 |
| <i>amoxicillin-pot clavulanate er oral tablet extended release 12-hour 1000-62.5mg</i>                                        | 1                    | MO                 |
| <i>amoxicillin-pot clavulanate oral suspension reconstituted 200-28.5mg/5ml, 250-62.5mg/5ml, 400-57mg/5ml, 600-42.9mg/5ml</i> | 1                    | MO                 |
| <i>amoxicillin-pot clavulanate oral tablet 250-125mg, 500-125mg, 875-125mg</i>                                                | 1                    | MO                 |
| <i>amoxicillin-pot clavulanate oral tablet chewable 200-28.5mg, 400-57mg</i>                                                  | 1                    | MO                 |
| <i>ampicillin oral capsule 500mg</i>                                                                                          | 1                    | MO                 |
| <i>ampicillin sodium injection solution reconstituted 1gm, 125mg</i>                                                          | 1                    | BvD; MO            |
| <i>ampicillin sodium intravenous solution reconstituted 10gm</i>                                                              | 1                    | BvD; MO            |
| <i>ampicillin-sulbactam sodium injection solution reconstituted 1.5 (1-0.5)gm, 3 (2-1)gm</i>                                  | 1                    | MO                 |
| <i>ampicillin-sulbactam sodium intravenous solution reconstituted 15 (10-5)gm</i>                                             | 1                    | MO                 |

| Nombre del medicamento                                                                                                             | Nivel de medicamento | Requisitos/Limites |
|------------------------------------------------------------------------------------------------------------------------------------|----------------------|--------------------|
| BICILLIN L-A INTRAMUSCULAR SUSPENSION<br>PREFILLED SYRINGE 1200000UNIT/2ML,<br>2400000UNIT/4ML, 600000UNIT/ML                      | 1                    | MO                 |
| <i>dicloxacillin sodium oral capsule 250mg, 500mg</i>                                                                              | 1                    | MO                 |
| <i>nafcillin sodium injection solution reconstituted<br/>1gm, 2gm</i>                                                              | 1                    | BvD; MO            |
| <i>nafcillin sodium intravenous solution reconstituted<br/>10gm</i>                                                                | 1                    | BvD; MO            |
| <i>oxacillin sodium in dextrose intravenous solution<br/>1gm/50ml, 2gm/50ml</i>                                                    | 1                    | BvD; MO            |
| <i>oxacillin sodium injection solution reconstituted<br/>1gm, 2gm</i>                                                              | 1                    | BvD; MO            |
| <i>oxacillin sodium intravenous solution reconstituted<br/>10gm</i>                                                                | 1                    | BvD; MO            |
| <i>penicillin g pot in dextrose intravenous solution<br/>40000unit/ml, 60000unit/ml</i>                                            | 1                    | MO                 |
| <i>penicillin g potassium injection solution<br/>reconstituted 20000000unit</i>                                                    | 1                    | BvD; MO            |
| <i>penicillin g sodium injection solution reconstituted<br/>5000000unit</i>                                                        | 1                    | BvD; MO            |
| <i>penicillin v potassium oral solution reconstituted<br/>125mg/5ml, 250mg/5ml</i>                                                 | 1                    | MO                 |
| <i>penicillin v potassium oral tablet 250mg, 500mg</i>                                                                             | 1                    | MO                 |
| <i>piperacillin sod-tazobactam so intravenous<br/>solution reconstituted 2.25 (2-0.25)gm, 3.375<br/>(3-0.375)gm, 4.5 (4-0.5)gm</i> | 1                    | MO                 |
| <b>Carbapenémicos</b>                                                                                                              |                      |                    |
| <i>ertapenem sodium injection solution reconstituted<br/>1gm</i>                                                                   | 1                    | MO                 |
| <i>imipenem-cilastatin intravenous solution<br/>reconstituted 250mg, 500mg</i>                                                     | 1                    | MO                 |
| <i>meropenem intravenous solution reconstituted<br/>1gm, 500mg</i>                                                                 | 1                    | MO                 |
| <b>Macrólidos</b>                                                                                                                  |                      |                    |
| <i>azithromycin intravenous solution reconstituted<br/>500mg</i>                                                                   | 1                    | BvD; MO            |

| Nombre del medicamento                                                                | Nivel de medicamento | Requisitos/Limites         |
|---------------------------------------------------------------------------------------|----------------------|----------------------------|
| <i>azithromycin oral packet 1gm</i>                                                   | 1                    | MO                         |
| <i>azithromycin oral suspension reconstituted 100mg/5ml, 200mg/5ml</i>                | 1                    | MO                         |
| <i>azithromycin oral tablet 250mg, 250mg (6 pack), 500mg, 500mg (3 pack), 600mg</i>   | 1                    | MO                         |
| <i>clarithromycin er oral tablet extended release 24-hour 500mg</i>                   | 1                    | MO                         |
| <i>clarithromycin oral suspension reconstituted 125mg/5ml, 250mg/5ml</i>              | 1                    | MO                         |
| <i>clarithromycin oral tablet 250mg, 500mg</i>                                        | 1                    | MO                         |
| DIFICID ORAL SUSPENSION RECONSTITUTED 40MG/ML                                         | 1                    | PA; QL (136ML per 10 days) |
| DIFICID ORAL TABLET 200MG                                                             | 1                    | PA; QL (20 EA per 10 days) |
| ERYTHROCIN LACTOBIONATE INTRAVENOUS SOLUTION RECONSTITUTED 500MG                      | 1                    | BvD; MO                    |
| <i>erythromycin base oral capsule delayed release particles 250mg</i>                 | 1                    | MO                         |
| <i>erythromycin base oral tablet 250mg, 500mg</i>                                     | 1                    | MO                         |
| <i>erythromycin ethylsuccinate oral suspension reconstituted 200mg/5ml, 400mg/5ml</i> | 1                    | MO                         |
| <i>erythromycin ethylsuccinate oral tablet 400mg</i>                                  | 1                    | MO                         |
| <i>erythromycin oral tablet delayed release 250mg, 333mg, 500mg</i>                   | 1                    | MO                         |
| <b>Quinolonas</b>                                                                     |                      |                            |
| <i>ciprofloxacin hcl ophthalmic solution 0.3%</i>                                     | 1                    | MO                         |
| <i>ciprofloxacin hcl oral tablet 100mg, 250mg, 500mg, 750mg</i>                       | 1                    | MO                         |
| <i>ciprofloxacin in d5w intravenous solution 200mg/100ml</i>                          | 1                    | BvD; MO                    |
| <i>levofloxacin in d5w intravenous solution 500mg/100ml, 750mg/150ml</i>              | 1                    | MO                         |
| <i>levofloxacin oral solution 25mg/ml</i>                                             | 1                    | MO                         |
| <i>levofloxacin oral tablet 250mg, 500mg, 750mg</i>                                   | 1                    | MO                         |
| <i>moxifloxacin hcl in nacl intravenous solution 400mg/250ml</i>                      | 1                    | BvD; MO                    |

| Nombre del medicamento                                               | Nivel de medicamento | Requisitos/Limites             |
|----------------------------------------------------------------------|----------------------|--------------------------------|
| <i>moxifloxacin hcl oral tablet 400mg</i>                            | 1                    | MO                             |
| <i>ofloxacin oral tablet 300mg, 400mg</i>                            | 1                    | MO                             |
| <b>Sulfonamidas</b>                                                  |                      |                                |
| <i>sulfacetamide sodium (acne) external lotion 10%</i>               | 1                    | MO                             |
| <i>sulfadiazine oral tablet 500mg</i>                                | 1                    | MO                             |
| <i>sulfamethoxazole-trimethoprim oral suspension 200-40mg/5ml</i>    | 1                    | MO                             |
| <i>sulfamethoxazole-trimethoprim oral tablet 400-80mg, 800-160mg</i> | 1                    | MO                             |
| <b>Tetraciclinas</b>                                                 |                      |                                |
| DOXY 100 INTRAVENOUS SOLUTION RECONSTITUTED 100MG                    | 1                    | BvD; MO                        |
| <i>doxycycline hyclate oral capsule 100mg, 50mg</i>                  | 1                    | MO                             |
| <i>doxycycline hyclate oral tablet 100mg, 20mg</i>                   | 1                    | MO                             |
| <i>doxycycline monohydrate oral capsule 100mg, 50mg</i>              | 1                    | MO                             |
| <i>doxycycline monohydrate oral tablet 100mg, 50mg, 75mg</i>         | 1                    | MO                             |
| <i>minocycline hcl oral capsule 100mg, 50mg, 75mg</i>                | 1                    | MO                             |
| <i>minocycline hcl oral tablet 100mg, 50mg, 75mg</i>                 | 1                    | MO                             |
| <i>tetracycline hcl oral capsule 250mg, 500mg</i>                    | 1                    | MO                             |
| <b>ANTICONVULSIVOS</b>                                               |                      |                                |
| <b>Agentes de Aumento del Ácido Gamma-Aminobutírico (GABA)</b>       |                      |                                |
| <i>clobazam oral suspension 2.5mg/ml</i>                             | 1                    | MO; QL (480ML per 30 days)     |
| <i>clobazam oral tablet 10mg, 20mg</i>                               | 1                    | MO; QL (60 EA per 30 days)     |
| <i>diazepam rectal gel 10mg, 2.5mg, 20mg</i>                         | 1                    | MO                             |
| <i>gabapentin oral capsule 100mg, 300mg, 400mg</i>                   | 1                    | MO; QL (270 EA per 30 days)    |
| <i>gabapentin oral solution 250mg/5ml</i>                            | 1                    | MO                             |
| <i>gabapentin oral tablet 600mg, 800mg</i>                           | 1                    | MO; QL (180 EA per 30 days)    |
| NAYZILAM NASAL SOLUTION 5MG/0.1ML                                    | 1                    | MO                             |
| SYMPAZAN ORAL FILM 10MG, 20MG                                        | 1                    | ST; QL (60 EA per 30 days)     |
| SYMPAZAN ORAL FILM 5MG                                               | 1                    | ST; MO; QL (60 EA per 30 days) |

| Nombre del medicamento                                                            | Nivel de medicamento | Requisitos/Limites          |
|-----------------------------------------------------------------------------------|----------------------|-----------------------------|
| <i>tiagabine hcl oral tablet 12mg, 16mg, 2mg, 4mg</i>                             | 1                    | MO                          |
| VALTOCO 10MG DOSE NASAL LIQUID 10MG/0.1ML                                         | 1                    | ST; MO                      |
| VALTOCO 15MG DOSE NASAL LIQUID THERAPY PACK 7.5MG/0.1ML                           | 1                    | ST; MO                      |
| VALTOCO 20MG DOSE NASAL LIQUID THERAPY PACK 10MG/0.1ML                            | 1                    | ST; MO                      |
| VALTOCO 5MG DOSE NASAL LIQUID 5MG/0.1ML                                           | 1                    | ST; MO                      |
| <i>vigabatrin oral packet 500mg</i>                                               | 1                    | PA; QL (180 EA per 30 days) |
| <i>vigabatrin oral tablet 500mg</i>                                               | 1                    | PA; QL (180 EA per 30 days) |
| <b>Agentes del Canal de Sodio</b>                                                 |                      |                             |
| APTiom ORAL TABLET 200MG, 400MG, 800MG                                            | 1                    | ST; QL (30 EA per 30 days)  |
| APTiom ORAL TABLET 600MG                                                          | 1                    | ST; QL (60 EA per 30 days)  |
| <i>carbamazepine er oral capsule extended release 12-hour 100mg, 200mg, 300mg</i> | 1                    | MO                          |
| <i>carbamazepine er oral tablet extended release 12-hour 100mg, 200mg, 400mg</i>  | 1                    | MO                          |
| <i>carbamazepine oral suspension 100mg/5ml</i>                                    | 1                    | MO                          |
| <i>carbamazepine oral tablet 200mg</i>                                            | 1                    | MO                          |
| <i>carbamazepine oral tablet chewable 100mg</i>                                   | 1                    | MO                          |
| DILANTIN ORAL CAPSULE 30MG                                                        | 1                    | ST; MO                      |
| EPITOL ORAL TABLET 200MG                                                          | 1                    | MO                          |
| <i>lacosamide oral solution 10mg/ml</i>                                           | 1                    | MO; QL (1395ML per 30 days) |
| <i>lacosamide oral tablet 100mg, 150mg, 200mg, 50mg</i>                           | 1                    | MO; QL (60 EA per 30 days)  |
| <i>oxcarbazepine oral suspension 300mg/5ml</i>                                    | 1                    | MO                          |
| <i>oxcarbazepine oral tablet 150mg, 300mg, 600mg</i>                              | 1                    | MO                          |
| <i>phenytoin oral suspension 125mg/5ml</i>                                        | 1                    | MO                          |
| <i>phenytoin oral tablet chewable 50mg</i>                                        | 1                    | MO                          |
| <i>phenytoin sodium extended oral capsule 100mg, 200mg, 300mg</i>                 | 1                    | MO                          |
| <i>rufinamide oral suspension 40mg/ml</i>                                         | 1                    | QL (2760ML per 30 days)     |
| <i>rufinamide oral tablet 200mg</i>                                               | 1                    | MO; QL (480 EA per 30 days) |

| Nombre del medicamento                                                                                  | Nivel de medicamento | Requisitos/Limites             |
|---------------------------------------------------------------------------------------------------------|----------------------|--------------------------------|
| <i>rufinamide oral tablet 400mg</i>                                                                     | 1                    | QL (240 EA per 30 days)        |
| <b>Agentes Modificadores de los Canales de Calcio</b>                                                   |                      |                                |
| <i>ethosuximide oral capsule 250mg</i>                                                                  | 1                    | MO                             |
| <i>ethosuximide oral solution 250mg/5ml</i>                                                             | 1                    | MO                             |
| <i>methsuximide oral capsule 300mg</i>                                                                  | 1                    | MO                             |
| ZONISADE ORAL SUSPENSION 100MG/5ML                                                                      | 1                    | MO; QL (900ML per 30 days)     |
| <i>zonisamide oral capsule 100mg, 25mg, 50mg</i>                                                        | 1                    | MO                             |
| <b>Anticonvulsivos, Otros</b>                                                                           |                      |                                |
| BRIVIACT ORAL SOLUTION 10MG/ML                                                                          | 1                    | MO; QL (600ML per 30 days)     |
| BRIVIACT ORAL TABLET 10MG, 100MG, 25MG, 50MG, 75MG                                                      | 1                    | MO; QL (60 EA per 30 days)     |
| DIACOMIT ORAL CAPSULE 250MG, 500MG                                                                      | 1                    | PA; MO                         |
| DIACOMIT ORAL PACKET 250MG, 500MG                                                                       | 1                    | PA; MO                         |
| EPIDIOLEX ORAL SOLUTION 100MG/ML                                                                        | 1                    | PA; MO                         |
| <i>felbamate oral suspension 600mg/5ml</i>                                                              | 1                    |                                |
| <i>felbamate oral tablet 400mg, 600mg</i>                                                               | 1                    | MO                             |
| FINTEPLA ORAL SOLUTION 2.2MG/ML                                                                         | 1                    | PA; MO                         |
| FYCOMPA ORAL SUSPENSION 0.5MG/ML                                                                        | 1                    | ST; MO; QL (720ML per 30 days) |
| FYCOMPA ORAL TABLET 10MG, 12MG, 4MG, 6MG                                                                | 1                    | ST; QL (30 EA per 30 days)     |
| FYCOMPA ORAL TABLET 2MG, 8MG                                                                            | 1                    | ST; MO; QL (30 EA per 30 days) |
| <i>lamotrigine er oral tablet extended release 24-hour 100mg, 200mg, 25mg, 250mg, 300mg, 50mg</i>       | 1                    | MO                             |
| <i>lamotrigine oral kit 21 x 25mg &amp; 7 x 50mg, 25 &amp; 50 &amp; 100mg, 42 x 50mg &amp; 14x100mg</i> | 1                    | MO                             |
| <i>lamotrigine oral tablet 100mg, 150mg, 200mg, 25mg</i>                                                | 1                    | MO                             |
| <i>lamotrigine oral tablet chewable 25mg, 5mg</i>                                                       | 1                    | MO                             |
| <i>lamotrigine oral tablet dispersible 100mg, 200mg, 25mg, 50mg</i>                                     | 1                    | MO                             |
| <i>lamotrigine starter kit-blue oral kit 35 x 25mg</i>                                                  | 1                    | MO                             |

| Nombre del medicamento                                                                                 | Nivel de medicamento | Requisitos/Limites              |
|--------------------------------------------------------------------------------------------------------|----------------------|---------------------------------|
| <i>lamotrigine starter kit-green oral kit 84 x 25mg &amp; 14x100mg</i>                                 | 1                    | MO                              |
| <i>lamotrigine starter kit-orange oral kit 42 x 25mg &amp; 7 x 100mg</i>                               | 1                    | MO                              |
| <i>levetiracetam er oral tablet extended release 24-hour 500mg, 750mg</i>                              | 1                    | MO                              |
| <i>levetiracetam oral solution 100mg/ml</i>                                                            | 1                    | MO                              |
| <i>levetiracetam oral tablet 1000mg, 250mg, 500mg, 750mg</i>                                           | 1                    | MO                              |
| <i>phenobarbital oral elixir 20mg/5ml</i>                                                              | 1                    | MO; QL (1500ML per 30 days)     |
| <i>phenobarbital oral tablet 100mg, 16.2mg, 32.4mg, 64.8mg, 97.2mg</i>                                 | 1                    | MO; QL (90 EA per 30 days)      |
| <i>phenobarbital oral tablet 15mg, 60mg</i>                                                            | 1                    | MO; QL (120 EA per 30 days)     |
| <i>phenobarbital oral tablet 30mg</i>                                                                  | 1                    | MO; QL (300 EA per 30 days)     |
| <i>primidone oral tablet 125mg, 250mg, 50mg</i>                                                        | 1                    | MO                              |
| SPRITAM ORAL TABLET DISINTEGRATING SOLUBLE 1000MG                                                      | 1                    | ST; MO; QL (90 EA per 30 days)  |
| SPRITAM ORAL TABLET DISINTEGRATING SOLUBLE 250MG, 500MG, 750MG                                         | 1                    | ST; MO; QL (120 EA per 30 days) |
| <i>valproic acid oral capsule 250mg</i>                                                                | 1                    | MO                              |
| <i>valproic acid oral solution 250mg/5ml</i>                                                           | 1                    | MO                              |
| XCOPRI (250MG DAILY DOSE) ORAL TABLET THERAPY PACK 100 & 150MG                                         | 1                    | MO; QL (56 EA per 28 days)      |
| XCOPRI (350MG DAILY DOSE) ORAL TABLET THERAPY PACK 150 & 200MG                                         | 1                    | MO; QL (56 EA per 28 days)      |
| XCOPRI ORAL TABLET 100MG, 150MG, 200MG, 50MG                                                           | 1                    | MO; QL (60 EA per 30 days)      |
| XCOPRI ORAL TABLET THERAPY PACK 14 X 12.5MG & 14 X 25MG, 14 X 150MG & 14 X200MG, 14 X 50MG & 14 X100MG | 1                    | MO; QL (28 EA per 28 days)      |
| ZTALMY ORAL SUSPENSION 50MG/ML                                                                         | 1                    | PA; QL (1100ML per 30 days)     |
| <b>ANTIDEPRESIVOS</b>                                                                                  |                      |                                 |
| <b><i>Antidepressivos, Otros</i></b>                                                                   |                      |                                 |
| AUVELITY ORAL TABLET EXTENDED RELEASE 45-105MG                                                         | 1                    | ST; MO; QL (60 EA per 30 days)  |

| Nombre del medicamento                                                                                                           | Nivel de medicamento | Requisitos/Limites              |
|----------------------------------------------------------------------------------------------------------------------------------|----------------------|---------------------------------|
| <i>bupropion hcl er (sr) oral tablet extended release 12-hour 100mg</i>                                                          | 1                    | MO; QL (120 EA per 30 days)     |
| <i>bupropion hcl er (sr) oral tablet extended release 12-hour 150mg</i>                                                          | 1                    | MO; QL (90 EA per 30 days)      |
| <i>bupropion hcl er (sr) oral tablet extended release 12-hour 200mg</i>                                                          | 1                    | MO; QL (60 EA per 30 days)      |
| <i>bupropion hcl er (xl) oral tablet extended release 24-hour 150mg</i>                                                          | 1                    | MO; QL (60 EA per 30 days)      |
| <i>bupropion hcl er (xl) oral tablet extended release 24-hour 300mg</i>                                                          | 1                    | MO; QL (90 EA per 30 days)      |
| <i>bupropion hcl er (xl) oral tablet extended release 24-hour 450mg</i>                                                          | 1                    | MO; QL (30 EA per 30 days)      |
| <i>bupropion hcl oral tablet 100mg</i>                                                                                           | 1                    | MO; QL (180 EA per 30 days)     |
| <i>bupropion hcl oral tablet 75mg</i>                                                                                            | 1                    | MO; QL (120 EA per 30 days)     |
| <i>mirtazapine oral tablet 15mg, 30mg, 45mg</i>                                                                                  | 1                    | MO; QL (30 EA per 30 days)      |
| <i>mirtazapine oral tablet 7.5mg</i>                                                                                             | 1                    | MO; QL (45 EA per 30 days)      |
| <i>mirtazapine oral tablet dispersible 15mg, 30mg, 45mg</i>                                                                      | 1                    | MO; QL (30 EA per 30 days)      |
| <i>olanzapine-fluoxetine hcl oral capsule 12-25mg, 12-50mg, 6-50mg</i>                                                           | 1                    | MO; QL (30 EA per 30 days)      |
| <i>olanzapine-fluoxetine hcl oral capsule 3-25mg, 6-25mg</i>                                                                     | 1                    | MO; QL (90 EA per 30 days)      |
| <b>Inhibidores de la Monoaminoxidasa</b>                                                                                         |                      |                                 |
| EMSAM TRANSDERMAL PATCH 24-HOUR 12MG/24HR, 6MG/24HR, 9MG/24HR                                                                    | 1                    | ST; QL (30 EA per 30 days)      |
| MARPLAN ORAL TABLET 10MG                                                                                                         | 1                    | ST; MO; QL (180 EA per 30 days) |
| <i>phenelzine sulfate oral tablet 15mg</i>                                                                                       | 1                    | MO                              |
| <i>tranylcypromine sulfate oral tablet 10mg</i>                                                                                  | 1                    | MO                              |
| <b>ISRS/IRSN (Inhibidor Selectivo de la Recaptación de Serotonina/Inhibidor de la Recaptación de Serotonina y Norepinefrina)</b> |                      |                                 |
| <i>citalopram hydrobromide oral capsule 30mg</i>                                                                                 | 1                    | MO; QL (30 EA per 30 days)      |
| <i>citalopram hydrobromide oral solution 10mg/5ml</i>                                                                            | 1                    | MO; QL (600ML per 30 days)      |
| <i>citalopram hydrobromide oral tablet 10mg, 40mg</i>                                                                            | 1                    | MO; QL (30 EA per 30 days)      |
| <i>citalopram hydrobromide oral tablet 20mg</i>                                                                                  | 1                    | MO; QL (60 EA per 30 days)      |

| Nombre del medicamento                                                                    | Nivel de medicamento | Requisitos/Limites             |
|-------------------------------------------------------------------------------------------|----------------------|--------------------------------|
| <i>desvenlafaxine er oral tablet extended release 24-hour 100mg, 50mg</i>                 | 1                    | MO; QL (30 EA per 30 days)     |
| <i>desvenlafaxine succinate er oral tablet extended release 24-hour 100mg, 25mg, 50mg</i> | 1                    | MO; QL (30 EA per 30 days)     |
| <i>duloxetine hcl oral capsule delayed release particles 20mg, 30mg, 40mg, 60mg</i>       | 1                    | MO; QL (60 EA per 30 days)     |
| <i>escitalopram oxalate oral solution 5mg/5ml</i>                                         | 1                    | MO; QL (600ML per 30 days)     |
| <i>escitalopram oxalate oral tablet 10mg</i>                                              | 1                    | MO; QL (45 EA per 30 days)     |
| <i>escitalopram oxalate oral tablet 20mg</i>                                              | 1                    | MO; QL (60 EA per 30 days)     |
| <i>escitalopram oxalate oral tablet 5mg</i>                                               | 1                    | MO; QL (30 EA per 30 days)     |
| FETZIMA ORAL CAPSULE EXTENDED RELEASE 24-HOUR 120MG, 20MG, 40MG, 80MG                     | 1                    | MO; QL (30 EA per 30 days)     |
| FETZIMA TITRATION ORAL CAPSULE ER 24-HOUR THERAPY PACK 20 & 40MG                          | 1                    | MO; QL (28 EA per 28 days)     |
| <i>fluoxetine hcl oral capsule 10mg, 20mg, 40mg</i>                                       | 1                    | MO; QL (60 EA per 30 days)     |
| <i>fluoxetine hcl oral solution 20mg/5ml</i>                                              | 1                    | MO; QL (600ML per 30 days)     |
| <i>fluoxetine hcl oral tablet 10mg</i>                                                    | 1                    | MO; QL (60 EA per 30 days)     |
| <i>fluoxetine hcl oral tablet 20mg</i>                                                    | 1                    | MO; QL (120 EA per 30 days)    |
| <i>fluvoxamine maleate oral tablet 100mg, 25mg, 50mg</i>                                  | 1                    | MO; QL (90 EA per 30 days)     |
| <i>nefazodone hcl oral tablet 100mg, 150mg, 200mg, 250mg, 50mg</i>                        | 1                    | MO                             |
| <i>paroxetine hcl oral suspension 10mg/5ml</i>                                            | 1                    | MO; QL (900ML per 30 days)     |
| <i>paroxetine hcl oral tablet 10mg, 20mg</i>                                              | 1                    | MO; QL (30 EA per 30 days)     |
| <i>paroxetine hcl oral tablet 30mg, 40mg</i>                                              | 1                    | MO; QL (60 EA per 30 days)     |
| <i>sertraline hcl oral capsule 150mg, 200mg</i>                                           | 1                    | MO; QL (30 EA per 30 days)     |
| <i>sertraline hcl oral concentrate 20mg/ml</i>                                            | 1                    | MO; QL (300ML per 30 days)     |
| <i>sertraline hcl oral tablet 100mg</i>                                                   | 1                    | MO; QL (60 EA per 30 days)     |
| <i>sertraline hcl oral tablet 25mg, 50mg</i>                                              | 1                    | MO; QL (90 EA per 30 days)     |
| <i>trazodone hcl oral tablet 100mg, 150mg, 300mg, 50mg</i>                                | 1                    | MO                             |
| TRINTELLIX ORAL TABLET 10MG, 20MG, 5MG                                                    | 1                    | ST; MO; QL (30 EA per 30 days) |
| <i>venlafaxine besylate er oral tablet extended release 24-hour 112.5mg</i>               | 1                    | MO; QL (60 EA per 30 days)     |

| Nombre del medicamento                                                                    | Nivel de medicamento | Requisitos/Limites         |
|-------------------------------------------------------------------------------------------|----------------------|----------------------------|
| <i>venlafaxine hcl er oral capsule extended release 24-hour 150mg, 37.5mg, 75mg</i>       | 1                    | MO; QL (60 EA per 30 days) |
| <i>venlafaxine hcl er oral tablet extended release 24-hour 150mg, 225mg, 37.5mg, 75mg</i> | 1                    | MO; QL (30 EA per 30 days) |
| <i>venlafaxine hcl oral tablet 100mg, 25mg, 37.5mg, 50mg, 75mg</i>                        | 1                    | MO; QL (90 EA per 30 days) |
| VIIIBRYD STARTER PACK ORAL KIT 10 & 20MG                                                  | 1                    | MO; QL (30 EA per 30 days) |
| <i>vilazodone hcl oral tablet 10mg, 20mg, 40mg</i>                                        | 1                    | MO; QL (30 EA per 30 days) |

### Tricíclicos

|                                                                           |   |    |
|---------------------------------------------------------------------------|---|----|
| <i>amitriptyline hcl oral tablet 10mg, 100mg, 150mg, 25mg, 50mg, 75mg</i> | 1 | MO |
| <i>amoxapine oral tablet 100mg, 150mg, 25mg, 50mg</i>                     | 1 | MO |
| <i>clomipramine hcl oral capsule 25mg, 50mg, 75mg</i>                     | 1 | MO |
| <i>desipramine hcl oral tablet 10mg, 100mg, 150mg, 25mg, 50mg, 75mg</i>   | 1 | MO |
| <i>doxepin hcl oral capsule 10mg, 100mg, 150mg, 25mg, 50mg, 75mg</i>      | 1 | MO |
| <i>doxepin hcl oral concentrate 10mg/ml</i>                               | 1 | MO |
| <i>imipramine hcl oral tablet 10mg, 25mg, 50mg</i>                        | 1 | MO |
| <i>nortriptyline hcl oral capsule 10mg, 25mg, 50mg, 75mg</i>              | 1 | MO |
| <i>nortriptyline hcl oral solution 10mg/5ml</i>                           | 1 | MO |
| <i>protriptyline hcl oral tablet 10mg, 5mg</i>                            | 1 | MO |
| <i>trimipramine maleate oral capsule 100mg, 25mg, 50mg</i>                | 1 | MO |

## ANTIEMÉTICOS

### Antieméticos, Otros

|                                                        |   |         |
|--------------------------------------------------------|---|---------|
| <i>meclizine hcl oral tablet 12.5mg, 25mg</i>          | 1 | MO      |
| <i>prochlorperazine maleate oral tablet 10mg, 5mg</i>  | 1 | BvD; MO |
| <i>prochlorperazine rectal suppository 25mg</i>        | 1 | MO      |
| <i>promethazine hcl oral syrup 6.25mg/5ml</i>          | 1 | MO      |
| <i>promethazine hcl oral tablet 12.5mg, 25mg, 50mg</i> | 1 | MO      |

| Nombre del medicamento                                   | Nivel de medicamento | Requisitos/Limites              |
|----------------------------------------------------------|----------------------|---------------------------------|
| <i>promethazine hcl rectal suppository 12.5mg, 25mg</i>  | 1                    | MO                              |
| <i>scopolamine transdermal patch 72-hour 1mg/3days</i>   | 1                    | MO                              |
| <b>Complementos de Terapia Emetogénica</b>               |                      |                                 |
| <i>aprepitant oral capsule 125mg, 40mg, 80mg</i>         | 1                    | BvD; MO; QL (30 EA per 30 days) |
| <i>aprepitant oral capsule 80 &amp; 125mg</i>            | 1                    | BvD; MO; QL (12 EA per 30 days) |
| <i>dronabinol oral capsule 10mg, 2.5mg, 5mg</i>          | 1                    | PA; MO; QL (60 EA per 30 days)  |
| <i>granisetron hcl oral tablet 1mg</i>                   | 1                    | BvD; MO; QL (60 EA per 30 days) |
| <i>ondansetron hcl oral solution 4mg/5ml</i>             | 1                    | BvD; MO                         |
| <i>ondansetron hcl oral tablet 4mg, 8mg</i>              | 1                    | BvD; MO                         |
| <i>ondansetron oral tablet dispersible 4mg, 8mg</i>      | 1                    | BvD; MO                         |
| VARUBI (180MG DOSE) ORAL TABLET THERAPY PACK 2 X 90MG    | 1                    | BvD; MO                         |
| <b>ANTIMICOBACTERIANOS</b>                               |                      |                                 |
| <b>Antimicobacterianos, Otros</b>                        |                      |                                 |
| <i>dapsone oral tablet 100mg, 25mg</i>                   | 1                    | MO                              |
| PRIFTIN ORAL TABLET 150MG                                | 1                    | MO                              |
| <i>rifabutin oral capsule 150mg</i>                      | 1                    | MO                              |
| <b>Antituberculosos</b>                                  |                      |                                 |
| <i>ethambutol hcl oral tablet 100mg, 400mg</i>           | 1                    | MO                              |
| <i>isoniazid oral syrup 50mg/5ml</i>                     | 1                    | MO                              |
| <i>isoniazid oral tablet 100mg, 300mg</i>                | 1                    | MO                              |
| <i>pyrazinamide oral tablet 500mg</i>                    | 1                    | MO                              |
| <i>rifampin intravenous solution reconstituted 600mg</i> | 1                    | MO                              |
| <i>rifampin oral capsule 150mg, 300mg</i>                | 1                    | MO                              |
| SIRTURO ORAL TABLET 100MG, 20MG                          | 1                    | PA                              |
| TRECTOR ORAL TABLET 250MG                                | 1                    | MO                              |

| Nombre del medicamento                                                                          | Nivel de medicamento | Requisitos/Limites |
|-------------------------------------------------------------------------------------------------|----------------------|--------------------|
| <b>ANTIMICÓTICOS</b>                                                                            |                      |                    |
| <b>Antimicóticos</b>                                                                            |                      |                    |
| ABELCET INTRAVENOUS SUSPENSION 5MG/ML                                                           | 1                    | BvD; MO            |
| <i>amphotericin b intravenous solution reconstituted 50mg</i>                                   | 1                    | BvD; MO            |
| <i>amphotericin b liposome intravenous suspension reconstituted 50mg</i>                        | 1                    | BvD                |
| <i>caspofungin acetate intravenous solution reconstituted 50mg</i>                              | 1                    |                    |
| <i>caspofungin acetate intravenous solution reconstituted 70mg</i>                              | 1                    | MO                 |
| <i>ciclopirox olamine external cream 0.77%</i>                                                  | 1                    | MO                 |
| <i>ciclopirox olamine external suspension 0.77%</i>                                             | 1                    | MO                 |
| <i>clotrimazole external cream 1%</i>                                                           | 1                    | MO                 |
| <i>clotrimazole external solution 1%</i>                                                        | 1                    | MO                 |
| <i>clotrimazole mouth/throat troche 10mg</i>                                                    | 1                    | MO                 |
| <i>econazole nitrate external cream 1%</i>                                                      | 1                    | MO                 |
| ERAXIS INTRAVENOUS SOLUTION RECONSTITUTED 100MG                                                 | 1                    | BvD                |
| ERAXIS INTRAVENOUS SOLUTION RECONSTITUTED 50MG                                                  | 1                    | BvD; MO            |
| <i>fluconazole in sodium chloride intravenous solution 200-0.9mg/100ml-%, 400-0.9mg/200ml-%</i> | 1                    | BvD; MO            |
| <i>fluconazole oral suspension reconstituted 10mg/ml, 40mg/ml</i>                               | 1                    | MO                 |
| <i>fluconazole oral tablet 100mg, 150mg, 200mg, 50mg</i>                                        | 1                    | MO                 |
| <i>flucytosine oral capsule 250mg, 500mg</i>                                                    | 1                    |                    |
| <i>griseofulvin microsize oral suspension 125mg/5ml</i>                                         | 1                    | MO                 |
| <i>griseofulvin microsize oral tablet 500mg</i>                                                 | 1                    | MO                 |
| <i>griseofulvin ultramicrosize oral tablet 125mg, 250mg</i>                                     | 1                    | MO                 |
| <i>itraconazole oral capsule 100mg</i>                                                          | 1                    | PA; MO             |

| Nombre del medicamento                                       | Nivel de medicamento | Requisitos/Limites |
|--------------------------------------------------------------|----------------------|--------------------|
| <i>itraconazole oral solution 10mg/ml</i>                    | 1                    | PA; MO             |
| JUBLIA EXTERNAL SOLUTION 10%                                 | 1                    | MO                 |
| <i>ketoconazole external cream 2%</i>                        | 1                    | MO                 |
| <i>ketoconazole external shampoo 2%</i>                      | 1                    | MO                 |
| <i>ketoconazole oral tablet 200mg</i>                        | 1                    | MO                 |
| NOXAFIL ORAL PACKET 300MG                                    | 1                    | PA                 |
| NYAMYC EXTERNAL POWDER 100000UNIT/GM                         | 1                    | MO                 |
| <i>nystatin external cream 100000unit/gm</i>                 | 1                    | MO                 |
| <i>nystatin external ointment 100000unit/gm</i>              | 1                    | MO                 |
| <i>nystatin external powder 100000unit/gm</i>                | 1                    | MO                 |
| <i>nystatin mouth/throat suspension 100000unit/ml</i>        | 1                    | MO                 |
| <i>nystatin oral tablet 500000unit</i>                       | 1                    | MO                 |
| NYSTOP EXTERNAL POWDER 100000UNIT/GM                         | 1                    | MO                 |
| <i>posaconazole oral suspension 40mg/ml</i>                  | 1                    | PA                 |
| <i>posaconazole oral tablet delayed release 100mg</i>        | 1                    | PA; MO             |
| <i>terbinafine hcl oral tablet 250mg</i>                     | 1                    | MO                 |
| <i>terconazole vaginal cream 0.4%, 0.8%</i>                  | 1                    | MO                 |
| <i>terconazole vaginal suppository 80mg</i>                  | 1                    | MO                 |
| <i>voriconazole intravenous solution reconstituted 200mg</i> | 1                    | PA                 |
| <i>voriconazole oral suspension reconstituted 40mg/ml</i>    | 1                    | PA                 |
| <i>voriconazole oral tablet 200mg, 50mg</i>                  | 1                    | PA; MO             |

## ANTINEOPLÁSICOS

### Agentes Alquilantes

|                                                 |   |         |
|-------------------------------------------------|---|---------|
| <i>cyclophosphamide oral capsule 25mg, 50mg</i> | 1 | BvD; MO |
| <i>cyclophosphamide oral tablet 25mg, 50mg</i>  | 1 | BvD; MO |
| GLEOSTINE ORAL CAPSULE 10MG, 100MG, 40MG        | 1 | PA; MO  |
| LEUKERAN ORAL TABLET 2MG                        | 1 | MO      |
| MATULANE ORAL CAPSULE 50MG                      | 1 | PA      |

| Nombre del medicamento                                              | Nivel de medicamento | Requisitos/Limites          |
|---------------------------------------------------------------------|----------------------|-----------------------------|
| VALCHLOR EXTERNAL GEL 0.016%                                        | 1                    | PA; QL (60GM per 14 days)   |
| <b>Agentes Antiangiogénicos</b>                                     |                      |                             |
| <i>lenalidomide oral capsule 10mg, 15mg, 2.5mg, 20mg, 25mg, 5mg</i> | 1                    | PA; QL (28 EA per 28 days)  |
| POMALYST ORAL CAPSULE 1MG, 2MG, 3MG, 4MG                            | 1                    | PA; QL (21 EA per 28 days)  |
| THALOMID ORAL CAPSULE 100MG, 200MG, 50MG                            | 1                    | PA; QL (30 EA per 30 days)  |
| THALOMID ORAL CAPSULE 150MG                                         | 1                    | PA; QL (60 EA per 30 days)  |
| <b>Antiandrógenos</b>                                               |                      |                             |
| <i>abiraterone acetate oral tablet 250mg, 500mg</i>                 | 1                    | PA; QL (120 EA per 30 days) |
| <i>bicalutamide oral tablet 50mg</i>                                | 1                    | MO                          |
| ERLEADA ORAL TABLET 240MG                                           | 1                    | PA; QL (30 EA per 30 days)  |
| ERLEADA ORAL TABLET 60MG                                            | 1                    | PA; QL (120 EA per 30 days) |
| LYSODREN ORAL TABLET 500MG                                          | 1                    |                             |
| <i>nilutamide oral tablet 150mg</i>                                 | 1                    | QL (60 EA per 30 days)      |
| NUBEQA ORAL TABLET 300MG                                            | 1                    | PA; QL (120 EA per 30 days) |
| XTANDI ORAL CAPSULE 40MG                                            | 1                    | PA; QL (120 EA per 30 days) |
| XTANDI ORAL TABLET 40MG                                             | 1                    | PA; QL (120 EA per 30 days) |
| XTANDI ORAL TABLET 80MG                                             | 1                    | PA; QL (90 EA per 30 days)  |
| YONSA ORAL TABLET 125MG                                             | 1                    | PA; QL (120 EA per 30 days) |
| <b>Antiestrógenos/Modificadores</b>                                 |                      |                             |
| EMCYT ORAL CAPSULE 140MG                                            | 1                    | MO                          |
| ORSERDU ORAL TABLET 345MG                                           | 1                    | PA; QL (30 EA per 30 days)  |
| ORSERDU ORAL TABLET 86MG                                            | 1                    | PA; QL (90 EA per 30 days)  |
| SOLTAMOX ORAL SOLUTION 10MG/5ML                                     | 1                    | PA; MO                      |
| <i>tamoxifen citrate oral tablet 10mg, 20mg</i>                     | 1                    | MO                          |
| <i>toremifene citrate oral tablet 60mg</i>                          | 1                    | PA                          |
| <b>Antimetabolitos</b>                                              |                      |                             |
| DROXIA ORAL CAPSULE 200MG, 300MG, 400MG                             | 1                    | MO                          |
| <i>hydroxyurea oral capsule 500mg</i>                               | 1                    | MO                          |

| Nombre del medicamento                                           | Nivel de medicamento | Requisitos/Limites          |
|------------------------------------------------------------------|----------------------|-----------------------------|
| INQOVI ORAL TABLET 35-100MG                                      | 1                    | PA                          |
| <i>mercaptopurine oral tablet 50mg</i>                           | 1                    | MO                          |
| ONUREG ORAL TABLET 200MG, 300MG                                  | 1                    | PA                          |
| PURIXAN ORAL SUSPENSION 2000MG/100ML                             | 1                    | MO                          |
| TABLOID ORAL TABLET 40MG                                         | 1                    | PA; MO                      |
| <b>Antineoplásticos, Otros</b>                                   |                      |                             |
| IDHIFA ORAL TABLET 100MG                                         | 1                    | PA; QL (30 EA per 30 days)  |
| IDHIFA ORAL TABLET 50MG                                          | 1                    | PA; QL (60 EA per 30 days)  |
| KISQALI FEMARA (200MG DOSE) ORAL TABLET THERAPY PACK 200 & 2.5MG | 1                    | PA                          |
| KISQALI FEMARA (400MG DOSE) ORAL TABLET THERAPY PACK 200 & 2.5MG | 1                    | PA                          |
| KISQALI FEMARA (600MG DOSE) ORAL TABLET THERAPY PACK 200 & 2.5MG | 1                    | PA                          |
| <i>leucovorin calcium oral tablet 10mg, 15mg, 25mg, 5mg</i>      | 1                    | MO                          |
| LONSURF ORAL TABLET 15-6.14MG, 20-8.19MG                         | 1                    | PA                          |
| LUMAKRAS ORAL TABLET 120MG                                       | 1                    | PA; QL (240 EA per 30 days) |
| LUMAKRAS ORAL TABLET 320MG                                       | 1                    | PA; QL (90 EA per 30 days)  |
| LYNPARZA ORAL TABLET 100MG                                       | 1                    | PA; QL (180 EA per 30 days) |
| LYNPARZA ORAL TABLET 150MG                                       | 1                    | PA; QL (120 EA per 30 days) |
| MESNEX ORAL TABLET 400MG                                         | 1                    |                             |
| NINLARO ORAL CAPSULE 2.3MG, 3MG, 4MG                             | 1                    | PA                          |
| ORGOVYX ORAL TABLET 120MG                                        | 1                    | PA; QL (60 EA per 30 days)  |
| SYNRIBO SUBCUTANEOUS SOLUTION RECONSTITUTED 3.5MG                | 1                    | PA                          |
| VIJOICE ORAL TABLET THERAPY PACK 125MG, 200 & 50MG, 50MG         | 1                    | PA                          |
| WELIREG ORAL TABLET 40MG                                         | 1                    | PA; QL (90 EA per 30 days)  |
| XATMEP ORAL SOLUTION 2.5MG/ML                                    | 1                    | BvD; MO                     |
| XPOVIO (100MG ONCE WEEKLY) ORAL TABLET THERAPY PACK 50MG         | 1                    | PA                          |

| Nombre del medicamento                                   | Nivel de medicamento | Requisitos/Limites          |
|----------------------------------------------------------|----------------------|-----------------------------|
| XPOVIO (40MG ONCE WEEKLY) ORAL TABLET THERAPY PACK 40MG  | 1                    | PA                          |
| XPOVIO (40MG TWICE WEEKLY) ORAL TABLET THERAPY PACK 40MG | 1                    | PA                          |
| XPOVIO (60MG ONCE WEEKLY) ORAL TABLET THERAPY PACK 60MG  | 1                    | PA                          |
| XPOVIO (60MG TWICE WEEKLY) ORAL TABLET THERAPY PACK 20MG | 1                    | PA                          |
| XPOVIO (80MG ONCE WEEKLY) ORAL TABLET THERAPY PACK 40MG  | 1                    | PA                          |
| XPOVIO (80MG TWICE WEEKLY) ORAL TABLET THERAPY PACK 20MG | 1                    | PA                          |
| ZOLINZA ORAL CAPSULE 100MG                               | 1                    | PA; QL (120 EA per 30 days) |
| <b><i>Inhibidores de Aromatasa, 3ra Generación</i></b>   |                      |                             |
| <i>anastrozole oral tablet 1mg</i>                       | 1                    | MO                          |
| <i>exemestane oral tablet 25mg</i>                       | 1                    | MO                          |
| <i>letrozole oral tablet 2.5mg</i>                       | 1                    | MO                          |
| <b><i>Inhibidores de Blanco Molecular</i></b>            |                      |                             |
| ALECENSA ORAL CAPSULE 150MG                              | 1                    | PA                          |
| ALUNBRIG ORAL TABLET 180MG                               | 1                    | PA; QL (30 EA per 30 days)  |
| ALUNBRIG ORAL TABLET 30MG                                | 1                    | PA; QL (180 EA per 30 days) |
| ALUNBRIG ORAL TABLET 90MG                                | 1                    | PA; QL (60 EA per 30 days)  |
| ALUNBRIG ORAL TABLET THERAPY PACK 90 & 180MG             | 1                    | PA; QL (30 EA per 30 days)  |
| AYVAKIT ORAL TABLET 100MG, 200MG, 25MG, 300MG, 50MG      | 1                    | PA; QL (30 EA per 30 days)  |
| BALVERSA ORAL TABLET 3MG                                 | 1                    | PA; QL (90 EA per 30 days)  |
| BALVERSA ORAL TABLET 4MG                                 | 1                    | PA; QL (60 EA per 30 days)  |
| BALVERSA ORAL TABLET 5MG                                 | 1                    | PA; QL (30 EA per 30 days)  |
| BOSULIF ORAL TABLET 100MG                                | 1                    | PA; QL (120 EA per 30 days) |
| BOSULIF ORAL TABLET 400MG, 500MG                         | 1                    | PA; QL (30 EA per 30 days)  |
| BRAFTOVI ORAL CAPSULE 75MG                               | 1                    | PA; QL (180 EA per 30 days) |
| BRUKINSA ORAL CAPSULE 80MG                               | 1                    | PA; QL (120 EA per 30 days) |

| Nombre del medicamento                                | Nivel de medicamento | Requisitos/Limites          |
|-------------------------------------------------------|----------------------|-----------------------------|
| CABOMETYX ORAL TABLET 20MG, 40MG, 60MG                | 1                    | PA                          |
| CALQUENCE ORAL CAPSULE 100MG                          | 1                    | PA; QL (60 EA per 30 days)  |
| CALQUENCE ORAL TABLET 100MG                           | 1                    | PA; QL (60 EA per 30 days)  |
| CAPRELSA ORAL TABLET 100MG                            | 1                    | PA; QL (60 EA per 30 days)  |
| CAPRELSA ORAL TABLET 300MG                            | 1                    | PA; QL (30 EA per 30 days)  |
| COMETRIQ (100MG DAILY DOSE) ORAL KIT 80 & 20MG        | 1                    | PA; QL (56 EA per 28 days)  |
| COMETRIQ (140MG DAILY DOSE) ORAL KIT 3 X 20MG & 80MG  | 1                    | PA; QL (112 EA per 28 days) |
| COMETRIQ (60MG DAILY DOSE) ORAL KIT 20MG              | 1                    | PA; QL (84 EA per 28 days)  |
| COPIKTRA ORAL CAPSULE 15MG, 25MG                      | 1                    | PA; QL (60 EA per 30 days)  |
| COTELLIC ORAL TABLET 20MG                             | 1                    | PA; QL (63 EA per 28 days)  |
| DAURISMO ORAL TABLET 100MG, 25MG                      | 1                    | PA                          |
| ERIVEDGE ORAL CAPSULE 150MG                           | 1                    | PA                          |
| <i>erlotinib hcl oral tablet 100mg, 150mg</i>         | 1                    | PA; QL (30 EA per 30 days)  |
| <i>erlotinib hcl oral tablet 25mg</i>                 | 1                    | PA; QL (90 EA per 30 days)  |
| <i>everolimus oral tablet 10mg, 2.5mg, 5mg, 7.5mg</i> | 1                    | PA; QL (30 EA per 30 days)  |
| <i>everolimus oral tablet soluble 2mg, 3mg</i>        | 1                    | PA; QL (30 EA per 30 days)  |
| <i>everolimus oral tablet soluble 5mg</i>             | 1                    | PA; QL (60 EA per 30 days)  |
| EXKIVITY ORAL CAPSULE 40MG                            | 1                    | PA                          |
| FOTIVDA ORAL CAPSULE 0.89MG, 1.34MG                   | 1                    | PA; QL (21 EA per 28 days)  |
| GAVRETO ORAL CAPSULE 100MG                            | 1                    | PA; QL (120 EA per 30 days) |
| <i>gefitinib oral tablet 250mg</i>                    | 1                    | PA                          |
| GILOTRIF ORAL TABLET 20MG, 30MG, 40MG                 | 1                    | PA; QL (30 EA per 30 days)  |
| IBRANCE ORAL CAPSULE 100MG, 125MG, 75MG               | 1                    | PA                          |
| IBRANCE ORAL TABLET 100MG, 125MG, 75MG                | 1                    | PA                          |
| ICLUSIG ORAL TABLET 10MG, 30MG, 45MG                  | 1                    | PA; QL (30 EA per 30 days)  |
| ICLUSIG ORAL TABLET 15MG                              | 1                    | PA; QL (60 EA per 30 days)  |
| <i>imatinib mesylate oral tablet 100mg</i>            | 1                    | PA; QL (90 EA per 30 days)  |
| <i>imatinib mesylate oral tablet 400mg</i>            | 1                    | PA; QL (60 EA per 30 days)  |

| Nombre del medicamento                                             | Nivel de medicamento | Requisitos/Limites          |
|--------------------------------------------------------------------|----------------------|-----------------------------|
| IMBRUVICA ORAL CAPSULE 140MG                                       | 1                    | PA; QL (120 EA per 30 days) |
| IMBRUVICA ORAL CAPSULE 70MG                                        | 1                    | PA; QL (28 EA per 28 days)  |
| IMBRUVICA ORAL SUSPENSION 70MG/ML                                  | 1                    | PA; QL (240ML per 30 days)  |
| IMBRUVICA ORAL TABLET 140MG, 280MG, 420MG                          | 1                    | PA; QL (28 EA per 28 days)  |
| INLYTA ORAL TABLET 1MG                                             | 1                    | PA; QL (180 EA per 30 days) |
| INLYTA ORAL TABLET 5MG                                             | 1                    | PA; QL (60 EA per 30 days)  |
| INREBIC ORAL CAPSULE 100MG                                         | 1                    | PA; QL (120 EA per 30 days) |
| JAKAFI ORAL TABLET 10MG, 15MG, 20MG, 25MG, 5MG                     | 1                    | PA; QL (60 EA per 30 days)  |
| JAYPIRCA ORAL TABLET 100MG                                         | 1                    | PA; QL (60 EA per 30 days)  |
| JAYPIRCA ORAL TABLET 50MG                                          | 1                    | PA; QL (30 EA per 30 days)  |
| KISQALI (200MG DOSE) ORAL TABLET THERAPY PACK 200MG                | 1                    | PA                          |
| KISQALI (400MG DOSE) ORAL TABLET THERAPY PACK 200MG                | 1                    | PA                          |
| KISQALI (600MG DOSE) ORAL TABLET THERAPY PACK 200MG                | 1                    | PA                          |
| KOSELUGO ORAL CAPSULE 10MG                                         | 1                    | PA; QL (240 EA per 30 days) |
| KOSELUGO ORAL CAPSULE 25MG                                         | 1                    | PA; QL (120 EA per 30 days) |
| KRAZATI ORAL TABLET 200MG                                          | 1                    | PA; QL (180 EA per 30 days) |
| <i>lapatinib ditosylate oral tablet 250mg</i>                      | 1                    | PA; QL (180 EA per 30 days) |
| LENVIMA (10MG DAILY DOSE) ORAL CAPSULE THERAPY PACK 10MG           | 1                    | PA                          |
| LENVIMA (12MG DAILY DOSE) ORAL CAPSULE THERAPY PACK 3 X 4MG        | 1                    | PA                          |
| LENVIMA (14MG DAILY DOSE) ORAL CAPSULE THERAPY PACK 10 & 4MG       | 1                    | PA                          |
| LENVIMA (18MG DAILY DOSE) ORAL CAPSULE THERAPY PACK 10MG & 2 X 4MG | 1                    | PA                          |
| LENVIMA (20MG DAILY DOSE) ORAL CAPSULE THERAPY PACK 2 X 10MG       | 1                    | PA                          |
| LENVIMA (24MG DAILY DOSE) ORAL CAPSULE THERAPY PACK 2 X 10MG & 4MG | 1                    | PA                          |

| Nombre del medicamento                                        | Nivel de medicamento | Requisitos/Limites          |
|---------------------------------------------------------------|----------------------|-----------------------------|
| LENVIMA (4MG DAILY DOSE) ORAL CAPSULE THERAPY PACK 4MG        | 1                    | PA                          |
| LENVIMA (8MG DAILY DOSE) ORAL CAPSULE THERAPY PACK 2 X 4MG    | 1                    | PA                          |
| LORBRENA ORAL TABLET 100MG                                    | 1                    | PA; QL (30 EA per 30 days)  |
| LORBRENA ORAL TABLET 25MG                                     | 1                    | PA; QL (120 EA per 30 days) |
| LYTGOBI (12MG DAILY DOSE) ORAL TABLET THERAPY PACK 4MG        | 1                    | PA; QL (84 EA per 28 days)  |
| LYTGOBI (16MG DAILY DOSE) ORAL TABLET THERAPY PACK 4MG        | 1                    | PA; QL (112 EA per 28 days) |
| LYTGOBI (20MG DAILY DOSE) ORAL TABLET THERAPY PACK 4MG        | 1                    | PA; QL (140 EA per 28 days) |
| MEKINIST ORAL SOLUTION RECONSTITUTED 0.05MG/ML                | 1                    | PA; QL (1260ML per 30 days) |
| MEKINIST ORAL TABLET 0.5MG                                    | 1                    | PA; QL (120 EA per 30 days) |
| MEKINIST ORAL TABLET 2MG                                      | 1                    | PA; QL (30 EA per 30 days)  |
| MEKTOVI ORAL TABLET 15MG                                      | 1                    | PA; QL (180 EA per 30 days) |
| NERLYNX ORAL TABLET 40MG                                      | 1                    | PA; QL (180 EA per 30 days) |
| ODOMZO ORAL CAPSULE 200MG                                     | 1                    | PA                          |
| PEMAZYRE ORAL TABLET 13.5MG, 4.5MG, 9MG                       | 1                    | PA; QL (14 EA per 21 days)  |
| PIQRAY (200MG DAILY DOSE) ORAL TABLET THERAPY PACK 200MG      | 1                    | PA                          |
| PIQRAY (250MG DAILY DOSE) ORAL TABLET THERAPY PACK 200 & 50MG | 1                    | PA                          |
| PIQRAY (300MG DAILY DOSE) ORAL TABLET THERAPY PACK 2 X 150MG  | 1                    | PA                          |
| QINLOCK ORAL TABLET 50MG                                      | 1                    | PA; QL (90 EA per 30 days)  |
| RETEVMO ORAL CAPSULE 40MG                                     | 1                    | PA; QL (120 EA per 30 days) |
| RETEVMO ORAL CAPSULE 80MG                                     | 1                    | PA; QL (180 EA per 30 days) |
| REZLIDHIA ORAL CAPSULE 150MG                                  | 1                    | PA; QL (60 EA per 30 days)  |
| ROZLYTREK ORAL CAPSULE 100MG                                  | 1                    | PA; QL (150 EA per 30 days) |
| ROZLYTREK ORAL CAPSULE 200MG                                  | 1                    | PA; QL (90 EA per 30 days)  |
| RUBRACA ORAL TABLET 200MG, 250MG, 300MG                       | 1                    | PA                          |

| Nombre del medicamento                                           | Nivel de medicamento | Requisitos/Limites          |
|------------------------------------------------------------------|----------------------|-----------------------------|
| RYDAPT ORAL CAPSULE 25MG                                         | 1                    | PA; QL (240 EA per 30 days) |
| SCEMBLIX ORAL TABLET 20MG, 40MG                                  | 1                    | PA                          |
| <i>sorafenib tosylate oral tablet 200mg</i>                      | 1                    | PA; QL (120 EA per 30 days) |
| SPRYCEL ORAL TABLET 100MG, 50MG, 70MG, 80MG                      | 1                    | PA; QL (60 EA per 30 days)  |
| SPRYCEL ORAL TABLET 140MG                                        | 1                    | PA; QL (30 EA per 30 days)  |
| SPRYCEL ORAL TABLET 20MG                                         | 1                    | PA; QL (90 EA per 30 days)  |
| STIVARGA ORAL TABLET 40MG                                        | 1                    | PA; QL (84 EA per 28 days)  |
| <i>sunitinib malate oral capsule 12.5mg, 25mg, 37.5mg, 50mg</i>  | 1                    | PA; QL (28 EA per 28 days)  |
| TABRECTA ORAL TABLET 150MG, 200MG                                | 1                    | PA; QL (120 EA per 30 days) |
| TAFINLAR ORAL CAPSULE 50MG                                       | 1                    | PA; QL (180 EA per 30 days) |
| TAFINLAR ORAL CAPSULE 75MG                                       | 1                    | PA; QL (120 EA per 30 days) |
| TAFINLAR ORAL TABLET SOLUBLE 10MG                                | 1                    | PA; QL (900 EA per 30 days) |
| TAGRISSE ORAL TABLET 40MG, 80MG                                  | 1                    | PA                          |
| TALZENNA ORAL CAPSULE 0.1MG, 0.35MG, 0.75MG, 1MG                 | 1                    | PA; QL (30 EA per 30 days)  |
| TALZENNA ORAL CAPSULE 0.25MG                                     | 1                    | PA; QL (120 EA per 30 days) |
| TALZENNA ORAL CAPSULE 0.5MG                                      | 1                    | PA; QL (60 EA per 30 days)  |
| TASIGNA ORAL CAPSULE 150MG, 200MG, 50MG                          | 1                    | PA; QL (120 EA per 30 days) |
| TAZVERIK ORAL TABLET 200MG                                       | 1                    | PA; QL (240 EA per 30 days) |
| TEPMETKO ORAL TABLET 225MG                                       | 1                    | PA; QL (60 EA per 30 days)  |
| TIBSOVO ORAL TABLET 250MG                                        | 1                    | PA; QL (60 EA per 30 days)  |
| TUKYSA ORAL TABLET 150MG, 50MG                                   | 1                    | PA; QL (120 EA per 30 days) |
| TURALIO ORAL CAPSULE 125MG                                       | 1                    | PA; QL (120 EA per 30 days) |
| VENCLEXTA ORAL TABLET 10MG, 50MG                                 | 1                    | PA; MO                      |
| VENCLEXTA ORAL TABLET 100MG                                      | 1                    | PA                          |
| VENCLEXTA STARTING PACK ORAL TABLET THERAPY PACK 10 & 50 & 100MG | 1                    | PA; MO                      |
| VERZENIO ORAL TABLET 100MG, 150MG, 200MG, 50MG                   | 1                    | PA                          |
| VITRAKVI ORAL CAPSULE 100MG                                      | 1                    | PA; QL (60 EA per 30 days)  |

| Nombre del medicamento                                                   | Nivel de medicamento | Requisitos/Limites          |
|--------------------------------------------------------------------------|----------------------|-----------------------------|
| VITRAKVI ORAL CAPSULE 25MG                                               | 1                    | PA; QL (180 EA per 30 days) |
| VITRAKVI ORAL SOLUTION 20MG/ML                                           | 1                    | PA; QL (310ML per 30 days)  |
| VIZIMPRO ORAL TABLET 15MG, 30MG, 45MG                                    | 1                    | PA; QL (30 EA per 30 days)  |
| VONJO ORAL CAPSULE 100MG                                                 | 1                    | PA                          |
| VOTRIENT ORAL TABLET 200MG                                               | 1                    | PA; QL (120 EA per 30 days) |
| XALKORI ORAL CAPSULE 200MG, 250MG                                        | 1                    | PA; QL (120 EA per 30 days) |
| XOSPATA ORAL TABLET 40MG                                                 | 1                    | PA; QL (90 EA per 30 days)  |
| ZEJULA ORAL CAPSULE 100MG                                                | 1                    | PA; QL (90 EA per 30 days)  |
| ZEJULA ORAL TABLET 100MG, 200MG, 300MG                                   | 1                    | PA; QL (30 EA per 30 days)  |
| ZELBORAF ORAL TABLET 240MG                                               | 1                    | PA; QL (240 EA per 30 days) |
| ZYDELIG ORAL TABLET 100MG, 150MG                                         | 1                    | PA; QL (60 EA per 30 days)  |
| ZYKADIA ORAL TABLET 150MG                                                | 1                    | PA; QL (150 EA per 30 days) |
| <b>Retinoides</b>                                                        |                      |                             |
| <i>bexarotene external gel 1%</i>                                        | 1                    | PA                          |
| <i>bexarotene oral capsule 75mg</i>                                      | 1                    | PA; QL (300 EA per 30 days) |
| <i>tretinoin oral capsule 10mg</i>                                       | 1                    |                             |
| <b>ANTIPARASITARIOS</b>                                                  |                      |                             |
| <b>Antihelmínticos</b>                                                   |                      |                             |
| <i>albendazole oral tablet 200mg</i>                                     | 1                    | MO                          |
| EMVERM ORAL TABLET CHEWABLE 100MG                                        | 1                    |                             |
| <i>ivermectin oral tablet 3mg</i>                                        | 1                    | PA; MO                      |
| <b>Antiprotozoarios</b>                                                  |                      |                             |
| <i>atovaquone oral suspension 750mg/5ml</i>                              | 1                    |                             |
| <i>atovaquone-proguanil hcl oral tablet 250-100mg, 62.5-25mg</i>         | 1                    | MO                          |
| <i>benznidazole oral tablet 100mg, 12.5mg</i>                            | 1                    | MO                          |
| <i>chloroquine phosphate oral tablet 250mg, 500mg</i>                    | 1                    | MO                          |
| COARTEM ORAL TABLET 20-120MG                                             | 1                    | MO                          |
| <i>hydroxychloroquine sulfate oral tablet 100mg, 200mg, 300mg, 400mg</i> | 1                    | MO                          |
| LAMPIT ORAL TABLET 120MG, 30MG                                           | 1                    | MO                          |

| Nombre del medicamento                                                 | Nivel de medicamento | Requisitos/Limites         |
|------------------------------------------------------------------------|----------------------|----------------------------|
| <i>mefloquine hcl oral tablet 250mg</i>                                | 1                    | MO                         |
| <i>nitazoxanide oral tablet 500mg</i>                                  | 1                    | MO; QL (40 EA per 30 days) |
| <i>pentamidine isethionate inhalation solution reconstituted 300mg</i> | 1                    | BvD; MO                    |
| <i>pentamidine isethionate injection solution reconstituted 300mg</i>  | 1                    | BvD; MO                    |
| <i>primaquine phosphate oral tablet 26.3 (15 base)mg</i>               | 1                    | MO                         |
| <i>quinine sulfate oral capsule 324mg</i>                              | 1                    | PA; MO                     |

## ANTIPSICÓTICOS

### Atípico/2da Generación

|                                                                                    |   |                                |
|------------------------------------------------------------------------------------|---|--------------------------------|
| ABILIFY ASIMTUFII INTRAMUSCULAR PREFILLED SYRINGE 720MG/2.4ML, 960MG/3.2ML         | 1 |                                |
| ABILIFY MAINTENA INTRAMUSCULAR PREFILLED SYRINGE 300MG, 400MG                      | 1 |                                |
| ABILIFY MAINTENA INTRAMUSCULAR SUSPENSION RECONSTITUTED ER 300MG, 400MG            | 1 |                                |
| <i>aripiprazole oral solution 1mg/ml</i>                                           | 1 | MO; QL (750ML per 30 days)     |
| <i>aripiprazole oral tablet 10mg, 15mg, 2mg, 20mg, 30mg, 5mg</i>                   | 1 | MO; QL (30 EA per 30 days)     |
| <i>aripiprazole oral tablet dispersible 10mg</i>                                   | 1 | QL (90 EA per 30 days)         |
| <i>aripiprazole oral tablet dispersible 15mg</i>                                   | 1 | QL (60 EA per 30 days)         |
| <i>asenapine maleate sublingual tablet sublingual 10mg, 2.5mg, 5mg</i>             | 1 | MO; QL (60 EA per 30 days)     |
| CAPLYTA ORAL CAPSULE 10.5MG, 21MG, 42MG                                            | 1 |                                |
| FANAPT ORAL TABLET 1MG, 2MG, 4MG                                                   | 1 | ST; MO; QL (60 EA per 30 days) |
| FANAPT ORAL TABLET 10MG, 12MG, 6MG, 8MG                                            | 1 | ST; QL (60 EA per 30 days)     |
| FANAPT TITRATION PACK ORAL TABLET 1 & 2 & 4 & 6MG                                  | 1 | ST; MO; QL (60 EA per 30 days) |
| INVEGA HAFYERA INTRAMUSCULAR SUSPENSION PREFILLED SYRINGE 1092MG/3.5ML, 1560MG/5ML | 1 |                                |

| Nombre del medicamento                                                                                                   | Nivel de medicamento | Requisitos/Limites          |
|--------------------------------------------------------------------------------------------------------------------------|----------------------|-----------------------------|
| INVEGA SUSTENNA INTRAMUSCULAR<br>SUSPENSION PREFILLED SYRINGE<br>117MG/0.75ML, 156MG/ML, 234MG/1.5ML,<br>78MG/0.5ML      | 1                    |                             |
| INVEGA SUSTENNA INTRAMUSCULAR<br>SUSPENSION PREFILLED SYRINGE<br>39MG/0.25ML                                             | 1                    | MO                          |
| INVEGA TRINZA INTRAMUSCULAR<br>SUSPENSION PREFILLED SYRINGE<br>273MG/0.88ML, 410MG/1.32ML, 546MG/1.75ML,<br>819MG/2.63ML | 1                    |                             |
| <i>lurasidone hcl oral tablet 120mg, 20mg, 40mg,<br/>60mg, 80mg</i>                                                      | 1                    |                             |
| LYBALVI ORAL TABLET 10-10MG, 15-10MG,<br>20-10MG, 5-10MG                                                                 | 1                    | ST; QL (30 EA per 30 days)  |
| NUPLAZID ORAL CAPSULE 34MG                                                                                               | 1                    | PA                          |
| NUPLAZID ORAL TABLET 10MG                                                                                                | 1                    | PA                          |
| <i>olanzapine intramuscular solution reconstituted<br/>10mg</i>                                                          | 1                    | MO; QL (60 EA per 30 days)  |
| <i>olanzapine oral tablet 10mg, 15mg, 2.5mg, 5mg,<br/>7.5mg</i>                                                          | 1                    | MO; QL (30 EA per 30 days)  |
| <i>olanzapine oral tablet 20mg</i>                                                                                       | 1                    | MO; QL (60 EA per 30 days)  |
| <i>olanzapine oral tablet dispersible 10mg, 5mg</i>                                                                      | 1                    | MO; QL (60 EA per 30 days)  |
| <i>olanzapine oral tablet dispersible 15mg, 20mg</i>                                                                     | 1                    | MO; QL (30 EA per 30 days)  |
| <i>paliperidone er oral tablet extended release<br/>24-hour 1.5mg, 3mg, 9mg</i>                                          | 1                    | MO; QL (30 EA per 30 days)  |
| <i>paliperidone er oral tablet extended release<br/>24-hour 6mg</i>                                                      | 1                    | MO; QL (60 EA per 30 days)  |
| <i>quetiapine fumarate er oral tablet extended<br/>release 24-hour 150mg</i>                                             | 1                    | MO; QL (90 EA per 30 days)  |
| <i>quetiapine fumarate er oral tablet extended<br/>release 24-hour 200mg, 300mg, 400mg</i>                               | 1                    | MO; QL (60 EA per 30 days)  |
| <i>quetiapine fumarate er oral tablet extended<br/>release 24-hour 50mg</i>                                              | 1                    | MO; QL (120 EA per 30 days) |
| <i>quetiapine fumarate oral tablet 100mg, 150mg,<br/>25mg, 300mg, 400mg, 50mg</i>                                        | 1                    | MO; QL (60 EA per 30 days)  |
| <i>quetiapine fumarate oral tablet 200mg</i>                                                                             | 1                    | MO; QL (30 EA per 30 days)  |

| Nombre del medicamento                                                        | Nivel de medicamento | Requisitos/Limites            |
|-------------------------------------------------------------------------------|----------------------|-------------------------------|
| REXULTI ORAL TABLET 0.25MG, 0.5MG, 1MG, 2MG, 3MG, 4MG                         | 1                    |                               |
| RISPERDAL CONSTA INTRAMUSCULAR SUSPENSION RECONSTITUTED ER 12.5MG             | 1                    | MO                            |
| RISPERDAL CONSTA INTRAMUSCULAR SUSPENSION RECONSTITUTED ER 25MG, 37.5MG, 50MG | 1                    |                               |
| <i>risperidone oral solution 1mg/ml</i>                                       | 1                    | MO; QL (480ML per 30 days)    |
| <i>risperidone oral tablet 0.25mg, 1mg, 2mg, 3mg, 4mg</i>                     | 1                    | MO; QL (60 EA per 30 days)    |
| <i>risperidone oral tablet 0.5mg</i>                                          | 1                    | MO; QL (120 EA per 30 days)   |
| <i>risperidone oral tablet dispersible 0.25mg, 1mg, 2mg, 3mg</i>              | 1                    | MO; QL (60 EA per 30 days)    |
| <i>risperidone oral tablet dispersible 0.5mg, 4mg</i>                         | 1                    | MO; QL (120 EA per 30 days)   |
| SECUADO TRANSDERMAL PATCH 24-HOUR 3.8MG/24HR, 5.7MG/24HR, 7.6MG/24HR          | 1                    | ST; QL (30 EA per 30 days)    |
| VRAYLAR ORAL CAPSULE 1.5MG                                                    | 1                    | ST; QL (60 EA per 30 days)    |
| VRAYLAR ORAL CAPSULE 3MG, 4.5MG, 6MG                                          | 1                    | ST; QL (30 EA per 30 days)    |
| VRAYLAR ORAL CAPSULE THERAPY PACK 1.5 & 3MG                                   | 1                    | ST; MO; QL (7 EA per 28 days) |
| <i>ziprasidone hcl oral capsule 20mg, 40mg, 60mg, 80mg</i>                    | 1                    | MO; QL (60 EA per 30 days)    |
| <i>ziprasidone mesylate intramuscular solution reconstituted 20mg</i>         | 1                    | MO; QL (6 EA per 3 days)      |
| ZYPREXA RELPREVV INTRAMUSCULAR SUSPENSION RECONSTITUTED 210MG                 | 1                    | ST; MO                        |
| <b>Resistente Al Tratamiento</b>                                              |                      |                               |
| <i>clozapine oral tablet 100mg, 200mg, 25mg, 50mg</i>                         | 1                    | MO; QL (120 EA per 30 days)   |
| <i>clozapine oral tablet dispersible 100mg, 12.5mg, 150mg, 25mg</i>           | 1                    | MO; QL (120 EA per 30 days)   |
| <i>clozapine oral tablet dispersible 200mg</i>                                | 1                    | QL (120 EA per 30 days)       |
| VERSACLOZ ORAL SUSPENSION 50MG/ML                                             | 1                    | ST; QL (540ML per 30 days)    |
| <b>Típico/1ra Generación</b>                                                  |                      |                               |
| <i>chlorpromazine hcl oral concentrate 100mg/ml, 30mg/ml</i>                  | 1                    | MO                            |

| Nombre del medicamento                                                                            | Nivel de medicamento | Requisitos/Limites |
|---------------------------------------------------------------------------------------------------|----------------------|--------------------|
| <i>chlorpromazine hcl oral tablet 10mg, 25mg</i>                                                  | 1                    | BvD; MO            |
| <i>chlorpromazine hcl oral tablet 100mg, 200mg, 50mg</i>                                          | 1                    | MO                 |
| <i>fluphenazine decanoate injection solution 25mg/ml</i>                                          | 1                    | MO                 |
| <i>fluphenazine hcl injection solution 2.5mg/ml</i>                                               | 1                    | MO                 |
| <i>fluphenazine hcl oral concentrate 5mg/ml</i>                                                   | 1                    | MO                 |
| <i>fluphenazine hcl oral elixir 2.5mg/5ml</i>                                                     | 1                    | MO                 |
| <i>fluphenazine hcl oral tablet 1mg, 10mg, 2.5mg, 5mg</i>                                         | 1                    | MO                 |
| <i>haloperidol decanoate intramuscular solution 100mg/ml, 100mg/ml 1ml, 50mg/ml, 50mg/ml(1ml)</i> | 1                    | MO                 |
| <i>haloperidol lactate injection solution 5mg/ml</i>                                              | 1                    | MO                 |
| <i>haloperidol lactate oral concentrate 2mg/ml</i>                                                | 1                    | MO                 |
| <i>haloperidol oral tablet 0.5mg, 1mg, 10mg, 2mg, 20mg, 5mg</i>                                   | 1                    | MO                 |
| <i>loxapine succinate oral capsule 10mg, 25mg, 5mg, 50mg</i>                                      | 1                    | MO                 |
| <i>molindone hcl oral tablet 10mg, 25mg, 5mg</i>                                                  | 1                    | MO                 |
| <i>perphenazine oral tablet 16mg, 2mg</i>                                                         | 1                    | MO                 |
| <i>perphenazine oral tablet 4mg, 8mg</i>                                                          | 1                    | BvD; MO            |
| <i>pimozide oral tablet 1mg, 2mg</i>                                                              | 1                    | MO                 |
| <i>thioridazine hcl oral tablet 10mg, 100mg, 25mg, 50mg</i>                                       | 1                    | MO                 |
| <i>thiothixene oral capsule 1mg, 10mg, 2mg, 5mg</i>                                               | 1                    | MO                 |
| <i>trifluoperazine hcl oral tablet 1mg, 10mg, 2mg, 5mg</i>                                        | 1                    | MO                 |

## ANTIVIRALES

### Agentes Anti-Citomegalovirus (CMV)

|                                                               |   |                            |
|---------------------------------------------------------------|---|----------------------------|
| LIVTENCITY ORAL TABLET 200MG                                  | 1 | PA                         |
| PREVYMIS ORAL TABLET 240MG, 480MG                             | 1 | PA; QL (28 EA per 28 days) |
| <i>valganciclovir hcl oral solution reconstituted 50mg/ml</i> | 1 | MO                         |
| <i>valganciclovir hcl oral tablet 450mg</i>                   | 1 | MO                         |

| Nombre del medicamento                                                                                   | Nivel de medicamento | Requisitos/Limites         |
|----------------------------------------------------------------------------------------------------------|----------------------|----------------------------|
| ZIRGAN OPHTHALMIC GEL 0.15%                                                                              | 1                    | MO                         |
| <b>Agentes Antigripales</b>                                                                              |                      |                            |
| oseltamivir phosphate oral capsule 30mg, 45mg, 75mg                                                      | 1                    | MO                         |
| oseltamivir phosphate oral suspension reconstituted 6mg/ml                                               | 1                    | MO                         |
| RELENZA DISKHALER INHALATION AEROSOL POWDER BREATH ACTIVATED 5MG/ACT                                     | 1                    | MO                         |
| rimantadine hcl oral tablet 100mg                                                                        | 1                    | MO                         |
| XOFLUZA (40MG DOSE) ORAL TABLET THERAPY PACK 1 X 40MG                                                    | 1                    | MO                         |
| XOFLUZA (80MG DOSE) ORAL TABLET THERAPY PACK 1 X 80MG                                                    | 1                    | MO                         |
| <b>Agentes Antiherpéticos</b>                                                                            |                      |                            |
| acyclovir oral capsule 200mg                                                                             | 1                    | MO                         |
| acyclovir oral suspension 200mg/5ml                                                                      | 1                    | MO                         |
| acyclovir oral tablet 400mg, 800mg                                                                       | 1                    | MO                         |
| acyclovir sodium intravenous solution 50mg/ml                                                            | 1                    | BvD; MO                    |
| famciclovir oral tablet 125mg, 250mg, 500mg                                                              | 1                    | MO                         |
| trifluridine ophthalmic solution 1%                                                                      | 1                    | MO                         |
| valacyclovir hcl oral tablet 1gm, 500mg                                                                  | 1                    | MO                         |
| <b>Agentes Anti-VIH,<br/>Inhibidores de la Transcriptasa Inversa de Nucleósidos y Nucleótidos (NRTI)</b> |                      |                            |
| abacavir sulfate oral solution 20mg/ml                                                                   | 1                    | MO; QL (960ML per 30 days) |
| abacavir sulfate oral tablet 300mg                                                                       | 1                    | MO; QL (60 EA per 30 days) |
| abacavir sulfate-lamivudine oral tablet 600-300mg                                                        | 1                    | MO; QL (30 EA per 30 days) |
| CIMDUO ORAL TABLET 300-300MG                                                                             | 1                    | QL (30 EA per 30 days)     |
| DELSTRIGO ORAL TABLET 100-300-300MG                                                                      | 1                    | QL (30 EA per 30 days)     |
| DESCOVY ORAL TABLET 120-15MG, 200-25MG                                                                   | 1                    | QL (30 EA per 30 days)     |
| efavirenz-emtricitab-tenofo df oral tablet 600-200-300mg                                                 | 1                    | QL (30 EA per 30 days)     |
| efavirenz-lamivudine-tenofovir oral tablet 400-300-300mg, 600-300-300mg                                  | 1                    | QL (30 EA per 30 days)     |

| Nombre del medicamento                                                                   | Nivel de medicamento | Requisitos/Limites          |
|------------------------------------------------------------------------------------------|----------------------|-----------------------------|
| <i>emtricitabine oral capsule 200mg</i>                                                  | 1                    | MO; QL (30 EA per 30 days)  |
| <i>emtricitabine-tenofovir df oral tablet 100-150mg, 133-200mg, 167-250mg, 200-300mg</i> | 1                    | QL (30 EA per 30 days)      |
| EMTRIVA ORAL SOLUTION 10MG/ML                                                            | 1                    | MO; QL (680ML per 28 days)  |
| JULUCA ORAL TABLET 50-25MG                                                               | 1                    | QL (30 EA per 30 days)      |
| <i>lamivudine oral solution 10mg/ml</i>                                                  | 1                    | MO; QL (900ML per 30 days)  |
| <i>lamivudine oral tablet 150mg</i>                                                      | 1                    | MO; QL (60 EA per 30 days)  |
| <i>lamivudine oral tablet 300mg</i>                                                      | 1                    | MO; QL (30 EA per 30 days)  |
| <i>lamivudine-zidovudine oral tablet 150-300mg</i>                                       | 1                    | MO; QL (60 EA per 30 days)  |
| ODEFSEY ORAL TABLET 200-25-25MG                                                          | 1                    | QL (30 EA per 30 days)      |
| <i>tenofovir disoproxil fumarate oral tablet 300mg</i>                                   | 1                    | MO; QL (30 EA per 30 days)  |
| TRIZIVIR ORAL TABLET 300-150-300MG                                                       | 1                    | QL (60 EA per 30 days)      |
| VIREAD ORAL POWDER 40MG/GM                                                               | 1                    | QL (240GM per 30 days)      |
| VIREAD ORAL TABLET 150MG, 200MG, 250MG                                                   | 1                    | QL (30 EA per 30 days)      |
| <i>zidovudine oral capsule 100mg</i>                                                     | 1                    | MO; QL (180 EA per 30 days) |
| <i>zidovudine oral syrup 50mg/5ml</i>                                                    | 1                    | MO; QL (1680ML per 28 days) |
| <i>zidovudine oral tablet 300mg</i>                                                      | 1                    | MO; QL (60 EA per 30 days)  |
| <b>Agentes Anti-VIH, Inhibidores de la Integrasa (INSTI)</b>                             |                      |                             |
| BIKTARVY ORAL TABLET 30-120-15MG, 50-200-25MG                                            | 1                    | QL (30 EA per 30 days)      |
| DOVATO ORAL TABLET 50-300MG                                                              | 1                    | QL (30 EA per 30 days)      |
| GENVOYA ORAL TABLET 150-150-200-10MG                                                     | 1                    | QL (30 EA per 30 days)      |
| ISENTRESS HD ORAL TABLET 600MG                                                           | 1                    | QL (60 EA per 30 days)      |
| ISENTRESS ORAL PACKET 100MG                                                              | 1                    | MO; QL (60 EA per 30 days)  |
| ISENTRESS ORAL TABLET 400MG                                                              | 1                    | QL (60 EA per 30 days)      |
| ISENTRESS ORAL TABLET CHEWABLE 100MG, 25MG                                               | 1                    | MO; QL (180 EA per 30 days) |
| STRIBILD ORAL TABLET 150-150-200-300MG                                                   | 1                    | QL (30 EA per 30 days)      |
| SYMTUZA ORAL TABLET 800-150-200-10MG                                                     | 1                    | QL (30 EA per 30 days)      |
| TIVICAY ORAL TABLET 10MG                                                                 | 1                    | MO; QL (60 EA per 30 days)  |
| TIVICAY ORAL TABLET 25MG, 50MG                                                           | 1                    | QL (60 EA per 30 days)      |
| TIVICAY PD ORAL TABLET SOLUBLE 5MG                                                       | 1                    | MO; QL (360 EA per 30 days) |

| Nombre del medicamento                                                                  | Nivel de medicamento | Requisitos/Limites          |
|-----------------------------------------------------------------------------------------|----------------------|-----------------------------|
| <b>Agentes Anti-VIH, Inhibidores de la Proteasa (PI)</b>                                |                      |                             |
| APTIVUS ORAL CAPSULE 250MG                                                              | 1                    | QL (120 EA per 30 days)     |
| atazanavir sulfate oral capsule 150mg, 200mg                                            | 1                    | MO; QL (60 EA per 30 days)  |
| atazanavir sulfate oral capsule 300mg                                                   | 1                    | MO; QL (30 EA per 30 days)  |
| darunavir oral tablet 600mg                                                             | 1                    | QL (60 EA per 30 days)      |
| darunavir oral tablet 800mg                                                             | 1                    | QL (30 EA per 30 days)      |
| EVOTAZ ORAL TABLET 300-150MG                                                            | 1                    | QL (30 EA per 30 days)      |
| fosamprenavir calcium oral tablet 700mg                                                 | 1                    | QL (120 EA per 30 days)     |
| LEXIVA ORAL SUSPENSION 50MG/ML                                                          | 1                    | MO; QL (1575ML per 28 days) |
| lopinavir-ritonavir oral solution 400-100mg/5ml                                         | 1                    | MO; QL (400ML per 30 days)  |
| lopinavir-ritonavir oral tablet 100-25mg                                                | 1                    | MO; QL (300 EA per 30 days) |
| lopinavir-ritonavir oral tablet 200-50mg                                                | 1                    | MO; QL (150 EA per 30 days) |
| NORVIR ORAL PACKET 100MG                                                                | 1                    | MO; QL (360 EA per 30 days) |
| PREZCOBIX ORAL TABLET 800-150MG                                                         | 1                    | QL (30 EA per 30 days)      |
| PREZISTA ORAL SUSPENSION 100MG/ML                                                       | 1                    | QL (360ML per 30 days)      |
| PREZISTA ORAL TABLET 150MG                                                              | 1                    | MO; QL (240 EA per 30 days) |
| PREZISTA ORAL TABLET 75MG                                                               | 1                    | MO; QL (480 EA per 30 days) |
| REYATAZ ORAL PACKET 50MG                                                                | 1                    | MO; QL (180 EA per 30 days) |
| ritonavir oral tablet 100mg                                                             | 1                    | MO; QL (360 EA per 30 days) |
| VIRACEPT ORAL TABLET 250MG                                                              | 1                    | QL (300 EA per 30 days)     |
| VIRACEPT ORAL TABLET 625MG                                                              | 1                    | QL (120 EA per 30 days)     |
| <b>Agentes Anti-VIH, Inhibidores de la Transcriptasa Inversa No Nucleósidos (NNRTI)</b> |                      |                             |
| COMPLERA ORAL TABLET 200-25-300MG                                                       | 1                    | QL (30 EA per 30 days)      |
| EDURANT ORAL TABLET 25MG                                                                | 1                    | QL (30 EA per 30 days)      |
| efavirenz oral capsule 200mg                                                            | 1                    | MO; QL (120 EA per 30 days) |
| efavirenz oral capsule 50mg                                                             | 1                    | MO; QL (360 EA per 30 days) |
| efavirenz oral tablet 600mg                                                             | 1                    | MO; QL (30 EA per 30 days)  |
| etravirine oral tablet 100mg                                                            | 1                    | QL (120 EA per 30 days)     |
| etravirine oral tablet 200mg                                                            | 1                    | QL (60 EA per 30 days)      |
| INTELENCE ORAL TABLET 25MG                                                              | 1                    | MO; QL (120 EA per 30 days) |

| Nombre del medicamento                                          | Nivel de medicamento | Requisitos/Limites          |
|-----------------------------------------------------------------|----------------------|-----------------------------|
| <i>nevirapine er oral tablet extended release 24-hour 100mg</i> | 1                    | MO; QL (120 EA per 30 days) |
| <i>nevirapine er oral tablet extended release 24-hour 400mg</i> | 1                    | MO; QL (30 EA per 30 days)  |
| <i>nevirapine oral suspension 50mg/5ml</i>                      | 1                    | MO; QL (1200ML per 30 days) |
| <i>nevirapine oral tablet 200mg</i>                             | 1                    | MO; QL (60 EA per 30 days)  |
| PIFELTRO ORAL TABLET 100MG                                      | 1                    | QL (30 EA per 30 days)      |
| <b>Agentes Anti-VIH, Otros</b>                                  |                      |                             |
| FUZEON SUBCUTANEOUS SOLUTION RECONSTITUTED 90MG                 | 1                    | QL (60 EA per 30 days)      |
| <i>maraviroc oral tablet 150mg, 300mg</i>                       | 1                    | QL (120 EA per 30 days)     |
| RUKOBIA ORAL TABLET EXTENDED RELEASE 12-HOUR 600MG              | 1                    | QL (60 EA per 30 days)      |
| SELZENTRY ORAL SOLUTION 20MG/ML                                 | 1                    | QL (1800ML per 30 days)     |
| SELZENTRY ORAL TABLET 25MG                                      | 1                    | MO; QL (120 EA per 30 days) |
| SELZENTRY ORAL TABLET 75MG                                      | 1                    | QL (60 EA per 30 days)      |
| SUNLENCA ORAL TABLET THERAPY PACK 4 X 300MG                     | 1                    | QL (4 EA per 180 days)      |
| SUNLENCA ORAL TABLET THERAPY PACK 5 X 300MG                     | 1                    | QL (5 EA per 180 days)      |
| TRIUMEQ ORAL TABLET 600-50-300MG                                | 1                    | QL (30 EA per 30 days)      |
| TRIUMEQ PD ORAL TABLET SOLUBLE 60-5-30MG                        | 1                    | QL (180 EA per 30 days)     |
| TYBOST ORAL TABLET 150MG                                        | 1                    | MO; QL (30 EA per 30 days)  |
| <b>Agentes Contra la Hepatitis B (VHB)</b>                      |                      |                             |
| <i>adefovir dipivoxil oral tablet 10mg</i>                      | 1                    | QL (30 EA per 30 days)      |
| BARACLUDE ORAL SOLUTION 0.05MG/ML                               | 1                    | QL (600ML per 30 days)      |
| <i>entecavir oral tablet 0.5mg, 1mg</i>                         | 1                    | MO; QL (30 EA per 30 days)  |
| <i>lamivudine oral tablet 100mg</i>                             | 1                    | MO; QL (90 EA per 30 days)  |
| VEMLIDY ORAL TABLET 25MG                                        | 1                    | QL (30 EA per 30 days)      |
| <b>Agentes Contra la Hepatitis C (VHC)</b>                      |                      |                             |
| MAVYRET ORAL PACKET 50-20MG                                     | 1                    | PA                          |
| MAVYRET ORAL TABLET 100-40MG                                    | 1                    | PA                          |

| Nombre del medicamento                              | Nivel de medicamento | Requisitos/Limites |
|-----------------------------------------------------|----------------------|--------------------|
| <i>ribavirin oral capsule 200mg</i>                 | 1                    | MO                 |
| <i>ribavirin oral tablet 200mg</i>                  | 1                    | MO                 |
| <i>sofosbuvir-velpatasvir oral tablet 400-100mg</i> | 1                    | PA                 |
| VOSEVI ORAL TABLET 400-100-100MG                    | 1                    | PA                 |

## ELECTROLITOS/MINERALES/METALES/VITAMINAS

### *Electrolitos/Minerales/Metales/Vitaminas*

|                                                                        |   |         |
|------------------------------------------------------------------------|---|---------|
| CLINIMIX E/DEXTROSE (2.75/5) INTRAVENOUS SOLUTION 2.75%                | 1 | BvD; MO |
| CLINIMIX E/DEXTROSE (4.25/10) INTRAVENOUS SOLUTION 4.25%               | 1 | BvD; MO |
| CLINIMIX E/DEXTROSE (4.25/5) INTRAVENOUS SOLUTION 4.25%                | 1 | BvD; MO |
| CLINIMIX E/DEXTROSE (5/15) INTRAVENOUS SOLUTION 5%                     | 1 | BvD; MO |
| CLINIMIX E/DEXTROSE (5/20) INTRAVENOUS SOLUTION 5%                     | 1 | BvD; MO |
| CLINIMIX/DEXTROSE (4.25/10) INTRAVENOUS SOLUTION 4.25%                 | 1 | BvD; MO |
| CLINIMIX/DEXTROSE (4.25/5) INTRAVENOUS SOLUTION 4.25%                  | 1 | BvD; MO |
| CLINIMIX/DEXTROSE (5/15) INTRAVENOUS SOLUTION 5%                       | 1 | BvD; MO |
| CLINIMIX/DEXTROSE (5/20) INTRAVENOUS SOLUTION 5%                       | 1 | BvD; MO |
| <i>dextrose intravenous solution 10%, 5%</i>                           | 1 | BvD; MO |
| <i>dextrose-nacl intravenous solution 10-0.2%, 10-0.45%, 2.5-0.45%</i> | 1 | BvD; MO |
| <i>dextrose-nacl intravenous solution 5-0.2%, 5-0.45%, 5-0.9%</i>      | 1 | MO      |
| DOJOLVI ORAL LIQUID 100%                                               | 1 | PA      |
| INTRALIPID INTRAVENOUS EMULSION 20%, 30%                               | 1 | BvD; MO |
| ISOLYTE-P IN D5W INTRAVENOUS SOLUTION                                  | 1 | BvD; MO |
| <i>levocarnitine oral solution 1gm/10ml</i>                            | 1 | MO      |
| <i>levocarnitine oral tablet 330mg</i>                                 | 1 | MO      |

| Nombre del medicamento                                     | Nivel de medicamento | Requisitos/Limites          |
|------------------------------------------------------------|----------------------|-----------------------------|
| NUTRILIPID INTRAVENOUS EMULSION 20%                        | 1                    | BvD; MO                     |
| PREMASOL INTRAVENOUS SOLUTION 10%                          | 1                    | BvD; MO                     |
| <i>prenatal oral tablet 27-1mg</i>                         | 1                    | MO                          |
| PROSOL INTRAVENOUS SOLUTION 20%                            | 1                    | BvD; MO                     |
| TPN ELECTROLYTES INTRAVENOUS CONCENTRATE                   | 1                    | BvD; MO                     |
| TRAVASOL INTRAVENOUS SOLUTION 10%                          | 1                    | BvD; MO                     |
| TROPHAMINE INTRAVENOUS SOLUTION 10%                        | 1                    | BvD; MO                     |
| <b>Ligantes de Fosfato</b>                                 |                      |                             |
| AURYXIA ORAL TABLET 1GM 210MG(FE)                          | 1                    | PA; MO                      |
| <i>calcium acetate (phos binder) oral capsule 667mg</i>    | 1                    | MO                          |
| <i>calcium acetate oral tablet 667mg</i>                   | 1                    | MO                          |
| <i>sevelamer carbonate oral packet 0.8gm</i>               | 1                    | QL (540 EA per 30 days)     |
| <i>sevelamer carbonate oral packet 2.4gm</i>               | 1                    | QL (180 EA per 30 days)     |
| <i>sevelamer carbonate oral tablet 800mg</i>               | 1                    | MO; QL (540 EA per 30 days) |
| VELPHORO ORAL TABLET CHEWABLE 500MG                        | 1                    | MO                          |
| <b>Modificadores de Electrolitos/Minerales/Metales</b>     |                      |                             |
| <i>deferasirox granules oral packet 180mg, 360mg, 90mg</i> | 1                    | PA                          |
| <i>deferasirox oral tablet 180mg, 360mg</i>                | 1                    | PA                          |
| <i>deferasirox oral tablet 90mg</i>                        | 1                    | PA; MO                      |
| <i>deferasirox oral tablet soluble 125mg, 250mg, 500mg</i> | 1                    | PA                          |
| <i>deferiprone oral tablet 1000mg, 500mg</i>               | 1                    | PA                          |
| FERRIPROX ORAL SOLUTION 100MG/ML                           | 1                    | PA                          |
| FERRIPROX TWICE-A-DAY ORAL TABLET 1000MG                   | 1                    | PA                          |
| LOKELMA ORAL PACKET 10GM, 5GM                              | 1                    | MO                          |
| <i>sodium polystyrene sulfonate oral powder</i>            | 1                    | MO                          |
| SPS ORAL SUSPENSION 15GM/60ML                              | 1                    | MO                          |
| <i>tolvaptan oral tablet 15mg</i>                          | 1                    | PA; QL (120 EA per 30 days) |
| <i>tolvaptan oral tablet 30mg</i>                          | 1                    | PA; QL (60 EA per 30 days)  |

| Nombre del medicamento                                                                                                                                                            | Nivel de medicamento | Requisitos/Limites |
|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|----------------------|--------------------|
| <i>trientine hcl oral capsule 250mg</i>                                                                                                                                           | 1                    | PA                 |
| <b>Reemplazo de Electrolitos/Minerales</b>                                                                                                                                        |                      |                    |
| <i>carglumic acid oral tablet soluble 200mg</i>                                                                                                                                   | 1                    | PA                 |
| ISOLYTE-S PH 7.4 INTRAVENOUS SOLUTION                                                                                                                                             | 1                    | BvD; MO            |
| <i>kcl in dextrose-nacl intravenous solution 10-5-0.45 meq/l-%, 20-5-0.2 meq/l-%, 20-5-0.45 meq/l-%, 20-5-0.9 meq/l-%, 30-5-0.45 meq/l-%, 40-5-0.45 meq/l-%, 40-5-0.9 meq/l-%</i> | 1                    | BvD; MO            |
| <i>kcl-lactated ringers-d5w intravenous solution 20 meq/l</i>                                                                                                                     | 1                    | BvD; MO            |
| KLOR-CON 10 ORAL TABLET EXTENDED RELEASE 10 MEQ                                                                                                                                   | 1                    | MO                 |
| KLOR-CON M10 ORAL TABLET EXTENDED RELEASE 10 MEQ                                                                                                                                  | 1                    | MO                 |
| KLOR-CON M15 ORAL TABLET EXTENDED RELEASE 15 MEQ                                                                                                                                  | 1                    | MO                 |
| KLOR-CON M20 ORAL TABLET EXTENDED RELEASE 20 MEQ                                                                                                                                  | 1                    | MO                 |
| KLOR-CON ORAL PACKET 20 MEQ                                                                                                                                                       | 1                    | MO                 |
| KLOR-CON ORAL TABLET EXTENDED RELEASE 8 MEQ                                                                                                                                       | 1                    | MO                 |
| <i>magnesium sulfate injection solution 50%, 50% (10ml syringe)</i>                                                                                                               | 1                    | MO                 |
| <i>multiple electro type 1 ph 5.5 intravenous solution</i>                                                                                                                        | 1                    | BvD; MO            |
| PLASMA-LYTE A INTRAVENOUS SOLUTION                                                                                                                                                | 1                    | BvD; MO            |
| <i>potassium chloride crys er oral tablet extended release 10 meq, 15 meq, 20 meq</i>                                                                                             | 1                    | MO                 |
| <i>potassium chloride er oral capsule extended release 10 meq, 8 meq</i>                                                                                                          | 1                    | MO                 |
| <i>potassium chloride er oral tablet extended release 10 meq, 20 meq, 8 meq</i>                                                                                                   | 1                    | MO                 |
| <i>potassium chloride in nacl intravenous solution 20-0.45 meq/l-%, 20-0.9 meq/l-%, 40-0.9 meq/l-%</i>                                                                            | 1                    | BvD; MO            |
| <i>potassium chloride intravenous solution 2 meq/ml, 2 meq/ml (20ml), 20 meq/100ml</i>                                                                                            | 1                    | BvD; MO            |

| Nombre del medicamento                                                                                   | Nivel de medicamento | Requisitos/Limites |
|----------------------------------------------------------------------------------------------------------|----------------------|--------------------|
| <i>potassium chloride oral packet 20 meq</i>                                                             | 1                    | MO                 |
| <i>potassium chloride oral solution 20 meq/15ml (10%), 40 meq/15ml (20%)</i>                             | 1                    | MO                 |
| <i>potassium citrate er oral tablet extended release 10 meq (1080mg), 15 meq (1620mg), 5 meq (540mg)</i> | 1                    | MO                 |
| <i>potassium cl in dextrose 5% intravenous solution 20 meq/l</i>                                         | 1                    | BvD; MO            |
| <i>sodium chloride intravenous solution 0.45%, 0.9%, 3%, 5%</i>                                          | 1                    | MO                 |
| <i>sodium chloride irrigation solution 0.9%</i>                                                          | 1                    | MO                 |
| <i>sodium fluoride oral tablet 2.2 (1 f)mg</i>                                                           | 1                    | MO                 |

## PRODUCTOS Y MODIFICADORES DE SANGRE

### Agentes Modificadores de Plaquetas

|                                                                               |   |    |
|-------------------------------------------------------------------------------|---|----|
| <i>aspirin-dipyridamole er oral capsule extended release 12-hour 25-200mg</i> | 1 | MO |
| BRILINTA ORAL TABLET 60MG, 90MG                                               | 1 | MO |
| CABLIVI INJECTION KIT 11MG                                                    | 1 | PA |
| <i>cilostazol oral tablet 100mg, 50mg</i>                                     | 1 | MO |
| <i>clopidogrel bisulfate oral tablet 75mg</i>                                 | 1 | MO |
| <i>prasugrel hcl oral tablet 10mg, 5mg</i>                                    | 1 | MO |

### Anticoagulantes

|                                                                                       |   |                           |
|---------------------------------------------------------------------------------------|---|---------------------------|
| ELIQUIS DVT/PE STARTER PACK ORAL TABLET THERAPY PACK 5MG                              | 1 | MO                        |
| ELIQUIS ORAL TABLET 2.5MG, 5MG                                                        | 1 | MO                        |
| <i>enoxaparin sodium injection solution prefilled syringe 100mg/ml, 150mg/ml</i>      | 1 | MO; QL (60ML per 30 days) |
| <i>enoxaparin sodium injection solution prefilled syringe 120mg/0.8ml, 80mg/0.8ml</i> | 1 | MO; QL (48ML per 30 days) |
| <i>enoxaparin sodium injection solution prefilled syringe 30mg/0.3ml</i>              | 1 | MO; QL (18ML per 30 days) |
| <i>enoxaparin sodium injection solution prefilled syringe 40mg/0.4ml</i>              | 1 | MO; QL (24ML per 30 days) |
| <i>enoxaparin sodium injection solution prefilled syringe 60mg/0.6ml</i>              | 1 | MO; QL (36ML per 30 days) |

| Nombre del medicamento                                                                                  | Nivel de medicamento | Requisitos/Limites            |
|---------------------------------------------------------------------------------------------------------|----------------------|-------------------------------|
| <i>fondaparinux sodium subcutaneous solution 10mg/0.8ml</i>                                             | 1                    | QL (24ML per 30 days)         |
| <i>fondaparinux sodium subcutaneous solution 2.5mg/0.5ml</i>                                            | 1                    | MO; QL (15ML per 30 days)     |
| <i>fondaparinux sodium subcutaneous solution 5mg/0.4ml</i>                                              | 1                    | QL (12ML per 30 days)         |
| <i>fondaparinux sodium subcutaneous solution 7.5mg/0.6ml</i>                                            | 1                    | QL (18ML per 30 days)         |
| <i>heparin sodium (porcine) injection solution 1000unit/ml, 10000unit/ml, 20000unit/ml, 5000unit/ml</i> | 1                    | BvD; MO                       |
| JANTOVEN ORAL TABLET 1MG, 10MG, 2MG, 2.5MG, 3MG, 4MG, 5MG, 6MG, 7.5MG                                   | 1                    | MO                            |
| <i>warfarin sodium oral tablet 1mg, 10mg, 2mg, 2.5mg, 3mg, 4mg, 5mg, 6mg, 7.5mg</i>                     | 1                    | MO                            |
| XARELTO ORAL SUSPENSION RECONSTITUTED 1MG/ML                                                            | 1                    | MO                            |
| XARELTO ORAL TABLET 10MG, 15MG, 2.5MG, 20MG                                                             | 1                    | MO                            |
| XARELTO STARTER PACK ORAL TABLET THERAPY PACK 15 & 20MG                                                 | 1                    | MO                            |
| <b>Productos y Modificadores de Sangre, Otros</b>                                                       |                      |                               |
| <i>anagrelide hcl oral capsule 0.5mg, 1mg</i>                                                           | 1                    | MO                            |
| LEUKINE INJECTION SOLUTION RECONSTITUTED 250MCG                                                         | 1                    | PA                            |
| PROMACTA ORAL PACKET 12.5MG                                                                             | 1                    | PA; QL (360 EA per 30 days)   |
| PROMACTA ORAL PACKET 25MG                                                                               | 1                    | PA; QL (180 EA per 30 days)   |
| PROMACTA ORAL TABLET 12.5MG, 25MG, 50MG, 75MG                                                           | 1                    | PA; QL (60 EA per 30 days)    |
| RETACRIT INJECTION SOLUTION 10000UNIT/ML, 10000UNIT/ML(1ML), 20000UNIT/ML, 4000UNIT/ML, 40000UNIT/ML    | 1                    | PA; MO; QL (12ML per 28 days) |
| RETACRIT INJECTION SOLUTION 2000UNIT/ML                                                                 | 1                    | PA; MO; QL (23ML per 30 days) |
| RETACRIT INJECTION SOLUTION 3000UNIT/ML                                                                 | 1                    | PA; MO; QL (16ML per 30 days) |
| <i>tranexamic acid oral tablet 650mg</i>                                                                | 1                    | MO                            |

| Nombre del medicamento                                                                       | Nivel de medicamento | Requisitos/Limites |
|----------------------------------------------------------------------------------------------|----------------------|--------------------|
| ZARXIO INJECTION SOLUTION PREFILLED SYRINGE 300MCG/0.5ML, 480MCG/0.8ML                       | 1                    | PA                 |
| ZIEXTENZO SUBCUTANEOUS SOLUTION PREFILLED SYRINGE 6MG/0.6ML                                  | 1                    | PA                 |
| <b>REGULADORES DE GLUCOSA EN SANGRE</b>                                                      |                      |                    |
| <b>Agentes Antidiabéticos</b>                                                                |                      |                    |
| <i>acarbose oral tablet 100mg, 25mg, 50mg</i>                                                | 1                    | MO                 |
| <i>glimepiride oral tablet 1mg, 2mg, 4mg</i>                                                 | 1                    | MO                 |
| <i>glipizide er oral tablet extended release 24-hour 10mg, 2.5mg, 5mg</i>                    | 1                    | MO                 |
| <i>glipizide oral tablet 10mg, 5mg</i>                                                       | 1                    | MO                 |
| <i>glipizide-metformin hcl oral tablet 2.5-250mg, 2.5-500mg, 5-500mg</i>                     | 1                    | MO                 |
| <i>glyburide-metformin oral tablet 1.25-250mg, 2.5-500mg, 5-500mg</i>                        | 1                    | MO                 |
| INVOKAMET ORAL TABLET 150-1000MG, 150-500MG, 50-1000MG, 50-500MG                             | 1                    | MO                 |
| INVOKAMET XR ORAL TABLET EXTENDED RELEASE 24-HOUR 150-1000MG, 150-500MG, 50-1000MG, 50-500MG | 1                    | MO                 |
| INVOKANA ORAL TABLET 100MG, 300MG                                                            | 1                    | MO                 |
| JANUMET ORAL TABLET 50-1000MG, 50-500MG                                                      | 1                    | MO                 |
| JANUMET XR ORAL TABLET EXTENDED RELEASE 24-HOUR 100-1000MG, 50-1000MG, 50-500MG              | 1                    | MO                 |
| JANUVIA ORAL TABLET 100MG, 25MG, 50MG                                                        | 1                    | MO                 |
| JARDIANCE ORAL TABLET 10MG, 25MG                                                             | 1                    | MO                 |
| <i>metformin hcl er oral tablet extended release 24-hour 500mg, 750mg</i>                    | 1                    | MO                 |
| <i>metformin hcl oral tablet 1000mg, 500mg, 850mg</i>                                        | 1                    | MO                 |
| <i>miglitol oral tablet 100mg, 25mg, 50mg</i>                                                | 1                    | MO                 |
| <i>nateglinide oral tablet 120mg, 60mg</i>                                                   | 1                    | MO                 |

| Nombre del medicamento                                                                         | Nivel de medicamento | Requisitos/Limites |
|------------------------------------------------------------------------------------------------|----------------------|--------------------|
| OZEMPIC (0.25 OR 0.5MG/DOSE) SUBCUTANEOUS SOLUTION PEN-INJECTOR 2MG/3ML                        | 1                    | MO                 |
| OZEMPIC (1MG/DOSE) SUBCUTANEOUS SOLUTION PEN-INJECTOR 4MG/3ML                                  | 1                    | MO                 |
| OZEMPIC (2MG/DOSE) SUBCUTANEOUS SOLUTION PEN-INJECTOR 8MG/3ML                                  | 1                    | MO                 |
| <i>pioglitazone hcl oral tablet 15mg, 30mg, 45mg</i>                                           | 1                    | MO                 |
| <i>pioglitazone hcl-glimepiride oral tablet 30-2mg, 30-4mg</i>                                 | 1                    | MO                 |
| <i>pioglitazone hcl-metformin hcl oral tablet 15-500mg, 15-850mg</i>                           | 1                    | MO                 |
| <i>repaglinide oral tablet 0.5mg, 1mg, 2mg</i>                                                 | 1                    | MO                 |
| RYBELSUS ORAL TABLET 14MG, 3MG, 7MG                                                            | 1                    | MO                 |
| SYMLINPEN 120 SUBCUTANEOUS SOLUTION PEN-INJECTOR 2700MCG/2.7ML                                 | 1                    | PA; MO             |
| SYMLINPEN 60 SUBCUTANEOUS SOLUTION PEN-INJECTOR 1500MCG/1.5ML                                  | 1                    | PA; MO             |
| SYNJARDY ORAL TABLET 12.5-1000MG, 12.5-500MG, 5-1000MG, 5-500MG                                | 1                    | MO                 |
| SYNJARDY XR ORAL TABLET EXTENDED RELEASE 24-HOUR 10-1000MG, 12.5-1000MG, 25-1000MG, 5-1000MG   | 1                    | MO                 |
| TRULICITY SUBCUTANEOUS SOLUTION PEN-INJECTOR 0.75MG/0.5ML, 1.5MG/0.5ML, 3MG/0.5ML, 4.5MG/0.5ML | 1                    | MO                 |
| VICTOZA SUBCUTANEOUS SOLUTION PEN-INJECTOR 18MG/3ML                                            | 1                    | MO                 |
| XULTOPHY SUBCUTANEOUS SOLUTION PEN-INJECTOR 100-3.6UNIT-MG/ML                                  | 1                    | MO                 |
| <b>Agentes Glucémicos</b>                                                                      |                      |                    |
| BAQSIMI ONE PACK NASAL POWDER 3MG/DOSE                                                         | 1                    | MO                 |
| <i>diazoxide oral suspension 50mg/ml</i>                                                       | 1                    |                    |
| GLUCAGEN HYPOKIT INJECTION SOLUTION RECONSTITUTED 1MG                                          | 1                    | MO                 |
| <i>glucagon emergency injection kit 1mg</i>                                                    | 1                    | MO                 |

| Nombre del medicamento                                                        | Nivel de medicamento | Requisitos/Limites |
|-------------------------------------------------------------------------------|----------------------|--------------------|
| KORLYM ORAL TABLET 300MG                                                      | 1                    | PA                 |
| <b>Insulinas</b>                                                              |                      |                    |
| ASSURE ID INSULIN SAFETY SYR 29G X 1/2" 1ML                                   | 1                    | MO                 |
| COMFORT ASSIST INSULIN SYRINGE 29G X 1/2" 1ML                                 | 1                    | MO                 |
| <i>cvs gauze sterile pad 2"x2"</i>                                            | 1                    | MO                 |
| EXEL COMFORT POINT PEN NEEDLE 29G X 12MM                                      | 1                    | MO                 |
| FIASP FLEXTOUCH SUBCUTANEOUS SOLUTION PEN-INJECTOR 100UNIT/ML                 | 1                    | MO                 |
| FIASP INJECTION SOLUTION 100UNIT/ML                                           | 1                    | MO                 |
| FIASP PENFILL SUBCUTANEOUS SOLUTION CARTRIDGE 100UNIT/ML                      | 1                    | MO                 |
| LANTUS SOLOSTAR SUBCUTANEOUS SOLUTION PEN-INJECTOR 100UNIT/ML                 | 1                    | MO                 |
| LANTUS SUBCUTANEOUS SOLUTION 100UNIT/ML                                       | 1                    | MO                 |
| LEVEMIR FLEXPEN SUBCUTANEOUS SOLUTION PEN-INJECTOR 100UNIT/ML                 | 1                    | MO                 |
| LEVEMIR SUBCUTANEOUS SOLUTION 100UNIT/ML                                      | 1                    | MO                 |
| NOVOLIN 70/30 FLEXPEN SUBCUTANEOUS SUSPENSION PEN-INJECTOR (70-30) 100UNIT/ML | 1                    | MO                 |
| NOVOLIN 70/30 SUBCUTANEOUS SUSPENSION (70-30) 100UNIT/ML                      | 1                    | MO                 |
| NOVOLIN N FLEXPEN SUBCUTANEOUS SUSPENSION PEN-INJECTOR 100UNIT/ML             | 1                    | MO                 |
| NOVOLIN N SUBCUTANEOUS SUSPENSION 100UNIT/ML                                  | 1                    | MO                 |
| NOVOLIN R FLEXPEN INJECTION SOLUTION PEN-INJECTOR 100UNIT/ML                  | 1                    | MO                 |
| NOVOLIN R INJECTION SOLUTION 100UNIT/ML                                       | 1                    | MO                 |
| NOVOLOG FLEXPEN SUBCUTANEOUS SOLUTION PEN-INJECTOR 100UNIT/ML                 | 1                    | MO                 |

| Nombre del medicamento                                                                  | Nivel de medicamento | Requisitos/Limites |
|-----------------------------------------------------------------------------------------|----------------------|--------------------|
| NOVOLOG INJECTION SOLUTION 100UNIT/ML                                                   | 1                    | MO                 |
| NOVOLOG MIX 70/30 FLEXPEN<br>SUBCUTANEOUS SUSPENSION<br>PEN-INJECTOR (70-30) 100UNIT/ML | 1                    | MO                 |
| NOVOLOG MIX 70/30 SUBCUTANEOUS<br>SUSPENSION (70-30) 100UNIT/ML                         | 1                    | MO                 |
| NOVOLOG PENFILL SUBCUTANEOUS<br>SOLUTION CARTRIDGE 100UNIT/ML                           | 1                    | MO                 |
| <i>preferred plus insulin syringe 28g x 1/2" 0.5ml</i>                                  | 1                    | MO                 |
| RELI-ON INSULIN SYRINGE 29G 0.3ML                                                       | 1                    | MO                 |
| SOLIQUA SUBCUTANEOUS SOLUTION<br>PEN-INJECTOR 100-33 UNT-MCG/ML                         | 1                    | MO                 |
| TOUJEO MAX SOLOSTAR SUBCUTANEOUS<br>SOLUTION PEN-INJECTOR 300UNIT/ML                    | 1                    | MO                 |
| TOUJEO SOLOSTAR SUBCUTANEOUS<br>SOLUTION PEN-INJECTOR 300UNIT/ML                        | 1                    | MO                 |
| TRESIBA FLEXTOUCH SUBCUTANEOUS<br>SOLUTION PEN-INJECTOR 100UNIT/ML,<br>200UNIT/ML       | 1                    | MO                 |
| TRESIBA SUBCUTANEOUS SOLUTION<br>100UNIT/ML                                             | 1                    | MO                 |

## RELAJANTES DEL MÚSCULO ESQUELÉTICO

### *Relajantes del Músculo Esquelético*

|                                                                           |   |    |
|---------------------------------------------------------------------------|---|----|
| <i>chlorzoxazone oral tablet 250mg, 375mg, 500mg, 750mg</i>               | 1 | MO |
| <i>cyclobenzaprine hcl oral tablet 10mg, 5mg, 7.5mg</i>                   | 1 | MO |
| <i>methocarbamol oral tablet 500mg, 750mg</i>                             | 1 | MO |
| <i>orphenadrine citrate er oral tablet extended release 12-hour 100mg</i> | 1 |    |

# Index of Drugs / Índice de drogas

## A

|                                   |                    |                                      |              |                                |                   |
|-----------------------------------|--------------------|--------------------------------------|--------------|--------------------------------|-------------------|
| abacavir sulfate .....            | 54, 187            | ALUNBRIG .....                       | 42, 177      | aripiprazole .....             | 50, 183           |
| abacavir sulfate-lamivudine ..... | 54, 187            | alyacen 1/35 .....                   | 85, 129      | armodafinil .....              | 107, 148          |
| ABELCET .....                     | 36, 173            | amantadine hcl .....                 | 47, 109      | ARNUITY ELLIPTA .....          | 102, 153          |
| ABILIFY ASIMTUFII .....           | 49, 183            | ambrisentan .....                    | 105, 153     | asenapine maleate .....        | 50, 183           |
| ABILIFY MAINTENA .....            | 49, 183            | amcinonide .....                     | 73, 123      | ASMANEX (120 METERED           |                   |
| abiraterone acetate .....         | 39, 175            | amikacin sulfate .....               | 22, 159      | DOSES) .....                   | 102, 153          |
| ABRYSVO .....                     | 95, 141            | amiloride hcl .....                  | 68, 117      | ASMANEX (30 METERED            |                   |
| acamprosate calcium .....         | 21, 150            | amiloride-hydrochlorothiazide .....  | 66, 113      | DOSES) .....                   | 102, 153          |
| acarbose .....                    | 57, 196            | amiodarone hcl .....                 | 64, 116      | ASMANEX (60 METERED            |                   |
| ACCUTANE .....                    | 72, 122            | amitriptyline hcl .....              | 34, 171      | DOSES) .....                   | 102, 153          |
| acebutolol hcl .....              | 64, 112            | amlodipine besy-benazepril hcl ..... | 66, 113      | ASMANEX HFA .....              | 103, 153          |
| acetaminophen-codeine .....       | 20, 155            | amlodipine besylate .....            | 65, 111      | aspirin-dipyridamole er .....  | 62, 194           |
| acetazolamide .....               | 101, 145           | amlodipine besylate-valsartan .....  | 66, 113      | ASSURE ID INSULIN SAFETY       |                   |
| acetazolamide er .....            | 101, 145           | amlodipine-atorvastatin .....        | 66, 113      | SYR .....                      | 59, 198           |
| acetic acid .....                 | 102, 147           | amlodipine-olmesartan .....          | 66, 113      | atazanavir sulfate .....       | 55, 189           |
| acetylcysteine .....              | 105, 151           | ammonium lactate .....               | 73, 123      | atenolol .....                 | 64, 112           |
| acitretin .....                   | 73, 122            | AMNESTEEM .....                      | 73, 123      | atenolol-chlorthalidone .....  | 66, 113           |
| ACTHIB .....                      | 95, 141            | amoxapine .....                      | 34, 171      | atomoxetine hcl .....          | 71, 119           |
| ACTIMMUNE .....                   | 93, 138            | amoxicillin .....                    | 25, 162      | atorvastatin calcium .....     | 69, 115           |
| acyclovir .....                   | 53, 187            | amoxicillin-pot clavulanate .....    | 25, 162      | atovaquone .....               | 47, 182           |
| acyclovir sodium .....            | 53, 187            | amoxicillin-pot clavulanate er ..... | 25, 162      | atovaquone-proguanil hcl ..... | 47, 182           |
| ADACEL .....                      | 95, 141            | amphetamine- .....                   |              | atropine sulfate .....         | 99, 145           |
| adefovir dipivoxil .....          | 52, 190            | dextroamphetamine .....              | 70, 120, 121 | ATROVENT HFA .....             | 103, 154          |
| ADEMPAS .....                     | 105, 153           | amphotericin b .....                 | 36, 173      | AUBRA EQ .....                 | 85, 129           |
| ADVAIR DISKUS .....               | 105, 151           | amphotericin b liposome .....        | 36, 173      | AURYXIA .....                  | 79, 192           |
| ADVAIR HFA .....                  | 105, 151           | ampicillin .....                     | 25, 162      | AUSTEDO .....                  | 71, 121           |
| albendazole .....                 | 47, 182            | ampicillin sodium .....              | 25, 162      | AUSTEDO XR .....               | 71, 121           |
| albuterol sulfate .....           | 104, 155           | ampicillin-sulbactam sodium .....    | 26, 162      | AUSTEDO XR PATIENT             |                   |
| albuterol sulfate hfa .....       | 103, 104, 154, 155 | anagrelide hcl .....                 | 62, 195      | TITRATION .....                | 71, 121           |
| alclometasone dipropionate .....  | 73, 123            | anastrozole .....                    | 42, 177      | AUVELITY .....                 | 32, 168           |
| ALECENSA .....                    | 42, 177            | ANORO ELLIPTA .....                  | 105, 151     | AVIANE .....                   | 85, 129           |
| alendronate sodium .....          | 98, 143            | apraclonidine hcl .....              | 101, 145     | AVONEX PEN .....               | 72, 120           |
| alfuzosin hcl er .....            | 83, 128            | aprepitant .....                     | 35, 172      | AVONEX PREFILLED .....         | 72, 120           |
| aliskiren fumarate .....          | 66, 113            | APRI .....                           | 85, 129      | AYVAKIT .....                  | 42, 177           |
| allopurinol .....                 | 37, 151            | APTOM .....                          | 31, 166      | AZASAN .....                   | 93, 139           |
| alosetron hcl .....               | 80, 126            | APTIVUS .....                        | 55, 189      | AZASITE .....                  | 99, 146           |
| ALPHAGAN P .....                  | 101, 145           | ARANELLE .....                       | 85, 129      | azathioprine .....             | 93, 139           |
| alprazolam .....                  | 56, 158            | ARCALYST .....                       | 92, 137      | azelastine hcl .....           | 99, 102, 144, 153 |
| ALPRAZOLAM INTENSOL .....         | 56, 158            | AREXVY .....                         | 95, 141      | azithromycin .....             | 27, 163, 164      |
| ALTAVERA .....                    | 85, 129            | ARIKAYCE .....                       | 22, 159      | AZOPT .....                    | 101, 145          |
|                                   |                    |                                      |              | aztreonam .....                | 22, 159           |

## B

bacitracin.....100, 146  
 bacitracin-polymyxin b...100, 146  
 bacitra-neomycin-polymyxin-hc  
 .....99, 145  
 baclofen .....52, 108  
 balsalazide disodium .....97, 148  
 BALVERSA .....42, 177  
 BALZIVA .....85, 129  
 BAQSIMI ONE PACK.....59, 197  
 BARACLUDE .....52, 190  
 bcg vaccine .....95, 141  
 BELSOMRA .....106, 148  
 benazepril hcl .....63, 118  
 benazepril-hydrochlorothiazide  
 .....66, 113  
 BENLYSTA .....93, 139  
 benznidazole .....47, 182  
 benzoyl peroxide-erythromycin  
 .....73, 123  
 benztropine mesylate .....47, 110  
 BESREMI .....93, 138  
 betaine .....81, 149  
 betamethasone dipropionate .....  
 .....73, 123  
 betamethasone dipropionate aug  
 .....73, 123  
 betamethasone valerate .....  
 .....73, 74, 123, 124  
 BETASERON .....72, 120  
 betaxolol hcl .... 64, 100, 112, 144  
 bethanechol chloride .....83, 128  
 bexarotene .....46, 182  
 BEXSERO .....95, 141  
 bicalutamide .....39, 175  
 BICILLIN L-A .....26, 163  
 BIKTARVY .....53, 188  
 bisoprolol fumarate .....64, 112  
 bisoprolol-hydrochlorothiazide ....  
 .....67, 113  
 BLISOVI FE 1.5/30 .....85, 129  
 BOOSTRIX .....95, 141  
 bosentan .....105, 153  
 BOSULIF .....42, 177  
 BRAFTOVI .....42, 177  
 BREO ELLIPTA .....105, 151  
 BREZTRI AEROSPHERE .....  
 .....105, 151  
 briellyn .....85, 129  
 BRILINTA .....62, 194  
 brimonidine tartrate .....101, 145

brimonidine tartrate-timolol .....  
 .....101, 145  
 BRIVIACT .....28, 167  
 bromfenac sodium (once-daily)  
 .....100, 147  
 bromocriptine mesylate ...48, 109  
 BROMSITE .....100, 147  
 BRUKINSA .....42, 177  
 budesonide .... 98, 103, 148, 154  
 budesonide er .....98, 148  
 budesonide-formoterol fumarate  
 .....105, 151  
 bumetanide .....68, 117  
 buprenorphine hcl.....21, 150  
 buprenorphine hcl-naloxone hcl  
 .....21, 150  
 bupropion hcl.....32, 33, 169  
 bupropion hcl er (smoking det)  
 .....22, 150  
 bupropion hcl er (sr) .....32, 169  
 bupropion hcl er (xl).....32, 169  
 buspirone hcl.....56, 158  
 butalbital-apap-cafeine ...19, 156  
 butalbital-asa-caff-codeine .....  
 .....19, 157  
 butalbital-aspirin-cafeine.19, 157  
 BYLVAY .....80, 126  
 BYLVAY (PELLETS) .....80, 126

## C

cabergoline .....90, 136  
 CABLIVI .....62, 194  
 CABOMETYX .....42, 178  
 calcipotriene .....75, 122  
 calcitonin (salmon) .....98, 144  
 calcitriol .....98, 144  
 calcium acetate .....79, 192  
 calcium acetate (phos binder).....  
 .....79, 192  
 CALQUENCE .....42, 178  
 CAMILA .....89, 133  
 CAMZYOS .....67, 113  
 candesartan cilexetil .....63, 116  
 candesartan cilexetil-hctz .....  
 .....67, 113  
 CAPLYTA .....50, 183  
 CAPRELSA .....42, 178  
 captopril .....63, 118  
 carbamazepine .....31, 166  
 carbamazepine er .....31, 166  
 carbidopa .....48, 110  
 carbidopa-levodopa .....48, 110

carbidopa-levodopa er.....48, 110  
 carbidopa-levodopa-entacapone  
 .....48, 109  
 carglumic acid .....76, 193  
 carteolol hcl .....100, 144  
 CARTIA XT .....65, 111  
 carvedilol .....64, 112  
 caspofungin acetate .....36, 173  
 CAYSTON .....104, 152  
 cefaclor .....24, 161  
 cefaclor er .....24, 160  
 cefadroxil .....24, 161  
 cefazolin sodium .....24, 161  
 cefdinir .....24, 161  
 cefepime hcl .....24, 161  
 cefixime .....24, 161  
 cefotetan disodium .....24, 161  
 cefoxitin sodium .....24, 161  
 cefpodoxime proxetil .....24, 161  
 cefprozil .....24, 161  
 ceftazidime .....24, 25, 161  
 ceftriaxone sodium .....25, 161  
 cefuroxime axetil .....25, 162  
 cefuroxime sodium .....25, 162  
 celecoxib .....19, 157  
 cephalixin .....25, 162  
 cetirizine hcl .....102, 153  
 chlordiazepoxide hcl .....57, 158  
 chlorhexidine gluconate...72, 121  
 chloroquine phosphate ....47, 182  
 chlorpromazine hcl .....  
 .....48, 49, 185, 186  
 chlorthalidone .....68, 117  
 chlorzoxazone .....106, 199  
 cholestyramine .....69, 115  
 cholestyramine light .....69, 115  
 ciclopirox .....76, 125  
 ciclopirox olamine .....36, 173  
 cilostazol .....62, 194  
 CIMDUO .....54, 187  
 cinacalcet hcl .....98, 144  
 ciprofloxacin hcl .....  
 .....27, 102, 147, 164  
 ciprofloxacin in d5w .....27, 164  
 ciprofloxacin-dexamethasone  
 .....102, 147  
 ciprofloxacin-fluocinolone pf .....  
 .....102, 147  
 citalopram hydrobromide .....  
 .....33, 169  
 CLARAVIS .....73, 123  
 clarithromycin .....27, 164  
 clarithromycin er .....27, 164

CLENPIQ .....80, 126  
 clindamycin hcl.....23, 159  
 clindamycin palmitate hcl.....  
 .....23, 159  
 clindamycin phos-benzoyl perox  
 .....73, 123  
 clindamycin phosphate.....  
 .....23, 76, 125, 159, 160  
 clindamycin phosphate in d5w....  
 .....23, 159  
 CLINIMIX E/DEXTROSE (2.75/5)  
 .....78, 191  
 CLINIMIX E/DEXTROSE  
 (4.25/10) .....78, 191  
 CLINIMIX E/DEXTROSE (4.25/5)  
 .....78, 191  
 CLINIMIX E/DEXTROSE (5/15)  
 .....78, 191  
 CLINIMIX E/DEXTROSE (5/20)  
 .....78, 191  
 CLINIMIX/DEXTROSE (4.25/10)  
 .....78, 191  
 CLINIMIX/DEXTROSE (4.25/5)  
 .....78, 191  
 CLINIMIX/DEXTROSE (5/15).....  
 .....78, 191  
 CLINIMIX/DEXTROSE (5/20).....  
 .....78, 191  
 clobazam.....30, 165  
 clobetasol propionate .....74, 124  
 clobetasol propionate e ...74, 124  
 clomipramine hcl .....35, 171  
 clonazepam.....57, 158  
 clonidine.....63, 116  
 clonidine hcl .....63, 116  
 clopidogrel bisulfate.....62, 194  
 clorazepate dipotassium.....  
 .....57, 158  
 clotrimazole.....36, 173  
 clotrimazole-betamethasone.....  
 .....75, 122  
 clozapine.....52, 185  
 COARTEM .....47, 182  
 codeine sulfate .....20, 155  
 colchicine .....37, 151  
 colchicine-probenecid.....37, 151  
 colestipol hcl.....69, 115  
 colistimethate sodium (cba).....  
 .....23, 160  
 COMBIGAN .....101, 145  
 COMBIVENT RESPIMAT.....  
 .....106, 151

COMETRIQ (100 MG DAILY  
 DOSE) .....42, 178  
 COMETRIQ (140 MG DAILY  
 DOSE) .....42, 178  
 COMETRIQ (60 MG DAILY  
 DOSE) .....42, 178  
 COMFORT ASSIST INSULIN  
 SYRINGE.....59, 198  
 COMPLERA.....53, 189  
 constulose.....79, 126  
 COPAXONE.....72, 120  
 COPIKTRA.....42, 178  
 CORLANOR.....67, 113  
 COSENTYX .....92, 138  
 COSENTYX (300 MG DOSE).....  
 .....92, 137  
 COSENTYX SENSOREADY  
 (300 MG).....92, 138  
 COTELLIC .....43, 178  
 CREON.....81, 149  
 cromolyn sodium .....  
 .....81, 99, 106, 144, 149, 152  
 CRYSELLE-28 .....85, 129  
 cvs gauze sterile .....59, 198  
 cyclobenzaprine hcl.....106, 199  
 cyclophosphamide.....39, 174  
 cyclosporine .....93, 99, 139, 145  
 cyclosporine modified .....93, 139  
 cyproheptadine hcl .....102, 153  
 CYRED EQ .....85, 129  
 CYSTADROPS .....99, 146  
 CYSTAGON.....81, 149  
 CYSTARAN .....99, 146

## D

dalfampridine er .....72, 120  
 danazol .....84, 133  
 dapson .....39, 172  
 DAPTACEL .....95, 141  
 daptomycin.....23, 160  
 darifenacin hydrobromide er.....  
 .....82, 128  
 darunavir .....55, 189  
 DAURISMO.....43, 178  
 DAYBUE .....71, 121  
 DEBLITANE .....89, 133  
 deferasirox .....77, 78, 192  
 deferasirox granules .....77, 192  
 deferiprone .....78, 192  
 DELSTRIGO .....54, 187  
 DESCOVY .....54, 187  
 desipramine hcl .....35, 171

desmopressin acetate .....84, 134  
 desmopressin acetate spray.....  
 .....84, 134  
 desogestrel-ethinyl estradiol.....  
 .....86, 129  
 desonide .....74, 124  
 desoximetasone .....74, 124  
 desvenlafaxine er .....33, 170  
 desvenlafaxine succinate er.....  
 .....33, 170  
 dexamethasone.....83, 135  
 dexamethasone sodium  
 phosphate .....100, 147  
 dexlansoprazole .....81, 127  
 dexmethylphenidate hcl...71, 119  
 dextroamphetamine sulfate .....  
 .....70, 71, 121  
 dextroamphetamine sulfate er ....  
 .....70, 121  
 dextrose .....78, 191  
 dextrose-nacl.....78, 79, 191  
 DIACOMIT .....28, 167  
 diazepam .....30, 57, 159, 165  
 DIAZEPAM INTENSOL ...57, 158  
 diazoxide.....59, 197  
 diclofenac potassium .....19, 157  
 diclofenac sodium.....  
 .....19, 75, 100, 122, 147, 157  
 diclofenac sodium er .....19, 157  
 dicloxacillin sodium.....26, 163  
 dicyclomine hcl.....80, 127  
 DIFICID.....27, 164  
 diflunisal .....19, 157  
 digoxin .....67, 113  
 dihydroergotamine mesylate.....  
 .....37, 108  
 DILANTIN.....31, 166  
 diltiazem hcl .....66, 111  
 diltiazem hcl er .....66, 111  
 diltiazem hcl er beads.....65, 111  
 diltiazem hcl er coated beads .....  
 .....65, 111  
 dilt-xr .....66, 112  
 dimethyl fumarate .....72, 120  
 dimethyl fumarate starter pack ...  
 .....72, 120  
 diphenoxylate-atropine ....80, 126  
 diphtheria-tetanus toxoids dt.....  
 .....95, 141  
 disopyramide phosphate .....  
 .....64, 116  
 disulfiram.....21, 150  
 divalproex sodium .....57, 110

divalproex sodium er .....57, 110  
dofetilide.....64, 116  
DOJOLVI.....79, 191  
donepezil hcl .....32, 119  
dorzolamide hcl .....101, 145  
dorzolamide hcl-timolol mal .....  
.....101, 145  
dorzolamide hcl-timolol mal pf  
.....101, 145  
DOVATO.....53, 188  
doxazosin mesylate .....63, 117  
doxepin hcl .....35, 171  
DOXY 100.....28, 165  
doxycycline hyclate .....28, 165  
doxycycline monohydrate 28, 165  
dronabinol .....35, 172  
drospirenone-ethinyl estradiol.....  
.....86, 129  
DROXIA .....40, 175  
droxidopa .....63, 116  
DUAVEE .....85, 133  
duloxetine hcl .....33, 170  
DUPIXENT .....92, 138  
DUREZOL.....100, 147  
dutasteride .....83, 128  
dutasteride-tamsulosin hcl.....  
.....83, 128

## E

econazole nitrate .....36, 173  
EDURANT.....53, 189  
efavirenz .....53, 189  
efavirenz-emtricitab-tenofo df .....  
.....54, 187  
efavirenz-lamivudine-tenofovir ....  
.....54, 187  
ELIGARD .....90, 136  
ELIQUIS.....61, 194  
ELIQUIS DVT/PE STARTER  
PACK.....61, 194  
ELMIRON.....83, 128  
ELURYNG.....86, 129  
EMCYT .....40, 175  
EMGALITY .....38, 109  
EMSAM.....33, 169  
emtricitabine .....54, 188  
emtricitabine-tenofovir df .....  
.....54, 188  
EMTRIVA.....54, 188  
EMVERM .....47, 182  
enalapril maleate .....63, 118

enalapril-hydrochlorothiazide.....  
.....67, 113  
ENBREL.....93, 139  
ENBREL MINI .....93, 139  
ENBREL SURECLICK.....93, 139  
ENDARI .....81, 149  
ENGERIX-B .....95, 141  
enoxaparin sodium .....61, 194  
ENPRESSE-28 .....86, 129  
ENSKYCE.....86, 129  
ENSPRYNG .....93, 139  
entacapone .....48, 109  
entecavir .....52, 190  
ENTRESTO .....67, 113  
enulose .....79, 126  
ENVARUS XR .....93, 139  
EPIDIOLEX .....28, 167  
epinephrine .....104, 155  
EPITOL .....31, 166  
eplerenone .....68, 117  
EPRONTIA.....38, 109  
ERAXIS.....36, 173  
ergotamine-caffeine.....37, 108  
ERIVEDGE .....43, 178  
ERLEADA .....39, 175  
erlotinib hcl .....43, 178  
ERRIN.....89, 133  
ertapenem sodium.....26, 163  
ery.....76, 125  
ERYTHROCIN LACTOBIONATE  
.....27, 164  
erythromycin.....  
.....27, 76, 100, 125, 146, 164  
erythromycin base .....27, 164  
erythromycin ethylsuccinate .....  
.....27, 164  
escitalopram oxalate .....33, 170  
esomeprazole magnesium .....  
.....81, 127  
ESTARYLLA .....86, 129  
estradiol .....85, 133  
ethambutol hcl.....39, 172  
ethosuximide .....30, 167  
ethynodiol diac-eth estradiol .....  
.....86, 129  
etodolac .....19, 157  
etonogestrel-ethinyl estradiol.....  
.....86, 129  
etravirine .....53, 189  
EUCRISA .....74, 124  
EUTHYROX .....90, 135  
everolimus... 43, 93, 94, 139, 178  
EVOTAZ.....55, 189

EVRYSDI .....71, 121  
EXEL COMFORT POINT PEN  
NEEDLE .....59, 198  
exemestane .....42, 177  
EXKIVITY.....43, 178  
ezetimibe.....69, 115

## F

FALMINA .....86, 129  
famciclovir .....53, 187  
famotidine .....81, 127  
FANAPT.....50, 183  
FANAPT TITRATION PACK.....  
.....50, 183  
febuxostat .....37, 151  
felbamate .....28, 167  
felodipine er .....65, 111  
fenofibrate .....68, 69, 114, 115  
fenofibrate micronized .....68, 114  
fenofibric acid .....69, 115  
fentanyl .....20, 156  
fentanyl citrate.....20, 155  
FERRIPROX .....78, 192  
FERRIPROX TWICE-A-DAY .....  
.....78, 192  
fesoterodine fumarate er .....  
.....82, 128  
FETZIMA.....33, 170  
FETZIMA TITRATION .....34, 170  
FIASP .....59, 198  
FIASP FLEXTOUCH .....59, 198  
FIASP PENFILL .....60, 198  
FILSPARI .....67, 113  
finasteride .....83, 128  
fingolimod hcl .....72, 120  
FINTEPLA.....28, 167  
FIRAZYR.....91, 137  
FIRVANQ .....23, 160  
flecainide acetate .....64, 116  
FLOVENT DISKUS .....103, 154  
FLOVENT HFA .....103, 154  
fluconazole .....36, 173  
fluconazole in sodium chloride....  
.....36, 173  
flucytosine .....36, 173  
fludrocortisone acetate ....83, 135  
flunisolide .....103, 154  
fluocinolone acetonide.....  
.....74, 102, 124, 147  
fluocinonide .....74, 124  
fluocinonide emulsified base.....  
.....74, 124

fluorometholone .....100, 147  
 fluorouracil .....75, 122  
 fluoxetine hcl .....34, 170  
 fluphenazine decanoate ..49, 186  
 fluphenazine hcl .....49, 186  
 flurbiprofen .....19, 157  
 flurbiprofen sodium .....100, 147  
 fluticasone propionate .....  
 ..... 74, 103, 124, 154  
 fluticasone-salmeterol ...106, 152  
 fluvoxamine maleate .....34, 170  
 fondaparinux sodium .....61, 195  
 fosamprenavir calcium.....55, 189  
 fosinopril sodium .....63, 118  
 fosinopril sodium-hctz.....67, 114  
 FOTIVDA .....43, 178  
 furosemide .....68, 117  
 FUZEON .....55, 190  
 FYCOMPA .....29, 167

## G

gabapentin .....30, 165  
 GALAFOLD.....82, 149  
 galantamine hydrobromide .....  
 .....32, 119  
 galantamine hydrobromide er .....  
 .....32, 119  
 GARDASIL 9.....95, 141  
 gatifloxacin .....100, 146  
 GATTEX.....80, 126  
 GAVILYTE-C.....80, 126  
 GAVILYTE-G.....80, 126  
 GAVRETO .....43, 178  
 gefitinib .....43, 178  
 gemfibrozil.....69, 115  
 generlac .....79, 126  
 GENGRAF .....94, 139  
 gentamicin in saline .....22, 159  
 gentamicin sulfate .....  
 ..... 22, 100, 146, 159  
 GENVOYA .....53, 188  
 GILOTRIF .....43, 178  
 GLEOSTINE.....39, 174  
 glimepiride.....57, 196  
 glipizide .....58, 196  
 glipizide er .....58, 196  
 glipizide-metformin hcl.....58, 196  
 global alcohol prep ease.....  
 .....75, 122  
 GLUCAGEN HYPOKIT....59, 197  
 glucagon emergency .....59, 197  
 glyburide-metformin.....58, 196

glycopyrrolate .....80, 127  
 granisetron hcl.....35, 172  
 griseofulvin microsize .....36, 173  
 griseofulvin ultramicrosize .....  
 .....36, 173  
 guanfacine hcl .....63, 116  
 guanfacine hcl er .....71, 119

## H

halobetasol propionate ....74, 124  
 HALOETTE .....86, 130  
 haloperidol .....49, 186  
 haloperidol decanoate ....49, 186  
 haloperidol lactate .....49, 186  
 HAVRIX.....95, 141  
 heparin sodium (porcine).....  
 .....61, 195  
 HEPLISAV-B.....96, 141  
 HIBERIX.....96, 142  
 HUMIRA.....94, 140  
 HUMIRA PEDIATRIC CROHNS  
 START .....94, 140  
 HUMIRA PEN.....94, 140  
 HUMIRA PEN-CD/UC/HS  
 STARTER .....94, 140  
 HUMIRA PEN-PEDIATRIC UC  
 START .....94, 140  
 HUMIRA PEN-PS/UV/ADOL HS  
 START .....94, 140  
 HUMIRA PEN-PSOR/UEIT  
 STARTER .....94, 140  
 hydralazine hcl .....70, 118  
 hydrochlorothiazide .....68, 117  
 hydrocodone-acetaminophen .....  
 ..... 20, 155, 156  
 hydrocodone-ibuprofen....20, 156  
 hydrocortisone.....  
 ..... 74, 83, 98, 124, 135, 148  
 hydrocortisone (perianal).....  
 .....74, 124  
 hydrocortisone ace-pramoxine ...  
 .....75, 122  
 hydrocortisone valerate ...74, 124  
 hydromorphone hcl.....20, 156  
 hydroxychloroquine sulfate .....  
 .....47, 182  
 hydroxyurea .....40, 175  
 hydroxyzine hcl .....56, 158  
 hydroxyzine pamoate .....56, 158  
 HYFTOR .....75, 122

## I

ibandronate sodium .....98, 144  
 IBRANCE .....43, 178  
 IBU.....19, 157  
 ibuprofen .....19, 157  
 icatibant acetate .....91, 137  
 ICLEVIA .....86, 130  
 ICLUSIG.....43, 178  
 IDHIFA .....40, 176  
 ILEVRO.....100, 147  
 imatinib mesylate.....43, 178  
 IMBRUVICA .....43, 179  
 imipenem-cilastatin.....26, 163  
 imipramine hcl .....35, 171  
 imiquimod.....75, 122  
 IMOVAX RABIES .....96, 142  
 IMVEXXY MAINTENANCE  
 PACK.....85, 133  
 IMVEXXY STARTER PACK.....  
 .....85, 133  
 INBRIJA .....48, 110  
 INCASSIA .....89, 134  
 INCRELEX .....84, 134  
 indapamide .....68, 117  
 indomethacin.....19, 157  
 indomethacin er.....19, 157  
 INFANRIX .....96, 142  
 INLYTA .....43, 179  
 INQOVI .....40, 176  
 INREBIC .....43, 179  
 INTELENCE .....53, 189  
 INTRALIPID .....79, 191  
 INTRAROSA .....86, 130  
 INTROVALE.....86, 130  
 INVEGA HAFYERA.....50, 183  
 INVEGA SUSTENNA .....50, 184  
 INVEGA TRINZA.....50, 184  
 INVOKAMET .....58, 196  
 INVOKAMET XR .....58, 196  
 INVOKANA .....58, 196  
 IPOL.....96, 142  
 ipratropium bromide .....103, 154  
 ipratropium-albuterol .....106, 152  
 irbesartan .....63, 116  
 irbesartan-hydrochlorothiazide ...  
 .....67, 114  
 ISENTRESS.....53, 188  
 ISENTRESS HD.....53, 188  
 ISIBLOOM.....86, 130  
 ISOLYTE-P IN D5W .....79, 191  
 ISOLYTE-S PH 7.4.....76, 193  
 isoniazid .....39, 172

isosorb dinitrate-hydralazine ..... 67, 114  
 isosorbide dinitrate ..... 70, 118  
 isosorbide mononitrate ..... 70, 118  
 isosorbide mononitrate er ..... 70, 118  
 isotretinoin ..... 73, 123  
 isradipine ..... 65, 111  
 ISTURISA ..... 83, 135  
 itraconazole ..... 36, 173, 174  
 ivermectin ..... 47, 182  
 IXIARO ..... 96, 142

## J

JAKAFI ..... 43, 179  
 JANTOVEN ..... 61, 195  
 JANUMET ..... 58, 196  
 JANUMET XR ..... 58, 196  
 JANUVIA ..... 58, 196  
 JARDIANCE ..... 58, 196  
 JASMIEL ..... 86, 130  
 JAYPIRCA ..... 43, 179  
 JUBLIA ..... 36, 174  
 JULEBER ..... 86, 130  
 JULUCA ..... 54, 188  
 JUNEL 1.5/30 ..... 86, 130  
 JUNEL 1/20 ..... 86, 130  
 JUNEL FE 1.5/30 ..... 86, 130  
 JUNEL FE 1/20 ..... 86, 130  
 JUXTAPID ..... 69, 115  
 JYNNEOS ..... 96, 142

## K

KALYDECO ..... 104, 152  
 KARIVA ..... 86, 130  
 KATERZIA ..... 65, 111  
 kcl in dextrose-nacl ..... 76, 193  
 kcl-lactated ringers-d5w ..... 76, 193  
 KELNOR 1/35 ..... 86, 130  
 KELNOR 1/50 ..... 86, 130  
 KERENDIA ..... 68, 117  
 KESIMPTA ..... 72, 120  
 ketoconazole ..... 36, 174  
 ketorolac tromethamine ..... 19, 100, 147, 157  
 KINRIX ..... 96, 142  
 KISQALI (200 MG DOSE) ..... 43, 179  
 KISQALI (400 MG DOSE) ..... 44, 179  
 KISQALI (600 MG DOSE) ..... 44, 179

KISQALI FEMARA (200 MG DOSE) ..... 41, 176  
 KISQALI FEMARA (400 MG DOSE) ..... 41, 176  
 KISQALI FEMARA (600 MG DOSE) ..... 41, 176  
 KLOR-CON ..... 77, 193  
 KLOR-CON 10 ..... 76, 193  
 KLOR-CON M10 ..... 76, 193  
 KLOR-CON M15 ..... 77, 193  
 KLOR-CON M20 ..... 77, 193  
 KLOXXADO ..... 21, 150  
 KORLYM ..... 59, 198  
 KOSELUGO ..... 44, 179  
 KRAZATI ..... 44, 179  
 KURVELO ..... 86, 130

## L

labetalol hcl ..... 64, 112  
 lacosamide ..... 31, 166  
 lactulose ..... 79, 126  
 lamivudine ..... 52, 54, 188, 190  
 lamivudine-zidovudine ..... 54, 188  
 lamotrigine ..... 29, 167  
 lamotrigine er ..... 29, 167  
 lamotrigine starter kit-blue ..... 29, 167  
 lamotrigine starter kit-green ..... 29, 168  
 lamotrigine starter kit-orange ..... 29, 168  
 LAMPIT ..... 47, 182  
 lansoprazole ..... 81, 127  
 LANTUS ..... 60, 198  
 LANTUS SOLOSTAR ..... 60, 198  
 lapatinib ditosylate ..... 44, 179  
 LARIN 1.5/30 ..... 86, 130  
 LARIN 1/20 ..... 86, 130  
 LARIN FE 1.5/30 ..... 86, 130  
 LARIN FE 1/20 ..... 86, 130  
 latanoprost ..... 101, 146  
 LEENA ..... 86, 130  
 leflunomide ..... 92, 138  
 lenalidomide ..... 40, 175  
 LENVIMA (10 MG DAILY DOSE) ..... 44, 179  
 LENVIMA (12 MG DAILY DOSE) ..... 44, 179  
 LENVIMA (14 MG DAILY DOSE) ..... 44, 179  
 LENVIMA (18 MG DAILY DOSE) ..... 44, 179

LENVIMA (20 MG DAILY DOSE) ..... 44, 179  
 LENVIMA (24 MG DAILY DOSE) ..... 44, 179  
 LENVIMA (4 MG DAILY DOSE) ..... 44, 180  
 LENVIMA (8 MG DAILY DOSE) ..... 44, 180  
 LESSINA ..... 87, 130  
 letrozole ..... 42, 177  
 leucovorin calcium ..... 41, 176  
 LEUKERAN ..... 39, 174  
 LEUKINE ..... 62, 195  
 leuprolide acetate ..... 90, 136  
 leuprolide acetate (3 month) ..... 90, 136  
 LEVEMIR ..... 60, 198  
 LEVEMIR FLEXPEN ..... 60, 198  
 levetiracetam ..... 29, 168  
 levetiracetam er ..... 29, 168  
 levobunolol hcl ..... 101, 144  
 levocarnitine ..... 79, 191  
 levocetirizine dihydrochloride ..... 102, 153  
 levofloxacin ..... 27, 164  
 levofloxacin in d5w ..... 27, 164  
 LEVONEST ..... 87, 130  
 levonorgest-eth estrad 91-day ..... 87, 130  
 levonorgestrel-ethinyl estrad ..... 87, 130  
 levonorg-eth estrad triphasic ..... 87, 130  
 LEVORA 0.15/30 (28) ..... 87, 130  
 levothyroxine sodium ..... 90, 136  
 LEVOXYL ..... 90, 136  
 LEXIVA ..... 55, 189  
 LIALDA ..... 97, 148  
 lidocaine ..... 21, 158  
 lidocaine hcl ..... 21, 158  
 lidocaine viscous hcl ..... 21, 158  
 lidocaine-prilocaine ..... 21, 158  
 linezolid ..... 23, 160  
 LINZESS ..... 79, 126  
 liothyronine sodium ..... 90, 136  
 lisinopril ..... 64, 118  
 lisinopril-hydrochlorothiazide ..... 67, 114  
 lithium carbonate ..... 57, 111  
 lithium carbonate er ..... 57, 110  
 LIVALO ..... 69, 115  
 LIVMARLI ..... 80, 126  
 LIVTENCITY ..... 52, 186

LOKELMA .....78, 192  
 LONSURF .....41, 176  
 loperamide hcl .....80, 126  
 lopinavir-ritonavir .....55, 189  
 lorazepam .....57, 159  
 LORAZEPAM INTENSOL .....  
 .....57, 159  
 LORBRENA .....44, 180  
 LORYNA .....87, 130  
 losartan potassium .....63, 116  
 losartan potassium-hctz...67, 114  
 loteprednol etabonate...100, 147  
 lovastatin .....69, 115  
 LOW-OGESTREL .....87, 131  
 loxapine succinate .....49, 186  
 lubiprostone .....79, 126  
 LUMAKRAS .....41, 176  
 LUMIGAN.....101, 146  
 LUPKYNIS .....94, 140  
 LUPRON DEPOT (1-MONTH)....  
 .....90, 136  
 LUPRON DEPOT (3-MONTH)....  
 .....90, 136  
 LUPRON DEPOT (4-MONTH)....  
 .....90, 136  
 LUPRON DEPOT (6-MONTH)....  
 .....90, 136  
 LUPRON DEPOT-PED (1-  
 MONTH) .....91, 136  
 LUPRON DEPOT-PED (3-  
 MONTH) .....91, 136  
 LUPRON DEPOT-PED (6-  
 MONTH) .....91, 137  
 lurasidone hcl .....50, 184  
 LUTERA .....87, 131  
 LYBALVI .....50, 184  
 LYLEQ .....89, 134  
 LYNPARZA .....41, 176  
 LYSODREN .....39, 175  
 LYTGOBI (12 MG DAILY DOSE)  
 .....44, 180  
 LYTGOBI (16 MG DAILY DOSE)  
 .....44, 180  
 LYTGOBI (20 MG DAILY DOSE)  
 .....44, 180  
 LYZA.....89, 134

## M

magnesium sulfate .....77, 193  
 malathion .....76, 125  
 maraviroc .....55, 190  
 marlissa.....87, 131

MARPLAN.....33, 169  
 MATULANE .....39, 174  
 MAVYRET.....52, 190  
 MAYZENT.....72, 120  
 MAYZENT STARTER PACK .....  
 .....72, 120  
 meclizine hcl.....35, 171  
 medroxyprogesterone acetate ....  
 .....89, 134  
 mefloquine hcl .....47, 183  
 megestrol acetate .....89, 134  
 MEKINIST .....44, 180  
 MEKTOVI.....44, 180  
 meloxicam .....19, 157  
 memantine hcl.....31, 119  
 memantine hcl er .....31, 118  
 MENACTRA.....96, 142  
 MENEST .....85, 133  
 MENQUADFI.....96, 142  
 MENVEO .....96, 142  
 mercaptopurine .....40, 176  
 meropenem .....26, 163  
 mesalamine .....98, 148  
 mesalamine er .....98, 148  
 MESNEX.....41, 176  
 metformin hcl.....58, 196  
 metformin hcl er .....58, 196  
 methadone hcl.....20, 156  
 methazolamide .....101, 145  
 methenamine hippurate...23, 160  
 methimazole .....91, 137  
 methocarbamol .....106, 199  
 methotrexate sodium .....94, 140  
 methotrexate sodium (pf).....  
 .....94, 140  
 methsuximide .....30, 167  
 methylphenidate hcl .....71, 119  
 methylprednisolone .....83, 135  
 metoclopramide hcl .....80, 126  
 metolazone .....68, 117  
 metoprolol succinate er ...64, 112  
 metoprolol tartrate .....64, 112  
 metoprolol-hydrochlorothiazide  
 .....67, 114  
 metronidazole .....23, 160  
 metyrosine .....67, 114  
 mexiletine hcl .....64, 116  
 MICROGESTIN 1.5/30 .....87, 131  
 MICROGESTIN 1/20 .....87, 131  
 MICROGESTIN FE 1.5/30.....  
 .....87, 131  
 MICROGESTIN FE 1/20.....  
 .....87, 131

midodrine hcl.....63, 116  
 miglitol.....58, 196  
 miglustat.....82, 149  
 MILI.....87, 131  
 minocycline hcl .....28, 165  
 minoxidil .....70, 118  
 mirtazapine .....33, 169  
 misoprostol.....81, 127  
 M-M-R II .....96, 142  
 modafinil.....107, 148  
 moexipril hcl .....64, 118  
 molindone hcl .....49, 186  
 mometasone furoate .....  
 .....74, 75, 103, 125, 154  
 montelukast sodium .....103, 154  
 morphine sulfate.....20, 156  
 morphine sulfate (concentrate)  
 .....20, 156  
 morphine sulfate er.....20, 156  
 MOVANTIK .....80, 126  
 moxifloxacin hcl.....  
 .....28, 100, 146, 165  
 moxifloxacin hcl in nacl....28, 164  
 MULTAQ .....64, 117  
 multiple electro type 1 ph 5.5.....  
 .....77, 193  
 mupirocin .....76, 125  
 mupirocin calcium.....76, 125  
 mycophenolate mofetil....94, 140  
 mycophenolate sodium....94, 140  
 MYRBETRIQ.....82, 128

## N

na sulfate-k sulfate-mg sulf.....  
 .....80, 126  
 nabumetone .....19, 157  
 nadolol .....65, 112  
 nafcillin sodium.....26, 163  
 naloxone hcl .....21, 22, 150  
 naltrexone hcl .....21, 150  
 NAMZARIC .....32, 119  
 naproxen .....19, 157  
 naproxen sodium.....19, 157  
 naratriptan hcl .....38, 108  
 NARCAN.....22, 150  
 NATACYN.....100, 146  
 nateglinide.....58, 196  
 NATPARA .....98, 144  
 NAYZILAM .....30, 165  
 nebivolol hcl .....65, 112  
 NECON 0.5/35 (28) .....87, 131  
 nefazodone hcl.....34, 170

neomycin sulfate .....22, 159  
 neomycin-bacitracin zn-polymyx  
 .....100, 146  
 neomycin-polymyxin-dexameth  
 .....99, 146  
 neomycin-polymyxin-gramicidin  
 .....99, 146  
 neomycin-polymyxin-hc .....  
 .....99, 102, 146, 147  
 NERLYNX .....45, 180  
 NEUPRO.....48, 109  
 nevirapine .....54, 190  
 nevirapine er .....54, 190  
 niacin er (antihyperlipidemic) .....  
 .....69, 115  
 nicardipine hcl .....65, 111  
 NICOTROL .....22, 150  
 nifedipine.....65, 111  
 nifedipine er .....65, 111  
 nifedipine er osmotic release .....  
 .....65, 111  
 NIKKI .....87, 131  
 nilutamide.....39, 175  
 NINLARO .....41, 176  
 nitazoxanide .....47, 183  
 nitisinone .....82, 149  
 NITRO-BID.....70, 118  
 nitrofurantoin macrocrystal .....23,  
 160.....  
 nitrofurantoin monohyd macro ....  
 .....23, 160  
 nitroglycerin.....70, 118  
 nizatidine .....81, 127  
 NOCDURNA .....84, 134  
 NORA-BE.....89, 134  
 norethin ace-eth estrad-fe .....  
 .....87, 131  
 norethindrone .....89, 134  
 norethindrone acetate .....89, 134  
 norethindrone acet-ethinyl est ....  
 .....87, 131  
 norethindrone-eth estradiol.....  
 .....87, 131  
 norgestimate-eth estradiol.....  
 .....87, 131  
 norgestim-eth estrad triphasic ....  
 .....87, 131  
 NORTREL 0.5/35 (28) .....88, 131  
 NORTREL 1/35 (21) .....88, 131  
 NORTREL 1/35 (28) .....88, 131  
 NORTREL 7/7/7 .....88, 131  
 nortriptyline hcl .....35, 171  
 NORVIR .....55, 189

NOVOLIN 70/30 .....60, 198  
 NOVOLIN 70/30 FLEXPEN .....  
 .....60, 198  
 NOVOLIN N .....60, 198  
 NOVOLIN N FLEXPEN ...60, 198  
 NOVOLIN R .....60, 198  
 NOVOLIN R FLEXPEN ...60, 198  
 NOVOLOG .....60, 199  
 NOVOLOG FLEXPEN.....60, 198  
 NOVOLOG MIX 70/30 .....60, 199  
 NOVOLOG MIX 70/30 FLEXPEN  
 .....60, 199  
 NOVOLOG PENFILL.....60, 199  
 NOXAFIL.....37, 174  
 NUBEQA.....40, 175  
 NUCALA .....106, 152  
 NUEDEXTA .....71, 121  
 NUPLAZID .....50, 184  
 NUTRILIPID .....79, 192  
 NYAMYC.....37, 174  
 NYLIA 1/35.....88, 131  
 NYLIA 7/7/7.....88, 131  
 NYMYO.....88, 131  
 nystatin .....37, 174  
 nystatin-triamcinolone .....75, 122  
 NYSTOP .....37, 174

## O

OCELLA.....88, 132  
 octreotide acetate .....91, 137  
 ODEFSEY .....54, 188  
 ODOMZO .....45, 180  
 OFEV .....105, 151  
 ofloxacin .....  
 .....28, 100, 102, 146, 147, 165  
 olanzapine.....50, 184  
 olanzapine-fluoxetine hcl .....  
 .....33, 169  
 olmesartan medoxomil ....63, 116  
 olmesartan medoxomil-hctz.....  
 .....67, 114  
 olmesartan-amlodipine-hctz.....  
 .....67, 114  
 olopatadine hcl .....99, 144  
 omega-3-acid ethyl esters .....  
 .....69, 115  
 omeprazole .....81, 127  
 OMNITROPE .....84, 134  
 ondansetron .....35, 172  
 ondansetron hcl.....35, 172  
 ONUREG .....40, 176  
 OPSUMIT.....105, 153

ORGOVYX.....41, 176  
 ORKAMBI .....104, 152  
 orphenadrine citrate er ..106, 199  
 ORSERDU .....40, 175  
 oseltamivir phosphate .....56, 187  
 OSPHENA .....88, 132  
 oxacillin sodium .....26, 163  
 oxacillin sodium in dextrose.....  
 .....26, 163  
 oxaprozin .....20, 157  
 oxazepam .....56, 158  
 oxcarbazepine.....31, 166  
 oxybutynin chloride.....82, 128  
 oxybutynin chloride er .....82, 128  
 oxycodone hcl .....20, 21, 156  
 oxycodone hcl er .....20, 156  
 oxycodone-acetaminophen.....  
 .....21, 156  
 OZEMPIC (0.25 OR 0.5  
 MG/DOSE).....58, 197  
 OZEMPIC (1 MG/DOSE).....  
 .....58, 197  
 OZEMPIC (2 MG/DOSE).58, 197

## P

paliperidone er .....51, 184  
 PANRETIN.....75, 122  
 pantoprazole sodium .....81, 127  
 PANZYGA.....92, 139  
 paricalcitol .....98, 144  
 paromomycin sulfate .....22, 159  
 paroxetine hcl .....34, 170  
 PEDIARIX .....96, 142  
 PEDVAX HIB.....96, 142  
 peg 3350-kcl-na bicarb-nacl .....  
 .....80, 127  
 peg-3350/electrolytes .....80, 127  
 PEGASYS.....93, 138  
 PEMAZYRE .....45, 180  
 penicillamine .....83, 128  
 penicillin g pot in dextrose .....  
 .....26, 163  
 penicillin g potassium .....26, 163  
 penicillin g sodium .....26, 163  
 penicillin v potassium .....26, 163  
 PENTACEL .....96, 142  
 pentamidine isethionate...47, 183  
 pentoxifylline er .....67, 114  
 perindopril erbumine.....64, 118  
 PERIOGARD.....72, 122  
 permethrin .....76, 125

perphenazine .....49, 186  
 phenelzine sulfate .....33, 169  
 phenobarbital .....29, 168  
 phenytoin .....31, 166  
 phenytoin sodium extended.....  
 .....31, 166  
 PIFELTRO .....54, 190  
 pilocarpine hcl .....  
 .....72, 101, 122, 145  
 pimecrolimus .....75, 125  
 pimozone .....49, 186  
 PIMTREA .....88, 132  
 pindolol .....65, 112  
 pioglitazone hcl .....58, 197  
 pioglitazone hcl-glimepiride .....  
 .....58, 197  
 pioglitazone hcl-metformin hcl ....  
 .....58, 197  
 piperacillin sod-tazobactam so ...  
 .....26, 163  
 PIQRAY (200 MG DAILY DOSE)  
 .....45, 180  
 PIQRAY (250 MG DAILY DOSE)  
 .....45, 180  
 PIQRAY (300 MG DAILY DOSE)  
 .....45, 180  
 pirfenidone .....105, 151  
 piroxicam.....20, 157  
 PLASMA-LYTE A .....77, 193  
 podofilox.....75, 122  
 polymyxin b-trimethoprim .....  
 .....99, 146  
 POMALYST .....40, 175  
 PORTIA-28 .....88, 132  
 posaconazole .....37, 174  
 potassium chloride ..77, 193, 194  
 potassium chloride crys er.....  
 .....77, 193  
 potassium chloride er .....77, 193  
 potassium chloride in nacl .....  
 .....77, 193  
 potassium citrate er .....77, 194  
 potassium cl in dextrose 5% .....  
 .....77, 194  
 pramipexole dihydrochloride .....  
 .....48, 109  
 prasugrel hcl.....62, 194  
 pravastatin sodium .....69, 115  
 prazosin hcl .....63, 117  
 prednisolone .....83, 135  
 prednisolone acetate .....100, 147  
 prednisolone sodium phosphate  
 .....83, 84, 100, 135, 147

prednisone .....84, 135  
 PREDNISONE INTENSOL .....  
 .....84, 135  
 preferred plus insulin syringe.....  
 .....60, 199  
 pregabalin .....71, 120  
 prehevbrio .....96, 142  
 PREMARIN .....85, 133  
 PREMASOL .....79, 192  
 PREMPHASE.....88, 132  
 PREMPRO .....88, 132  
 prenatal .....79, 192  
 PREVYMIS .....52, 186  
 PREZCOBIX .....55, 189  
 PREZISTA .....56, 189  
 PRIFTIN .....39, 172  
 primaquine phosphate .....47, 183  
 primidone .....29, 168  
 PRIORIX .....96, 142  
 PRIVIGEN.....92, 139  
 probenecid .....37, 151  
 prochlorperazine .....35, 171  
 prochlorperazine maleate .....  
 .....35, 171  
 PROCTO-MED HC.....75, 125  
 PROCTOSOL HC.....75, 125  
 PROCTOZONE-HC.....75, 125  
 progesterone .....89, 134  
 PROGRAF .....94, 140  
 PROLASTIN-C .....82, 149  
 PROLIA.....98, 144  
 PROMACTA.....62, 195  
 promethazine hcl .....35, 171, 172  
 propafenone hcl .....64, 117  
 propranolol hcl.....  
 .....38, 65, 109, 112, 113  
 propranolol hcl er .....  
 .....38, 65, 109, 112  
 propylthiouracil .....91, 137  
 PROQUAD .....96, 142  
 PROSOL .....79, 192  
 protriptyline hcl .....35, 171  
 PULMOZYME .....104, 152  
 PURIXAN .....40, 176  
 pyrazinamide.....39, 172  
 pyridostigmine bromide .....  
 .....38, 39, 108

## Q

QINLOCK.....45, 180  
 QUADRACEL .....96, 142  
 quetiapine fumarate.....51, 184  
 quetiapine fumarate er.....51, 184  
 quinapril hcl .....64, 118  
 quinidine sulfate .....64, 117  
 quinine sulfate .....47, 183

## R

RABAVERT .....96, 142  
 raloxifene hcl .....98, 144  
 ramipril .....64, 118  
 ranolazine er .....67, 114  
 rasagiline mesylate.....48, 110  
 RAVICTI.....82, 149  
 RECLIPSEN.....88, 132  
 RECOMBIVAX HB .....97, 143  
 RECTIV.....70, 118  
 REGRANEX.....75, 122  
 RELENZA DISKHALER...56, 187  
 RELI-ON INSULIN SYRINGE.....  
 .....60, 199  
 repaglinide .....59, 197  
 REPATHA .....69, 116  
 REPATHA PUSHTRONEX  
 SYSTEM.....69, 115  
 REPATHA SURECLICK ..70, 116  
 RETACRIT .....62, 195  
 RETEVMO .....45, 180  
 REXULTI.....51, 185  
 REYATAZ .....56, 189  
 REZLIDHIA .....45, 180  
 REZUROCK .....94, 140  
 RHOPRESSA.....101, 145  
 ribavirin .....52, 191  
 rifabutin .....39, 172  
 rifampin .....39, 172  
 riluzole .....71, 121  
 rimantadine hcl.....56, 187  
 RINVOQ.....92, 138  
 risedronate sodium ....98, 99, 144  
 RISPERDAL CONSTA ....51, 185  
 risperidone .....51, 185  
 ritonavir .....56, 189  
 rivastigmine .....32, 119  
 rivastigmine tartrate.....32, 119  
 rizatriptan benzoate.....38, 108  
 ROCKLATAN .....101, 145  
 roflumilast.....105, 155  
 ropinirole hcl.....48, 110

rosuvastatin calcium .....69, 115  
 ROTARIX .....97, 143  
 ROTATEQ .....97, 143  
 ROZLYTREK .....45, 180  
 RUBRACA .....45, 180  
 rufinamide .....31, 166, 167  
 RUKOBIA .....55, 190  
 RYBELSUS .....59, 197  
 RYDAPT .....45, 181  
 RYTARY .....48, 110

## S

SANTYL .....76, 122  
 sapropterin dihydrochloride .....  
 .....82, 149  
 SAVELLA .....72, 120  
 SAVELLA TITRATION PACK .....  
 .....72, 120  
 SCEMBLIX .....45, 181  
 scopolamine .....35, 172  
 SECUADO .....51, 185  
 selegiline hcl .....48, 110  
 selenium sulfide .....75, 125  
 SELZENTRY .....55, 190  
 SEREVENT DISKUS .....104, 155  
 sertraline hcl .....34, 170  
 SETLAKIN .....88, 132  
 sevelamer carbonate .....79, 192  
 SHAROBEL .....89, 134  
 SHINGRIX .....97, 143  
 SIGNIFOR .....91, 137  
 sildenafil citrate .....105, 153  
 silodosin .....83, 128  
 silver sulfadiazine .....76, 122  
 SIMBRINZA .....101, 145  
 simvastatin .....69, 115  
 sirolimus .....94, 95, 140  
 SIRTURO .....39, 172  
 SKYRIZI .....92, 138  
 SKYRIZI PEN .....92, 138  
 sodium chloride .....77, 194  
 sodium fluoride .....77, 194  
 sodium oxybate .....107, 148  
 sodium polystyrene sulfonate .....  
 .....78, 192  
 sofosbuvir-velpatasvir .....52, 191  
 solifenacin succinate .....82, 128  
 SOLIQUA .....60, 199  
 SOLTAMOX .....40, 175  
 SOMAVERT .....91, 137  
 sorafenib tosylate .....45, 181  
 sotalol hcl .....64, 117

sotalol hcl (af) .....64, 117  
 SPIRIVA HANDIHALER .....  
 .....103, 154  
 SPIRIVA RESPIMAT .....103, 154  
 spironolactone .....68, 117  
 spironolactone-hctz .....67, 114  
 SPRINTEC 28 .....88, 132  
 SPRITAM .....29, 168  
 SPRYCEL .....45, 181  
 SPS .....78, 192  
 SRONYX .....88, 132  
 SSD .....76, 122  
 STELARA .....92, 138  
 STIVARGA .....45, 181  
 STRIBILD .....53, 188  
 SUBOXONE .....21, 150  
 sucralfate .....81, 127, 128  
 sulfacetamide sodium .....100, 146  
 sulfacetamide sodium (acne) .....  
 .....28, 165  
 sulfacetamide-prednisolone .....  
 .....99, 146  
 sulfadiazine .....28, 165  
 sulfamethoxazole-trimethoprim  
 .....28, 165  
 sulfasalazine .....98, 148  
 sulindac .....20, 158  
 sumatriptan .....38, 108  
 sumatriptan succinate .....38, 108  
 sumatriptan succinate refill .....  
 .....38, 108  
 sunitinib malate .....45, 181  
 SUNLENCA .....55, 190  
 SUNOSI .....107, 148  
 SUPREP BOWEL PREP KIT .....  
 .....80, 127  
 SUTAB .....81, 127  
 SYEDA .....88, 132  
 SYMDEKO .....104, 152  
 SYMLINPEN 120 .....59, 197  
 SYMLINPEN 60 .....59, 197  
 SYMPAZAN .....30, 165  
 SYMTUZA .....53, 188  
 SYNAREL .....91, 137  
 SYNJARDY .....59, 197  
 SYNJARDY XR .....59, 197  
 SYNRIPO .....41, 176  
 SYNTHROID .....90, 136

## T

TABLOID .....40, 176  
 TABRECTA .....45, 181  
 tacrolimus .....75, 95, 125, 141  
 TAFINLAR .....45, 181  
 TAGRISSE .....45, 181  
 TAKHZYRO .....91, 137  
 TALZENNA .....45, 46, 181  
 tamoxifen citrate .....40, 175  
 tamsulosin hcl .....83, 128  
 TARINA FE 1/20 EQ .....88, 132  
 TASIGNA .....46, 181  
 TAVNEOS .....92, 138  
 tazarotene .....73, 123  
 TAZORAC .....73, 123  
 TAZTIA XT .....66, 112  
 TAZVERIK .....46, 181  
 TDVAX .....97, 143  
 TEFLARO .....25, 162  
 TEGSEDI .....82, 149  
 telmisartan .....63, 116  
 telmisartan-hctz .....68, 114  
 temazepam .....106, 148  
 TENIVAC .....97, 143  
 tenofovir disoproxil fumarate .....  
 .....54, 188  
 TEPMETKO .....46, 181  
 terazosin hcl .....63, 117  
 terbinafine hcl .....37, 174  
 terbutaline sulfate .....104, 155  
 terconazole .....37, 174  
 teriparatide (recombinant) .....  
 .....99, 144  
 testosterone .....84, 133  
 testosterone cypionate .....84, 133  
 testosterone enanthate .....84, 133  
 tetrabenazine .....71, 121  
 tetracycline hcl .....28, 165  
 THALOMID .....40, 175  
 theophylline er .....105, 155  
 thioridazine hcl .....49, 186  
 thiothixene .....49, 186  
 TIADYL ER .....66, 112  
 tiagabine hcl .....30, 166  
 TIBSOVO .....46, 181  
 TICOVAC .....97, 143  
 tigecycline .....23, 160  
 timolol maleate .....  
 .....65, 101, 113, 145  
 timolol maleate (once-daily) .....  
 .....101, 145  
 tinidazole .....23, 160

TIVICAY .....53, 188  
 TIVICAY PD .....53, 188  
 tizanidine hcl .....52, 108  
 TOBI PODHALER .....104, 152  
 tobramycin .... 100, 104, 147, 152  
 tobramycin sulfate .....22, 159  
 tobramycin-dexamethasone .....  
 .....99, 146  
 tolterodine tartrate .....83, 128  
 tolterodine tartrate er .....82, 128  
 tolvaptan .....78, 192  
 topiramate .....38, 109  
 topiramate er .....38, 109  
 toremifene citrate.....40, 175  
 torsemide .....68, 117  
 TOUJEO MAX SOLOSTAR.....  
 .....61, 199  
 TOUJEO SOLOSTAR ....61, 199  
 TPN ELECTROLYTES ....79, 192  
 tramadol hcl .....21, 156  
 tramadol-acetaminophen .21, 156  
 trandolapril .....64, 118  
 tranexamic acid .....62, 195  
 tranylcypromine sulfate....33, 169  
 TRAVASOL .....79, 192  
 travoprost (bak free) .....101, 146  
 trazodone hcl.....34, 170  
 TRECATOR .....39, 172  
 TRELEGY ELLIPTA .....106, 152  
 TRELSTAR MIXJECT .....91, 137  
 TRESIBA.....61, 199  
 TRESIBA FLEXTOUCH ..61, 199  
 tretinoin ..... 46, 73, 123, 182  
 TREXALL .....95, 141  
 triamcinolone acetonide.....  
 .....72, 75, 122, 125  
 triamterene-hctz .....68, 114  
 trientine hcl.....78, 193  
 TRI-ESTARYLLA.....88, 132  
 trifluoperazine hcl .....49, 186  
 trifluridine .....53, 187  
 trihexyphenidyl hcl.....47, 110  
 TRIKAFTA.....104, 153  
 trimethoprim .....23, 160  
 TRI-MILI .....88, 132  
 trimipramine maleate .....35, 171  
 TRINTELLIX .....34, 170  
 TRI-NYMYO .....88, 132  
 TRI-SPRINTEC .....88, 132  
 TRIUMEQ .....55, 190  
 TRIUMEQ PD.....55, 190  
 TRIVORA (28).....89, 132  
 TRI-VYLIBRA .....89, 132

TRIZIVIR .....54, 188  
 TROPHAMINE .....79, 192  
 trospium chloride .....83, 129  
 trospium chloride er .....83, 129  
 TRULICITY .....59, 197  
 TRUMENBA.....97, 143  
 TUKYSA.....46, 181  
 TURALIO .....46, 181  
 TWINRIX.....97, 143  
 TYBOST.....55, 190  
 TYMLOS .....99, 144  
 TYPHIM VI .....97, 143

## U

UBRELVI .....38, 109  
 UNITHROID .....90, 136  
 ursodiol .....81, 127

## V

valacyclovir hcl .....53, 187  
 VALCHLOR.....39, 175  
 valganciclovir hcl .....52, 186  
 valproic acid .....29, 168  
 valsartan .....63, 116  
 valsartan-hydrochlorothiazide.....  
 .....68, 114  
 VALTOCO 10 MG DOSE .....  
 .....30, 166  
 VALTOCO 15 MG DOSE .....  
 .....30, 166  
 VALTOCO 20 MG DOSE .....  
 .....30, 166  
 VALTOCO 5 MG DOSE .....  
 .....30, 166  
 vancomycin hcl.....23, 160  
 VAQTA.....97, 143  
 varenicline tartrate.....22, 150  
 VARIVAX .....97, 143  
 VARUBI (180 MG DOSE).....  
 .....35, 172  
 VASCEPA .....70, 116  
 VELIVET .....89, 132  
 VELPHORO .....79, 192  
 VEMPLIDY .....52, 190  
 VENCLEXTA.....46, 181  
 VENCLEXTA STARTING PACK  
 .....46, 181  
 venlafaxine besylate er ....34, 170  
 venlafaxine hcl .....34, 171  
 venlafaxine hcl er .....34, 171  
 VENTOLIN HFA .....104, 155  
 verapamil hcl .....66, 112

verapamil hcl er .....66, 112  
 VERQUVO .....68, 114  
 VERSACLOZ .....52, 185  
 VERZENIO.....46, 181  
 VESTURA .....89, 132  
 VICTOZA .....59, 197  
 VIENVA.....89, 132  
 vigabatrin .....31, 166  
 VIIBRYD STARTER PACK.....  
 .....34, 171  
 VIJOICE.....41, 176  
 vilazodone hcl .....34, 171  
 VIRACEPT .....56, 189  
 VIREAD.....54, 188  
 VITRAKVI.....46, 181, 182  
 VIVITROL.....21, 150  
 VIZIMPRO.....46, 182  
 VONJO .....46, 182  
 voriconazole .....37, 174  
 VOSEVI.....52, 191  
 VOTRIENT .....46, 182  
 VRAYLAR .....51, 185  
 VYFEMLA .....89, 132  
 VYLIBRA.....89, 132  
 VYNDAMAX.....82, 149

## W

warfarin sodium .....62, 195  
 WELIREG .....41, 176

## X

XALKORI .....46, 182  
 XARELTO .....62, 195  
 XARELTO STARTER PACK .....  
 .....62, 195  
 XATMEP .....41, 176  
 XCOPRI .....30, 168  
 XCOPRI (250 MG DAILY DOSE)  
 .....30, 168  
 XCOPRI (350 MG DAILY DOSE)  
 .....30, 168  
 XGEVA .....99, 144  
 XIFAXAN.....24, 160  
 XOFLUZA (40 MG DOSE).....  
 .....56, 187  
 XOFLUZA (80 MG DOSE).....  
 .....56, 187  
 XOLAIR.....92, 93, 138  
 XOSPATA.....46, 182  
 XPOVIO (100 MG ONCE  
 WEEKLY).....41, 176

XPOVIO (40 MG ONCE  
WEEKLY).....41, 177  
XPOVIO (40 MG TWICE  
WEEKLY).....41, 177  
XPOVIO (60 MG ONCE  
WEEKLY).....41, 177  
XPOVIO (60 MG TWICE  
WEEKLY).....41, 177  
XPOVIO (80 MG ONCE  
WEEKLY).....41, 177  
XPOVIO (80 MG TWICE  
WEEKLY).....41, 177  
XTANDI.....40, 175  
XULTOPHY.....59, 197  
XURIDEN.....82, 149  
XYREM .....107, 148  
XYWAV.....107, 148

## Y

YF-VAX.....97, 143  
YONSA .....40, 175

## Z

zafirlukast.....103, 154  
zaleplon.....106, 149  
ZARXIO.....62, 196  
ZEJULA.....46, 182  
ZELBORAF .....46, 182  
ZEMDRI .....22, 159  
ZENPEP.....82, 149  
zidovudine.....54, 55, 188  
ZIEXTENZO.....62, 196  
ZIMHI .....22, 150

ziprasidone hcl .....51, 185  
ziprasidone mesylate.....51, 185  
ZIRGAN .....52, 187  
ZOKINVY .....82, 149  
ZOLINZA.....42, 177  
zolmitriptan.....38, 108  
zolpidem tartrate .....107, 149  
ZONISADE.....30, 167  
zonisamide.....30, 167  
ZOVIA 1/35 (28) .....89, 132  
ZTALMY.....30, 168  
ZYDELIG.....46, 182  
ZYKADIA.....46, 182  
ZYPITAMAG .....69, 115  
ZYPREXA RELPREVV.....51, 185

**To learn what the abbreviations on this table mean, see the beginning of the drug list table.**  
(Para saber qué significan las abreviaturas en esta tabla, consulte el comienzo de la tabla de la lista de medicamentos.)

This formulary was updated on 09/19/2023. For more recent information or other questions, please contact Imperial Insurance Companies at 1-800-838-8271 October 1 – March 31: Monday – Sunday, from 8:00 a.m. – 8:00 p.m. PST or April 1 – September 30: Monday – Friday, from 8:00 a.m. – 8:00 p.m. PST, or visit [www.imperialhealthplan.com](http://www.imperialhealthplan.com).

Imperial Insurance Companies (HMO) (HMO SNP) complies with applicable Federal civil rights laws and does not discriminate on the basis of race, color, national origin, age, disability, or sex.

ATTENTION: If you speak English, language assistance services, free of charge, are available to you. Call 1-800-838-8271 (TTY: 711).

ATENCIÓN: si habla español, tiene a su disposición servicios gratuitos de asistencia lingüística. Llame al 1-800-838-8271 (TTY: 711).

Este formulario se actualizó el 19/09/2023. Para obtener información más reciente o si tiene otras preguntas, comuníquese con el Departamento de Membresía de Imperial Insurance Companies llamando al 1-800-838-8271, del 1 de octubre al 31 de marzo: lunes a domingo, de 8:00 a.m. a 8:00 p.m. PST o del 1 de abril al 30 de septiembre: lunes a viernes, de 8:00 a.m. a 8:00 p.m. PST, o visite [www.imperialhealthplan.com](http://www.imperialhealthplan.com).

Imperial Insurance Companies (HMO) (HMO SNP) cumple con leyes federales de derechos civiles aplicables y no discrimina basándose en raza, color, origen nacional, edad, discapacidad, o sexo.

ATENCIÓN: Si habla inglés, tiene a su disposición servicios de asistencia lingüística gratuitos. Llame al 1-800-838-8271 (TTY: 711).

ATENCIÓN: si habla español, tiene a su disposición servicios gratuitos de asistencia lingüística. Llame al 1-800-838-8271 (TTY: 711).