

2024

# Drug Formulary

Formulario de Medicamentos

## HMO – 1 Tier

Imperial Strong (HMO) 014



IMPERIAL HEALTH PLAN  
OF CALIFORNIA

# **Imperial Strong (HMO)**

## **2024 Formulary (List of Covered Drugs)**

**PLEASE READ: THIS DOCUMENT CONTAINS INFORMATION  
ABOUT THE DRUGS WE COVER IN THIS PLAN**

HPMS Approved Formulary File Submission ID 24455, Version Number 18.

This formulary was updated on 07/23/2024. This is not a complete list of drugs covered by our plan. For more recent information or other questions, please contact Member Service at 1-800-838-8271, or, for TTY users, 711, October 1 – March 31: Monday – Sunday, from 8:00 a.m. – 8:00 p.m. or April 1 – September 30: Monday – Friday, from 8:00 a.m. – 8:00 p.m. and Saturday-Sunday from 10:00 a.m. – 2:00 p.m., or visit [www.imperialhealthplan.com](http://www.imperialhealthplan.com).

# Contents

What is the Imperial Strong (HMO) Formulary? .....3

Can the Formulary (drug list) change? .....3

How do I use the Formulary? .....4

What are generic drugs?.....4

Are there any restrictions on my coverage? .....4

What if my drug is not on the Formulary? .....5

How do I request an exception to Imperial Strong (HMO) ’s Formulary? .....5

What do I do before I can talk to my doctor about changing my drugs or requesting an exception? .....5

For more information .....6

Imperial Strong’s Formulary.....6

Imperial MAPD 2024 1-Tier (List of Covered Drugs) ..... 19

Imperial MAPD 2024 1-Tier (Lista de medicamentos cubiertos) ..... 153

Index of Drugs / Índice de drogas..... 286

**Note to existing members:** This formulary has changed since last year. Please review this document to make sure that it still contains the drugs you take.

When this drug list (formulary) refers to “we,” “us”, or “our,” it means Imperial Health Plan of California, Inc. (HMO) (HMO SNP). When it refers to “plan” or “our plan,” it means Imperial Strong (HMO).

This document includes a list of the drugs (formulary) for our plan which is current as of 07/23/2024. For an updated formulary, please contact us. Our contact information, along with the date we last updated the formulary, appears on the front and back cover pages.

You must generally use network pharmacies to use your prescription drug benefit. Benefits, formulary, pharmacy network, and/or copayments/coinsurance may change on January 1, 2024, and from time to time during the year.

## What is the Imperial Strong (HMO) Formulary?

A formulary is a list of covered drugs selected by our plan in consultation with a team of health care providers, which represents the prescription therapies believed to be a necessary part of a quality treatment program. We will generally cover the drugs listed in our formulary as long as the drug is medically necessary, the prescription is filled at an Imperial Strong (HMO) network pharmacy, and other plan rules are followed. For more information on how to fill your prescriptions, please review your Evidence of Coverage.

## Can the Formulary (drug list) change?

Most changes in drug coverage happen on January 1, but we may add or remove drugs on the Drug List during the year, move them to different cost-sharing tiers, or add new restrictions. We must follow the Medicare rules in making these changes.

**Changes that can affect you this year:** In the below cases, you will be affected by coverage changes during the year:

- **New generic drugs.** We may immediately remove a brand-name drug on our Drug List if we are replacing it with a new generic drug that will appear on the same or lower cost-sharing tier and with the same or fewer restrictions. Also, when adding the new generic drug, we may decide to keep the brand-name drug on our Drug List, but immediately move it to a different cost-sharing tier or add new restrictions. If you are currently taking that brand-name drug, we may not tell you in advance before we make that change, but we will later provide you with information about the specific change (s) we have made.
  - If we make such a change, you or your prescriber can ask us to make an exception and continue to cover the brand-name drug for you. The notice we provide you will also include information on how to request an exception, and you can find information in the section below titled “How do I request an exception to Imperial Strong (HMO) ’s Formulary?”
- **Drugs removed from the market.** If the Food and Drug Administration deems a drug on our formulary to be unsafe or the drug’s manufacturer removes the drug from the market, we will immediately remove the drug from our formulary and provide notice to members who take the drug.
- **Other changes.** Generally, if you are taking a drug on our 2024 formulary that was covered at the beginning of the year, we will not discontinue or reduce coverage of the drug during the 2024 coverage year except as described above. This means these drugs will remain available at the same cost-sharing and with no new restrictions for those members taking them for the remainder of the coverage year. You will not get direct notice this year about changes that do not affect you. However, on January 1 of the next year, such changes would affect you, and it is important to check the Drug List for the new benefit year for any changes to drugs.
  - If we make these other changes, you or your prescriber can ask us to make an exception and continue to cover the brand-name drug for you. The notice we provide you will also include information on how to request an exception, and you can also find information in the section below entitled “How do I request an exception to Imperial Strong (HMO) ’s Formulary?”

**Changes that will not affect you if you are currently taking the drug.** Generally, if you are taking a drug on our 2024 formulary that was covered at the beginning of the year, we will not discontinue or reduce coverage of the drug during the 2024 coverage year except as described above. This means these drugs will remain available at the same cost-sharing and with no new restrictions for those members taking them for the remainder of the coverage year. You will not get direct notice this year about changes that do not affect you. However, on January 1 of the next year, such changes would affect you, and it is important to check the Drug List for the new benefit year for any changes to drugs.

The enclosed formulary is current as of 07/23/2024. To get updated information about the drugs covered by our plan please contact us. Our contact information appears on the front and back cover pages. In the event of

non-maintenance changes to the formulary throughout the plan year, we may make changes via errata sheets mailed to you. Additionally, you may visit our website for a link to the errata sheet.

## How do I use the Formulary?

There are two ways to find your drug within the formulary:

### **Medical Condition**

The formulary begins on page 19. The drugs in this formulary are grouped into categories depending on the type of medical conditions that they are used to treat. For example, drugs used to treat a heart condition are listed under the category, "CARDIOVASCULAR". If you know what your drug is used for, look for the category name in the list that begins on 14. Then look under the category name for your drug.

### **Alphabetical Listing**

If you are not sure what category to look under, you should look for your drug in the Index that begins on page 286. The Index provides an alphabetical list of all of the drugs included in this document. Both brand-name drugs and generic drugs are listed in the Index. Look in the Index and find your drug. Next to your drug, you will see the page number where you can find coverage information. Turn to the page listed in the Index and find the name of your drug in the first column of the list.

## What are generic drugs?

Imperial Health Plan of California, Inc. (HMO) (HMO SNP) covers both brand-name drugs and generic drugs. A generic drug is approved by the FDA as having the same active ingredient as the brand-name drug. Generally, generic drugs cost less than brand-name drugs.

## Are there any restrictions on my coverage?

Some covered drugs may have additional requirements or limits on coverage. These requirements and limits may include:

- **Prior Authorization:** Our plan requires you or your physician to get prior authorization for certain drugs. This means that you will need to get approval from Imperial Strong (HMO) before you fill your prescriptions. If you don't get approval, we may not cover the drug.
- **Quantity Limits:** For certain drugs, our plan limits the amount of the drug that we will cover. For example, Imperial Strong (HMO) provides 30 per prescription for atorvastatin. This may be in addition to a standard one-month or three-month supply.
- **Step Therapy:** In some cases, our plan requires you to first try certain drugs to treat your medical condition before we will cover another drug for that condition. For example, if Drug A and Drug B both treat your medical condition, Imperial Strong (HMO) may not cover Drug B unless you try Drug A first. If Drug A does not work for you, we will then cover Drug B.

You can find out if your drug has any additional requirements or limits by looking in the formulary that begins on page 19. You can also get more information about the restrictions applied to specific covered drugs by visiting our website. We have posted online documents that explain our prior authorization and step therapy restrictions. You may also ask us to send you a copy. Our contact information, along with the date we last updated the formulary, appears on the front and back cover pages.

You can ask our plan to make an exception to these restrictions or limits or for a list of other, similar drugs that may treat your health condition. See the section, "How do I request an exception to the Imperial Strong (HMO) 's formulary?" on page 5 for information about how to request an exception.

## What if my drug is not on the Formulary?

If your drug is not included in this formulary (list of covered drugs), you should first contact Member Services and ask if your drug is covered.

If you learn that Imperial Strong (HMO) does not cover your drug, you have two options:

- You can ask Member Services for a list of similar drugs that are covered by our plan. When you receive the list, show it to your doctor and ask them to prescribe a similar drug that is covered by our plan.
- You can ask us to make an exception and cover your drug. See below for information about how to request an exception.

## How do I request an exception to Imperial Strong (HMO) 's Formulary?

You can ask Imperial Strong (HMO) to make an exception to our coverage rules. There are several types of exceptions that you can ask us to make.

- You can ask us to cover a drug even if it is not on our formulary. If approved, this drug will be covered at a pre-determined cost-sharing level, and you would not be able to ask us to provide the drug at a lower cost-sharing level.
- You can ask us to waive coverage restrictions or limits on your drug. For example, for certain drugs, our plan limits the amount of the drug that we will cover. If your drug has a quantity limit, you can ask us to waive the limit and cover a greater amount.

Generally, we will only approve your request for an exception if the alternative drugs included on the plan's formulary or additional utilization restrictions would not be as effective in treating your condition and/or would cause you to have adverse medical effects.

You should contact us to ask us for an initial coverage decision for a formulary or utilization restriction exception. **When you request a formulary or utilization restriction exception you should submit a statement from your prescriber or physician supporting your request.** Generally, we must make our decision within 72 *hours* of getting your prescriber's supporting statement. You can request an expedited (fast) exception if you or your doctor believe that your health could be seriously harmed by waiting up to 72 *hours* for a decision. If your request to expedite is granted, we must give you a decision no later than 24 *hours* after we get a supporting statement from your doctor or other prescriber.

## What do I do before I can talk to my doctor about changing my drugs or requesting an exception?

As a new or continuing member in our plan you may be taking drugs that are not on our formulary. Or, you may be taking a drug that is on our formulary but your ability to get it is limited. For example, you may need a prior authorization from us before you can fill your prescription. You should talk to your doctor to decide if you should switch to an appropriate drug that we cover or request a formulary exception so that we will cover the drug you take. While you talk to your doctor to determine the right course of action for you, we may cover your drug in certain cases during the first 90 days you are a member of our plan.

***For each of your drugs that is not on our formulary or if your ability to get your drugs is limited, we will cover a temporary 30-day supply. If your prescription is written for fewer days, we'll allow refills to provide up to a maximum 30-day supply of medication. After your***

***first 30-day supply, we will not pay for these drugs, even if you have been a member of the plan less than 90 days.***

If you are a resident of a long-term care facility and you need a drug that is not on our formulary or if your ability to get your drugs is limited, but you are past the first 90 days of membership in our plan, we will cover a 31-day emergency supply of that drug while you pursue a formulary exception.

Exceptions are available for beneficiaries who have experienced a change in the level of care they are receiving which requires them to transition from one facility or treatment center to another. Examples of situations in which beneficiaries would be eligible for the one-time temporary fill exception when they are outside of the three-month effective date into the Part D program are as follows:

1. Beneficiaries who are discharged from the hospital and are provided a discharge list of medications based upon the formulary of the hospital.
2. Beneficiaries who end their skilled nursing facility Medicare Part A stay (where payments include all pharmacy charges) and who need to revert back to their Part D plan formulary.
3. Beneficiaries who give up Hospice Status to revert back to standard Medicare Part A and B benefits.
4. Beneficiaries who are discharged from Chronic Psychiatric Hospitals with medication regimens that are highly individualized.

## **For more information**

For more detailed information about your plan's prescription drug coverage, please review your Evidence of Coverage and other plan materials.

If you have questions about Imperial Strong (HMO), please contact us. Our contact information, along with the date we last updated the formulary, appears on the front and back cover pages.

If you have general questions about Medicare prescription drug coverage, please call Medicare at 1-800-MEDICARE (1-800-633-4227) 24 hours a day/7 days a week. TTY users should call 1-877-486-2048. Or, visit <http://www.medicare.gov>.

## **Imperial Strong's Formulary**

The formulary that begins on the next page provides coverage information about the drugs covered by Imperial Strong (HMO). If you have trouble finding your drug in the list, turn to the Index that begins on page 286.

The first column of the chart lists the drug name. Brand-name drugs are capitalized (e.g., HUMIRA) and generic drugs are listed in lower-case italics (e.g., *celecoxib*).

The information in the Requirements/Limits column tells you if our plan has any special requirements for coverage of your drug.

# **Imperial Strong (HMO)**

## **Formulario para 2024**

### **(Lista de medicamentos cubiertos)**

**LEA LO SIGUIENTE: ESTE DOCUMENTO CONTIENE INFORMACIÓN  
ACERCA DE LOS MEDICAMENTOS QUE CUBRIMOS EN ESTE PLAN**

HPMS Approved Formulary File Submission ID 24455, Version Number 18.

Este formulario se actualizó el 23/07/24. Esta no es una lista completa de los medicamentos cubiertos por nuestro plan. Para obtener información más reciente o si tiene otras preguntas, comuníquese con el Departamento de Servicio al Cliente llamando al 1-800-838-8271, o para los usuarios de TTY al 711, del 1 de octubre al 31 de marzo: lunes a domingo, de 8:00 a.m. a 8:00 p.m. o del 1 de abril al 30 de septiembre: lunes a viernes, de 8:00 a.m. a 8:00 p.m. y sábado a domingo, de 10:00 a.m. a 2:00 p.m., o visite [www.imperialhealthplan.com](http://www.imperialhealthplan.com).

IR\_386 H5496 Drug Formulary 1T\_C ENG



# Contenido

- ¿Qué es el Formulario de Imperial Health Plan? .....9
- ¿Puede cambiar el Formulario (lista de medicamentos)? .....9
- ¿Cómo utilizo el Formulario? ..... 10
- ¿Qué son los medicamentos genéricos? ..... 10
- ¿Hay alguna restricción en mi cobertura? ..... 11
- ¿Qué pasa si mi medicamento no está en el Formulario? ..... 11
- ¿Cómo puedo solicitar que se haga una excepción al Formulario de Imperial Health Plan? ..... 11
- ¿Qué debo hacer antes de hablar con mi médico sobre el cambio de los medicamentos que tomo o la solicitud de una excepción? ..... 12
- Para obtener más información..... 13
- Formulario de Imperial Health Plan of California..... 13
- Índice de drogas ..... 286

**Nota para los miembros actuales:** este Formulario ha cambiado con respecto al año pasado. Revise este documento para asegurarse de que aún contiene los medicamentos que toma.

Cuando esta Lista de medicamentos (Formulario) menciona “nosotros”, “nos” o “nuestro”, hace referencia a Imperial Health Plan of California, Inc. (HMO) (HMO SNP). Cuando dice “plan” o “nuestro plan”, hace referencia a Imperial Strong (HMO).

Este documento incluye una lista de los medicamentos (Formulario) de nuestro plan, la cual está en vigencia desde el 23/07/24. Para obtener un formulario actualizado, comuníquese con nosotros. Nuestra información de contacto, junto con la fecha de la última actualización del Formulario, aparece en las páginas de la portada y la portada posterior.

Generalmente, debe concurrir a las farmacias de la red para usar el beneficio de medicamentos con receta. Los beneficios, el formulario, la red de farmacias o los copagos/el coseguro pueden cambiar el 1 de enero de 2024 y periódicamente durante el año.

## ¿Qué es el Formulario de Imperial Strong (HMO)?

Un Formulario es una lista de medicamentos cubiertos seleccionados por nuestro plan con la colaboración de un equipo de proveedores de atención médica, que representa los tratamientos con receta que se considera que son parte necesaria de un programa de tratamiento de calidad. Normalmente, cubriremos los medicamentos incluidos en el formulario, siempre que el medicamento sea médicamente necesario, el medicamento con receta se obtenga en una farmacia de la red de Imperial Strong (HMO) y se cumpla con otras normas del plan. Para obtener más información sobre cómo obtener sus medicamentos con receta, consulte la Evidencia de cobertura.

## ¿Puede cambiar el Formulario (lista de medicamentos)?

La mayoría de los cambios en la cobertura de los medicamentos ocurre el 1 de enero, pero nosotros podríamos agregar o quitar medicamentos de la Lista de medicamentos durante el año, moverlos a diferentes niveles de costo compartido o agregar nuevas restricciones. Debemos seguir las normas de Medicare al hacer estos cambios.

**Cambios que pueden afectarlo este año:** en los casos a continuación, usted se verá afectado por los cambios de cobertura durante el año:

- **Nuevos medicamentos genéricos.** Podemos eliminar inmediatamente un medicamento de marca de nuestra Lista de medicamentos si lo reemplazamos con un nuevo medicamento genérico que aparecerá en el mismo nivel de costo compartido o en un nivel de costo compartido más bajo y con las mismas restricciones o menos. Además, cuando agreguemos el nuevo medicamento genérico, podemos decidir mantener el medicamento de marca en nuestra Lista de medicamentos, pero inmediatamente moverlo a un nivel de costo compartido diferente o agregar nuevas restricciones. Si actualmente está tomando ese medicamento de marca, quizás no le informemos con antelación antes de que realicemos el cambio, pero más adelante le proporcionaremos información sobre los cambios específicos que hemos realizado.
  - Si realizamos un cambio, usted o la persona autorizada a dar recetas pueden solicitarnos que hagamos una excepción y sigamos cubriendo el medicamento de marca para usted. En el aviso que le proporcionamos también se incluirá información sobre cómo solicitar una excepción, y usted puede encontrar información en la sección a continuación titulada “¿Cómo puedo solicitar que se haga una excepción al Formulario de Imperial Strong (HMO)?”
- **Medicamentos retirados del mercado.** Si la Administración de Drogas y Alimentos considera que un medicamento de nuestro Formulario es inseguro o el fabricante del medicamento lo retira del mercado, eliminaremos de inmediato dicho medicamento de nuestro Formulario y les notificaremos a los miembros que toman el medicamento en cuestión.
- **Otros cambios.** Podemos hacer otros cambios que afectan a los miembros que actualmente toman un medicamento. Por ejemplo, podemos agregar un medicamento genérico que no es nuevo en el mercado para reemplazar un medicamento de marca que actualmente se encuentre en el Formulario, o agregar nuevas restricciones al medicamento de marca. O bien, podemos hacer cambios en función de las nuevas pautas clínicas. Si retiramos medicamentos de nuestro Formulario, o agregamos autorizaciones previas, restricciones de límite de cantidad o de tratamiento escalonado en un medicamento, debemos notificarles a los miembros afectados por el cambio al menos 30 días antes de que entre en vigencia dicho cambio, o cuando el miembro solicite un resurtido del medicamento, momento en el cual el miembro recibirá un suministro del medicamento para 30 días.

- Si realizamos estos otros cambios, usted o la persona autorizada a dar recetas pueden solicitarnos que hagamos una excepción y sigamos cubriendo el medicamento de marca para usted. En el aviso que le proporcionamos también se incluirá información sobre cómo solicitar una excepción, y usted también puede encontrar información en la sección a continuación titulada “¿Cómo puedo solicitar que se haga una excepción al Formulario de Imperial Strong (HMO)?”

**Cambios que no lo afectarán si actualmente toma el medicamento.** En general, si usted toma un medicamento de nuestro Formulario para 2024 que estaba cubierto al comienzo del año, nosotros no discontinuaremos ni reduciremos la cobertura del medicamento durante el año de cobertura 2024, excepto como se describe anteriormente. Esto significa que, por el resto del año de cobertura, estos medicamentos continuarán disponibles al mismo costo compartido y sin nuevas restricciones para aquellos miembros que estén tomándolos. No recibirá un aviso directo este año sobre cambios que no lo afectan. Sin embargo, dichos cambios lo afectarían a partir del 1 de enero del año siguiente, y es importante que verifique la Lista de medicamentos del nuevo año de beneficios por cualquier cambio en los medicamentos.

El Formulario adjunto es vigente a partir del 23/07/24. Para recibir información actualizada sobre los medicamentos cubiertos por nuestro plan, comuníquese con nosotros. Nuestra información de contacto aparece en las páginas de la portada y la portada posterior. En caso de cambios al formulario durante el año del plan que no sean relacionados al mantenimiento, podemos realizar cambios a través de las hojas de correcciones que le enviemos. Además, puede visitar nuestro sitio web para encontrar un enlace a la hoja de correcciones.

## ¿Cómo utilizo el Formulario?

Hay dos formas para encontrar su medicamento dentro del Formulario:

### Afección médica

El Formulario comienza en la página 19. Los medicamentos de este Formulario están agrupados en categorías según el tipo de afección médica para cuyo tratamiento se los emplea. Por ejemplo, los medicamentos utilizados para tratar una afección cardíaca se enumeran dentro de la categoría “CARDIOVASCULAR”. Si sabe para qué se utiliza su medicamento, busque el nombre de la categoría en la lista que empieza en la página 16. Luego, busque su medicamento debajo del nombre de la categoría.

### Listado alfabético

Si no está seguro de qué categoría consultar, debe buscar su medicamento en el Índice que comienza en la página 286. El Índice proporciona una lista alfabética de todos los medicamentos incluidos en este documento. En el Índice, están tanto los medicamentos de marca como los genéricos. Busque en el Índice y encuentre su medicamento. Junto a su medicamento, verá el número de página donde puede encontrar información acerca de la cobertura. Vaya a la página que figura en el Índice y encuentre el nombre de su medicamento en la primera columna de la lista.

## ¿Qué son los medicamentos genéricos?

Imperial Health Plan of California, Inc. (HMO) (HMO SNP) cubre tanto los medicamentos de marca como los genéricos. Un medicamento genérico está aprobado por la Administración de Drogas y Alimentos (FDA) dado que se considera que tiene el mismo ingrediente activo que el medicamento de marca. Normalmente, los medicamentos genéricos cuestan menos que los de marca.

## ¿Hay alguna restricción en mi cobertura?

Algunos medicamentos cubiertos pueden tener requisitos o límites adicionales de cobertura. Estos requisitos y límites pueden incluir:

- **Autorización previa:** Nuestro plan exige que usted o su médico obtenga una autorización previa para determinados medicamentos. Esto significa que necesitará contar con la aprobación de Imperial Strong (HMO) antes de obtener sus medicamentos con receta. Si no consigue la autorización, es posible que no cubramos el medicamento.
- **Límites de cantidad:** para ciertos medicamentos, nuestro plan limita la cantidad del medicamento que cubriremos. Por ejemplo, Imperial Strong (HMO) proporciona 30 por receta para atorvastatin. Esto puede ser complementario a un suministro estándar para un mes o tres meses.
- **Tratamiento escalonado:** en algunos casos, nuestro plan requiere que usted primero pruebe ciertos medicamentos para tratar su afección médica antes de que cubramos otro medicamento para esa enfermedad. Por ejemplo, si el medicamento A y el medicamento B tratan su afección médica, es posible que Imperial Strong (HMO) no cubra el medicamento B a menos que usted pruebe primero el medicamento A. Si el medicamento A no funciona para usted, entonces cubriremos el medicamento B.

Para averiguar si su medicamento tiene requisitos o límites adicionales, consulte el Formulario que empieza en la página 19. También puede obtener más información sobre las restricciones que se aplican a medicamentos cubiertos específicos en nuestro sitio Web. Hemos publicado documentos en línea que explican nuestras restricciones de autorización previa y tratamiento escalonado. También puede pedirnos que le enviemos una copia. Nuestra información de contacto, junto con la fecha de la última actualización del Formulario, aparece en las páginas de la portada y la portada posterior.

Puede pedir que nuestro plan haga una excepción a estas restricciones o límites, o puede solicitarnos una lista de otros medicamentos similares que puedan tratar su afección médica. Consulte la sección “¿Cómo puedo solicitar que se haga una excepción al Formulario de Imperial Strong (HMO)?” en la página 11 para obtener información acerca de cómo solicitar una excepción.

## ¿Qué pasa si mi medicamento no está en el Formulario?

Si el medicamento que toma no está incluido en este Formulario (lista de medicamentos cubiertos), primero debe comunicarse con nuestro Departamento de Membresía y preguntar si su medicamento está cubierto.

Si resulta que Imperial Strong (HMO) no cubre el medicamento que toma, tiene dos alternativas:

- Puede pedir a nuestro Departamento de Membresía una lista de medicamentos similares que estén cubiertos por nuestro plan. Cuando reciba la lista, muéstresela a su médico y pídale que le recete un medicamento similar que esté cubierto por nuestro plan.
- Puede solicitar que nuestro plan haga una excepción y cubra su medicamento. Consulte a continuación para obtener información sobre cómo solicitar una excepción.

## ¿Cómo puedo solicitar que se haga una excepción al Formulario de Imperial Strong (HMO)?

Puede solicitar que Imperial Strong (HMO) haga una excepción a nuestras normas de cobertura. Hay varios tipos de excepciones que puede solicitarnos.

- Puede pedirnos que cubramos un medicamento, incluso si no está en nuestro Formulario. Si se aprueba, este medicamento estará cubierto a un nivel de costo compartido predeterminado, y usted no podrá pedirnos que le brindemos el medicamento a un nivel de costo compartido menor.

- Puede pedirnos que no apliquemos restricciones o límites de cobertura para su medicamento. Por ejemplo, para ciertos medicamentos, nuestro plan limita la cantidad del medicamento que cubriremos. Si su medicamento tiene un límite de cantidad, puede pedirnos que hagamos una excepción al límite y cubramos una cantidad mayor.

Por lo general, solo aprobaremos su pedido de excepción si los medicamentos alternativos incluidos en el Formulario del plan o las restricciones de uso adicionales no fueran tan efectivos para tratar su afección o pudieran causarle efectos médicos adversos.

Debe comunicarse con nosotros para solicitarnos una decisión inicial de cobertura para una excepción al Formulario o a la restricción de uso. **Cuando solicita una excepción al Formulario o a la restricción de uso, debe presentar una declaración de su médico o de la persona autorizada a dar recetas que respalde su solicitud.** Por lo general, debemos tomar una decisión dentro de las 72 horas a partir de la fecha de haber recibido la declaración que respalda su solicitud por parte de la persona autorizada a dar recetas. Puede solicitar una excepción acelerada (rápida) si usted o su médico consideran que esperar 72 horas para la toma de la decisión podría perjudicar gravemente su salud. Si se le concede el trámite rápido de la excepción, debemos comunicarle nuestra decisión a más tardar dentro de las 24 horas después de haber recibido la declaración de respaldo de su médico o de otra persona autorizada a dar recetas.

## ¿Qué debo hacer antes de hablar con mi médico sobre el cambio de los medicamentos que tomo o la solicitud de una excepción?

Como miembro nuevo o permanente de nuestro plan, es posible que esté tomando medicamentos que no están incluidos en el Formulario. También es posible que esté tomando un medicamento incluido en el Formulario, pero su capacidad de conseguirlo sea limitada. Por ejemplo, puede necesitar nuestra autorización previa antes de poder obtener su medicamento con receta. Debe consultar con su médico para decidir si debe cambiar su medicamento por uno apropiado que nosotros cubramos o solicitar una excepción al formulario para que le cubramos el medicamento que toma. Mientras evalúa con su médico el procedimiento adecuado para seguir en su caso, podemos cubrir su medicamento, en ciertos casos, durante los primeros 90 días en que usted sea miembro de nuestro plan.

Para cada uno de sus medicamentos que no está incluido en el Formulario o si su capacidad para conseguir los medicamentos es limitada, cubriremos un suministro temporal para 30 días. Si su receta está indicada para menos días, permitiremos que realice resurtidos por un máximo de hasta 30 días del medicamento. Después del primer suministro para 30 días, no seguiremos pagando estos medicamentos, incluso si ha sido miembro del plan durante menos de 90 días.

Si es residente de un centro de atención a largo plazo y necesita un medicamento que no está en el Formulario o si su capacidad para conseguir los medicamentos es limitada, pero ya pasaron los primeros 90 días de membresía en nuestro plan, cubriremos un suministro de emergencia del medicamento para 31 días mientras solicita la excepción al formulario.

Las excepciones se encuentran disponibles para aquellos beneficiarios que hayan sufrido un cambio de nivel en la atención que reciben, el cual exige que se muden de una instalación o centro de tratamiento a otro. Los siguientes son ejemplos de las situaciones en las que los beneficiarios serían elegibles para una excepción de una sola vez de un surtido temporal al encontrarse fuera del plazo de los tres meses posteriores a la fecha de vigencia del programa de la Parte D:

1. El beneficiario fue dado de alta del hospital y recibió una lista de medicamentos del alta según el formulario del hospital.

2. Los beneficiarios quienes terminan su estancia de Medicare Parte A en un centro de enfermería especializada (en la que los pagos incluyen todas las tarifas de farmacia) y quienes necesitan volver al formulario de su plan de la Parte D.
3. Los beneficiarios que pierden su estatus de hospicio para volver a los beneficios estándares de Medicare Parte A y B.
4. Los beneficiarios que son dados de alta de hospitales psiquiátricos crónicos con regímenes de medicamentos altamente individualizados.

## Para obtener más información

Para obtener información más detallada sobre la cobertura para medicamentos con receta de su plan, consulte la Evidencia de cobertura y otra documentación del plan.

Si tiene alguna pregunta sobre Imperial Strong (HMO), comuníquese con nosotros. Nuestra información de contacto, junto con la fecha de la última actualización del Formulario, aparece en las páginas de la portada y la portada posterior.

Si tiene preguntas generales sobre su cobertura para medicamentos con receta de Medicare, llame a Medicare al 1-800-MEDICARE (1-800-633-4227), las 24 horas, los 7 días de la semana. Los usuarios de TTY deben llamar al 1-877-486-2048, o visite <http://www.medicare.gov>.

## Formulario de Imperial Health Plan of California

El formulario que comienza en la siguiente página proporciona información acerca de la cobertura de los medicamentos cubiertos por Imperial Strong (HMO). Si tiene alguna dificultad para encontrar el medicamento que toma en la lista, consulte el Índice que comienza en la página 286.

La primera columna de la tabla menciona el nombre del medicamento. Los medicamentos de marca están en letra mayúscula (por ejemplo, HUMIRA), y los medicamentos genéricos están en letra minúscula y cursiva (por ejemplo, *celecoxib*).

La información incluida en la columna de Requisitos/límites indica si nuestro plan tiene algún requisito especial para la cobertura del medicamento.

# Imperial MAPD 2024 1-Tier (List of Covered Drugs)

## List of Drugs by Medical Condition

|                                                                               |     |
|-------------------------------------------------------------------------------|-----|
| Analgesics .....                                                              | 19  |
| Anesthetics.....                                                              | 21  |
| Anti-Addiction/ Substance Abuse Treatment Agents .....                        | 21  |
| Antibacterials .....                                                          | 22  |
| Anticonvulsants .....                                                         | 29  |
| Antidementia Agents.....                                                      | 32  |
| Antidepressants.....                                                          | 33  |
| Antiemetics.....                                                              | 36  |
| Antifungals .....                                                             | 36  |
| Antigout Agents .....                                                         | 38  |
| Antimigraine Agents.....                                                      | 38  |
| Antimyasthenic Agents.....                                                    | 39  |
| Antimycobacterials.....                                                       | 39  |
| Antineoplastics .....                                                         | 40  |
| Antiparasitics .....                                                          | 47  |
| Antiparkinson Agents .....                                                    | 48  |
| Antipsychotics .....                                                          | 49  |
| Antispasticity Agents .....                                                   | 52  |
| Antivirals.....                                                               | 52  |
| Anxiolytics.....                                                              | 57  |
| Bipolar Agents .....                                                          | 58  |
| Blood Glucose Regulators .....                                                | 58  |
| Blood Products And Modifiers.....                                             | 94  |
| Cardiovascular Agents.....                                                    | 96  |
| Central Nervous System Agents.....                                            | 104 |
| Dental And Oral Agents .....                                                  | 107 |
| Dermatological Agents.....                                                    | 107 |
| Electrolytes/Minerals/Metals/Vitamins .....                                   | 112 |
| Gastrointestinal Agents .....                                                 | 119 |
| Genetic Or Enzyme Or Protein Disorder: Replacement, Modifiers, Treatment..... | 121 |

|                                                                                          |            |
|------------------------------------------------------------------------------------------|------------|
| <b>Genitourinary Agents .....</b>                                                        | <b>122</b> |
| <b>Hormonal Agents, Stimulant/ Replacement/ Modifying (Adrenal) .....</b>                | <b>123</b> |
| <b>Hormonal Agents, Stimulant/ Replacement/ Modifying (Pituitary) .....</b>              | <b>124</b> |
| <b>Hormonal Agents, Stimulant/ Replacement/ Modifying (Sex Hormones/ Modifiers).....</b> | <b>124</b> |
| <b>Hormonal Agents, Stimulant/ Replacement/ Modifying (Thyroid) .....</b>                | <b>132</b> |
| <b>Hormonal Agents, Suppressant (Pituitary).....</b>                                     | <b>133</b> |
| <b>Hormonal Agents, Suppressant (Thyroid).....</b>                                       | <b>134</b> |
| <b>Immunological Agents .....</b>                                                        | <b>134</b> |
| <b>Inflammatory Bowel Disease Agents .....</b>                                           | <b>142</b> |
| <b>Metabolic Bone Disease Agents .....</b>                                               | <b>142</b> |
| <b>Non-FRF.....</b>                                                                      | <b>143</b> |
| <b>Ophthalmic Agents .....</b>                                                           | <b>143</b> |
| <b>Otic Agents .....</b>                                                                 | <b>146</b> |
| <b>Respiratory Tract/ Pulmonary Agents.....</b>                                          | <b>147</b> |
| <b>Skeletal Muscle Relaxants.....</b>                                                    | <b>151</b> |
| <b>Sleep Disorder Agents .....</b>                                                       | <b>152</b> |



# Imperial MAPD 2024 1-Tier (Lista de Medicamentos Cubiertos)

## Lista de medicamentos por condición médica

|                                                                                              |     |
|----------------------------------------------------------------------------------------------|-----|
| Agentes Anti-Adicción/De Tratamiento De Abuso De Sustancias .....                            | 155 |
| Agentes Antidemencia.....                                                                    | 156 |
| Agentes Antiespásticos .....                                                                 | 157 |
| Agentes Antigota .....                                                                       | 157 |
| Agentes Antimiasténicos.....                                                                 | 157 |
| Agentes Antimigraña.....                                                                     | 157 |
| Agentes Antiparkinson .....                                                                  | 159 |
| Agentes Bipolares .....                                                                      | 160 |
| Agentes Cardiovasculares .....                                                               | 160 |
| Agentes De Enfermedad Intestinal Inflamatoria .....                                          | 169 |
| Agentes De Enfermedad Ósea Metabólica .....                                                  | 169 |
| Agentes De Trastorno De Sueño .....                                                          | 170 |
| Agentes Del Sistema Nervioso Central.....                                                    | 170 |
| Agentes Dentales Y Orales.....                                                               | 173 |
| Agentes Dermatológicos .....                                                                 | 173 |
| Agentes Gastrointestinales .....                                                             | 177 |
| Agentes Genitourinarios.....                                                                 | 179 |
| Agentes Hormonales, Estimulante/Reemplazo/Modificacor (Tiroides) .....                       | 180 |
| Agentes Hormonales, Estimulante/Reemplazo/Modificador (Hormonas Sexuales/Modificadores)..... | 181 |
| Agentes Hormonales, Estimulante/Reemplazo/Modificador (Pituitario).....                      | 189 |
| Agentes Hormonales, Estimulante/Reemplazo/Modificador (Suprarrenal).....                     | 190 |
| Agentes Hormonales, Supresores (Pituitario) .....                                            | 190 |
| Agentes Hormonales, Supresores (Tiroides).....                                               | 192 |
| Agentes Inmunológicos .....                                                                  | 192 |
| Agentes Oftálmicos .....                                                                     | 199 |
| Agentes Óticos.....                                                                          | 202 |
| Analgésicos .....                                                                            | 203 |
| Anestésicos .....                                                                            | 205 |
| Ansiolíticos.....                                                                            | 205 |
| Antibacterianos.....                                                                         | 206 |

|                                                      |            |
|------------------------------------------------------|------------|
| <b>Anticonvulsivos .....</b>                         | <b>213</b> |
| <b>Antidepresivos .....</b>                          | <b>216</b> |
| <b>Antieméticos.....</b>                             | <b>219</b> |
| <b>Antifúngicos .....</b>                            | <b>220</b> |
| <b>Antimicobacteriales.....</b>                      | <b>221</b> |
| <b>Antineoplásicos .....</b>                         | <b>222</b> |
| <b>Antiparasitarios.....</b>                         | <b>229</b> |
| <b>Antipsicóticos .....</b>                          | <b>230</b> |
| <b>Antivirales.....</b>                              | <b>233</b> |
| <b>Electrolitos/Minerales/Metales/Vitaminas.....</b> | <b>237</b> |
| <b>Non-FRF.....</b>                                  | <b>244</b> |
| <b>Reguladores De Glucosa En Sangre .....</b>        | <b>245</b> |
| <b>Relajantes Musculares Esqueléticos .....</b>      | <b>280</b> |
| <b>Vía Respiratoria/Agentes Pulmonares .....</b>     | <b>281</b> |

# Legend

## **1: Covered Medications**

**BvD: Part B vs. Part D** - This prescription drug may be covered under Medicare Part B or D depending upon the circumstances. Information may need to be submitted describing the use and setting of the drug to make the determination.

**MO: Mail Order Eligible** - This prescription may also be available via mail.

**PA: Prior Authorization** - You (or your physician) are required to get prior authorization before you fill your prescription for this drug. Without prior approval, we may not cover this drug.

**QL: Quantity Limit** - There is a limit on the amount of this drug that is covered per prescription, or within a specific time frame.

**ST: Step Therapy** - In some cases, you may be required to first try certain drugs to treat your medical condition before we will cover another drug for that condition.

# La leyenda

## **1: Medicamentos cubiertos**

**BvD: Algunos medicamentos pueden tener cobertura de la Parte B o D de Medicare, según las circunstancias.**

**MO: El pedido por correo es elegible.**

**PA: Autorización previa.** Usted (o su médico) debe obtener una autorización previa antes de que llene su receta para este medicamento. Sin aprobación previa, es posible que no cubramos este medicamento.

**QL: Limite de cantidad.** Un limite de cantidad se ha implementado en el medicamento recetado.

**ST: Terapia escalonada.** Los requisitos de la terapia escalonada deben cumplirse antes de surtir el medicamento recetado.

# Imperial MAPD 2024 1-Tier (List of Covered Drugs)

| Drug Name                                                                      | Requirements / Limits |
|--------------------------------------------------------------------------------|-----------------------|
| <b>ANALGESICS</b>                                                              |                       |
| <b>Analgesics</b>                                                              |                       |
| butalbital-acetaminophen-caff oral tablet 50-325-40 mg (Esgic)                 | QL (180 per 30 days)  |
| butalbital-aspirin-cafeine oral capsule 50-325-40 mg                           | QL (180 per 30 days)  |
| butalbital-aspirin-cafeine oral tablet 50-325-40 mg                            | QL (180 per 30 days)  |
| codeine-butalbital-asa-caff oral capsule 30-50-325-40 mg (Ascomp with Codeine) | QL (180 per 30 days)  |
| <b>Nonsteroidal Anti-Inflammatory Drugs</b>                                    |                       |
| celecoxib oral capsule 100 mg, 200 mg, 400 mg, 50 mg (Celebrex)                |                       |
| diclofenac potassium oral tablet 50 mg                                         |                       |
| diclofenac sodium oral tablet extended release 24 hr 100 mg                    |                       |
| diclofenac sodium oral tablet, delayed release (dr/ec) 25 mg, 50 mg, 75 mg     |                       |
| diclofenac sodium topical gel 1 % (Aleve (diclofenac))                         |                       |
| diflunisal oral tablet 500 mg                                                  |                       |
| ec-naproxen oral tablet, delayed release (dr/ec) 500 mg (naproxen)             |                       |
| etodolac oral capsule 200 mg, 300 mg                                           |                       |
| etodolac oral tablet 400 mg (Lodine)                                           |                       |
| etodolac oral tablet 500 mg                                                    |                       |
| flurbiprofen oral tablet 100 mg                                                |                       |
| ibu oral tablet 400 mg, 600 mg, 800 mg (ibuprofen)                             |                       |
| ibuprofen oral suspension 100 mg/5 ml (Children's Advil)                       |                       |
| ibuprofen oral tablet 400 mg, 600 mg, 800 mg (IBU)                             |                       |
| indomethacin oral capsule 25 mg, 50 mg                                         |                       |
| indomethacin oral capsule, extended release 75 mg                              |                       |
| ketorolac oral tablet 10 mg                                                    |                       |
| meloxicam oral tablet 15 mg, 7.5 mg                                            |                       |
| nabumetone oral tablet 500 mg, 750 mg                                          |                       |
| naproxen oral suspension 125 mg/5 ml (Naprosyn)                                |                       |
| naproxen oral tablet 250 mg, 375 mg                                            |                       |
| naproxen oral tablet 500 mg (Naprosyn)                                         |                       |
| naproxen oral tablet, delayed release (dr/ec) 375 mg (EC-Naprosyn)             |                       |

| Drug Name                                                                                                                                                 | Requirements / Limits        |
|-----------------------------------------------------------------------------------------------------------------------------------------------------------|------------------------------|
| <i>naproxen sodium oral tablet 275 mg</i>                                                                                                                 |                              |
| <i>naproxen sodium oral tablet 550 mg (Anaprox DS)</i>                                                                                                    |                              |
| <i>oxaprozin oral tablet 600 mg (Daypro)</i>                                                                                                              |                              |
| <i>piroxicam oral capsule 10 mg, 20 mg (Feldene)</i>                                                                                                      |                              |
| <i>sulindac oral tablet 150 mg, 200 mg</i>                                                                                                                |                              |
| <b>Opioid Analgesics, Long-Acting</b>                                                                                                                     |                              |
| <i>fentanyl transdermal patch 72 hour<br/>100 mcg/hr, 12 mcg/hr, 25 mcg/hr,<br/>37.5 mcg/hour, 50 mcg/hr, 62.5 mcg/hour,<br/>75 mcg/hr, 87.5 mcg/hour</i> | PA NSO; QL (10 per 30 days)  |
| <i>methadone oral tablet 10 mg, 5 mg</i>                                                                                                                  | QL (240 per 30 days)         |
| <i>morphine oral tablet extended release<br/>100 mg, 15 mg, 200 mg, 30 mg, 60 mg (MS Contin)</i>                                                          | QL (90 per 30 days)          |
| <i>oxycodone oral tablet, oral only,<br/>ext.rel.12 hr 10 mg, 20 mg, 40 mg, 80 mg (OxyContin)</i>                                                         | QL (60 per 30 days)          |
| <b>Opioid Analgesics, Short-Acting</b>                                                                                                                    |                              |
| <i>acetaminophen-codeine oral solution<br/>120-12 mg/5 ml</i>                                                                                             | QL (5000 per 30 days)        |
| <i>acetaminophen-codeine oral tablet<br/>300-15 mg, 300-30 mg, 300-60 mg</i>                                                                              | QL (360 per 30 days)         |
| <i>codeine sulfate oral tablet 15 mg, 30 mg,<br/>60 mg</i>                                                                                                | QL (180 per 30 days)         |
| <i>fentanyl citrate buccal lozenge on a<br/>handle 1,200 mcg, 1,600 mcg, 600 mcg,<br/>800 mcg</i>                                                         | PA; NM; QL (120 per 30 days) |
| <i>fentanyl citrate buccal lozenge on a<br/>handle 200 mcg, 400 mcg</i>                                                                                   | PA; QL (120 per 30 days)     |
| <i>hydrocodone-acetaminophen oral solution<br/>7.5-325 mg/15 ml</i>                                                                                       | QL (5500 per 30 days)        |
| <i>hydrocodone-acetaminophen oral tablet<br/>10-325 mg, 5-325 mg, 7.5-325 mg</i>                                                                          | QL (360 per 30 days)         |
| <i>hydrocodone-acetaminophen oral tablet<br/>2.5-325 mg</i>                                                                                               |                              |
| <i>hydrocodone-ibuprofen oral tablet<br/>10-200 mg, 5-200 mg, 7.5-200 mg</i>                                                                              | QL (150 per 30 days)         |
| <i>hydromorphone oral liquid 1 mg/ml (Dilaudid)</i>                                                                                                       | QL (1920 per 30 days)        |
| <i>hydromorphone oral tablet 2 mg, 4 mg (Dilaudid)</i>                                                                                                    | QL (360 per 30 days)         |
| <i>hydromorphone oral tablet 8 mg (Dilaudid)</i>                                                                                                          | QL (240 per 30 days)         |
| <i>morphine concentrate oral solution<br/>100 mg/5 ml (20 mg/ml)</i>                                                                                      | QL (600 per 30 days)         |
| <i>morphine oral solution 10 mg/5 ml</i>                                                                                                                  | QL (1800 per 30 days)        |
| <i>morphine oral solution 20 mg/5 ml<br/>(4 mg/ml)</i>                                                                                                    | QL (1500 per 30 days)        |

| Drug Name                                                                                 | Requirements / Limits   |
|-------------------------------------------------------------------------------------------|-------------------------|
| MORPHINE ORAL TABLET 15 MG, 30 MG                                                         | QL (180 per 30 days)    |
| oxycodone oral concentrate 20 mg/ml                                                       | QL (180 per 30 days)    |
| oxycodone oral solution 5 mg/5 ml                                                         | QL (1080 per 30 days)   |
| oxycodone oral tablet 10 mg, 20 mg, 5 mg                                                  | QL (180 per 30 days)    |
| oxycodone oral tablet 15 mg, 30 mg (Roxicodone)                                           | QL (180 per 30 days)    |
| oxycodone-acetaminophen oral solution 5-325 mg/5 ml                                       | QL (1080 per 30 days)   |
| oxycodone-acetaminophen oral tablet 10-325 mg, 2.5-325 mg, 5-325 mg, 7.5-325 mg (Endocet) | QL (360 per 30 days)    |
| tramadol oral tablet 100 mg                                                               | QL (120 per 30 days)    |
| tramadol oral tablet 50 mg                                                                | QL (240 per 30 days)    |
| tramadol-acetaminophen oral tablet 37.5-325 mg                                            | QL (240 per 30 days)    |
| <b>ANESTHETICS</b>                                                                        |                         |
| <b>Local Anesthetics</b>                                                                  |                         |
| dermacinrx lidocan 5% patch outer (lidocaine)                                             | PA; QL (90 per 30 days) |
| lidocaine hcl mucous membrane solution 4 % (40 mg/ml)                                     | QL (50 per 30 days)     |
| lidocaine topical adhesive patch, medicated 5 % (DermacinRx Lidocan)                      | PA; QL (90 per 30 days) |
| lidocaine viscous mucous membrane solution 2 % (lidocaine hcl)                            |                         |
| lidocaine-prilocaine topical cream 2.5-2.5 %                                              | QL (30 per 30 days)     |
| lidocan iii topical adhesive patch, medicated 5 % (lidocaine)                             | PA; QL (90 per 30 days) |
| tridacaine ii topical adhesive patch, medicated 5 % (lidocaine)                           | PA; QL (90 per 30 days) |
| tridacaine topical adhesive patch, medicated 5 % (lidocaine)                              | PA; QL (90 per 30 days) |
| <b>ANTI-ADDICTION/ SUBSTANCE ABUSE TREATMENT AGENTS</b>                                   |                         |
| <b>Alcohol Deterrents/Anti-Craving</b>                                                    |                         |
| acamprosate oral tablet, delayed release (dr/ec) 333 mg                                   |                         |
| disulfiram oral tablet 250 mg                                                             |                         |
| naltrexone oral tablet 50 mg                                                              |                         |
| VIVITROL INTRAMUSCULAR SUSPENSION, EXTENDED REL RECON 380 MG                              | NM                      |

| Drug Name                                                                                      | Requirements / Limits |
|------------------------------------------------------------------------------------------------|-----------------------|
| <b>Opioid Dependence</b>                                                                       |                       |
| <i>buprenorphine hcl sublingual tablet 2 mg, 8 mg</i>                                          |                       |
| <i>buprenorphine-naloxone sublingual film 12-3 mg, 2-0.5 mg, 4-1 mg, 8-2 mg</i> (Suboxone)     |                       |
| <i>buprenorphine-naloxone sublingual tablet 2-0.5 mg, 8-2 mg</i>                               |                       |
| SUBOXONE SUBLINGUAL FILM 12-3 MG, 2-0.5 MG, 4-1 MG, 8-2 MG (buprenorphine-naloxone)            |                       |
| <b>Opioid Reversal Agents</b>                                                                  |                       |
| KLOXXADO NASAL SPRAY, NON-AEROSOL 8 MG/ACTUATION                                               |                       |
| <i>naloxone injection solution 0.4 mg/ml</i>                                                   |                       |
| <i>naloxone injection syringe 0.4 mg/ml, 1 mg/ml</i>                                           |                       |
| <i>naloxone nasal spray, non-aerosol 4 mg/actuation</i> (Narcan)                               |                       |
| NARCAN NASAL SPRAY, NON-AEROSOL 4 MG/ACTUATION (naloxone)                                      |                       |
| OPVEE NASAL SPRAY, NON-AEROSOL 2.7 MG/ACTUATION                                                |                       |
| ZIMHI INJECTION SYRINGE 5 MG/0.5 ML                                                            |                       |
| <b>Smoking Cessation Agents</b>                                                                |                       |
| <i>bupropion hcl (smoking deter) oral tablet extended release 12 hr 150 mg</i>                 |                       |
| NICOTROL INHALATION CARTRIDGE 10 MG                                                            |                       |
| <i>varenicline oral tablet 0.5 mg, 1 mg (56 pack)</i>                                          |                       |
| <i>varenicline oral tablet 1 mg</i> (Chantix)                                                  |                       |
| <i>varenicline oral tablets, dose pack 0.5 mg (11)- 1 mg (42)</i> (Chantix Starting Month Box) |                       |
| <b>ANTIBACTERIALS</b>                                                                          |                       |
| <b>Aminoglycosides</b>                                                                         |                       |
| <i>amikacin injection solution 1,000 mg/4 ml, 500 mg/2 ml</i>                                  |                       |
| ARIKAYCE INHALATION SUSPENSION FOR NEBULIZATION 590 MG/8.4 ML                                  | PA                    |
| <i>gentamicin 800 mg/20 ml vial muv, outer 40 mg/ml</i>                                        |                       |

| Drug Name                                                                                                                                    | Requirements / Limits |
|----------------------------------------------------------------------------------------------------------------------------------------------|-----------------------|
| <i>gentamicin in nacl (iso-osm) intravenous piggyback 100 mg/100 ml, 100 mg/50 ml, 120 mg/100 ml, 60 mg/50 ml, 80 mg/100 ml, 80 mg/50 ml</i> |                       |
| <i>gentamicin injection solution 40 mg/ml</i>                                                                                                |                       |
| <i>gentamicin topical cream 0.1 %</i>                                                                                                        |                       |
| <i>gentamicin topical ointment 0.1 %</i>                                                                                                     |                       |
| <i>neomycin oral tablet 500 mg</i>                                                                                                           |                       |
| <i>paromomycin oral capsule 250 mg (Humatin)</i>                                                                                             |                       |
| <i>tobramycin sulfate injection solution 10 mg/ml, 40 mg/ml</i>                                                                              |                       |
| ZEMDRI INTRAVENOUS SOLUTION<br>50 MG/ML                                                                                                      | NM                    |
| <b>Antibacterials, Other</b>                                                                                                                 |                       |
| <i>aztreonam injection recon soln 1 gram, 2 gram (Azactam)</i>                                                                               |                       |
| CLINDAMYCIN 600 MG/50 ML-NS<br>OUTER, SINGLE-USE                                                                                             |                       |
| <i>clindamycin hcl oral capsule 150 mg, 300 mg, 75 mg (Cleocin HCl)</i>                                                                      |                       |
| <i>clindamycin in 5 % dextrose intravenous piggyback 300 mg/50 ml, 900 mg/50 ml</i>                                                          |                       |
| CLINDAMYCIN IN 5 % DEXTROSE<br>INTRAVENOUS PIGGYBACK<br>600 MG/50 ML                                                                         |                       |
| <i>clindamycin pediatric oral recon soln 75 mg/5 ml (clindamycin palmitate hcl)</i>                                                          |                       |
| <i>clindamycin phosphate injection solution 150 mg/ml (Cleocin)</i>                                                                          |                       |
| <i>clindamycin phosphate vaginal cream 2 % (Cleocin)</i>                                                                                     |                       |
| <i>colistin (colistimethate na) injection recon soln 150 mg (Coly-Mycin M Parenteral)</i>                                                    |                       |
| <i>daptomycin intravenous recon soln 350 mg</i>                                                                                              |                       |
| <i>daptomycin intravenous recon soln 500 mg (Cubicin RF)</i>                                                                                 | NM                    |
| FIRVANQ ORAL RECON SOLN<br>25 MG/ML, 50 MG/ML (vancomycin)                                                                                   |                       |
| <i>linezolid in dextrose 5% intravenous piggyback 600 mg/300 ml (Zyvox)</i>                                                                  | PA                    |
| <i>linezolid oral tablet 600 mg (Zyvox)</i>                                                                                                  | PA                    |
| <i>methenamine hippurate oral tablet 1 gram (Hiprex)</i>                                                                                     |                       |



| Drug Name                                                                         | Requirements / Limits |
|-----------------------------------------------------------------------------------|-----------------------|
| metronidazole in nacl (iso-os) intravenous piggyback 500 mg/100 ml (Metro I.V.)   |                       |
| metronidazole oral tablet 250 mg, 500 mg                                          |                       |
| metronidazole topical cream 0.75 % (Rosadan)                                      |                       |
| metronidazole topical gel 0.75 % (Rosadan)                                        |                       |
| metronidazole topical gel 1 % (Metrogel)                                          |                       |
| metronidazole topical lotion 0.75 % (MetroLotion)                                 |                       |
| metronidazole vaginal gel 0.75 % (37.5mg/5 gram) (Vandazole)                      |                       |
| metronidazole vaginal gel 1.3 % (65 mg/5 gram) (Nuversa)                          |                       |
| nitrofurantoin macrocrystal oral capsule 100 mg, 25 mg, 50 mg (Macrochantin)      |                       |
| nitrofurantoin monohyd/m-cryst oral capsule 100 mg (Macrobid)                     |                       |
| rosadan topical cream 0.75 % (metronidazole)                                      |                       |
| tigecycline intravenous recon soln 50 mg (Tygacil)                                | NM                    |
| tinidazole oral tablet 250 mg, 500 mg                                             |                       |
| trimethoprim oral tablet 100 mg                                                   |                       |
| vancomycin intravenous recon soln 1,000 mg, 10 gram, 5 gram, 500 mg, 750 mg       |                       |
| vancomycin oral capsule 125 mg, 250 mg (Vancocin)                                 |                       |
| vancomycin oral recon soln 25 mg/ml, 50 mg/ml (Firvanq)                           |                       |
| XIFAXAN ORAL TABLET 200 MG, 550 MG                                                |                       |
| <b>Beta-Lactam, Cephalosporins</b>                                                |                       |
| cefaclor oral capsule 250 mg, 500 mg                                              |                       |
| cefaclor oral suspension for reconstitution 125 mg/5 ml, 250 mg/5 ml, 375 mg/5 ml |                       |
| cefaclor oral tablet extended release 12 hr 500 mg                                |                       |
| cefadroxil oral capsule 500 mg                                                    |                       |
| cefadroxil oral suspension for reconstitution 250 mg/5 ml, 500 mg/5 ml            |                       |
| cefadroxil oral tablet 1 gram                                                     |                       |
| cefazolin injection recon soln 1 gram, 10 gram, 500 mg                            |                       |
| cefazolin intravenous recon soln 3 gram                                           |                       |
| cefdinir oral capsule 300 mg                                                      |                       |
| cefdinir oral suspension for reconstitution 125 mg/5 ml, 250 mg/5 ml              |                       |

| Drug Name                                                                                               | Requirements / Limits |
|---------------------------------------------------------------------------------------------------------|-----------------------|
| cefepime injection recon soln 1 gram,<br>2 gram                                                         |                       |
| cefixime oral capsule 400 mg                                                                            |                       |
| cefixime oral suspension for reconstitution<br>100 mg/5 ml, 200 mg/5 ml                                 |                       |
| cefotetan in dextrose, iso-osm intravenous<br>piggyback 1 gram/50 ml, 2 gram/50 ml                      |                       |
| cefotetan injection recon soln 1 gram,<br>2 gram (Cefotan)                                              |                       |
| cefoxitin intravenous recon soln 1 gram,<br>10 gram, 2 gram                                             |                       |
| cefpodoxime oral suspension for<br>reconstitution 100 mg/5 ml, 50 mg/5 ml                               |                       |
| cefpodoxime oral tablet 100 mg, 200 mg                                                                  |                       |
| cefprozil oral suspension for reconstitution<br>125 mg/5 ml, 250 mg/5 ml                                |                       |
| cefprozil oral tablet 250 mg, 500 mg                                                                    |                       |
| ceftazidime injection recon soln 1 gram,<br>2 gram, 6 gram (Tazicef)                                    |                       |
| ceftriaxone injection recon soln 1 gram,<br>10 gram, 2 gram, 250 mg, 500 mg                             |                       |
| cefuroxime axetil oral tablet 250 mg,<br>500 mg                                                         |                       |
| cefuroxime sodium injection recon soln<br>750 mg                                                        |                       |
| cefuroxime sodium intravenous recon soln<br>1.5 gram, 7.5 gram                                          |                       |
| cephalexin oral capsule 250 mg, 500 mg                                                                  |                       |
| cephalexin oral suspension for<br>reconstitution 125 mg/5 ml, 250 mg/5 ml                               |                       |
| cephalexin oral tablet 250 mg, 500 mg                                                                   |                       |
| TEFLARO INTRAVENOUS RECON<br>SOLN 400 MG, 600 MG                                                        | NM                    |
| <b>Beta-Lactam, Penicillins</b>                                                                         |                       |
| amoxicillin oral capsule 250 mg, 500 mg                                                                 |                       |
| amoxicillin oral suspension for<br>reconstitution 125 mg/5 ml, 200 mg/5 ml,<br>250 mg/5 ml, 400 mg/5 ml |                       |
| amoxicillin oral tablet 500 mg, 875 mg                                                                  |                       |
| amoxicillin oral tablet, chewable 125 mg,<br>250 mg                                                     |                       |

| Drug Name                                                                                                           | Requirements / Limits |
|---------------------------------------------------------------------------------------------------------------------|-----------------------|
| amoxicillin-pot clavulanate oral suspension for reconstitution<br>200-28.5 mg/5 ml, 400-57 mg/5 ml                  |                       |
| amoxicillin-pot clavulanate oral suspension for reconstitution (Augmentin)<br>250-62.5 mg/5 ml                      |                       |
| amoxicillin-pot clavulanate oral suspension for reconstitution (Augmentin ES-600)<br>600-42.9 mg/5 ml               |                       |
| amoxicillin-pot clavulanate oral tablet<br>250-125 mg, 875-125 mg                                                   |                       |
| amoxicillin-pot clavulanate oral tablet (Augmentin)<br>500-125 mg                                                   |                       |
| amoxicillin-pot clavulanate oral tablet extended release 12 hr 1,000-62.5 mg (Augmentin XR)                         |                       |
| amoxicillin-pot clavulanate oral tablet, chewable 200-28.5 mg, 400-57 mg                                            |                       |
| ampicillin oral capsule 500 mg                                                                                      |                       |
| ampicillin sodium injection recon soln<br>1 gram, 10 gram, 125 mg, 2 gram, 250 mg, 500 mg                           |                       |
| ampicillin-sulbactam injection recon soln (Unasyn)<br>1.5 gram, 15 gram, 3 gram                                     |                       |
| BICILLIN L-A INTRAMUSCULAR SYRINGE 1,200,000 UNIT/2 ML, 2,400,000 UNIT/4 ML, 600,000 UNIT/ML                        |                       |
| dicloxacillin oral capsule 250 mg, 500 mg                                                                           |                       |
| nafcillin 1 gm/ 50 ml inj 1 gram/50 ml                                                                              |                       |
| nafcillin injection recon soln 1 gram                                                                               |                       |
| nafcillin injection recon soln 10 gram, 2 gram                                                                      |                       |
| oxacillin in dextrose(iso-osm) intravenous piggyback 1 gram/50 ml, 2 gram/50 ml                                     |                       |
| oxacillin injection recon soln 1 gram, 10 gram, 2 gram                                                              |                       |
| oxacillin intravenous recon soln 1 gram, 2 gram                                                                     |                       |
| penicillin g pot in dextrose intravenous piggyback 1 million unit/50 ml, 2 million unit/50 ml, 3 million unit/50 ml |                       |
| penicillin g potassium injection recon soln (Pfizerpen-G)<br>20 million unit                                        |                       |
| penicillin g procaine intramuscular syringe<br>1.2 million unit/2 ml                                                |                       |

| Drug Name                                                                                    | Requirements / Limits        |
|----------------------------------------------------------------------------------------------|------------------------------|
| penicillin g sodium injection recon soln 5 million unit                                      |                              |
| penicillin v potassium oral recon soln 125 mg/5 ml, 250 mg/5 ml                              |                              |
| penicillin v potassium oral tablet 250 mg, 500 mg                                            |                              |
| pfizerpen-g injection recon soln 20 million unit (penicillin g potassium)                    |                              |
| piperacillin-tazobactam intravenous recon soln 2.25 gram, 3.375 gram, 4.5 gram               |                              |
| <b>Carbapenems</b>                                                                           |                              |
| ertapenem injection recon soln 1 gram                                                        |                              |
| imipenem-cilastatin intravenous recon soln 250 mg                                            |                              |
| imipenem-cilastatin intravenous recon soln 500 mg (Primaxin IV)                              |                              |
| meropenem intravenous recon soln 1 gram, 500 mg                                              |                              |
| <b>Macrolides</b>                                                                            |                              |
| azithromycin intravenous recon soln 500 mg (Zithromax)                                       |                              |
| azithromycin oral packet 1 gram (Zithromax)                                                  |                              |
| azithromycin oral suspension for reconstitution 100 mg/5 ml, 200 mg/5 ml (Zithromax)         |                              |
| azithromycin oral tablet 250 mg (6 pack), 500 mg (3 pack), 600 mg                            |                              |
| azithromycin oral tablet 250 mg, 500 mg (Zithromax)                                          |                              |
| clarithromycin oral suspension for reconstitution 125 mg/5 ml, 250 mg/5 ml                   |                              |
| clarithromycin oral tablet 250 mg, 500 mg                                                    |                              |
| clarithromycin oral tablet extended release 24 hr 500 mg                                     |                              |
| DIFICID ORAL SUSPENSION FOR RECONSTITUTION 40 MG/ML                                          | PA; NM; QL (136 per 10 days) |
| DIFICID ORAL TABLET 200 MG                                                                   | PA; NM; QL (20 per 10 days)  |
| ERYTHROCIN INTRAVENOUS RECON SOLN 500 MG (erythromycin lactobionate)                         |                              |
| erythromycin ethylsuccinate oral suspension for reconstitution 200 mg/5 ml (E.E.S. Granules) |                              |
| erythromycin ethylsuccinate oral suspension for reconstitution 400 mg/5 ml (EryPed 400)      |                              |
| erythromycin ethylsuccinate oral tablet 400 mg (E.E.S. 400)                                  |                              |

| Drug Name                                                                                         | Requirements / Limits |
|---------------------------------------------------------------------------------------------------|-----------------------|
| erythromycin oral capsule, delayed release(dr/ec) 250 mg                                          |                       |
| erythromycin oral tablet 250 mg, 500 mg                                                           |                       |
| erythromycin oral tablet, delayed release (dr/ec) 250 mg, 333 mg, 500 mg (Ery-Tab)                |                       |
| <b>Quinolones</b>                                                                                 |                       |
| ciprofloxacin hcl ophthalmic (eye) drops 0.3 %                                                    |                       |
| ciprofloxacin hcl oral tablet 100 mg, 750 mg                                                      |                       |
| ciprofloxacin hcl oral tablet 250 mg, 500 mg (Cipro)                                              |                       |
| ciprofloxacin in 5 % dextrose intravenous piggyback 200 mg/100 ml, 400 mg/200 ml                  |                       |
| levofloxacin in d5w intravenous piggyback 250 mg/50 ml, 500 mg/100 ml, 750 mg/150 ml              |                       |
| levofloxacin oral solution 250 mg/10 ml                                                           |                       |
| levofloxacin oral tablet 250 mg, 500 mg, 750 mg                                                   |                       |
| moxifloxacin 400 mg/250 ml bag                                                                    |                       |
| moxifloxacin oral tablet 400 mg                                                                   |                       |
| moxifloxacin-sod.chloride(iso) intravenous piggyback 400 mg/250 ml (Avelox in NaCl (iso-osmotic)) |                       |
| ofloxacin oral tablet 300 mg, 400 mg                                                              |                       |
| <b>Sulfonamides</b>                                                                               |                       |
| sulfacetamide sodium (acne) topical suspension 10 % (Klaron)                                      |                       |
| sulfadiazine oral tablet 500 mg                                                                   |                       |
| sulfamethoxazole-trimethoprim oral suspension 200-40 mg/5 ml (Sulfatrim)                          |                       |
| sulfamethoxazole-trimethoprim oral tablet 400-80 mg (Bactrim)                                     |                       |
| sulfamethoxazole-trimethoprim oral tablet 800-160 mg (Bactrim DS)                                 |                       |
| <b>Tetracyclines</b>                                                                              |                       |
| doxy-100 intravenous recon soln 100 mg (doxycycline hyclate)                                      |                       |
| doxycycline hyclate intravenous recon soln 100 mg (Doxy-100)                                      |                       |
| doxycycline hyclate oral capsule 100 mg, 50 mg (Morgidox)                                         |                       |

| Drug Name                                                                                                              | Requirements / Limits       |
|------------------------------------------------------------------------------------------------------------------------|-----------------------------|
| <i>doxycycline hyclate oral tablet 100 mg, 20 mg</i>                                                                   |                             |
| <i>doxycycline monohydrate oral capsule 100 mg</i> (Mondoxyme NL)                                                      |                             |
| <i>doxycycline monohydrate oral capsule 50 mg</i> (Monodox)                                                            |                             |
| <i>doxycycline monohydrate oral tablet 100 mg</i> (Avidoxy)                                                            |                             |
| <i>doxycycline monohydrate oral tablet 50 mg, 75 mg</i>                                                                |                             |
| <i>minocycline oral capsule 100 mg, 50 mg, 75 mg</i>                                                                   |                             |
| <i>minocycline oral tablet 100 mg, 50 mg, 75 mg</i>                                                                    |                             |
| <i>mondoxyme nl oral capsule 100 mg</i> (doxycycline monohydrate)                                                      |                             |
| <i>tetracycline oral capsule 250 mg, 500 mg</i>                                                                        |                             |
| <b>ANTICONVULSANTS</b>                                                                                                 |                             |
| <b>Anticonvulsants, Other</b>                                                                                          |                             |
| BRIVIACT ORAL SOLUTION 10 MG/ML                                                                                        | QL (600 per 30 days)        |
| BRIVIACT ORAL TABLET 10 MG, 100 MG, 25 MG, 50 MG, 75 MG                                                                | QL (60 per 30 days)         |
| DIACOMIT ORAL CAPSULE 250 MG, 500 MG                                                                                   | PA NSO                      |
| DIACOMIT ORAL POWDER IN PACKET 250 MG, 500 MG                                                                          | PA NSO                      |
| EPIDIOLEX ORAL SOLUTION 100 MG/ML                                                                                      | PA NSO                      |
| <i>felbamate oral suspension 600 mg/5 ml</i>                                                                           | NM                          |
| <i>felbamate oral tablet 400 mg, 600 mg</i> (Felbatol)                                                                 |                             |
| FINTEPLA ORAL SOLUTION 2.2 MG/ML                                                                                       | PA NSO                      |
| FYCOMPA ORAL SUSPENSION 0.5 MG/ML                                                                                      | ST; QL (720 per 30 days)    |
| FYCOMPA ORAL TABLET 10 MG, 12 MG, 4 MG, 6 MG, 8 MG                                                                     | ST; NM; QL (30 per 30 days) |
| FYCOMPA ORAL TABLET 2 MG                                                                                               | ST; QL (30 per 30 days)     |
| <i>lamotrigine oral tablet 100 mg, 150 mg, 200 mg, 25 mg</i> (Lamictal)                                                |                             |
| <i>lamotrigine oral tablet disintegrating, dose pk 25 mg (21) -50 mg (7)</i> (Lamictal ODT Starter (Blue))             |                             |
| <i>lamotrigine oral tablet disintegrating, dose pk 25 mg(14)-50 mg (14)-100 mg (7)</i> (Lamictal ODT Starter (Orange)) |                             |

| Drug Name                                                                                                | Requirements / Limits    |
|----------------------------------------------------------------------------------------------------------|--------------------------|
| lamotrigine oral tablet disintegrating, dose pack 50 mg (42) -100 mg (14) (Lamictal ODT Starter (Green)) |                          |
| lamotrigine oral tablet extended release 24hr 100 mg, 200 mg, 25 mg, 250 mg, 300 mg, 50 mg (Lamictal XR) |                          |
| lamotrigine oral tablet, chewable dispersible 25 mg, 5 mg (Lamictal)                                     |                          |
| lamotrigine oral tablet, disintegrating 100 mg, 200 mg, 25 mg, 50 mg (Lamictal ODT)                      |                          |
| lamotrigine oral tablets, dose pack 25 mg (35) (Lamictal Starter (Blue) Kit)                             |                          |
| lamotrigine oral tablets, dose pack 25 mg (42) -100 mg (7) (Lamictal Starter (Orange) Kit)               |                          |
| lamotrigine oral tablets, dose pack 25 mg (84) -100 mg (14) (Lamictal Starter (Green) Kit)               |                          |
| levetiracetam oral solution 100 mg/ml (Keppra)                                                           |                          |
| levetiracetam oral tablet 1,000 mg, 250 mg, 500 mg, 750 mg (Keppra)                                      |                          |
| levetiracetam oral tablet extended release 24 hr 500 mg, 750 mg (Keppra XR)                              |                          |
| LIBERVANT BUCCAL FILM 10 MG, 12.5 MG, 15 MG, 5 MG, 7.5 MG                                                | QL (10 per 30 days)      |
| phenobarbital oral elixir 20 mg/5 ml (4 mg/ml)                                                           | QL (1500 per 30 days)    |
| phenobarbital oral tablet 100 mg, 16.2 mg, 32.4 mg, 64.8 mg, 97.2 mg                                     | QL (90 per 30 days)      |
| phenobarbital oral tablet 15 mg, 60 mg                                                                   | QL (120 per 30 days)     |
| phenobarbital oral tablet 30 mg                                                                          | QL (300 per 30 days)     |
| primidone oral tablet 125 mg                                                                             |                          |
| primidone oral tablet 250 mg, 50 mg (Mysoline)                                                           |                          |
| SPRITAM ORAL TABLET FOR SUSPENSION 1,000 MG                                                              | ST; QL (90 per 30 days)  |
| SPRITAM ORAL TABLET FOR SUSPENSION 250 MG, 500 MG, 750 MG                                                | ST; QL (120 per 30 days) |
| valproic acid (as sodium salt) oral solution 250 mg/5 ml                                                 |                          |
| valproic acid oral capsule 250 mg                                                                        |                          |
| XCOPRI MAINTENANCE PACK ORAL TABLET 250MG/DAY(150 MG X1-100MG X1), 350 MG/DAY (200 MG X1-150MG X1)       | QL (56 per 28 days)      |
| XCOPRI ORAL TABLET 100 MG, 150 MG, 200 MG, 50 MG                                                         | QL (60 per 30 days)      |

| Drug Name                                                                                                                                | Requirements / Limits             |
|------------------------------------------------------------------------------------------------------------------------------------------|-----------------------------------|
| XCOPRI TITRATION PACK ORAL TABLETS, DOSE PACK 12.5 MG (14)- 25 MG (14), 150 MG (14)- 200 MG (14), 50 MG (14)- 100 MG (14)                | QL (28 per 28 days)               |
| ZTALMY ORAL SUSPENSION 50 MG/ML                                                                                                          | PA NSO; NM; QL (1100 per 30 days) |
| <b>Calcium Channel Modifying Agents</b>                                                                                                  |                                   |
| <i>ethosuximide oral capsule 250 mg (Zarontin)</i>                                                                                       |                                   |
| <i>ethosuximide oral solution 250 mg/5 ml (Zarontin)</i>                                                                                 |                                   |
| <i>methsuximide oral capsule 300 mg (Celontin)</i>                                                                                       |                                   |
| ZONISADE ORAL SUSPENSION 100 MG/5 ML                                                                                                     | QL (900 per 30 days)              |
| <i>zonisamide oral capsule 100 mg, 25 mg (Zonegran)</i>                                                                                  |                                   |
| <i>zonisamide oral capsule 50 mg</i>                                                                                                     |                                   |
| <b>Gamma-Aminobutyric Acid (GABA) Augmenting Agents</b>                                                                                  |                                   |
| <i>clobazam oral suspension 2.5 mg/ml (Onfi)</i>                                                                                         | QL (480 per 30 days)              |
| <i>clobazam oral tablet 10 mg, 20 mg (Onfi)</i>                                                                                          | QL (60 per 30 days)               |
| <i>diazepam rectal kit 12.5-15-17.5-20 mg, 2.5 mg, 5-7.5-10 mg</i>                                                                       |                                   |
| <i>gabapentin oral capsule 100 mg, 300 mg, 400 mg (Neurontin)</i>                                                                        | QL (270 per 30 days)              |
| <i>gabapentin oral solution 250 mg/5 ml (Neurontin)</i>                                                                                  |                                   |
| <i>gabapentin oral tablet 600 mg, 800 mg (Neurontin)</i>                                                                                 | QL (180 per 30 days)              |
| NAYZILAM NASAL SPRAY, NON-AEROSOL 5 MG/SPRAY (0.1 ML)                                                                                    |                                   |
| SYMPAZAN ORAL FILM 10 MG, 20 MG, 5 MG                                                                                                    | ST; NM; QL (60 per 30 days)       |
| <i>tiagabine oral tablet 12 mg, 16 mg, 2 mg, 4 mg</i>                                                                                    |                                   |
| VALTOCO NASAL SPRAY, NON-AEROSOL 10 MG/SPRAY (0.1 ML), 15 MG/2 SPRAY (7.5/0.1ML X 2), 20 MG/2 SPRAY (10MG/0.1ML X2), 5 MG/SPRAY (0.1 ML) | ST                                |
| <i>vigabatrin oral powder in packet 500 mg (Sabril)</i>                                                                                  | PA NSO; NM; QL (180 per 30 days)  |
| <i>vigabatrin oral tablet 500 mg (Vigadrone)</i>                                                                                         | PA NSO; NM; QL (180 per 30 days)  |
| <i>vigadrone oral tablet 500 mg (vigabatrin)</i>                                                                                         | PA NSO; NM; QL (180 per 30 days)  |
| <b>Sodium Channel Agents</b>                                                                                                             |                                   |
| APTIOM ORAL TABLET 200 MG, 400 MG                                                                                                        | ST; NM; QL (30 per 30 days)       |
| APTIOM ORAL TABLET 600 MG, 800 MG                                                                                                        | ST; NM; QL (60 per 30 days)       |
| <i>carbamazepine oral capsule, er multiphase 12 hr 100 mg, 200 mg, 300 mg (Carbatrol)</i>                                                |                                   |



| Drug Name                                                                            |                         | Requirements / Limits     |
|--------------------------------------------------------------------------------------|-------------------------|---------------------------|
| carbamazepine oral suspension<br>100 mg/5 ml                                         | (Tegretol)              |                           |
| carbamazepine oral tablet 200 mg                                                     | (Epitol)                |                           |
| carbamazepine oral tablet extended<br>release 12 hr 100 mg, 200 mg, 400 mg           | (Tegretol XR)           |                           |
| carbamazepine oral tablet, chewable<br>100 mg                                        |                         |                           |
| DILANTIN ORAL CAPSULE 30 MG                                                          |                         | ST                        |
| epitol oral tablet 200 mg                                                            | (carbamazepine)         |                           |
| lacosamide oral solution 10 mg/ml                                                    | (Vimpat)                | QL (1395 per 30 days)     |
| lacosamide oral tablet 100 mg, 150 mg,<br>200 mg, 50 mg                              | (Vimpat)                | QL (60 per 30 days)       |
| oxcarbazepine oral suspension<br>300 mg/5 ml (60 mg/ml)                              | (Trileptal)             |                           |
| oxcarbazepine oral tablet 150 mg,<br>300 mg, 600 mg                                  | (Trileptal)             |                           |
| phenytoin oral suspension 125 mg/5 ml                                                | (Dilantin-125)          |                           |
| phenytoin oral tablet, chewable 50 mg                                                | (Dilantin Infatabs)     |                           |
| phenytoin sodium extended oral capsule<br>100 mg                                     | (Dilantin Extended)     |                           |
| phenytoin sodium extended oral capsule<br>200 mg, 300 mg                             | (Phenytek)              |                           |
| rufinamide oral suspension 40 mg/ml                                                  | (Banzel)                | NM; QL (2760 per 30 days) |
| rufinamide oral tablet 200 mg                                                        | (Banzel)                | QL (480 per 30 days)      |
| rufinamide oral tablet 400 mg                                                        | (Banzel)                | NM; QL (240 per 30 days)  |
| <b>ANTIDEMENTIA AGENTS</b>                                                           |                         |                           |
| <b>Antidementia Agents, Other</b>                                                    |                         |                           |
| memantine oral capsule, sprinkle, er 24hr<br>14 mg, 21 mg, 28 mg, 7 mg               | (Namenda XR)            | QL (30 per 30 days)       |
| memantine oral solution 2 mg/ml                                                      |                         | QL (360 per 30 days)      |
| memantine oral tablet 10 mg, 5 mg                                                    |                         | QL (60 per 30 days)       |
| memantine oral tablets, dose pack<br>5-10 mg                                         | (Namenda Titration Pak) | QL (49 per 28 days)       |
| NAMZARIC ORAL CAP, SPRINKLE, ER<br>24HR DOSE PACK<br>7/14/21/28 MG-10 MG             |                         | PA                        |
| NAMZARIC ORAL CAPSULE,<br>SPRINKLE, ER 24HR 14-10 MG,<br>21-10 MG, 28-10 MG, 7-10 MG |                         | PA                        |
| <b>Cholinesterase Inhibitors</b>                                                     |                         |                           |
| donepezil oral tablet 10 mg                                                          | (Aricept)               | QL (60 per 30 days)       |
| donepezil oral tablet 23 mg, 5 mg                                                    | (Aricept)               | QL (30 per 30 days)       |

| Drug Name                                                                                                   | Requirements / Limits           |
|-------------------------------------------------------------------------------------------------------------|---------------------------------|
| donepezil oral tablet, disintegrating 10 mg                                                                 | QL (60 per 30 days)             |
| donepezil oral tablet, disintegrating 5 mg                                                                  | QL (30 per 30 days)             |
| galantamine oral capsule, ext rel. pellets<br>24 hr 16 mg, 24 mg, 8 mg                                      | QL (30 per 30 days)             |
| galantamine oral solution 4 mg/ml                                                                           | QL (200 per 30 days)            |
| galantamine oral tablet 12 mg, 4 mg, 8 mg                                                                   | QL (60 per 30 days)             |
| rivastigmine tartrate oral capsule 1.5 mg,<br>3 mg, 4.5 mg, 6 mg                                            | QL (60 per 30 days)             |
| rivastigmine transdermal patch 24 hour<br>13.3 mg/24 hour, 4.6 mg/24 hour,<br>9.5 mg/24 hour (Exelon Patch) | QL (30 per 30 days)             |
| <b>ANTIDEPRESSANTS</b>                                                                                      |                                 |
| <b>Antidepressants, Other</b>                                                                               |                                 |
| AUVELITY ORAL TABLET, IR AND ER,<br>BIPHASIC 45-105 MG                                                      | ST; QL (60 per 30 days)         |
| bupropion hcl oral tablet 100 mg                                                                            | QL (180 per 30 days)            |
| bupropion hcl oral tablet 75 mg                                                                             | QL (120 per 30 days)            |
| bupropion hcl oral tablet extended release<br>24 hr 150 mg (Wellbutrin XL)                                  | QL (60 per 30 days)             |
| bupropion hcl oral tablet extended release<br>24 hr 300 mg (Wellbutrin XL)                                  | QL (90 per 30 days)             |
| bupropion hcl oral tablet extended release<br>24 hr 450 mg (Forfivo XL)                                     | QL (30 per 30 days)             |
| bupropion hcl oral tablet sustained-release<br>12 hr 100 mg (Wellbutrin SR)                                 | QL (120 per 30 days)            |
| bupropion hcl oral tablet sustained-release<br>12 hr 150 mg (Wellbutrin SR)                                 | QL (90 per 30 days)             |
| bupropion hcl oral tablet sustained-release<br>12 hr 200 mg (Wellbutrin SR)                                 | QL (60 per 30 days)             |
| mirtazapine oral tablet 15 mg, 30 mg (Remeron)                                                              | QL (30 per 30 days)             |
| mirtazapine oral tablet 45 mg                                                                               | QL (30 per 30 days)             |
| mirtazapine oral tablet 7.5 mg                                                                              | QL (45 per 30 days)             |
| mirtazapine oral tablet, disintegrating<br>15 mg, 30 mg, 45 mg (Remeron SolTab)                             | QL (30 per 30 days)             |
| olanzapine-fluoxetine oral capsule<br>12-25 mg, 6-50 mg                                                     | QL (30 per 30 days)             |
| olanzapine-fluoxetine oral capsule<br>12-50 mg (Symbyax)                                                    | QL (30 per 30 days)             |
| olanzapine-fluoxetine oral capsule<br>3-25 mg, 6-25 mg (Symbyax)                                            | QL (90 per 30 days)             |
| ZURZUVAE ORAL CAPSULE 20 MG,<br>25 MG                                                                       | PA NSO; NM; QL (28 per 14 days) |
| ZURZUVAE ORAL CAPSULE 30 MG                                                                                 | PA NSO; NM; QL (14 per 14 days) |

| Drug Name                                                                                                   | Requirements / Limits       |
|-------------------------------------------------------------------------------------------------------------|-----------------------------|
| <b>Monoamine Oxidase Inhibitors</b>                                                                         |                             |
| EMSAM TRANSDERMAL PATCH<br>24 HOUR 12 MG/24 HR, 6 MG/24 HR,<br>9 MG/24 HR                                   | ST; NM; QL (30 per 30 days) |
| MARPLAN ORAL TABLET 10 MG                                                                                   | ST; QL (180 per 30 days)    |
| phenelzine oral tablet 15 mg (Nardil)                                                                       |                             |
| tranylcypromine oral tablet 10 mg (Parnate)                                                                 |                             |
| <b>SSRIS/SNRIS (Selective Serotonin Reuptake Inhibitor/Serotonin And Norepinephrine Reuptake Inhibitor)</b> |                             |
| citalopram oral capsule 30 mg                                                                               | QL (30 per 30 days)         |
| citalopram oral solution 10 mg/5 ml                                                                         | QL (600 per 30 days)        |
| citalopram oral tablet 10 mg, 40 mg (Celexa)                                                                | QL (30 per 30 days)         |
| citalopram oral tablet 20 mg (Celexa)                                                                       | QL (60 per 30 days)         |
| desvenlafaxine oral tablet extended<br>release 24 hr 100 mg, 50 mg                                          | QL (30 per 30 days)         |
| desvenlafaxine succinate oral tablet<br>extended release 24 hr 100 mg, 25 mg,<br>50 mg (Pristiq)            | QL (30 per 30 days)         |
| duloxetine oral capsule, delayed<br>release(dr/ec) 20 mg, 30 mg, 60 mg (Cymbalta)                           | QL (60 per 30 days)         |
| duloxetine oral capsule, delayed<br>release(dr/ec) 40 mg                                                    | QL (60 per 30 days)         |
| escitalopram oxalate oral solution<br>5 mg/5 ml                                                             | QL (600 per 30 days)        |
| escitalopram oxalate oral tablet 10 mg (Lexapro)                                                            | QL (45 per 30 days)         |
| escitalopram oxalate oral tablet 20 mg (Lexapro)                                                            | QL (60 per 30 days)         |
| escitalopram oxalate oral tablet 5 mg (Lexapro)                                                             | QL (30 per 30 days)         |
| FETZIMA ORAL CAPSULE, EXT REL<br>24HR DOSE PACK 20 MG (2)- 40 MG<br>(26)                                    | QL (28 per 28 days)         |
| FETZIMA ORAL CAPSULE, EXTENDED<br>RELEASE 24 HR 120 MG, 20 MG,<br>40 MG, 80 MG                              | QL (30 per 30 days)         |
| fluoxetine oral capsule 10 mg, 20 mg,<br>40 mg (Prozac)                                                     | QL (60 per 30 days)         |
| fluoxetine oral solution 20 mg/5 ml<br>(4 mg/ml)                                                            | QL (600 per 30 days)        |
| fluoxetine oral tablet 10 mg                                                                                | QL (60 per 30 days)         |
| fluoxetine oral tablet 20 mg                                                                                | QL (120 per 30 days)        |
| fluvoxamine oral tablet 100 mg, 25 mg,<br>50 mg                                                             | QL (90 per 30 days)         |
| nefazodone oral tablet 100 mg, 150 mg,<br>200 mg, 250 mg, 50 mg                                             |                             |

| Drug Name                                                                                  | Requirements / Limits   |
|--------------------------------------------------------------------------------------------|-------------------------|
| <i>paroxetine hcl oral suspension 10 mg/5 ml (Paxil)</i>                                   | QL (900 per 30 days)    |
| <i>paroxetine hcl oral tablet 10 mg, 20 mg (Paxil)</i>                                     | QL (30 per 30 days)     |
| <i>paroxetine hcl oral tablet 30 mg, 40 mg (Paxil)</i>                                     | QL (60 per 30 days)     |
| <i>sertraline oral capsule 150 mg, 200 mg</i>                                              | QL (30 per 30 days)     |
| <i>sertraline oral concentrate 20 mg/ml (Zoloft)</i>                                       | QL (300 per 30 days)    |
| <i>sertraline oral tablet 100 mg (Zoloft)</i>                                              | QL (60 per 30 days)     |
| <i>sertraline oral tablet 25 mg, 50 mg (Zoloft)</i>                                        | QL (90 per 30 days)     |
| <i>trazodone oral tablet 100 mg, 150 mg, 300 mg, 50 mg</i>                                 |                         |
| TRINTELLIX ORAL TABLET 10 MG, 20 MG, 5 MG                                                  | ST; QL (30 per 30 days) |
| <i>venlafaxine besylate oral tablet extended release 24hr 112.5 mg</i>                     | QL (30 per 30 days)     |
| <i>venlafaxine oral capsule, extended release 24hr 150 mg, 37.5 mg, 75 mg (Effexor XR)</i> | QL (60 per 30 days)     |
| <i>venlafaxine oral tablet 100 mg, 25 mg, 37.5 mg, 50 mg, 75 mg</i>                        | QL (90 per 30 days)     |
| <i>venlafaxine oral tablet extended release 24hr 150 mg, 225 mg, 37.5 mg, 75 mg</i>        | QL (30 per 30 days)     |
| VIIBRYD ORAL TABLETS, DOSE PACK 10 MG (7)- 20 MG (23)                                      | QL (30 per 30 days)     |
| <i>vilazodone oral tablet 10 mg, 20 mg, 40 mg (Viibryd)</i>                                | QL (30 per 30 days)     |
| <b>Tricyclics</b>                                                                          |                         |
| <i>amitriptyline oral tablet 10 mg, 100 mg, 150 mg, 25 mg, 50 mg, 75 mg</i>                |                         |
| <i>amoxapine oral tablet 100 mg, 150 mg, 25 mg, 50 mg</i>                                  |                         |
| <i>clomipramine oral capsule 25 mg, 50 mg, 75 mg (Anafranil)</i>                           |                         |
| <i>desipramine oral tablet 10 mg, 25 mg (Norpramin)</i>                                    |                         |
| <i>desipramine oral tablet 100 mg, 150 mg, 50 mg, 75 mg</i>                                |                         |
| <i>doxepin oral capsule 10 mg, 100 mg, 150 mg, 25 mg, 50 mg, 75 mg</i>                     |                         |
| <i>doxepin oral concentrate 10 mg/ml</i>                                                   |                         |
| <i>imipramine hcl oral tablet 10 mg, 25 mg, 50 mg</i>                                      |                         |
| <i>nortriptyline oral capsule 10 mg, 25 mg, 50 mg, 75 mg (Pamelor)</i>                     |                         |
| <i>nortriptyline oral solution 10 mg/5 ml</i>                                              |                         |
| <i>protriptyline oral tablet 10 mg, 5 mg</i>                                               |                         |

| Drug Name                                                                          | Requirements / Limits       |
|------------------------------------------------------------------------------------|-----------------------------|
| trimipramine oral capsule 100 mg, 25 mg, 50 mg                                     |                             |
| <b>ANTIEMETICS</b>                                                                 |                             |
| <b>Antiemetics, Other</b>                                                          |                             |
| meclizine oral tablet 12.5 mg                                                      |                             |
| meclizine oral tablet 25 mg (Dramamine (meclizine))                                |                             |
| prochlorperazine maleate oral tablet 10 mg, 5 mg (Compazine)                       |                             |
| prochlorperazine rectal suppository 25 mg (Compazine)                              |                             |
| promethazine oral syrup 6.25 mg/5 ml                                               |                             |
| promethazine oral tablet 12.5 mg, 25 mg, 50 mg                                     |                             |
| promethazine rectal suppository 12.5 mg, 25 mg, 50 mg (Promethegan)                |                             |
| promethegan rectal suppository 12.5 mg (promethazine)                              |                             |
| scopolamine base transdermal patch 3 day 1 mg over 3 days (Transderm-Scop)         |                             |
| <b>Emetogenic Therapy Adjuncts</b>                                                 |                             |
| aprepitant oral capsule 125 mg, 40 mg                                              | PA BvD; QL (30 per 30 days) |
| aprepitant oral capsule 80 mg (Emend)                                              | PA BvD; QL (30 per 30 days) |
| aprepitant oral capsule, dose pack 125 mg (1)- 80 mg (2) (Emend)                   | PA BvD; QL (12 per 30 days) |
| dronabinol oral capsule 10 mg, 2.5 mg, 5 mg (Marinol)                              | PA; QL (60 per 30 days)     |
| granisetron hcl oral tablet 1 mg                                                   | PA BvD; QL (60 per 30 days) |
| ondansetron hcl oral solution 4 mg/5 ml                                            | PA BvD                      |
| ondansetron hcl oral tablet 4 mg, 8 mg                                             | PA BvD                      |
| ondansetron oral tablet, disintegrating 4 mg, 8 mg                                 | PA BvD                      |
| VARUBI ORAL TABLET 90 MG                                                           | PA BvD                      |
| <b>ANTIFUNGALS</b>                                                                 |                             |
| <b>Antifungals</b>                                                                 |                             |
| ABELCET INTRAVENOUS SUSPENSION 5 MG/ML                                             | PA BvD                      |
| amphotericin b injection recon soln 50 mg                                          | PA BvD                      |
| amphotericin b liposome intravenous suspension for reconstitution 50 mg (AmBisome) | PA BvD; NM                  |
| caspofungin intravenous recon soln 50 mg (Cancidas)                                | NM                          |
| caspofungin intravenous recon soln 70 mg (Cancidas)                                |                             |
| ciclopirox topical cream 0.77 % (Ciclodan)                                         |                             |
| ciclopirox topical suspension 0.77 % (Loprox (as olamine))                         |                             |

| Drug Name                                                                                             | Requirements / Limits |
|-------------------------------------------------------------------------------------------------------|-----------------------|
| <i>clotrimazole mucous membrane troche 10 mg</i>                                                      |                       |
| <i>clotrimazole topical cream 1 %</i> (Antifungal<br>(clotrimazole))                                  |                       |
| <i>clotrimazole topical solution 1 %</i>                                                              |                       |
| <i>econazole topical cream 1 %</i>                                                                    |                       |
| ERAXIS(WATER DILUENT)<br>INTRAVENOUS RECON SOLN 100 MG                                                | NM                    |
| ERAXIS(WATER DILUENT)<br>INTRAVENOUS RECON SOLN 50 MG                                                 |                       |
| <i>fluconazole in nacl (iso-osm) intravenous piggyback 100 mg/50 ml, 200 mg/100 ml, 400 mg/200 ml</i> |                       |
| <i>fluconazole oral suspension for reconstitution 10 mg/ml</i>                                        |                       |
| <i>fluconazole oral suspension for reconstitution 40 mg/ml</i> (Diflucan)                             |                       |
| <i>fluconazole oral tablet 100 mg, 200 mg</i> (Diflucan)                                              |                       |
| <i>fluconazole oral tablet 150 mg, 50 mg</i>                                                          |                       |
| <i>flucytosine oral capsule 250 mg, 500 mg</i> (Ancobon)                                              | NM                    |
| <i>griseofulvin microsize oral suspension 125 mg/5 ml</i>                                             |                       |
| <i>griseofulvin microsize oral tablet 500 mg</i>                                                      |                       |
| <i>griseofulvin ultramicrosize oral tablet 125 mg, 250 mg</i>                                         |                       |
| <i>itraconazole oral capsule 100 mg</i> (Sporanox)                                                    | PA                    |
| <i>itraconazole oral solution 10 mg/ml</i> (Sporanox)                                                 | PA                    |
| JUBLIA TOPICAL SOLUTION WITH APPLICATOR 10 %                                                          |                       |
| <i>ketoconazole oral tablet 200 mg</i>                                                                |                       |
| <i>ketoconazole topical cream 2 %</i>                                                                 |                       |
| <i>ketoconazole topical shampoo 2 %</i>                                                               |                       |
| NOXAFIL ORAL SUSP, DELAYED RELEASE FOR RECON 300 MG                                                   | PA; NM                |
| <i>nyamyc topical powder 100,000 unit/gram</i> (nystatin)                                             |                       |
| <i>nystatin oral suspension 100,000 unit/ml</i>                                                       |                       |
| <i>nystatin oral tablet 500,000 unit</i>                                                              |                       |
| <i>nystatin topical cream 100,000 unit/gram</i>                                                       |                       |
| <i>nystatin topical ointment 100,000 unit/gram</i>                                                    |                       |
| <i>nystatin topical powder 100,000 unit/gram</i> (Nyamyc)                                             |                       |
| <i>nystop topical powder 100,000 unit/gram</i> (nystatin)                                             |                       |

| Drug Name                                                                          |              | Requirements / Limits |
|------------------------------------------------------------------------------------|--------------|-----------------------|
| posaconazole oral suspension<br>200 mg/5 ml (40 mg/ml)                             | (Noxafil)    | PA; NM                |
| posaconazole oral tablet, delayed release<br>(dr/ec) 100 mg                        | (Noxafil)    | PA                    |
| terbinafine hcl oral tablet 250 mg                                                 |              |                       |
| terconazole vaginal cream 0.4 %, 0.8 %                                             |              |                       |
| terconazole vaginal suppository 80 mg                                              |              |                       |
| voriconazole intravenous recon soln<br>200 mg                                      | (Vfend IV)   | PA; NM                |
| voriconazole oral suspension for<br>reconstitution 200 mg/5 ml (40 mg/ml)          | (Vfend)      | PA; NM                |
| voriconazole oral tablet 200 mg, 50 mg                                             | (Vfend)      | PA                    |
| <b>ANTIGOUT AGENTS</b>                                                             |              |                       |
| <b>Antigout Agents</b>                                                             |              |                       |
| allopurinol oral tablet 100 mg                                                     | (Zyloprim)   |                       |
| allopurinol oral tablet 300 mg                                                     |              |                       |
| colchicine oral capsule 0.6 mg                                                     | (Mitigare)   |                       |
| colchicine oral tablet 0.6 mg                                                      | (Colcrys)    |                       |
| febuxostat oral tablet 40 mg, 80 mg                                                | (Uloric)     | PA                    |
| probenecid oral tablet 500 mg                                                      |              |                       |
| probenecid-colchicine oral tablet<br>500-0.5 mg                                    |              |                       |
| <b>ANTIMIGRAINE AGENTS</b>                                                         |              |                       |
| <b>Ergot Alkaloids</b>                                                             |              |                       |
| dihydroergotamine nasal spray,<br>non-aerosol 0.5 mg/pump act. (4 mg/ml)           | (Migranal)   | NM                    |
| ergotamine-caffeine oral tablet 1-100 mg                                           |              | QL (40 per 28 days)   |
| <b>Prophylactic</b>                                                                |              |                       |
| EMGALITY PEN SUBCUTANEOUS PEN<br>INJECTOR 120 MG/ML                                |              | PA                    |
| EMGALITY SYRINGE SUBCUTANEOUS<br>SYRINGE 120 MG/ML                                 |              | PA                    |
| EPRONTIA ORAL SOLUTION 25 MG/ML                                                    |              |                       |
| propranolol oral capsule, extended<br>release 24 hr 80 mg                          | (Inderal LA) |                       |
| propranolol oral tablet 80 mg                                                      |              |                       |
| topiramate oral capsule, sprinkle 15 mg,<br>25 mg                                  | (Topamax)    |                       |
| topiramate oral capsule, sprinkle, er 24hr<br>100 mg, 150 mg, 200 mg, 25 mg, 50 mg | (Qudexy XR)  |                       |

| Drug Name                                                                          | Requirements / Limits   |
|------------------------------------------------------------------------------------|-------------------------|
| topiramate oral tablet 100 mg, 200 mg, 25 mg, 50 mg (Topamax)                      |                         |
| UBRELVY ORAL TABLET 100 MG, 50 MG                                                  | PA; QL (16 per 30 days) |
| <b>Serotonin (5-HT) Receptor Agonist</b>                                           |                         |
| naratriptan oral tablet 1 mg, 2.5 mg                                               | QL (9 per 30 days)      |
| rizatriptan oral tablet 10 mg (Maxalt)                                             | QL (12 per 30 days)     |
| rizatriptan oral tablet 5 mg                                                       | QL (12 per 30 days)     |
| rizatriptan oral tablet, disintegrating 10 mg (Maxalt-MLT)                         | QL (12 per 30 days)     |
| rizatriptan oral tablet, disintegrating 5 mg                                       | QL (12 per 30 days)     |
| sumatriptan nasal spray, non-aerosol 20 mg/actuation                               | QL (12 per 30 days)     |
| sumatriptan nasal spray, non-aerosol 5 mg/actuation                                | QL (18 per 30 days)     |
| sumatriptan succinate oral tablet 100 mg, 25 mg, 50 mg (Imitrex)                   | QL (9 per 30 days)      |
| sumatriptan succinate subcutaneous cartridge 6 mg/0.5 ml (Imitrex STATdose Refill) | QL (4 per 30 days)      |
| sumatriptan succinate subcutaneous pen injector 4 mg/0.5 ml (Imitrex STATdose Pen) | QL (4 per 30 days)      |
| sumatriptan succinate subcutaneous pen injector 6 mg/0.5 ml (Imitrex STATdose Pen) | QL (4 per 30 days)      |
| sumatriptan succinate subcutaneous solution 6 mg/0.5 ml (Imitrex)                  | QL (4 per 30 days)      |
| sumatriptan succinate subcutaneous syringe 6 mg/0.5 ml                             | QL (4 per 30 days)      |
| zolmitriptan oral tablet 2.5 mg, 5 mg (Zomig)                                      | QL (6 per 30 days)      |
| zolmitriptan oral tablet, disintegrating 2.5 mg, 5 mg                              | QL (6 per 30 days)      |
| <b>ANTIMYASTHENIC AGENTS</b>                                                       |                         |
| <b>Parasympathomimetics</b>                                                        |                         |
| pyridostigmine bromide oral syrup 60 mg/5 ml (Mestinon)                            |                         |
| pyridostigmine bromide oral tablet 30 mg                                           |                         |
| pyridostigmine bromide oral tablet 60 mg (Mestinon)                                |                         |
| <b>ANTIMYCOBACTERIALS</b>                                                          |                         |
| <b>Antimycobacterials, Other</b>                                                   |                         |
| dapsone oral tablet 100 mg, 25 mg                                                  |                         |
| PRIFTIN ORAL TABLET 150 MG                                                         |                         |
| rifabutin oral capsule 150 mg (Mycobutin)                                          |                         |



| Drug Name                                                                            | Requirements / Limits            |
|--------------------------------------------------------------------------------------|----------------------------------|
| <b>Antituberculars</b>                                                               |                                  |
| <i>ethambutol oral tablet 100 mg</i>                                                 |                                  |
| <i>ethambutol oral tablet 400 mg</i> (Myambutol)                                     |                                  |
| <i>isoniazid oral solution 50 mg/5 ml</i>                                            |                                  |
| <i>isoniazid oral tablet 100 mg, 300 mg</i>                                          |                                  |
| <i>pyrazinamide oral tablet 500 mg</i>                                               |                                  |
| <i>rifampin intravenous recon soln 600 mg</i> (Rifadin)                              |                                  |
| <i>rifampin oral capsule 150 mg, 300 mg</i>                                          |                                  |
| SIRTURO ORAL TABLET 100 MG, 20 MG                                                    | PA; NM                           |
| TRECATOR ORAL TABLET 250 MG                                                          |                                  |
| <b>ANTINEOPLASTICS</b>                                                               |                                  |
| <b>Alkylating Agents</b>                                                             |                                  |
| <i>cyclophosphamide intravenous solution 500 mg/ml</i>                               | PA BvD; NM                       |
| <i>cyclophosphamide oral capsule 25 mg, 50 mg</i>                                    | PA BvD                           |
| <i>cyclophosphamide oral tablet 25 mg, 50 mg</i>                                     | PA BvD                           |
| GLEOSTINE ORAL CAPSULE 10 MG, 100 MG, 40 MG (Iomustine)                              | PA NSO                           |
| LEUKERAN ORAL TABLET 2 MG                                                            |                                  |
| MATULANE ORAL CAPSULE 50 MG                                                          | PA NSO; NM                       |
| VALCHLOR TOPICAL GEL 0.016 %                                                         | PA NSO; NM; QL (60 per 14 days)  |
| <b>Antiandrogens</b>                                                                 |                                  |
| <i>abiraterone oral tablet 250 mg, 500 mg</i> (Zytiga)                               | PA NSO; NM; QL (120 per 30 days) |
| <i>bicalutamide oral tablet 50 mg</i> (Casodex)                                      |                                  |
| ERLEADA ORAL TABLET 240 MG                                                           | PA NSO; NM; QL (30 per 30 days)  |
| ERLEADA ORAL TABLET 60 MG                                                            | PA NSO; NM; QL (120 per 30 days) |
| LYSODREN ORAL TABLET 500 MG                                                          | NM                               |
| <i>nilutamide oral tablet 150 mg</i> (Nilandron)                                     | NM; QL (60 per 30 days)          |
| NUBEQA ORAL TABLET 300 MG                                                            | PA NSO; NM; QL (120 per 30 days) |
| XTANDI ORAL CAPSULE 40 MG                                                            | PA NSO; NM; QL (120 per 30 days) |
| XTANDI ORAL TABLET 40 MG                                                             | PA NSO; NM; QL (120 per 30 days) |
| XTANDI ORAL TABLET 80 MG                                                             | PA NSO; NM; QL (90 per 30 days)  |
| YONSA ORAL TABLET 125 MG                                                             | PA NSO; NM; QL (120 per 30 days) |
| <b>Antiangiogenic Agents</b>                                                         |                                  |
| <i>lenalidomide oral capsule 10 mg, 15 mg, 2.5 mg, 20 mg, 25 mg, 5 mg</i> (Revlimid) | PA NSO; NM; QL (28 per 28 days)  |

| Drug Name                                                                                                                      | Requirements / Limits            |
|--------------------------------------------------------------------------------------------------------------------------------|----------------------------------|
| POMALYST ORAL CAPSULE 1 MG, 2 MG, 3 MG, 4 MG                                                                                   | PA NSO; NM; QL (21 per 28 days)  |
| THALOMID ORAL CAPSULE 100 MG, 200 MG, 50 MG                                                                                    | PA NSO; NM; QL (30 per 30 days)  |
| THALOMID ORAL CAPSULE 150 MG                                                                                                   | PA NSO; NM; QL (60 per 30 days)  |
| <b>Antiestrogens/Modifiers</b>                                                                                                 |                                  |
| EMCYT ORAL CAPSULE 140 MG                                                                                                      |                                  |
| ORSERDU ORAL TABLET 345 MG                                                                                                     | PA NSO; NM; QL (30 per 30 days)  |
| ORSERDU ORAL TABLET 86 MG                                                                                                      | PA NSO; NM; QL (90 per 30 days)  |
| SOLTAMOX ORAL SOLUTION 20 MG/10 ML                                                                                             | PA NSO                           |
| <i>tamoxifen oral tablet 10 mg, 20 mg</i>                                                                                      |                                  |
| <i>toremifene oral tablet 60 mg (Fareston)</i>                                                                                 | PA NSO; NM                       |
| <b>Antimetabolites</b>                                                                                                         |                                  |
| DROXIA ORAL CAPSULE 200 MG, 300 MG, 400 MG                                                                                     |                                  |
| <i>hydroxyurea oral capsule 500 mg (Hydrea)</i>                                                                                |                                  |
| INQOVI ORAL TABLET 35-100 MG                                                                                                   | PA NSO; NM                       |
| <i>mercaptopurine oral tablet 50 mg</i>                                                                                        |                                  |
| ONUREG ORAL TABLET 200 MG, 300 MG                                                                                              | PA NSO; NM                       |
| PURIXAN ORAL SUSPENSION 20 MG/ML                                                                                               | NM                               |
| TABLOID ORAL TABLET 40 MG (thioguanine)                                                                                        | PA NSO                           |
| <b>Antineoplastics, Other</b>                                                                                                  |                                  |
| ANKTIVA INTRAVESICAL SOLUTION 400 MCG/0.4 ML                                                                                   | PA NSO; NM; QL (1.6 per 28 days) |
| ELREXFIO 44 MG/1.1 ML VIAL OUTER, SUV, P/F 40 MG/ML                                                                            | PA NSO; NM                       |
| ELREXFIO SUBCUTANEOUS SOLUTION 40 MG/ML                                                                                        | PA NSO; NM; QL (9.5 per 28 days) |
| IDHIFA ORAL TABLET 100 MG                                                                                                      | PA NSO; NM; QL (30 per 30 days)  |
| IDHIFA ORAL TABLET 50 MG                                                                                                       | PA NSO; NM; QL (60 per 30 days)  |
| IWILFIN ORAL TABLET 192 MG                                                                                                     | PA NSO; NM; QL (240 per 30 days) |
| JYLAMVO ORAL SOLUTION 2 MG/ML                                                                                                  | PA BvD                           |
| KISQALI FEMARA CO-PACK ORAL TABLET 200 MG/DAY(200 MG X 1)-2.5 MG, 400 MG/DAY(200 MG X 2)-2.5 MG, 600 MG/DAY(200 MG X 3)-2.5 MG | PA NSO; NM                       |
| KRAZATI ORAL TABLET 200 MG                                                                                                     | PA NSO; NM; QL (180 per 30 days) |

| Drug Name                                                                                                                                                                                                     | Requirements / Limits            |
|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|----------------------------------|
| <i>leucovorin calcium oral tablet 10 mg, 15 mg, 25 mg, 5 mg</i>                                                                                                                                               |                                  |
| LONSURF ORAL TABLET 15-6.14 MG, 20-8.19 MG                                                                                                                                                                    | PA NSO; NM                       |
| LOQTORZI INTRAVENOUS SOLUTION 240 MG/6 ML (40 MG/ML)                                                                                                                                                          | PA NSO; NM                       |
| LUMAKRAS ORAL TABLET 120 MG                                                                                                                                                                                   | PA NSO; NM; QL (240 per 30 days) |
| LUMAKRAS ORAL TABLET 320 MG                                                                                                                                                                                   | PA NSO; NM; QL (90 per 30 days)  |
| LYNPARZA ORAL TABLET 100 MG                                                                                                                                                                                   | PA NSO; NM; QL (180 per 30 days) |
| LYNPARZA ORAL TABLET 150 MG                                                                                                                                                                                   | PA NSO; NM; QL (120 per 30 days) |
| MESNEX ORAL TABLET 400 MG                                                                                                                                                                                     | NM                               |
| NINLARO ORAL CAPSULE 2.3 MG, 3 MG, 4 MG                                                                                                                                                                       | PA NSO; NM                       |
| OGSIVEO ORAL TABLET 100 MG, 150 MG                                                                                                                                                                            | PA NSO; NM; QL (60 per 30 days)  |
| OGSIVEO ORAL TABLET 50 MG                                                                                                                                                                                     | PA NSO; NM; QL (180 per 30 days) |
| OJEMDA ORAL SUSPENSION FOR RECONSTITUTION 25 MG/ML                                                                                                                                                            | PA NSO; NM; QL (96 per 28 days)  |
| OJEMDA ORAL TABLET 400 MG/WEEK (100 MG X 4)                                                                                                                                                                   | PA NSO; NM; QL (48 per 28 days)  |
| ORGOVYX ORAL TABLET 120 MG                                                                                                                                                                                    | PA NSO; NM; QL (60 per 30 days)  |
| SYNRIBO SUBCUTANEOUS RECON SOLN 3.5 MG                                                                                                                                                                        | PA NSO; NM                       |
| TALVEY SUBCUTANEOUS SOLUTION 2 MG/ML, 40 MG/ML                                                                                                                                                                | PA NSO; NM                       |
| WELIREG ORAL TABLET 40 MG                                                                                                                                                                                     | PA NSO; NM; QL (90 per 30 days)  |
| XATMEP ORAL SOLUTION 2.5 MG/ML                                                                                                                                                                                | PA BvD                           |
| XCOPRI ORAL TABLET 25 MG                                                                                                                                                                                      | QL (28 per 28 days)              |
| XPOVIO ORAL TABLET 100 MG/WEEK (50 MG X 2), 40 MG/WEEK (40 MG X 1), 40MG TWICE WEEK (40 MG X 2), 60 MG/WEEK (60 MG X 1), 60MG TWICE WEEK (120 MG/WEEK), 80 MG/WEEK (40 MG X 2), 80MG TWICE WEEK (160 MG/WEEK) | PA NSO; NM                       |
| ZOLINZA ORAL CAPSULE 100 MG                                                                                                                                                                                   | PA NSO; NM; QL (120 per 30 days) |
| <b>Aromatase Inhibitors, 3rd Generation</b>                                                                                                                                                                   |                                  |
| <i>anastrozole oral tablet 1 mg</i> (Arimidex)                                                                                                                                                                |                                  |
| <i>exemestane oral tablet 25 mg</i> (Aromasin)                                                                                                                                                                |                                  |
| <i>letrozole oral tablet 2.5 mg</i> (Femara)                                                                                                                                                                  |                                  |
| <b>Molecular Target Inhibitors</b>                                                                                                                                                                            |                                  |
| AKEEGA ORAL TABLET 100-500 MG, 50-500 MG                                                                                                                                                                      | PA NSO; NM; QL (60 per 30 days)  |

| Drug Name                                                                             | Requirements / Limits            |
|---------------------------------------------------------------------------------------|----------------------------------|
| ALECENSA ORAL CAPSULE 150 MG                                                          | PA NSO; NM                       |
| ALUNBRIG ORAL TABLET 180 MG                                                           | PA NSO; NM; QL (30 per 30 days)  |
| ALUNBRIG ORAL TABLET 30 MG                                                            | PA NSO; NM; QL (180 per 30 days) |
| ALUNBRIG ORAL TABLET 90 MG                                                            | PA NSO; NM; QL (60 per 30 days)  |
| ALUNBRIG ORAL TABLETS, DOSE PACK 90 MG (7)- 180 MG (23)                               | PA NSO; NM; QL (30 per 30 days)  |
| AUGTYRO ORAL CAPSULE 40 MG                                                            | PA NSO; NM; QL (240 per 30 days) |
| AYVAKIT ORAL TABLET 100 MG, 200 MG, 25 MG, 300 MG, 50 MG                              | PA NSO; NM; QL (30 per 30 days)  |
| BALVERSA ORAL TABLET 3 MG                                                             | PA NSO; NM; QL (90 per 30 days)  |
| BALVERSA ORAL TABLET 4 MG                                                             | PA NSO; NM; QL (60 per 30 days)  |
| BALVERSA ORAL TABLET 5 MG                                                             | PA NSO; NM; QL (30 per 30 days)  |
| BOSULIF ORAL CAPSULE 100 MG                                                           | PA NSO; NM; QL (180 per 30 days) |
| BOSULIF ORAL CAPSULE 50 MG                                                            | PA NSO; NM; QL (30 per 30 days)  |
| BOSULIF ORAL TABLET 100 MG                                                            | PA NSO; NM; QL (180 per 30 days) |
| BOSULIF ORAL TABLET 400 MG, 500 MG                                                    | PA NSO; NM; QL (30 per 30 days)  |
| BRAFTOVI ORAL CAPSULE 75 MG                                                           | PA NSO; NM; QL (180 per 30 days) |
| BRUKINSA ORAL CAPSULE 80 MG                                                           | PA NSO; NM; QL (120 per 30 days) |
| CABOMETYX ORAL TABLET 20 MG, 40 MG, 60 MG                                             | PA NSO; NM                       |
| CALQUENCE (ACALABRUTINIB MAL) ORAL TABLET 100 MG                                      | PA NSO; NM; QL (60 per 30 days)  |
| CALQUENCE ORAL CAPSULE 100 MG                                                         | PA NSO; NM; QL (60 per 30 days)  |
| CAPRELSA ORAL TABLET 100 MG (vandetanib)                                              | PA NSO; NM; QL (60 per 30 days)  |
| CAPRELSA ORAL TABLET 300 MG (vandetanib)                                              | PA NSO; NM; QL (30 per 30 days)  |
| COMETRIQ ORAL CAPSULE 100 MG/DAY(80 MG X1-20 MG X1)                                   | PA NSO; NM; QL (56 per 28 days)  |
| COMETRIQ ORAL CAPSULE 140 MG/DAY(80 MG X1-20 MG X3)                                   | PA NSO; NM; QL (112 per 28 days) |
| COMETRIQ ORAL CAPSULE 60 MG/DAY (20 MG X 3/DAY)                                       | PA NSO; NM; QL (84 per 28 days)  |
| COPIKTRA ORAL CAPSULE 15 MG, 25 MG                                                    | PA NSO; NM; QL (60 per 30 days)  |
| COTELLIC ORAL TABLET 20 MG                                                            | PA NSO; NM; QL (63 per 28 days)  |
| DAURISMO ORAL TABLET 100 MG, 25 MG                                                    | PA NSO; NM                       |
| ERIVEDGE ORAL CAPSULE 150 MG                                                          | PA NSO; NM                       |
| <i>erlotinib oral tablet 100 mg, 150 mg (Tarceva)</i>                                 | PA NSO; NM; QL (30 per 30 days)  |
| <i>erlotinib oral tablet 25 mg (Tarceva)</i>                                          | PA NSO; NM; QL (90 per 30 days)  |
| <i>everolimus (antineoplastic) oral tablet 10 mg, 2.5 mg, 5 mg, 7.5 mg (Afinitor)</i> | PA NSO; NM; QL (30 per 30 days)  |

| Drug Name                                                                            | Requirements / Limits            |
|--------------------------------------------------------------------------------------|----------------------------------|
| everolimus (antineoplastic) oral tablet for suspension 2 mg, 3 mg (Afinitor Disperz) | PA NSO; NM; QL (30 per 30 days)  |
| everolimus (antineoplastic) oral tablet for suspension 5 mg (Afinitor Disperz)       | PA NSO; NM; QL (60 per 30 days)  |
| EXKIVITY ORAL CAPSULE 40 MG                                                          | PA NSO; NM                       |
| FOTIVDA ORAL CAPSULE 0.89 MG, 1.34 MG                                                | PA NSO; NM; QL (21 per 28 days)  |
| FRUZAQLA ORAL CAPSULE 1 MG                                                           | PA NSO; NM; QL (84 per 28 days)  |
| FRUZAQLA ORAL CAPSULE 5 MG                                                           | PA NSO; NM; QL (21 per 28 days)  |
| GAVRETO ORAL CAPSULE 100 MG                                                          | PA NSO; NM; QL (120 per 30 days) |
| gefitinib oral tablet 250 mg (Iressa)                                                | PA NSO; NM                       |
| GILOTRIF ORAL TABLET 20 MG, 30 MG, 40 MG                                             | PA NSO; NM; QL (30 per 30 days)  |
| IBRANCE ORAL CAPSULE 100 MG, 125 MG, 75 MG                                           | PA NSO; NM                       |
| IBRANCE ORAL TABLET 100 MG, 125 MG, 75 MG                                            | PA NSO; NM                       |
| ICLUSIG ORAL TABLET 10 MG, 30 MG, 45 MG                                              | PA NSO; NM; QL (30 per 30 days)  |
| ICLUSIG ORAL TABLET 15 MG                                                            | PA NSO; NM; QL (60 per 30 days)  |
| imatinib oral tablet 100 mg (Gleevec)                                                | PA NSO; NM; QL (90 per 30 days)  |
| imatinib oral tablet 400 mg (Gleevec)                                                | PA NSO; NM; QL (60 per 30 days)  |
| IMBRUVICA ORAL CAPSULE 140 MG                                                        | PA NSO; NM; QL (120 per 30 days) |
| IMBRUVICA ORAL CAPSULE 70 MG                                                         | PA NSO; NM; QL (28 per 28 days)  |
| IMBRUVICA ORAL SUSPENSION 70 MG/ML                                                   | PA NSO; NM; QL (240 per 30 days) |
| IMBRUVICA ORAL TABLET 140 MG, 280 MG, 420 MG, 560 MG                                 | PA NSO; NM; QL (28 per 28 days)  |
| INLYTA ORAL TABLET 1 MG                                                              | PA NSO; NM; QL (180 per 30 days) |
| INLYTA ORAL TABLET 5 MG                                                              | PA NSO; NM; QL (60 per 30 days)  |
| INREBIC ORAL CAPSULE 100 MG                                                          | PA NSO; NM; QL (120 per 30 days) |
| JAKAFI ORAL TABLET 10 MG, 15 MG, 20 MG, 25 MG, 5 MG                                  | PA NSO; NM; QL (60 per 30 days)  |
| JAYPIRCA ORAL TABLET 100 MG                                                          | PA NSO; NM; QL (60 per 30 days)  |
| JAYPIRCA ORAL TABLET 50 MG                                                           | PA NSO; NM; QL (30 per 30 days)  |
| KISQALI ORAL TABLET 200 MG/DAY (200 MG X 1)                                          | PA NSO; NM                       |
| KISQALI ORAL TABLET 400 MG/DAY (200 MG X 2), 600 MG/DAY (200 MG X 3)                 | PA NSO; NM                       |
| KOSELUGO ORAL CAPSULE 10 MG                                                          | PA NSO; NM; QL (240 per 30 days) |
| KOSELUGO ORAL CAPSULE 25 MG                                                          | PA NSO; NM; QL (120 per 30 days) |
| lapatinib oral tablet 250 mg (Tykerb)                                                | PA NSO; NM; QL (180 per 30 days) |

| Drug Name                                                                                                                                                                                                       | Requirements / Limits             |
|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----------------------------------|
| LENVIMA ORAL CAPSULE 10 MG/DAY (10 MG X 1), 12 MG/DAY (4 MG X 3), 14 MG/DAY(10 MG X 1-4 MG X 1), 18 MG/DAY (10 MG X 1-4 MG X2), 20 MG/DAY (10 MG X 2), 24 MG/DAY(10 MG X 2-4 MG X 1), 4 MG, 8 MG/DAY (4 MG X 2) | PA NSO; NM                        |
| LORBRENA ORAL TABLET 100 MG                                                                                                                                                                                     | PA NSO; NM; QL (30 per 30 days)   |
| LORBRENA ORAL TABLET 25 MG                                                                                                                                                                                      | PA NSO; NM; QL (120 per 30 days)  |
| LYTGOBI ORAL TABLET 12 MG/DAY (4 MG X 3)                                                                                                                                                                        | PA NSO; NM; QL (84 per 28 days)   |
| LYTGOBI ORAL TABLET 16 MG/DAY (4 MG X 4)                                                                                                                                                                        | PA NSO; NM; QL (112 per 28 days)  |
| LYTGOBI ORAL TABLET 20 MG/DAY (4 MG X 5)                                                                                                                                                                        | PA NSO; NM; QL (140 per 28 days)  |
| MEKINIST ORAL RECON SOLN 0.05 MG/ML                                                                                                                                                                             | PA NSO; NM; QL (1260 per 30 days) |
| MEKINIST ORAL TABLET 0.5 MG                                                                                                                                                                                     | PA NSO; NM; QL (120 per 30 days)  |
| MEKINIST ORAL TABLET 2 MG                                                                                                                                                                                       | PA NSO; NM; QL (30 per 30 days)   |
| MEKTOVI ORAL TABLET 15 MG                                                                                                                                                                                       | PA NSO; NM; QL (180 per 30 days)  |
| NERLYNX ORAL TABLET 40 MG                                                                                                                                                                                       | PA NSO; NM; QL (180 per 30 days)  |
| ODOMZO ORAL CAPSULE 200 MG                                                                                                                                                                                      | PA NSO; NM                        |
| OJJAARA ORAL TABLET 100 MG, 150 MG, 200 MG                                                                                                                                                                      | PA NSO; NM; QL (30 per 30 days)   |
| <i>pazopanib oral tablet 200 mg</i> (Votrient)                                                                                                                                                                  | PA NSO; NM; QL (120 per 30 days)  |
| PEMAZYRE ORAL TABLET 13.5 MG, 4.5 MG, 9 MG                                                                                                                                                                      | PA NSO; NM; QL (14 per 21 days)   |
| PIQRAY ORAL TABLET 200 MG/DAY (200 MG X 1), 250 MG/DAY (200 MG X1-50 MG X1), 300 MG/DAY (150 MG X 2)                                                                                                            | PA NSO; NM                        |
| QINLOCK ORAL TABLET 50 MG                                                                                                                                                                                       | PA NSO; NM; QL (90 per 30 days)   |
| RETEVMO ORAL CAPSULE 40 MG                                                                                                                                                                                      | PA NSO; NM; QL (120 per 30 days)  |
| RETEVMO ORAL CAPSULE 80 MG                                                                                                                                                                                      | PA NSO; NM; QL (180 per 30 days)  |
| REZLIDHIA ORAL CAPSULE 150 MG                                                                                                                                                                                   | PA NSO; NM; QL (60 per 30 days)   |
| ROZLYTREK ORAL CAPSULE 100 MG                                                                                                                                                                                   | PA NSO; NM; QL (150 per 30 days)  |
| ROZLYTREK ORAL CAPSULE 200 MG                                                                                                                                                                                   | PA NSO; NM; QL (90 per 30 days)   |
| ROZLYTREK ORAL PELLETS IN PACKET 50 MG                                                                                                                                                                          | PA NSO; NM; QL (360 per 30 days)  |
| RUBRACA ORAL TABLET 200 MG, 250 MG, 300 MG                                                                                                                                                                      | PA NSO; NM                        |
| RYDAPT ORAL CAPSULE 25 MG                                                                                                                                                                                       | PA NSO; NM; QL (240 per 30 days)  |
| SCSEMBLIX ORAL TABLET 20 MG, 40 MG                                                                                                                                                                              | PA NSO; NM                        |

| Drug Name                                                                    | Requirements / Limits            |
|------------------------------------------------------------------------------|----------------------------------|
| <i>sorafenib oral tablet 200 mg</i> (Nexavar)                                | PA NSO; NM; QL (120 per 30 days) |
| SPRYCEL ORAL TABLET 100 MG, 50 MG, 70 MG, 80 MG                              | PA NSO; NM; QL (60 per 30 days)  |
| SPRYCEL ORAL TABLET 140 MG                                                   | PA NSO; NM; QL (30 per 30 days)  |
| SPRYCEL ORAL TABLET 20 MG                                                    | PA NSO; NM; QL (90 per 30 days)  |
| STIVARGA ORAL TABLET 40 MG                                                   | PA NSO; NM; QL (84 per 28 days)  |
| <i>sunitinib malate oral capsule 12.5 mg, 25 mg, 37.5 mg, 50 mg</i> (Sutent) | PA NSO; NM; QL (28 per 28 days)  |
| TABRECTA ORAL TABLET 150 MG, 200 MG                                          | PA NSO; NM; QL (120 per 30 days) |
| TAFINLAR ORAL CAPSULE 50 MG                                                  | PA NSO; NM; QL (180 per 30 days) |
| TAFINLAR ORAL CAPSULE 75 MG                                                  | PA NSO; NM; QL (120 per 30 days) |
| TAFINLAR ORAL TABLET FOR SUSPENSION 10 MG                                    | PA NSO; NM; QL (900 per 30 days) |
| TAGRISSO ORAL TABLET 40 MG, 80 MG                                            | PA NSO; NM                       |
| TALZENNA ORAL CAPSULE 0.1 MG, 0.35 MG, 0.75 MG, 1 MG                         | PA NSO; NM; QL (30 per 30 days)  |
| TALZENNA ORAL CAPSULE 0.25 MG                                                | PA NSO; NM; QL (120 per 30 days) |
| TALZENNA ORAL CAPSULE 0.5 MG                                                 | PA NSO; NM; QL (60 per 30 days)  |
| TASIGNA ORAL CAPSULE 150 MG, 200 MG, 50 MG                                   | PA NSO; NM; QL (120 per 30 days) |
| TAZVERIK ORAL TABLET 200 MG                                                  | PA NSO; NM; QL (240 per 30 days) |
| TEPMETKO ORAL TABLET 225 MG                                                  | PA NSO; NM; QL (60 per 30 days)  |
| TIBSOVO ORAL TABLET 250 MG                                                   | PA NSO; NM; QL (60 per 30 days)  |
| TRUQAP ORAL TABLET 160 MG, 200 MG                                            | PA NSO; NM; QL (64 per 28 days)  |
| TUKYSA ORAL TABLET 150 MG, 50 MG                                             | PA NSO; NM; QL (120 per 30 days) |
| TURALIO ORAL CAPSULE 125 MG, 200 MG                                          | PA NSO; NM; QL (120 per 30 days) |
| VANFLYTA ORAL TABLET 17.7 MG, 26.5 MG                                        | PA NSO; NM                       |
| VENCLEXTA ORAL TABLET 10 MG, 50 MG                                           | PA NSO                           |
| VENCLEXTA ORAL TABLET 100 MG                                                 | PA NSO; NM                       |
| VENCLEXTA STARTING PACK ORAL TABLETS, DOSE PACK 10 MG-50 MG- 100 MG          | PA NSO                           |
| VERZENIO ORAL TABLET 100 MG, 150 MG, 200 MG, 50 MG                           | PA NSO; NM                       |
| VITRAKVI ORAL CAPSULE 100 MG                                                 | PA NSO; NM; QL (60 per 30 days)  |
| VITRAKVI ORAL CAPSULE 25 MG                                                  | PA NSO; NM; QL (180 per 30 days) |
| VITRAKVI ORAL SOLUTION 20 MG/ML                                              | PA NSO; NM; QL (310 per 30 days) |

| Drug Name                                        |                      | Requirements / Limits            |
|--------------------------------------------------|----------------------|----------------------------------|
| VIZIMPRO ORAL TABLET 15 MG, 30 MG, 45 MG         |                      | PA NSO; NM; QL (30 per 30 days)  |
| VONJO ORAL CAPSULE 100 MG                        |                      | PA NSO; NM; QL (120 per 30 days) |
| XALKORI ORAL CAPSULE 200 MG, 250 MG              |                      | PA NSO; NM; QL (120 per 30 days) |
| XALKORI ORAL PELLETT 150 MG                      |                      | PA NSO; NM; QL (180 per 30 days) |
| XALKORI ORAL PELLETT 20 MG                       |                      | PA NSO; NM; QL (240 per 30 days) |
| XALKORI ORAL PELLETT 50 MG                       |                      | PA NSO; NM; QL (120 per 30 days) |
| XOSPATA ORAL TABLET 40 MG                        |                      | PA NSO; NM; QL (90 per 30 days)  |
| ZEJULA ORAL CAPSULE 100 MG                       |                      | PA NSO; NM; QL (90 per 30 days)  |
| ZEJULA ORAL TABLET 100 MG, 200 MG, 300 MG        |                      | PA NSO; NM; QL (30 per 30 days)  |
| ZELBORAF ORAL TABLET 240 MG                      |                      | PA NSO; NM; QL (240 per 30 days) |
| ZYDELIG ORAL TABLET 100 MG, 150 MG               |                      | PA NSO; NM; QL (60 per 30 days)  |
| ZYKADIA ORAL TABLET 150 MG                       |                      | PA NSO; NM; QL (150 per 30 days) |
| <b>Retinoids</b>                                 |                      |                                  |
| bexarotene oral capsule 75 mg                    | (Targretin)          | PA NSO; NM; QL (300 per 30 days) |
| bexarotene topical gel 1 %                       | (Targretin)          | PA NSO; NM                       |
| tretinoin (antineoplastic) oral capsule 10 mg    |                      | NM                               |
| <b>ANTIPARASITICS</b>                            |                      |                                  |
| <b>Anthelmintics</b>                             |                      |                                  |
| albendazole oral tablet 200 mg                   |                      |                                  |
| EMVERM ORAL TABLET, CHEWABLE 100 MG              | (mebendazole)        | NM                               |
| ivermectin oral tablet 3 mg                      | (Stromectol)         | PA                               |
| <b>Antiprotozoals</b>                            |                      |                                  |
| atovaquone oral suspension 750 mg/5 ml           | (Mepron)             | NM                               |
| atovaquone-proguanil oral tablet 250-100 mg      | (Malarone)           |                                  |
| atovaquone-proguanil oral tablet 62.5-25 mg      | (Malarone Pediatric) |                                  |
| benznidazole oral tablet 100 mg, 12.5 mg         |                      |                                  |
| chloroquine phosphate oral tablet 250 mg, 500 mg |                      |                                  |
| COARTEM ORAL TABLET 20-120 MG                    |                      |                                  |
| hydroxychloroquine oral tablet 100 mg, 400 mg    |                      |                                  |
| hydroxychloroquine oral tablet 200 mg            | (Plaquenil)          |                                  |
| hydroxychloroquine oral tablet 300 mg            | (Sovuna)             |                                  |



| Drug Name                                                                                                                                  | Requirements / Limits |
|--------------------------------------------------------------------------------------------------------------------------------------------|-----------------------|
| LAMPIT ORAL TABLET 120 MG, 30 MG                                                                                                           |                       |
| mefloquine oral tablet 250 mg                                                                                                              |                       |
| nitazoxanide oral tablet 500 mg (Alinia)                                                                                                   | QL (40 per 30 days)   |
| pentamidine inhalation recon soln 300 mg (Nebupent)                                                                                        | PA BvD                |
| pentamidine injection recon soln 300 mg (Pentam)                                                                                           |                       |
| PRIMAQUINE ORAL TABLET 26.3 MG (15 MG BASE)                                                                                                |                       |
| quinine sulfate oral capsule 324 mg (Qualaquin)                                                                                            | PA                    |
| <b>ANTIPARKINSON AGENTS</b>                                                                                                                |                       |
| <b>Anticholinergics</b>                                                                                                                    |                       |
| benztropine oral tablet 0.5 mg, 1 mg, 2 mg                                                                                                 |                       |
| trihexyphenidyl oral elixir 0.4 mg/ml                                                                                                      |                       |
| trihexyphenidyl oral tablet 2 mg, 5 mg                                                                                                     |                       |
| <b>Antiparkinson Agents, Other</b>                                                                                                         |                       |
| amantadine hcl oral capsule 100 mg                                                                                                         |                       |
| amantadine hcl oral solution 50 mg/5 ml                                                                                                    |                       |
| amantadine hcl oral tablet 100 mg                                                                                                          |                       |
| carbidopa-levodopa-entacapone oral tablet 12.5-50-200 mg, 18.75-75-200 mg, 25-100-200 mg, 31.25-125-200 mg, 37.5-150-200 mg, 50-200-200 mg |                       |
| entacapone oral tablet 200 mg                                                                                                              |                       |
| <b>Dopamine Agonists</b>                                                                                                                   |                       |
| bromocriptine oral capsule 5 mg (Parlodel)                                                                                                 |                       |
| bromocriptine oral tablet 2.5 mg (Parlodel)                                                                                                |                       |
| NEUPRO TRANSDERMAL PATCH 24 HOUR 1 MG/24 HOUR, 2 MG/24 HOUR, 3 MG/24 HOUR, 4 MG/24 HOUR, 6 MG/24 HOUR, 8 MG/24 HOUR                        |                       |
| pramipexole oral tablet 0.125 mg, 0.25 mg, 0.5 mg, 0.75 mg, 1 mg, 1.5 mg                                                                   |                       |
| ropinirole oral tablet 0.25 mg, 0.5 mg, 1 mg, 2 mg, 3 mg, 4 mg, 5 mg                                                                       |                       |
| <b>Dopamine Precursors And/Or L-Amino Acid Decarboxylase Inhibitors</b>                                                                    |                       |
| carbidopa oral tablet 25 mg (Lodosyn)                                                                                                      |                       |
| carbidopa-levodopa oral tablet 10-100 mg (Sinemet)                                                                                         |                       |
| carbidopa-levodopa oral tablet 25-100 mg (Dhivy)                                                                                           |                       |
| carbidopa-levodopa oral tablet 25-250 mg                                                                                                   |                       |
| carbidopa-levodopa oral tablet extended release 25-100 mg, 50-200 mg                                                                       |                       |

| Drug Name                                                                                         | Requirements / Limits |
|---------------------------------------------------------------------------------------------------|-----------------------|
| carbidopa-levodopa oral tablet,<br>disintegrating 10-100 mg, 25-100 mg,<br>25-250 mg              |                       |
| INBRIJA INHALATION CAPSULE,<br>W/INHALATION DEVICE 42 MG                                          | PA; NM                |
| RYTARY ORAL CAPSULE, EXTENDED<br>RELEASE 23.75-95 MG, 36.25-145 MG,<br>48.75-195 MG, 61.25-245 MG | ST                    |
| <b>Monoamine Oxidase B (MAO-B) Inhibitors</b>                                                     |                       |
| rasagiline oral tablet 0.5 mg, 1 mg (Azilect)                                                     |                       |
| selegiline hcl oral capsule 5 mg                                                                  |                       |
| selegiline hcl oral tablet 5 mg                                                                   |                       |
| <b>ANTIPSYCHOTICS</b>                                                                             |                       |
| <b>1st Generation/Typical</b>                                                                     |                       |
| chlorpromazine oral concentrate<br>100 mg/ml, 30 mg/ml                                            |                       |
| chlorpromazine oral tablet 10 mg, 100 mg,<br>200 mg, 25 mg, 50 mg                                 |                       |
| fluphenazine decanoate injection solution<br>25 mg/ml                                             |                       |
| fluphenazine hcl injection solution<br>2.5 mg/ml                                                  |                       |
| fluphenazine hcl oral concentrate 5 mg/ml                                                         |                       |
| fluphenazine hcl oral elixir 2.5 mg/5 ml                                                          |                       |
| fluphenazine hcl oral tablet 1 mg, 10 mg,<br>2.5 mg, 5 mg                                         |                       |
| haloperidol decanoate intramuscular<br>solution 100 mg/ml (1 ml), 50 mg/ml(1ml)                   |                       |
| haloperidol decanoate intramuscular<br>solution 100 mg/ml, 50 mg/ml (Haldol Decanoate)            |                       |
| haloperidol lactate injection solution<br>5 mg/ml                                                 |                       |
| haloperidol lactate intramuscular syringe<br>5 mg/ml                                              |                       |
| haloperidol lactate oral concentrate<br>2 mg/ml                                                   |                       |
| haloperidol oral tablet 0.5 mg, 1 mg,<br>10 mg, 2 mg, 20 mg, 5 mg                                 |                       |
| loxapine succinate oral capsule 10 mg,<br>25 mg, 5 mg, 50 mg                                      |                       |
| molindone oral tablet 10 mg, 25 mg, 5 mg                                                          |                       |

| Drug Name                                                                                    | Requirements / Limits       |
|----------------------------------------------------------------------------------------------|-----------------------------|
| <i>perphenazine oral tablet 16 mg, 2 mg, 4 mg, 8 mg</i>                                      |                             |
| <i>pimozide oral tablet 1 mg, 2 mg</i>                                                       |                             |
| <i>thioridazine oral tablet 10 mg, 100 mg, 25 mg, 50 mg</i>                                  |                             |
| <i>thiothixene oral capsule 1 mg, 10 mg, 2 mg, 5 mg</i>                                      |                             |
| <i>trifluoperazine oral tablet 1 mg, 10 mg, 2 mg, 5 mg</i>                                   |                             |
| <b>2nd Generation/Atypical</b>                                                               |                             |
| ABILIFY ASIMTUFII INTRAMUSCULAR SUSPENSION, EXTENDED REL SYRING 720 MG/2.4 ML, 960 MG/3.2 ML | NM                          |
| ABILIFY MAINTENA INTRAMUSCULAR SUSPENSION, EXTENDED REL RECON 300 MG, 400 MG                 | NM                          |
| ABILIFY MAINTENA INTRAMUSCULAR SUSPENSION, EXTENDED REL SYRING 300 MG, 400 MG                | NM                          |
| <i>aripiprazole oral solution 1 mg/ml</i>                                                    | QL (750 per 30 days)        |
| <i>aripiprazole oral tablet 10 mg, 15 mg, 2 mg, 20 mg, 30 mg, 5 mg</i> (Abilify)             | QL (30 per 30 days)         |
| <i>aripiprazole oral tablet, disintegrating 10 mg</i>                                        | NM; QL (90 per 30 days)     |
| <i>aripiprazole oral tablet, disintegrating 15 mg</i>                                        | NM; QL (60 per 30 days)     |
| <i>asenapine maleate sublingual tablet 10 mg, 2.5 mg, 5 mg</i> (Saphris)                     | QL (60 per 30 days)         |
| CAPLYTA ORAL CAPSULE 10.5 MG, 21 MG, 42 MG                                                   | NM                          |
| FANAPT ORAL TABLET 1 MG, 10 MG, 12 MG, 2 MG, 4 MG, 6 MG, 8 MG                                | ST; NM; QL (60 per 30 days) |
| FANAPT ORAL TABLETS, DOSE PACK 1MG(2)-2MG(2)- 4MG(2)-6MG(2)                                  | ST; QL (60 per 30 days)     |
| INVEGA HAFYERA INTRAMUSCULAR SYRINGE 1,092 MG/3.5 ML, 1,560 MG/5 ML                          | NM                          |
| INVEGA SUSTENNA INTRAMUSCULAR SYRINGE 117 MG/0.75 ML, 156 MG/ML, 234 MG/1.5 ML, 78 MG/0.5 ML | NM                          |
| INVEGA SUSTENNA INTRAMUSCULAR SYRINGE 39 MG/0.25 ML                                          |                             |

| Drug Name                                                                                                                            | Requirements / Limits       |
|--------------------------------------------------------------------------------------------------------------------------------------|-----------------------------|
| INVEGA TRINZA INTRAMUSCULAR SYRINGE 273 MG/0.88 ML, 410 MG/1.32 ML, 546 MG/1.75 ML, 819 MG/2.63 ML                                   | NM                          |
| <i>lurasidone oral tablet 120 mg, 20 mg, 40 mg, 60 mg, 80 mg</i> (Latuda)                                                            | NM                          |
| LYBALVI ORAL TABLET 10-10 MG, 15-10 MG, 20-10 MG, 5-10 MG                                                                            | ST; NM; QL (30 per 30 days) |
| NUPLAZID ORAL CAPSULE 34 MG                                                                                                          | PA NSO; NM                  |
| NUPLAZID ORAL TABLET 10 MG                                                                                                           | PA NSO; NM                  |
| <i>olanzapine intramuscular recon soln 10 mg</i> (Zyprexa)                                                                           | QL (60 per 30 days)         |
| <i>olanzapine oral tablet 10 mg, 15 mg, 2.5 mg, 5 mg, 7.5 mg</i> (Zyprexa)                                                           | QL (30 per 30 days)         |
| <i>olanzapine oral tablet 20 mg</i> (Zyprexa)                                                                                        | QL (60 per 30 days)         |
| <i>olanzapine oral tablet, disintegrating 10 mg, 5 mg</i> (Zyprexa Zydis)                                                            | QL (60 per 30 days)         |
| <i>olanzapine oral tablet, disintegrating 15 mg, 20 mg</i> (Zyprexa Zydis)                                                           | QL (30 per 30 days)         |
| <i>paliperidone oral tablet extended release 24hr 1.5 mg</i>                                                                         | QL (30 per 30 days)         |
| <i>paliperidone oral tablet extended release 24hr 3 mg, 9 mg</i> (Invega)                                                            | QL (30 per 30 days)         |
| <i>paliperidone oral tablet extended release 24hr 6 mg</i> (Invega)                                                                  | QL (60 per 30 days)         |
| <i>quetiapine oral tablet 100 mg, 200 mg, 25 mg, 300 mg, 400 mg, 50 mg</i> (Seroquel)                                                | QL (60 per 30 days)         |
| <i>quetiapine oral tablet 150 mg</i>                                                                                                 | QL (60 per 30 days)         |
| <i>quetiapine oral tablet extended release 24 hr 150 mg</i> (Seroquel XR)                                                            | QL (90 per 30 days)         |
| <i>quetiapine oral tablet extended release 24 hr 200 mg, 300 mg, 400 mg</i> (Seroquel XR)                                            | QL (60 per 30 days)         |
| <i>quetiapine oral tablet extended release 24 hr 50 mg</i> (Seroquel XR)                                                             | QL (120 per 30 days)        |
| REXULTI ORAL TABLET 0.25 MG, 0.5 MG, 1 MG, 2 MG, 3 MG, 4 MG                                                                          | NM                          |
| <i>risperidone microspheres intramuscular suspension, extended rel recon 12.5 mg/2 ml</i> (Risperdal Consta)                         |                             |
| <i>risperidone microspheres intramuscular suspension, extended rel recon 25 mg/2 ml, 37.5 mg/2 ml, 50 mg/2 ml</i> (Risperdal Consta) | NM                          |
| <i>risperidone oral solution 1 mg/ml</i> (Risperdal)                                                                                 | QL (480 per 30 days)        |
| <i>risperidone oral tablet 0.25 mg</i>                                                                                               | QL (60 per 30 days)         |

| Drug Name                                                                                    | Requirements / Limits        |
|----------------------------------------------------------------------------------------------|------------------------------|
| <i>risperidone oral tablet 0.5 mg</i> (Risperdal)                                            | QL (120 per 30 days)         |
| <i>risperidone oral tablet 1 mg, 2 mg, 3 mg, 4 mg</i> (Risperdal)                            | QL (60 per 30 days)          |
| <i>risperidone oral tablet, disintegrating 0.25 mg, 1 mg, 2 mg, 3 mg</i>                     | QL (60 per 30 days)          |
| <i>risperidone oral tablet, disintegrating 0.5 mg, 4 mg</i>                                  | QL (120 per 30 days)         |
| SECUADO TRANSDERMAL PATCH<br>24 HOUR 3.8 MG/24 HOUR,<br>5.7 MG/24 HOUR, 7.6 MG/24 HOUR       | ST; NM; QL (30 per 30 days)  |
| VRAYLAR ORAL CAPSULE 1.5 MG                                                                  | ST; NM; QL (60 per 30 days)  |
| VRAYLAR ORAL CAPSULE 3 MG,<br>4.5 MG, 6 MG                                                   | ST; NM; QL (30 per 30 days)  |
| VRAYLAR ORAL CAPSULE, DOSE<br>PACK 1.5 MG (1)- 3 MG (6)                                      | ST; QL (7 per 28 days)       |
| <i>ziprasidone hcl oral capsule 20 mg, 40 mg, 60 mg, 80 mg</i> (Geodon)                      | QL (60 per 30 days)          |
| <i>ziprasidone mesylate intramuscular recon soln 20 mg/ml (final conc.)</i> (Geodon)         | QL (6 per 3 days)            |
| ZYPREXA RELPREVV<br>INTRAMUSCULAR SUSPENSION FOR<br>RECONSTITUTION 210 MG, 300 MG,<br>405 MG | ST                           |
| <b>Treatment-Resistant</b>                                                                   |                              |
| <i>clozapine oral tablet 100 mg, 200 mg, 25 mg, 50 mg</i> (Clozaril)                         | QL (120 per 30 days)         |
| <i>clozapine oral tablet, disintegrating 100 mg, 12.5 mg, 150 mg, 25 mg</i>                  | QL (120 per 30 days)         |
| <i>clozapine oral tablet, disintegrating 200 mg</i>                                          | NM; QL (120 per 30 days)     |
| VERSACLOZ ORAL SUSPENSION<br>50 MG/ML                                                        | ST; NM; QL (540 per 30 days) |
| <b>ANTISPASTICITY AGENTS</b>                                                                 |                              |
| <b>Antispasticity Agents</b>                                                                 |                              |
| <i>baclofen oral tablet 10 mg, 15 mg, 20 mg, 5 mg</i>                                        |                              |
| <i>tizanidine oral tablet 2 mg</i>                                                           |                              |
| <i>tizanidine oral tablet 4 mg</i> (Zanaflex)                                                |                              |
| <b>ANTIVIRALS</b>                                                                            |                              |
| <b>Anti-Cytomegalovirus (CMV) Agents</b>                                                     |                              |
| LIVTENCITY ORAL TABLET 200 MG                                                                | PA; NM                       |

| Drug Name                                                       | Requirements / Limits       |
|-----------------------------------------------------------------|-----------------------------|
| PREVYMIS ORAL TABLET 240 MG, 480 MG                             | PA; NM; QL (28 per 28 days) |
| <i>valganciclovir oral recon soln 50 mg/ml</i> (Valcyte)        |                             |
| <i>valganciclovir oral tablet 450 mg</i> (Valcyte)              |                             |
| ZIRGAN OPHTHALMIC (EYE) GEL 0.15 %                              |                             |
| <b>Anti-Hepatitis B (HBV) Agents</b>                            |                             |
| <i>adefovir oral tablet 10 mg</i> (Hepsera)                     | QL (30 per 30 days)         |
| BARACLUDE ORAL SOLUTION 0.05 MG/ML                              | NM; QL (600 per 30 days)    |
| <i>entecavir oral tablet 0.5 mg, 1 mg</i> (Baraclude)           | QL (30 per 30 days)         |
| <i>lamivudine oral tablet 100 mg</i>                            | QL (90 per 30 days)         |
| VEMLIDY ORAL TABLET 25 MG                                       | NM; QL (30 per 30 days)     |
| <b>Anti-Hepatitis C (HCV) Agents</b>                            |                             |
| MAVYRET ORAL PELLETS IN PACKET 50-20 MG                         | PA; NM                      |
| MAVYRET ORAL TABLET 100-40 MG                                   | PA; NM                      |
| <i>ribavirin oral capsule 200 mg</i>                            |                             |
| <i>ribavirin oral tablet 200 mg</i>                             |                             |
| <i>sofosbuvir-velpatasvir oral tablet 400-100 mg</i> (Epclusa)  | PA; NM                      |
| VOSEVI ORAL TABLET 400-100-100 MG                               | PA; NM                      |
| <b>Antiherpetic Agents</b>                                      |                             |
| <i>acyclovir oral capsule 200 mg</i>                            |                             |
| <i>acyclovir oral suspension 200 mg/5 ml</i> (Zovirax)          |                             |
| <i>acyclovir oral tablet 400 mg, 800 mg</i>                     |                             |
| <i>acyclovir sodium intravenous recon soln 1,000 mg, 500 mg</i> | PA BvD                      |
| <i>acyclovir sodium intravenous solution 50 mg/ml</i>           | PA BvD                      |
| <i>famciclovir oral tablet 125 mg, 250 mg, 500 mg</i>           |                             |
| <i>trifluridine ophthalmic (eye) drops 1 %</i>                  |                             |
| <i>valacyclovir oral tablet 1 gram, 500 mg</i> (Valtrex)        |                             |
| <b>Anti-HIV Agents, Integrase Inhibitors (INSTI)</b>            |                             |
| BIKTARVY ORAL TABLET 30-120-15 MG, 50-200-25 MG                 | NM; QL (30 per 30 days)     |
| DOVATO ORAL TABLET 50-300 MG                                    | NM; QL (30 per 30 days)     |
| GENVOYA ORAL TABLET 150-150-200-10 MG                           | NM; QL (30 per 30 days)     |
| ISENTRESS HD ORAL TABLET 600 MG                                 | NM; QL (60 per 30 days)     |

| Drug Name                                                                                 | Requirements / Limits    |
|-------------------------------------------------------------------------------------------|--------------------------|
| ISENTRESS ORAL POWDER IN PACKET 100 MG                                                    | QL (60 per 30 days)      |
| ISENTRESS ORAL TABLET 400 MG                                                              | NM; QL (60 per 30 days)  |
| ISENTRESS ORAL TABLET, CHEWABLE 100 MG, 25 MG                                             | QL (180 per 30 days)     |
| STRIBILD ORAL TABLET 150-150-200-300 MG                                                   | NM; QL (30 per 30 days)  |
| SYM TUZA ORAL TABLET 800-150-200-10 MG                                                    | NM; QL (30 per 30 days)  |
| TIVICAY ORAL TABLET 10 MG                                                                 | QL (60 per 30 days)      |
| TIVICAY ORAL TABLET 25 MG, 50 MG                                                          | NM; QL (60 per 30 days)  |
| TIVICAY PD ORAL TABLET FOR SUSPENSION 5 MG                                                | QL (360 per 30 days)     |
| <b>Anti-HIV Agents, Non-Nucleoside Reverse Transcriptase Inhibitors (NNRTI)</b>           |                          |
| COMPLERA ORAL TABLET 200-25-300 MG                                                        | NM; QL (30 per 30 days)  |
| EDURANT ORAL TABLET 25 MG                                                                 | NM; QL (30 per 30 days)  |
| efavirenz oral capsule 200 mg                                                             | QL (120 per 30 days)     |
| efavirenz oral capsule 50 mg                                                              | QL (360 per 30 days)     |
| efavirenz oral tablet 600 mg                                                              | QL (30 per 30 days)      |
| etravirine oral tablet 100 mg (Intelence)                                                 | NM; QL (120 per 30 days) |
| etravirine oral tablet 200 mg (Intelence)                                                 | NM; QL (60 per 30 days)  |
| INTELENCE ORAL TABLET 25 MG                                                               | QL (120 per 30 days)     |
| nevirapine oral suspension 50 mg/5 ml                                                     | QL (1200 per 30 days)    |
| nevirapine oral tablet 200 mg                                                             | QL (60 per 30 days)      |
| nevirapine oral tablet extended release 24 hr 100 mg                                      | QL (120 per 30 days)     |
| nevirapine oral tablet extended release 24 hr 400 mg                                      | QL (30 per 30 days)      |
| PIFELTRO ORAL TABLET 100 MG                                                               | NM; QL (30 per 30 days)  |
| <b>Anti-HIV Agents, Nucleoside And Nucleotide Reverse Transcriptase Inhibitors (NRTI)</b> |                          |
| abacavir oral solution 20 mg/ml (Ziagen)                                                  | QL (960 per 30 days)     |
| abacavir oral tablet 300 mg                                                               | QL (60 per 30 days)      |
| abacavir-lamivudine oral tablet 600-300 mg                                                | QL (30 per 30 days)      |
| CIMDUO ORAL TABLET 300-300 MG                                                             | NM; QL (30 per 30 days)  |
| DELSTRIGO ORAL TABLET 100-300-300 MG                                                      | NM; QL (30 per 30 days)  |
| DESCOVY ORAL TABLET 120-15 MG, 200-25 MG                                                  | NM; QL (30 per 30 days)  |
| efavirenz-emtricitabin-tenofovir oral tablet 600-200-300 mg (Atripla)                     | NM; QL (30 per 30 days)  |

| Drug Name                                                                                       | Requirements / Limits     |
|-------------------------------------------------------------------------------------------------|---------------------------|
| <i>efavirenz-lamivudine-tenofovir disoproxil fumarate oral tablet 400-300-300 mg</i> (Symfi Lo) | NM; QL (30 per 30 days)   |
| <i>efavirenz-lamivudine-tenofovir disoproxil fumarate oral tablet 600-300-300 mg</i> (Symfi)    | NM; QL (30 per 30 days)   |
| <i>emtricitabine oral capsule 200 mg</i> (Emtriva)                                              | QL (30 per 30 days)       |
| <i>emtricitabine-tenofovir (tdf) oral tablet 100-150 mg, 133-200 mg, 167-250 mg</i> (Truvada)   | NM; QL (30 per 30 days)   |
| <i>emtricitabine-tenofovir (tdf) oral tablet 200-300 mg</i> (Truvada)                           | QL (30 per 30 days)       |
| EMTRIVA ORAL SOLUTION 10 MG/ML                                                                  | QL (680 per 28 days)      |
| JULUCA ORAL TABLET 50-25 MG                                                                     | NM; QL (30 per 30 days)   |
| <i>lamivudine oral solution 10 mg/ml</i> (Epivir)                                               | QL (900 per 30 days)      |
| <i>lamivudine oral tablet 150 mg</i> (Epivir)                                                   | QL (60 per 30 days)       |
| <i>lamivudine oral tablet 300 mg</i> (Epivir)                                                   | QL (30 per 30 days)       |
| <i>lamivudine-zidovudine oral tablet 150-300 mg</i>                                             | QL (60 per 30 days)       |
| ODEFSEY ORAL TABLET 200-25-25 MG                                                                | NM; QL (30 per 30 days)   |
| <i>tenofovir disoproxil fumarate oral tablet 300 mg</i> (Viread)                                | QL (30 per 30 days)       |
| TRIZIVIR ORAL TABLET 300-150-300 MG                                                             | NM; QL (60 per 30 days)   |
| VIREAD ORAL POWDER 40 MG/SCOOP (40 MG/GRAM)                                                     | NM; QL (240 per 30 days)  |
| VIREAD ORAL TABLET 150 MG, 200 MG, 250 MG                                                       | NM; QL (30 per 30 days)   |
| <i>zidovudine oral capsule 100 mg</i> (Retrovir)                                                | QL (180 per 30 days)      |
| <i>zidovudine oral syrup 10 mg/ml</i> (Retrovir)                                                | QL (1680 per 28 days)     |
| <i>zidovudine oral tablet 300 mg</i>                                                            | QL (60 per 30 days)       |
| <b>Anti-HIV Agents, Other</b>                                                                   |                           |
| FUZEON SUBCUTANEOUS RECON SOLN 90 MG                                                            | NM; QL (60 per 30 days)   |
| <i>maraviroc oral tablet 150 mg, 300 mg</i> (Selzentry)                                         | NM; QL (120 per 30 days)  |
| RUKOBIA ORAL TABLET EXTENDED RELEASE 12 HR 600 MG                                               | NM; QL (60 per 30 days)   |
| SELZENTRY ORAL SOLUTION 20 MG/ML                                                                | NM; QL (1800 per 30 days) |
| SELZENTRY ORAL TABLET 25 MG                                                                     | QL (240 per 30 days)      |
| SELZENTRY ORAL TABLET 75 MG                                                                     | NM; QL (60 per 30 days)   |
| SUNLENCA ORAL TABLET 300 MG                                                                     | NM; QL (5 per 180 days)   |
| SUNLENCA ORAL TABLET 300 MG (4-TABLET PACK)                                                     | NM; QL (4 per 180 days)   |
| TRIUMEQ ORAL TABLET 600-50-300 MG                                                               | NM; QL (30 per 30 days)   |



| Drug Name                                                        | Requirements / Limits    |
|------------------------------------------------------------------|--------------------------|
| TRIUMEQ PD ORAL TABLET FOR SUSPENSION 60-5-30 MG                 | NM; QL (180 per 30 days) |
| TYBOST ORAL TABLET 150 MG                                        | QL (30 per 30 days)      |
| <b>Anti-HIV Agents, Protease Inhibitors (PI)</b>                 |                          |
| APTIVUS ORAL CAPSULE 250 MG                                      | NM; QL (120 per 30 days) |
| atazanavir oral capsule 150 mg                                   | QL (60 per 30 days)      |
| atazanavir oral capsule 200 mg (Reyataz)                         | QL (60 per 30 days)      |
| atazanavir oral capsule 300 mg (Reyataz)                         | QL (30 per 30 days)      |
| darunavir oral tablet 600 mg (Prezista)                          | NM; QL (60 per 30 days)  |
| darunavir oral tablet 800 mg (Prezista)                          | NM; QL (30 per 30 days)  |
| EVOTAZ ORAL TABLET 300-150 MG                                    | NM; QL (30 per 30 days)  |
| fosamprenavir oral tablet 700 mg                                 | NM; QL (120 per 30 days) |
| LEXIVA ORAL SUSPENSION 50 MG/ML                                  | QL (1575 per 28 days)    |
| lopinavir-ritonavir oral solution 400-100 mg/5 ml (Kaletra)      | QL (400 per 30 days)     |
| lopinavir-ritonavir oral tablet 100-25 mg (Kaletra)              | QL (300 per 30 days)     |
| lopinavir-ritonavir oral tablet 200-50 mg (Kaletra)              | QL (150 per 30 days)     |
| NORVIR ORAL POWDER IN PACKET 100 MG                              | QL (360 per 30 days)     |
| PREZCOBIX ORAL TABLET 800-150 MG-MG                              | NM; QL (30 per 30 days)  |
| PREZISTA ORAL SUSPENSION 100 MG/ML                               | NM; QL (360 per 30 days) |
| PREZISTA ORAL TABLET 150 MG                                      | QL (240 per 30 days)     |
| PREZISTA ORAL TABLET 75 MG                                       | QL (480 per 30 days)     |
| REYATAZ ORAL POWDER IN PACKET 50 MG                              | QL (180 per 30 days)     |
| ritonavir oral tablet 100 mg (Norvir)                            | QL (360 per 30 days)     |
| VIRACEPT ORAL TABLET 250 MG                                      | NM; QL (300 per 30 days) |
| VIRACEPT ORAL TABLET 625 MG                                      | NM; QL (120 per 30 days) |
| <b>Anti-Influenza Agents</b>                                     |                          |
| oseltamivir oral capsule 30 mg, 45 mg, 75 mg (Tamiflu)           |                          |
| oseltamivir oral suspension for reconstitution 6 mg/ml (Tamiflu) |                          |
| RELENZA DISKHALER INHALATION BLISTER WITH DEVICE 5 MG/ACTUATION  |                          |
| rimantadine oral tablet 100 mg (Flumadine)                       |                          |
| XOFLUZA ORAL TABLET 20 MG, 80 MG                                 |                          |
| XOFLUZA ORAL TABLET 40 MG                                        |                          |

| Drug Name                                                                         | Requirements / Limits         |
|-----------------------------------------------------------------------------------|-------------------------------|
| <b>Antivirals, Other</b>                                                          |                               |
| <i>lagevrio (eua) oral capsule 200 mg</i>                                         | QL (40 per 5 days)            |
| PAXLOVID ORAL TABLETS, DOSE<br>PACK 150-100 MG                                    | \$0 copay; QL (20 per 5 days) |
| PAXLOVID ORAL TABLETS, DOSE<br>PACK 300 MG (150 MG X 2)-100 MG                    | \$0 copay; QL (30 per 5 days) |
| <b>ANXIOLYTICS</b>                                                                |                               |
| <b>Anxiolytics, Other</b>                                                         |                               |
| <i>buspirone oral tablet 10 mg, 15 mg,<br/>30 mg, 5 mg, 7.5 mg</i>                |                               |
| <i>hydroxyzine hcl oral solution 10 mg/5 ml</i>                                   |                               |
| <i>hydroxyzine hcl oral tablet 10 mg, 25 mg,<br/>50 mg</i>                        |                               |
| <i>hydroxyzine pamoate oral capsule<br/>100 mg, 50 mg</i>                         |                               |
| <i>hydroxyzine pamoate oral capsule 25 mg (Vistaril)</i>                          |                               |
| <i>oxazepam oral capsule 10 mg, 15 mg,<br/>30 mg</i>                              | QL (120 per 30 days)          |
| <b>Benzodiazepines</b>                                                            |                               |
| ALPRAZOLAM INTENSOL ORAL<br>CONCENTRATE 1 MG/ML                                   | QL (300 per 30 days)          |
| <i>alprazolam oral tablet 0.25 mg, 0.5 mg (Xanax)</i>                             | QL (120 per 30 days)          |
| <i>alprazolam oral tablet 1 mg (Xanax)</i>                                        | QL (240 per 30 days)          |
| <i>alprazolam oral tablet 2 mg (Xanax)</i>                                        | QL (150 per 30 days)          |
| <i>chlordiazepoxide hcl oral capsule 10 mg,<br/>25 mg, 5 mg</i>                   | QL (120 per 30 days)          |
| <i>clonazepam oral tablet 0.5 mg, 1 mg (Klonopin)</i>                             | QL (90 per 30 days)           |
| <i>clonazepam oral tablet 2 mg (Klonopin)</i>                                     | QL (300 per 30 days)          |
| <i>clonazepam oral tablet, disintegrating<br/>0.125 mg, 0.25 mg, 0.5 mg, 1 mg</i> | QL (90 per 30 days)           |
| <i>clonazepam oral tablet, disintegrating<br/>2 mg</i>                            | QL (300 per 30 days)          |
| <i>clorazepate dipotassium oral tablet 15 mg,<br/>3.75 mg, 7.5 mg</i>             | QL (180 per 30 days)          |
| <i>diazepam intensol oral concentrate<br/>5 mg/ml (diazepam)</i>                  | QL (240 per 30 days)          |
| <i>diazepam oral solution 5 mg/5 ml<br/>(1 mg/ml)</i>                             | QL (1200 per 30 days)         |
| <i>diazepam oral tablet 10 mg, 2 mg (Valium)</i>                                  | QL (120 per 30 days)          |
| <i>diazepam oral tablet 5 mg (Valium)</i>                                         | QL (240 per 30 days)          |
| <i>lorazepam 2 mg/ml oral concent (Lorazepam Intensol)</i>                        | QL (240 per 30 days)          |

| Drug Name                                                                                               |                      | Requirements / Limits |
|---------------------------------------------------------------------------------------------------------|----------------------|-----------------------|
| <i>lorazepam intensol oral concentrate</i><br>2 mg/ml                                                   | (lorazepam)          | QL (240 per 30 days)  |
| <i>lorazepam oral tablet 0.5 mg, 1 mg, 2 mg</i>                                                         | (Ativan)             | QL (150 per 30 days)  |
| <b>BIPOLAR AGENTS</b>                                                                                   |                      |                       |
| <b>Mood Stabilizers</b>                                                                                 |                      |                       |
| <i>divalproex oral capsule, delayed rel<br/>sprinkle 125 mg</i>                                         | (Depakote Sprinkles) |                       |
| <i>divalproex oral tablet extended release<br/>24 hr 250 mg, 500 mg</i>                                 | (Depakote ER)        |                       |
| <i>divalproex oral tablet, delayed release<br/>(dr/ec) 125 mg, 250 mg, 500 mg</i>                       | (Depakote)           |                       |
| <i>lithium carbonate oral capsule 150 mg,<br/>300 mg, 600 mg</i>                                        |                      |                       |
| <i>lithium carbonate oral tablet 300 mg</i>                                                             |                      |                       |
| <i>lithium carbonate oral tablet extended<br/>release 300 mg</i>                                        | (Lithobid)           |                       |
| <i>lithium carbonate oral tablet extended<br/>release 450 mg</i>                                        |                      |                       |
| <i>lithium citrate oral solution 8 meq/5 ml</i>                                                         |                      |                       |
| <b>BLOOD GLUCOSE REGULATORS</b>                                                                         |                      |                       |
| <b>Antidiabetic Agents</b>                                                                              |                      |                       |
| <i>acarbose oral tablet 100 mg, 25 mg,<br/>50 mg</i>                                                    | (Precose)            |                       |
| <i>glimepiride oral tablet 1 mg, 2 mg, 4 mg</i>                                                         |                      |                       |
| <i>glipizide oral tablet 10 mg, 2.5 mg, 5 mg</i>                                                        |                      |                       |
| <i>glipizide oral tablet extended release 24hr<br/>10 mg, 2.5 mg, 5 mg</i>                              | (Glucotrol XL)       |                       |
| <i>glipizide-metformin oral tablet 2.5-250 mg,<br/>2.5-500 mg, 5-500 mg</i>                             |                      |                       |
| <i>glyburide micronized oral tablet 1.5 mg,<br/>3 mg, 6 mg</i>                                          |                      |                       |
| <i>glyburide oral tablet 1.25 mg, 2.5 mg,<br/>5 mg</i>                                                  |                      |                       |
| <i>glyburide-metformin oral tablet<br/>1.25-250 mg, 2.5-500 mg, 5-500 mg</i>                            |                      |                       |
| INVOKAMET ORAL TABLET<br>150-1,000 MG, 150-500 MG,<br>50-1,000 MG, 50-500 MG                            |                      |                       |
| INVOKAMET XR ORAL TABLET, IR - ER,<br>BIPHASIC 24HR 150-1,000 MG,<br>150-500 MG, 50-1,000 MG, 50-500 MG |                      |                       |

| Drug Name                                                                                                                | Requirements / Limits   |
|--------------------------------------------------------------------------------------------------------------------------|-------------------------|
| INVOKANA ORAL TABLET 100 MG, 300 MG                                                                                      |                         |
| JANUMET ORAL TABLET 50-1,000 MG, 50-500 MG                                                                               |                         |
| JANUMET XR ORAL TABLET, ER MULTIPHASE 24 HR 100-1,000 MG, 50-1,000 MG, 50-500 MG                                         |                         |
| JANUVIA ORAL TABLET 100 MG, 25 MG, 50 MG                                                                                 |                         |
| JARDIANCE ORAL TABLET 10 MG, 25 MG                                                                                       |                         |
| <i>metformin oral tablet 1,000 mg, 500 mg, 850 mg</i>                                                                    |                         |
| <i>metformin oral tablet extended release 24 hr 500 mg, 750 mg</i>                                                       |                         |
| <i>miglitol oral tablet 100 mg, 25 mg, 50 mg</i>                                                                         |                         |
| MOUNJARO SUBCUTANEOUS PEN INJECTOR 10 MG/0.5 ML, 12.5 MG/0.5 ML, 15 MG/0.5 ML, 2.5 MG/0.5 ML, 5 MG/0.5 ML, 7.5 MG/0.5 ML | PA; QL (2 per 28 days)  |
| <i>nateglinide oral tablet 120 mg, 60 mg</i>                                                                             |                         |
| OZEMPIC SUBCUTANEOUS PEN INJECTOR 0.25 MG OR 0.5 MG (2 MG/3 ML), 1 MG/DOSE (4 MG/3 ML), 2 MG/DOSE (8 MG/3 ML)            | PA; QL (3 per 28 days)  |
| <i>pioglitazone oral tablet 15 mg, 30 mg, 45 mg</i> (Actos)                                                              |                         |
| <i>pioglitazone-metformin oral tablet 15-500 mg</i>                                                                      |                         |
| <i>pioglitazone-metformin oral tablet 15-850 mg</i> (Actoplus MET)                                                       |                         |
| <i>repaglinide oral tablet 0.5 mg, 1 mg, 2 mg</i>                                                                        |                         |
| RYBELSUS ORAL TABLET 14 MG, 3 MG, 7 MG                                                                                   | PA; QL (30 per 30 days) |
| SYMLINPEN 120 SUBCUTANEOUS PEN INJECTOR 2,700 MCG/2.7 ML                                                                 | PA                      |
| SYMLINPEN 60 SUBCUTANEOUS PEN INJECTOR 1,500 MCG/1.5 ML                                                                  | PA                      |
| SYNJARDY ORAL TABLET 12.5-1,000 MG, 12.5-500 MG, 5-1,000 MG, 5-500 MG                                                    |                         |

| Drug Name                                                                                                    | Requirements / Limits           |
|--------------------------------------------------------------------------------------------------------------|---------------------------------|
| SYNJARDY XR ORAL TABLET, IR - ER,<br>BIPHASIC 24HR 10-1,000 MG,<br>12.5-1,000 MG, 25-1,000 MG,<br>5-1,000 MG |                                 |
| TRULICITY SUBCUTANEOUS PEN<br>INJECTOR 0.75 MG/0.5 ML,<br>1.5 MG/0.5 ML, 3 MG/0.5 ML,<br>4.5 MG/0.5 ML       | PA; QL (2 per 28 days)          |
| VICTOZA SUBCUTANEOUS PEN<br>INJECTOR 0.6 MG/0.1 ML (18 MG/3 ML) (liraglutide)                                | PA; QL (9 per 28 days)          |
| XULTOPHY 100/3.6 SUBCUTANEOUS<br>INSULIN PEN 100 UNIT-3.6 MG /ML<br>(3 ML)                                   | max \$35 copay per month supply |
| <b>Glycemic Agents</b>                                                                                       |                                 |
| BAQSIMI NASAL SPRAY,<br>NON-AEROSOL 3 MG/ACTUATION                                                           |                                 |
| diazoxide oral suspension 50 mg/ml (Proglycem)                                                               | NM                              |
| GLUCAGEN DIAGNOSTIC 1 MG VIAL<br>OUTER, SUV 1 MG/ML                                                          |                                 |
| GLUCAGEN HYPOKIT INJECTION<br>RECON SOLN 1 MG                                                                |                                 |
| mifepristone oral tablet 300 mg (Korlym)                                                                     | PA; NM                          |
| <b>Insulins</b>                                                                                              |                                 |
| 1ST TIER UNIFINE PENTP 5MM 31G 31<br>GAUGE X 3/16" (pen needle, diabetic)                                    |                                 |
| 1ST TIER UNIFINE PNTIP 4MM 32G 32<br>GAUGE X 5/32" (pen needle, diabetic)                                    |                                 |
| 1ST TIER UNIFINE PNTIP 6MM 31G 31<br>GAUGE X 1/4" (pen needle, diabetic)                                     |                                 |
| 1ST TIER UNIFINE PNTIP 8MM 31G<br>STRL, SINGLE-USE, SHRT 31 GAUGE X 5/16" (pen needle, diabetic)             |                                 |
| 1ST TIER UNIFINE PNTTP 29GX1/2" 29<br>GAUGE X 1/2" (pen needle, diabetic)                                    |                                 |
| 1ST TIER UNIFINE PNTTP 31GX3/16 31<br>GAUGE X 3/16" (pen needle, diabetic)                                   |                                 |
| 1ST TIER UNIFINE PNTTP 32GX5/32 32<br>GAUGE X 5/32" (pen needle, diabetic)                                   |                                 |
| ABOUTTIME PEN NEEDLE 30G X 8MM<br>30 GAUGE X 5/16" (pen needle, diabetic)                                    |                                 |
| ABOUTTIME PEN NEEDLE 31G X 5MM<br>31 GAUGE X 3/16" (pen needle, diabetic)                                    |                                 |

| Drug Name                                                 |                                   | Requirements / Limits |
|-----------------------------------------------------------|-----------------------------------|-----------------------|
| ABOUTTIME PEN NEEDLE 31G X 8MM<br>31 GAUGE X 5/16"        | (pen needle, diabetic)            |                       |
| ABOUTTIME PEN NEEDLE 32G X 4MM<br>32 GAUGE X 5/32"        | (pen needle, diabetic)            |                       |
| ADVOCATE INS 0.3 ML 30GX5/16"<br>0.3 ML 30 GAUGE X 5/16"  | (insulin syringe-needle<br>u-100) |                       |
| ADVOCATE INS 0.3 ML 31GX5/16"<br>0.3 ML 31 GAUGE X 5/16"  | (insulin syringe-needle<br>u-100) |                       |
| ADVOCATE INS 0.5 ML 30GX5/16"<br>0.5 ML 30 GAUGE X 5/16"  | (insulin syringe-needle<br>u-100) |                       |
| ADVOCATE INS 0.5 ML 31GX5/16"<br>0.5 ML 31 GAUGE X 5/16"  | (insulin syringe-needle<br>u-100) |                       |
| ADVOCATE INS 1 ML 31GX5/16" 1 ML<br>31 GAUGE X 5/16       | (insulin syringe-needle<br>u-100) |                       |
| ADVOCATE INS SYR 0.3 ML 29GX1/2<br>0.3 ML 29 GAUGE X 1/2" | (insulin syringe-needle<br>u-100) |                       |
| ADVOCATE INS SYR 0.5 ML 29GX1/2<br>0.5 ML 29 GAUGE X 1/2" | (insulin syringe-needle<br>u-100) |                       |
| ADVOCATE INS SYR 1 ML 29GX1/2"<br>1 ML 29 GAUGE X 1/2"    | (insulin syringe-needle<br>u-100) |                       |
| ADVOCATE INS SYR 1 ML 30GX5/16<br>1 ML 30 GAUGE X 5/16    | (insulin syringe-needle<br>u-100) |                       |
| ADVOCATE PEN NDL 12.7MM 29G 29<br>GAUGE X 1/2"            | (pen needle, diabetic)            |                       |
| ADVOCATE PEN NEEDLE 32G 4MM 32<br>GAUGE X 5/32"           | (pen needle, diabetic)            |                       |
| ADVOCATE PEN NEEDLE 4MM 33G 33<br>GAUGE X 5/32"           | (pen needle, diabetic)            |                       |
| ADVOCATE PEN NEEDLES 5MM 31G 31<br>GAUGE X 3/16"          | (pen needle, diabetic)            |                       |
| ADVOCATE PEN NEEDLES 8MM 31G 31<br>GAUGE X 5/16"          | (pen needle, diabetic)            |                       |
| AQINJECT PEN NEEDLE 31G 5MM 31<br>GAUGE X 3/16"           | (pen needle, diabetic)            |                       |
| AQINJECT PEN NEEDLE 32G 4MM 32<br>GAUGE X 5/32"           | (pen needle, diabetic)            |                       |
| ASSURE ID DUO PRO NDL 31G 5MM 31<br>GAUGE X 3/16"         | (pen needle, diabetic,<br>safety) |                       |
| ASSURE ID DUO-SHIELD 30GX3/16" 30<br>GAUGE X 3/16"        |                                   |                       |
| ASSURE ID DUO-SHIELD 30GX5/16" 30<br>GAUGE X 5/16"        |                                   |                       |
| ASSURE ID INSULIN SAFETY SYRINGE<br>1 ML 29 GAUGE X 1/2"  |                                   |                       |

| Drug Name                                                                             | Requirements / Limits          |
|---------------------------------------------------------------------------------------|--------------------------------|
| ASSURE ID PEN NEEDLE 30GX3/16" 30 GAUGE X 3/16"                                       |                                |
| ASSURE ID PEN NEEDLE 30GX5/16" 30 GAUGE X 5/16"                                       |                                |
| ASSURE ID PEN NEEDLE 31GX3/16" 31 GAUGE X 3/16"                                       | (pen needle, diabetic, safety) |
| ASSURE ID PRO PEN NDL 30G 5MM 30 GAUGE X 3/16"                                        |                                |
| ASSURE ID SYR 0.5 ML 29GX1/2" (RX) 0.5 ML 29 GAUGE X 1/2"                             |                                |
| ASSURE ID SYR 0.5 ML 31GX15/64" 0.5 ML 31 GAUGE X 15/64"                              |                                |
| ASSURE ID SYR 1 ML 31GX15/64" 1 ML 31 GAUGE X 15/64"                                  |                                |
| BD AUTOSHIELD DUO NDL 5MMX30G 30 GAUGE X 3/16"                                        |                                |
| BD ECLIPSE 30GX1/2" SYRINGE 1 ML 30 GAUGE X 1/2"                                      | (insulin syringe-needle u-100) |
| BD ECLIPSE NEEDLE 30GX1/2" (OTC) 30 X 1/2 "                                           |                                |
| BD INS SYR 0.3 ML 8MMX31G(1/2) 0.3 ML 31 GAUGE X 5/16"                                |                                |
| BD INS SYRINGE 1/2 ML 6MMX31G (ONLY FOR 500 UNIT/ML INSULIN) 1/2 ML 31 GAUGE X 15/64" |                                |
| BD INS SYRN UF 1 ML 12.7MMX30G NOT FOR RETAIL SALE 1 ML 30 GAUGE X 1/2"               | (insulin syringe-needle u-100) |
| BD INSULIN SYR 1 ML 25GX1" 1 ML 25 X 1"                                               |                                |
| BD INSULIN SYR 1 ML 25GX5/8" 1 ML 25 GAUGE X 5/8"                                     | (insulin syringe-needle u-100) |
| BD INSULIN SYR 1 ML 26GX1/2" 1 ML 26 X 1/2"                                           |                                |
| BD INSULIN SYR 1 ML 27GX5/8" MICRO-FINE 1 ML 27 GAUGE X 5/8"                          |                                |
| BD INSULIN SYR 1 ML 28GX1/2" (OTC) 1 ML 28 GAUGE X 1/2"                               | (Comfort EZ Insulin Syringe)   |
| BD INSULIN SYRINGE 1 ML W/O NEEDLE                                                    | (insulin syringe needleless)   |
| BD LUER-LOK SYRINGE 1 ML                                                              | (Easy Touch Luer Lock Insulin) |
| BD NANO 2 GEN PEN NDL 32G 4MM 32 GAUGE X 5/32"                                        | (pen needle, diabetic)         |

| Drug Name                                                   | Requirements / Limits             |
|-------------------------------------------------------------|-----------------------------------|
| BD SAFETGLD INS 0.3 ML 29G 13MM<br>0.3 ML 29 GAUGE X 1/2"   |                                   |
| BD SAFETGLD INS 0.5 ML 13MMX29G<br>0.5 ML 29 GAUGE X 1/2"   | (insulin syringe-needle<br>u-100) |
| BD SAFETYGLD INS 0.3 ML 31G 8MM<br>0.3 ML 31 GAUGE X 5/16"  |                                   |
| BD SAFETYGLD INS 0.5 ML 30G 8MM<br>0.5 ML 30 GAUGE X 5/16"  |                                   |
| BD SAFETYGLD INS 1 ML 29G 13MM<br>1 ML 29 GAUGE X 1/2"      |                                   |
| BD SAFETYGLID INS 1 ML 6MMX31G<br>1 ML 31 GAUGE X 15/64"    |                                   |
| BD SAFETYGLIDE SYRINGE 27GX5/8<br>1 ML 27 GAUGE X 5/8"      |                                   |
| BD SAFTYGLD INS 0.3 ML 6MMX31G<br>0.3 ML 31 GAUGE X 15/64"  |                                   |
| BD SAFTYGLD INS 0.5 ML 29G 13MM<br>0.5 ML 29 GAUGE X 1/2"   |                                   |
| BD SAFTYGLD INS 0.5 ML 6MMX31G<br>0.5 ML 31 GAUGE X 15/64"  |                                   |
| BD UF MICRO PEN NEEDLE 6MMX32G<br>32 GAUGE X 1/4"           | (pen needle, diabetic)            |
| BD UF MINI PEN NEEDLE 5MMX31G 31<br>GAUGE X 3/16"           | (pen needle, diabetic)            |
| BD UF NANO PEN NEEDLE 4MMX32G<br>32 GAUGE X 5/32"           | (pen needle, diabetic)            |
| BD UF ORIG PEN NDL 12.7MMX29G 29<br>GAUGE X 1/2"            | (pen needle, diabetic)            |
| BD UF SHORT PEN NEEDLE 8MMX31G<br>31 GAUGE X 5/16"          | (pen needle, diabetic)            |
| BD VEO INS 0.3 ML 6MMX31G (1/2)<br>0.3 ML 31 GAUGE X 15/64" |                                   |
| BD VEO INS SYRING 1 ML 6MMX31G<br>1 ML 31 GAUGE X 15/64"    | (insulin syringe-needle<br>u-100) |
| BD VEO INS SYRN 0.3 ML 6MMX31G<br>0.3 ML 31 GAUGE X 15/64"  | (insulin syringe-needle<br>u-100) |
| BD VEO INS SYRN 0.5 ML 6MMX31G<br>1/2 ML 31 GAUGE X 15/64"  | (insulin syringe-needle<br>u-100) |
| BORDERED GAUZE 2"X2" 2 X 2 "                                | (gauze bandage)                   |
| CAREFINE PEN NEEDLE 12.7MM 29G<br>29 GAUGE X 1/2"           | (pen needle, diabetic)            |
| CAREFINE PEN NEEDLE 4MM 32G 32<br>GAUGE X 5/32"             | (pen needle, diabetic)            |



| Drug Name                                                        |                                | Requirements / Limits |
|------------------------------------------------------------------|--------------------------------|-----------------------|
| CAREFINE PEN NEEDLE 5MM 32G 32 GAUGE X 3/16"                     | (pen needle, diabetic)         |                       |
| CAREFINE PEN NEEDLE 6MM 31G 31 GAUGE X 1/4"                      | (pen needle, diabetic)         |                       |
| CAREFINE PEN NEEDLE 8MM 30G 30 GAUGE X 5/16"                     | (pen needle, diabetic)         |                       |
| CAREFINE PEN NEEDLES 6MM 32G 32 GAUGE X 1/4"                     | (pen needle, diabetic)         |                       |
| CAREFINE PEN NEEDLES 8MM 31G 31 GAUGE X 5/16"                    | (pen needle, diabetic)         |                       |
| CARETOUCH PEN NEEDLE 29G 12MM 29 GAUGE X 1/2"                    | (pen needle, diabetic)         |                       |
| CARETOUCH PEN NEEDLE 31GX1/4" 31 GAUGE X 1/4"                    | (pen needle, diabetic)         |                       |
| CARETOUCH PEN NEEDLE 31GX3/16" 31 GAUGE X 3/16"                  | (pen needle, diabetic)         |                       |
| CARETOUCH PEN NEEDLE 31GX5/16" 31 GAUGE X 5/16"                  | (pen needle, diabetic)         |                       |
| CARETOUCH PEN NEEDLE 32GX3/16" 32 GAUGE X 3/16"                  | (pen needle, diabetic)         |                       |
| CARETOUCH PEN NEEDLE 32GX5/32" 32 GAUGE X 5/32"                  | (pen needle, diabetic)         |                       |
| CARETOUCH SYR 0.3 ML 31GX5/16" 0.3 ML 31 GAUGE X 5/16"           | (insulin syringe-needle u-100) |                       |
| CARETOUCH SYR 0.5 ML 30GX5/16" 0.5 ML 30 GAUGE X 5/16"           | (insulin syringe-needle u-100) |                       |
| CARETOUCH SYR 0.5 ML 31GX5/16" 0.5 ML 31 GAUGE X 5/16"           | (insulin syringe-needle u-100) |                       |
| CARETOUCH SYR 1 ML 28GX5/16" 1 ML 28 X 5/16"                     |                                |                       |
| CARETOUCH SYR 1 ML 29GX5/16" 1 ML 29 GAUGE X 5/16                |                                |                       |
| CARETOUCH SYR 1 ML 30GX5/16" 1 ML 30 GAUGE X 5/16                | (insulin syringe-needle u-100) |                       |
| CARETOUCH SYR 1 ML 31GX5/16" 1 ML 31 GAUGE X 5/16                | (insulin syringe-needle u-100) |                       |
| CLICKFINE 31G X 5/16" NEEDLES 8MM, UNIVERSAL 31 GAUGE X 5/16"    | (pen needle, diabetic)         |                       |
| CLICKFINE PEN NEEDLE 32GX5/32" 32GX4MM, STERILE 32 GAUGE X 5/32" | (pen needle, diabetic)         |                       |
| CLICKFINE UNIVERSAL 31G X 1/4" 6MM, STORE BRAND 31 GAUGE X 1/4"  | (pen needle, diabetic)         |                       |
| COMFORT EZ INS 0.3 ML 30GX1/2" 0.3 ML 30 GAUGE X 1/2"            | (insulin syringe-needle u-100) |                       |

| Drug Name                                                                      |                                | Requirements / Limits |
|--------------------------------------------------------------------------------|--------------------------------|-----------------------|
| COMFORT EZ INS 0.3 ML 30GX5/16"                                                | (insulin syringe-needle u-100) |                       |
| 0.3 ML 30 GAUGE X 5/16"                                                        |                                |                       |
| COMFORT EZ INS 1 ML 31GX5/16" 1 ML 31 GAUGE X 5/16                             | (insulin syringe-needle u-100) |                       |
| COMFORT EZ INSULIN SYR 0.3 ML 0.3 ML 31 GAUGE X 5/16"                          | (insulin syringe-needle u-100) |                       |
| COMFORT EZ INSULIN SYR 0.5 ML 0.5 ML 30 GAUGE X 5/16", 0.5 ML 31 GAUGE X 5/16" | (insulin syringe-needle u-100) |                       |
| COMFORT EZ PEN NEEDLE 12MM 29G 29 GAUGE X 1/2"                                 | (pen needle, diabetic)         |                       |
| COMFORT EZ PEN NEEDLES 4MM 32G SINGLE USE, MICRO 32 GAUGE X 5/32"              | (pen needle, diabetic)         |                       |
| COMFORT EZ PEN NEEDLES 4MM 33G 33 GAUGE X 5/32"                                | (pen needle, diabetic)         |                       |
| COMFORT EZ PEN NEEDLES 5MM 31G MINI 31 GAUGE X 3/16"                           | (pen needle, diabetic)         |                       |
| COMFORT EZ PEN NEEDLES 5MM 32G SINGLE USE, MINI,HRI 32 GAUGE X 3/16"           | (pen needle, diabetic)         |                       |
| COMFORT EZ PEN NEEDLES 5MM 33G 33 GAUGE X 3/16"                                | (pen needle, diabetic)         |                       |
| COMFORT EZ PEN NEEDLES 6MM 31G 31 GAUGE X 1/4"                                 | (pen needle, diabetic)         |                       |
| COMFORT EZ PEN NEEDLES 6MM 32G 32 GAUGE X 1/4"                                 | (pen needle, diabetic)         |                       |
| COMFORT EZ PEN NEEDLES 6MM 33G 33 GAUGE X 1/4"                                 | (pen needle, diabetic)         |                       |
| COMFORT EZ PEN NEEDLES 8MM 31G SHORT 31 GAUGE X 5/16"                          | (pen needle, diabetic)         |                       |
| COMFORT EZ PEN NEEDLES 8MM 32G 32 GAUGE X 5/16"                                | (pen needle, diabetic)         |                       |
| COMFORT EZ PEN NEEDLES 8MM 33G 33 GAUGE X 5/16"                                |                                |                       |
| COMFORT EZ PRO PEN NDL 30G 8MM 30 GAUGE X 5/16"                                |                                |                       |
| COMFORT EZ PRO PEN NDL 31G 4MM 31 GAUGE X 5/32"                                | (pen needle, diabetic, safety) |                       |
| COMFORT EZ PRO PEN NDL 31G 5MM 31 GAUGE X 3/16"                                | (pen needle, diabetic, safety) |                       |
| COMFORT EZ SYR 0.3 ML 29GX1/2" 0.3 ML 29 GAUGE X 1/2"                          | (insulin syringe-needle u-100) |                       |
| COMFORT EZ SYR 0.5 ML 28GX1/2" 1/2 ML 28 GAUGE X 1/2"                          | (insulin syringe-needle u-100) |                       |

| Drug Name                                     |                                | Requirements / Limits |
|-----------------------------------------------|--------------------------------|-----------------------|
| COMFORT EZ SYR 0.5 ML 29GX1/2"                | (insulin syringe-needle u-100) |                       |
| 0.5 ML 29 GAUGE X 1/2"                        |                                |                       |
| COMFORT EZ SYR 0.5 ML 30GX1/2"                | (insulin syringe-needle u-100) |                       |
| 0.5 ML 30 GAUGE X 1/2"                        |                                |                       |
| COMFORT EZ SYR 1 ML 28GX1/2" 1 ML             | (insulin syringe-needle u-100) |                       |
| 28 GAUGE X 1/2"                               |                                |                       |
| COMFORT EZ SYR 1 ML 29GX1/2" 1 ML             | (insulin syringe-needle u-100) |                       |
| 29 GAUGE X 1/2"                               |                                |                       |
| COMFORT EZ SYR 1 ML 30GX1/2" 1 ML             | (insulin syringe-needle u-100) |                       |
| 30 GAUGE X 1/2"                               |                                |                       |
| COMFORT EZ SYR 1 ML 30GX5/16"                 | (insulin syringe-needle u-100) |                       |
| 1 ML 30 GAUGE X 5/16                          |                                |                       |
| COMFORT POINT PEN NDL 31GX1/3"                |                                |                       |
| 31 GAUGE X 1/3"                               |                                |                       |
| COMFORT POINT PEN NDL 31GX1/6"                |                                |                       |
| 31 GAUGE X 1/6"                               |                                |                       |
| COMFORT TOUCH PEN NDL 31G 4MM                 | (pen needle, diabetic)         |                       |
| 31 GAUGE X 5/32"                              |                                |                       |
| COMFORT TOUCH PEN NDL 31G 5MM                 | (pen needle, diabetic)         |                       |
| 31 GAUGE X 3/16"                              |                                |                       |
| COMFORT TOUCH PEN NDL 31G 6MM                 | (pen needle, diabetic)         |                       |
| 31 GAUGE X 1/4"                               |                                |                       |
| COMFORT TOUCH PEN NDL 31G 8MM                 | (pen needle, diabetic)         |                       |
| 31 GAUGE X 5/16"                              |                                |                       |
| COMFORT TOUCH PEN NDL 32G 4MM                 | (pen needle, diabetic)         |                       |
| 32 GAUGE X 5/32"                              |                                |                       |
| COMFORT TOUCH PEN NDL 32G 5MM                 | (pen needle, diabetic)         |                       |
| 32 GAUGE X 3/16"                              |                                |                       |
| COMFORT TOUCH PEN NDL 32G 6MM                 | (pen needle, diabetic)         |                       |
| 32 GAUGE X 1/4"                               |                                |                       |
| COMFORT TOUCH PEN NDL 32G 8MM                 | (pen needle, diabetic)         |                       |
| 32 GAUGE X 5/16"                              |                                |                       |
| COMFORT TOUCH PEN NDL 33G 4MM                 | (pen needle, diabetic)         |                       |
| 33 GAUGE X 5/32"                              |                                |                       |
| COMFORT TOUCH PEN NDL 33G 6MM                 | (pen needle, diabetic)         |                       |
| 33 GAUGE X 1/4"                               |                                |                       |
| COMFORT TOUCH PEN NDL 33GX5MM                 | (pen needle, diabetic)         |                       |
| 33 GAUGE X 3/16"                              |                                |                       |
| CURAD GAUZE PADS 2" X 2" 2 X 2 "              | (gauze bandage)                |                       |
| CURITY GAUZE SPONGES (12 PLY)-200/BAG 2 X 2 " |                                |                       |
| CURITY GUAZE PADS 1'S(12 PLY) 2 X 2 "         | (gauze bandage)                |                       |

| Drug Name                                                                                 | Requirements / Limits |
|-------------------------------------------------------------------------------------------|-----------------------|
| DERMACEA 2"X2" GAUZE 12 PLY, USP<br>TYPE VII 2 X 2 " (gauze bandage)                      |                       |
| DERMACEA GAUZE 2"X2" SPONGE 8<br>PLY 2 X 2 "                                              |                       |
| DERMACEA NON-WOVEN 2"X2" SPNGE<br>2 X 2 "                                                 |                       |
| DROPLET 0.5 ML 29GX12.5MM(1/2)<br>0.5 ML 29 GAUGE X 1/2"                                  |                       |
| DROPLET 0.5 ML 30GX12.5MM(1/2)<br>0.5 ML 30 GAUGE X 1/2"                                  |                       |
| DROPLET INS 0.3 ML 29GX12.5MM (insulin syringe-needle<br>0.3 ML 29 GAUGE X 1/2" u-100)    |                       |
| DROPLET INS 0.3 ML 30GX12.5MM (insulin syringe-needle<br>0.3 ML 30 GAUGE X 1/2" u-100)    |                       |
| DROPLET INS 0.5 ML 30GX6MM(1/2)<br>0.5ML 30 GAUGE X 15/64"                                |                       |
| DROPLET INS 0.5 ML 30GX8MM(1/2)<br>0.5 ML 30 GAUGE X 5/16"                                |                       |
| DROPLET INS 0.5 ML 31GX6MM(1/2)<br>0.5 ML 31 GAUGE X 15/64"                               |                       |
| DROPLET INS 0.5 ML 31GX8MM(1/2)<br>0.5 ML 31 GAUGE X 5/16"                                |                       |
| DROPLET INS SYR 0.3 ML 30GX6MM<br>0.3 ML 30 GAUGE X 15/64"                                |                       |
| DROPLET INS SYR 0.3 ML 30GX8MM (insulin syringe-needle<br>0.3 ML 30 GAUGE X 5/16" u-100)  |                       |
| DROPLET INS SYR 0.3 ML 31GX6MM (insulin syringe-needle<br>0.3 ML 31 GAUGE X 15/64" u-100) |                       |
| DROPLET INS SYR 0.3 ML 31GX8MM (insulin syringe-needle<br>0.3 ML 31 GAUGE X 5/16" u-100)  |                       |
| DROPLET INS SYR 1 ML 29GX12.5MM (insulin syringe-needle<br>1 ML 29 GAUGE X 1/2" u-100)    |                       |
| DROPLET INS SYR 1 ML 30GX12.5MM (insulin syringe-needle<br>1 ML 30 GAUGE X 1/2" u-100)    |                       |
| DROPLET INS SYR 1 ML 30GX6MM<br>1 ML 30 GAUGE X 15/64"                                    |                       |
| DROPLET INS SYR 1 ML 30GX8MM (insulin syringe-needle<br>1 ML 30 GAUGE X 5/16 u-100)       |                       |
| DROPLET INS SYR 1 ML 31GX6MM (insulin syringe-needle<br>1 ML 31 GAUGE X 15/64" u-100)     |                       |
| DROPLET INS SYR 1 ML 31GX8MM (insulin syringe-needle<br>1 ML 31 GAUGE X 5/16 u-100)       |                       |
| DROPLET MICRON 34G X 9/64" 34<br>GAUGE X 9/64"                                            |                       |

| Drug Name                                                                     | Requirements / Limits |
|-------------------------------------------------------------------------------|-----------------------|
| DROPLET PEN NEEDLE 29GX1/2" 29 GAUGE X 1/2" (pen needle, diabetic)            |                       |
| DROPLET PEN NEEDLE 29GX3/8" 29 GAUGE X 3/8"                                   |                       |
| DROPLET PEN NEEDLE 30GX5/16" 30 GAUGE X 5/16" (pen needle, diabetic)          |                       |
| DROPLET PEN NEEDLE 31GX1/4" 31 GAUGE X 1/4" (pen needle, diabetic)            |                       |
| DROPLET PEN NEEDLE 31GX3/16" 31 GAUGE X 3/16" (pen needle, diabetic)          |                       |
| DROPLET PEN NEEDLE 31GX5/16" 31 GAUGE X 5/16" (pen needle, diabetic)          |                       |
| DROPLET PEN NEEDLE 32GX1/4" 32 GAUGE X 1/4" (pen needle, diabetic)            |                       |
| DROPLET PEN NEEDLE 32GX3/16" 32 GAUGE X 3/16" (pen needle, diabetic)          |                       |
| DROPLET PEN NEEDLE 32GX5/16" 32 GAUGE X 5/16" (pen needle, diabetic)          |                       |
| DROPLET PEN NEEDLE 32GX5/32" 32 GAUGE X 5/32" (pen needle, diabetic)          |                       |
| DROPSAFE INS SYR 0.3 ML 31G 6MM 0.3 ML 31 GAUGE X 15/64"                      |                       |
| DROPSAFE INS SYR 0.3 ML 31G 8MM 0.3 ML 31 GAUGE X 5/16"                       |                       |
| DROPSAFE INS SYR 0.5 ML 31G 6MM 0.5 ML 31 GAUGE X 15/64"                      |                       |
| DROPSAFE INS SYR 0.5 ML 31G 8MM 0.5 ML 31 GAUGE X 5/16"                       |                       |
| DROPSAFE INSUL SYR 1 ML 31G 6MM 1 ML 31 GAUGE X 15/64"                        |                       |
| DROPSAFE INSUL SYR 1 ML 31G 8MM 1 ML 31 GAUGE X 5/16"                         |                       |
| DROPSAFE INSULN 1 ML 29G 12.5MM 1 ML 29 GAUGE X 1/2"                          |                       |
| DROPSAFE PEN NEEDLE 31GX1/4" 31 GAUGE X 1/4"                                  |                       |
| DROPSAFE PEN NEEDLE 31GX3/16" 31 GAUGE X 3/16" (pen needle, diabetic, safety) |                       |
| DROPSAFE PEN NEEDLE 31GX5/16" 31 GAUGE X 5/16"                                |                       |

| Drug Name                                                                                                                                                                    | Requirements / Limits          |
|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|--------------------------------|
| DRUG MART ULTRA COMFORT SYR<br>0.3 ML 29 GAUGE X 1/2", 0.3 ML 31 GAUGE X 5/16", 0.5 ML 30 GAUGE X 5/16", 0.5 ML 31 GAUGE X 5/16", 1 ML 29 GAUGE X 1/2", 1 ML 30 GAUGE X 5/16 | (insulin syringe-needle u-100) |
| EASY CMFT SFTY PEN NDL 31G 5MM 31 GAUGE X 3/16"                                                                                                                              | (pen needle, diabetic, safety) |
| EASY CMFT SFTY PEN NDL 31G 6MM 31 GAUGE X 1/4"                                                                                                                               |                                |
| EASY CMFT SFTY PEN NDL 32G 4MM 32 GAUGE X 5/32"                                                                                                                              |                                |
| EASY COMFORT 0.3 ML 31G 1/2" 0.3 ML 31 X 1/2"                                                                                                                                |                                |
| EASY COMFORT 0.3 ML 31G 5/16" 0.3 ML 31 GAUGE X 5/16"                                                                                                                        | (insulin syringe-needle u-100) |
| EASY COMFORT 0.3 ML SYRINGE 0.3 ML 30 GAUGE X 5/16"                                                                                                                          | (insulin syringe-needle u-100) |
| EASY COMFORT 0.5 ML 30GX1/2" 0.5 ML 30 GAUGE X 1/2"                                                                                                                          | (insulin syringe-needle u-100) |
| EASY COMFORT 0.5 ML 31GX5/16" 0.5 ML 31 GAUGE X 5/16"                                                                                                                        | (insulin syringe-needle u-100) |
| EASY COMFORT 0.5 ML 32GX5/16" 1/2 ML 32 GAUGE X 5/16"                                                                                                                        |                                |
| EASY COMFORT 0.5 ML SYRINGE 0.5 ML 30 GAUGE X 5/16"                                                                                                                          | (insulin syringe-needle u-100) |
| EASY COMFORT 1 ML 31GX5/16" 1 ML 31 GAUGE X 5/16                                                                                                                             | (insulin syringe-needle u-100) |
| EASY COMFORT 1 ML 32GX5/16" 1 ML 32 GAUGE X 5/16"                                                                                                                            |                                |
| EASY COMFORT INSULIN 1 ML SYR 1 ML 30 GAUGE X 5/16                                                                                                                           | (insulin syringe-needle u-100) |
| EASY COMFORT PEN NDL 31GX1/4" 31 GAUGE X 1/4"                                                                                                                                | (pen needle, diabetic)         |
| EASY COMFORT PEN NDL 31GX3/16" 31 GAUGE X 3/16"                                                                                                                              | (pen needle, diabetic)         |
| EASY COMFORT PEN NDL 31GX5/16" 31 GAUGE X 5/16"                                                                                                                              | (pen needle, diabetic)         |
| EASY COMFORT PEN NDL 32GX5/32" 32 GAUGE X 5/32"                                                                                                                              | (pen needle, diabetic)         |
| EASY COMFORT PEN NDL 33G 4MM 33 GAUGE X 5/32"                                                                                                                                | (pen needle, diabetic)         |
| EASY COMFORT PEN NDL 33G 5MM 33 GAUGE X 3/16"                                                                                                                                | (pen needle, diabetic)         |

| Drug Name                                                                                                     | Requirements / Limits |
|---------------------------------------------------------------------------------------------------------------|-----------------------|
| EASY COMFORT PEN NDL 33G 6MM 33 GAUGE X 1/4" (pen needle, diabetic)                                           |                       |
| EASY COMFORT SYR 1 ML 30GX1/2" 1 ML 30 GAUGE X 1/2" (insulin syringe-needle u-100)                            |                       |
| EASY GLIDE INS 0.3 ML 31GX6MM 0.3 ML 31 GAUGE X 15/64" (insulin syringe-needle u-100)                         |                       |
| EASY GLIDE INS 0.5 ML 31GX6MM 1/2 ML 31 GAUGE X 15/64" (insulin syringe-needle u-100)                         |                       |
| EASY GLIDE INS 1 ML 31GX6MM 1 ML 31 GAUGE X 15/64" (insulin syringe-needle u-100)                             |                       |
| EASY GLIDE PEN NEEDLE 4MM 33G 33 GAUGE X 5/32" (pen needle, diabetic)                                         |                       |
| EASY TOUCH 0.3 ML SYR 30GX1/2" 0.3 ML 30 GAUGE X 1/2" (insulin syringe-needle u-100)                          |                       |
| EASY TOUCH 0.5 ML SYR 27GX1/2" 1/2 ML 27 GAUGE X 1/2" (insulin syringe-needle u-100)                          |                       |
| EASY TOUCH 0.5 ML SYR 29GX1/2" 0.5 ML 29 GAUGE X 1/2"                                                         |                       |
| EASY TOUCH 0.5 ML SYR 30GX1/2" 0.5 ML 30 GAUGE X 1/2" (insulin syringe-needle u-100)                          |                       |
| EASY TOUCH 0.5 ML SYR 30GX5/16 0.5 ML 30 GAUGE X 5/16"                                                        |                       |
| EASY TOUCH 1 ML SYR 27GX1/2" 1 ML 27 GAUGE X 1/2" (insulin syringe-needle u-100)                              |                       |
| EASY TOUCH 1 ML SYR 29GX1/2" 1 ML 29 GAUGE X 1/2"                                                             |                       |
| EASY TOUCH 1 ML SYR 30GX1/2" 1 ML 30 GAUGE X 1/2"                                                             |                       |
| EASY TOUCH FLIPLOK 1 ML 27GX0.5 1 ML 27 GAUGE X 1/2"                                                          |                       |
| EASY TOUCH INSULIN 1 ML 29GX1/2 1 ML 29 GAUGE X 1/2"                                                          |                       |
| EASY TOUCH INSULIN 1 ML 30GX1/2 1 ML 30 GAUGE X 1/2"                                                          |                       |
| EASY TOUCH INSULIN SYR 0.3 ML 0.3 ML 30 GAUGE X 5/16", 0.3 ML 31 GAUGE X 5/16" (insulin syringe-needle u-100) |                       |
| EASY TOUCH INSULIN SYR 0.5 ML 0.5 ML 30 GAUGE X 5/16", 0.5 ML 31 GAUGE X 5/16" (insulin syringe-needle u-100) |                       |
| EASY TOUCH INSULIN SYR 1 ML 1 ML 30 GAUGE X 5/16, 1 ML 31 GAUGE X 5/16 (insulin syringe-needle u-100)         |                       |

| Drug Name                                                       |                                   | Requirements / Limits |
|-----------------------------------------------------------------|-----------------------------------|-----------------------|
| EASY TOUCH INSULIN SYR 1 ML<br>RETRACTABLE 1 ML 30 GAUGE X 1/2" | (insulin syringe-needle<br>u-100) |                       |
| EASY TOUCH INSULN 1 ML 29GX1/2"<br>1 ML 29 GAUGE X 1/2"         |                                   |                       |
| EASY TOUCH INSULN 1 ML 30GX1/2"<br>1 ML 30 GAUGE X 1/2"         |                                   |                       |
| EASY TOUCH INSULN 1 ML 30GX5/16<br>1 ML 30 GAUGE X 5/16"        |                                   |                       |
| EASY TOUCH INSULN 1 ML 30GX5/16<br>1 ML 30 GAUGE X 5/16"        |                                   |                       |
| EASY TOUCH INSULN 1 ML 31GX5/16<br>1 ML 31 GAUGE X 5/16"        |                                   |                       |
| EASY TOUCH INSULN 1 ML 31GX5/16<br>1 ML 31 GAUGE X 5/16"        |                                   |                       |
| EASY TOUCH LUER LOK INSUL 1 ML                                  | (insulin syringe<br>needleless)   |                       |
| EASY TOUCH PEN NEEDLE 29GX1/2"<br>29 GAUGE X 1/2"               | (pen needle, diabetic)            |                       |
| EASY TOUCH PEN NEEDLE 30GX5/16<br>30 GAUGE X 5/16"              | (pen needle, diabetic)            |                       |
| EASY TOUCH PEN NEEDLE 31GX1/4"<br>31 GAUGE X 1/4"               | (pen needle, diabetic)            |                       |
| EASY TOUCH PEN NEEDLE 31GX3/16<br>31 GAUGE X 3/16"              | (pen needle, diabetic)            |                       |
| EASY TOUCH PEN NEEDLE 31GX5/16<br>31 GAUGE X 5/16"              | (pen needle, diabetic)            |                       |
| EASY TOUCH PEN NEEDLE 32GX1/4"<br>32 GAUGE X 1/4"               | (pen needle, diabetic)            |                       |
| EASY TOUCH PEN NEEDLE 32GX3/16<br>32 GAUGE X 3/16"              | (pen needle, diabetic)            |                       |
| EASY TOUCH PEN NEEDLE 32GX5/32<br>32 GAUGE X 5/32"              | (pen needle, diabetic)            |                       |
| EASY TOUCH SAF PEN NDL 29G 5MM<br>29 GAUGE X 3/16"              |                                   |                       |
| EASY TOUCH SAF PEN NDL 29G 8MM<br>29 GAUGE X 5/16"              |                                   |                       |
| EASY TOUCH SAF PEN NDL 30G 5MM<br>30 GAUGE X 3/16"              |                                   |                       |
| EASY TOUCH SAF PEN NDL 30G 8MM<br>30 GAUGE X 5/16"              |                                   |                       |
| EASY TOUCH SYR 0.5 ML 28G 12.7MM<br>1/2 ML 28 GAUGE X 1/2"      | (insulin syringe-needle<br>u-100) |                       |
| EASY TOUCH SYR 0.5 ML 29G 12.7MM<br>0.5 ML 29 GAUGE X 1/2"      | (insulin syringe-needle<br>u-100) |                       |



| Drug Name                                                                       |                                    | Requirements / Limits           |
|---------------------------------------------------------------------------------|------------------------------------|---------------------------------|
| EASY TOUCH SYR 1 ML 27G 16MM<br>1 ML 27 GAUGE X 5/8"                            |                                    |                                 |
| EASY TOUCH SYR 1 ML 28G 12.7MM<br>1 ML 28 GAUGE X 1/2"                          | (insulin syringe-needle<br>u-100)  |                                 |
| EASY TOUCH SYR 1 ML 29G 12.7MM<br>1 ML 29 GAUGE X 1/2"                          | (insulin syringe-needle<br>u-100)  |                                 |
| EASY TOUCH UNI-SLIP SYR 1 ML                                                    | (insulin syringe<br>needleless)    |                                 |
| EASYTOUCH SAF PEN NDL 30G 6MM<br>30 GAUGE X 1/4"                                |                                    |                                 |
| EMBRACE PEN NEEDLE 29G 12MM 29<br>GAUGE X 1/2"                                  | (pen needle, diabetic)             |                                 |
| EMBRACE PEN NEEDLE 30G 5MM 30<br>GAUGE X 3/16"                                  | (pen needle, diabetic)             |                                 |
| EMBRACE PEN NEEDLE 30G 8MM 30<br>GAUGE X 5/16"                                  | (pen needle, diabetic)             |                                 |
| EMBRACE PEN NEEDLE 31G 5MM 31<br>GAUGE X 3/16"                                  | (pen needle, diabetic)             |                                 |
| EMBRACE PEN NEEDLE 31G 6MM 31<br>GAUGE X 1/4"                                   | (pen needle, diabetic)             |                                 |
| EMBRACE PEN NEEDLE 31G 8MM 31<br>GAUGE X 5/16"                                  | (pen needle, diabetic)             |                                 |
| EMBRACE PEN NEEDLE 32G 4MM 32<br>GAUGE X 5/32"                                  | (pen needle, diabetic)             |                                 |
| EQL INSULIN 0.3 ML SYRINGE SHORT<br>NEEDLE 0.3 ML 30                            | (Ultra Comfort Insulin<br>Syringe) |                                 |
| EQL INSULIN 0.5 ML SYRINGE SHORT<br>NEEDLE 1/2 ML 30 GAUGE                      | (Ultra Comfort Insulin<br>Syringe) |                                 |
| EQL INSULIN 1 ML SYRINGE SHORT<br>NEEDLE 1 ML 30 GAUGE X 7/16"                  | (Ultra Comfort Insulin<br>Syringe) |                                 |
| EXEL INSULIN SYRINGE 27G-1 ML 1 ML<br>27 GAUGE X 1/2"                           | (insulin syringe-needle<br>u-100)  |                                 |
| FIASP FLEXTOUCH U-100 INSULIN<br>SUBCUTANEOUS INSULIN PEN<br>100 UNIT/ML (3 ML) |                                    | max \$35 copay per month supply |
| FIASP PENFILL U-100 INSULIN<br>SUBCUTANEOUS CARTRIDGE<br>100 UNIT/ML (3 ML)     |                                    | max \$35 copay per month supply |
| FIASP U-100 INSULIN SUBCUTANEOUS<br>SOLUTION 100 UNIT/ML                        |                                    | max \$35 copay per month supply |
| FIFTY50 INS 0.5 ML 31GX5/16" SHORT<br>NEEDLE 0.5 ML 31 GAUGE X 5/16"            | (Advocate Syringes)                |                                 |

| Drug Name                                                                                                   | Requirements / Limits |
|-------------------------------------------------------------------------------------------------------------|-----------------------|
| FIFTY50 INS SYR 1 ML 31GX5/16"<br>SHORT NEEDLE (OTC) 1 ML 31 GAUGE (Advocate Syringes)<br>X 5/16            |                       |
| FIFTY50 PEN 31G X 3/16" NEEDLE<br>(OTC) 31 GAUGE X 3/16" (pen needle, diabetic)                             |                       |
| FP INSULIN 1 ML SYRINGE 1 ML 28<br>GAUGE (Ultra Comfort Insulin<br>Syringe)                                 |                       |
| FREESTYLE PREC 0.5 ML 30GX5/16<br>0.5 ML 30 GAUGE X 5/16" (insulin syringe-needle<br>u-100)                 |                       |
| FREESTYLE PREC 0.5 ML 31GX5/16<br>0.5 ML 31 GAUGE X 5/16" (insulin syringe-needle<br>u-100)                 |                       |
| FREESTYLE PREC 1 ML 30GX5/16"<br>1 ML 30 GAUGE X 5/16 (insulin syringe-needle<br>u-100)                     |                       |
| FREESTYLE PREC 1 ML 31GX5/16"<br>1 ML 31 GAUGE X 5/16 (insulin syringe-needle<br>u-100)                     |                       |
| GAUZE PAD TOPICAL BANDAGE 2 X 2 " (gauze bandage)                                                           |                       |
| GNP ULT C 0.3 ML 29GX1/2" (1/2)<br>1/2 UNIT 0.3 ML 29 GAUGE X 1/2"                                          |                       |
| GNP ULTRA COMFORT 0.5 ML SYR<br>1/2 ML 29 , 1/2 ML 30 GAUGE (insulin syringe-needle<br>u-100)               |                       |
| GNP ULTRA COMFORT 1 ML SYRINGE<br>1 ML 28 GAUGE, 1 ML 30 GAUGE X<br>7/16" (insulin syringe-needle<br>u-100) |                       |
| GNP ULTRA COMFORT 1 ML SYRINGE<br>1 ML 29 GAUGE                                                             |                       |
| GNP ULTRA COMFORT 3/10 ML SYR<br>0.3 ML 30 (insulin syringe-needle<br>u-100)                                |                       |
| HEALTHWISE INS 0.3 ML 30GX5/16"<br>0.3 ML 30 GAUGE X 5/16" (insulin syringe-needle<br>u-100)                |                       |
| HEALTHWISE INS 0.3 ML 31GX5/16"<br>0.3 ML 31 GAUGE X 5/16" (insulin syringe-needle<br>u-100)                |                       |
| HEALTHWISE INS 0.5 ML 30GX5/16"<br>0.5 ML 30 GAUGE X 5/16" (insulin syringe-needle<br>u-100)                |                       |
| HEALTHWISE INS 0.5 ML 31GX5/16"<br>0.5 ML 31 GAUGE X 5/16" (insulin syringe-needle<br>u-100)                |                       |
| HEALTHWISE INS 1 ML 30GX5/16" 1 ML<br>30 GAUGE X 5/16 (insulin syringe-needle<br>u-100)                     |                       |
| HEALTHWISE INS 1 ML 31GX5/16" 1 ML<br>31 GAUGE X 5/16 (insulin syringe-needle<br>u-100)                     |                       |
| HEALTHWISE PEN NEEDLE 31G 5MM<br>31 GAUGE X 3/16" (pen needle, diabetic)                                    |                       |
| HEALTHWISE PEN NEEDLE 31G 8MM<br>31 GAUGE X 5/16" (pen needle, diabetic)                                    |                       |

| Drug Name                                                                       |                                            | Requirements / Limits           |
|---------------------------------------------------------------------------------|--------------------------------------------|---------------------------------|
| HEALTHWISE PEN NEEDLE 32G 4MM<br>32 GAUGE X 5/32"                               | (pen needle, diabetic)                     |                                 |
| HEALTHY ACCENTS PENTIP 4MM 32G<br>32 GAUGE X 5/32"                              | (pen needle, diabetic)                     |                                 |
| HEALTHY ACCENTS PENTIP 5MM 31G<br>31 GAUGE X 3/16"                              | (pen needle, diabetic)                     |                                 |
| HEALTHY ACCENTS PENTIP 6MM 31G<br>31 GAUGE X 1/4"                               | (pen needle, diabetic)                     |                                 |
| HEALTHY ACCENTS PENTIP 8MM 31G<br>31 GAUGE X 5/16"                              | (pen needle, diabetic)                     |                                 |
| HEALTHY ACCENTS PENTIP 12MM 29G<br>29 GAUGE X 1/2"                              |                                            |                                 |
| INCONTROL PEN NEEDLE 12MM 29G<br>29 GAUGE X 1/2"                                | (pen needle, diabetic)                     |                                 |
| INCONTROL PEN NEEDLE 4MM 32G 32<br>GAUGE X 5/32"                                | (pen needle, diabetic)                     |                                 |
| INCONTROL PEN NEEDLE 5MM 31G 31<br>GAUGE X 3/16"                                | (pen needle, diabetic)                     |                                 |
| INCONTROL PEN NEEDLE 6MM 31G 31<br>GAUGE X 1/4"                                 | (pen needle, diabetic)                     |                                 |
| INCONTROL PEN NEEDLE 8MM 31G 31<br>GAUGE X 5/16"                                | (pen needle, diabetic)                     |                                 |
| <i>insulin glargine subcutaneous insulin pen<br/>100 unit/ml (3 ml)</i>         | <i>(Lantus Solostar U-100<br/>Insulin)</i> | max \$35 copay per month supply |
| <i>insulin glargine subcutaneous solution<br/>100 unit/ml</i>                   | <i>(Lantus U-100 Insulin)</i>              | max \$35 copay per month supply |
| INSULIN SYR 0.3 ML 31GX1/4(1/2)<br>0.3 ML 31 GAUGE X 1/4"                       | (UltiCare Insulin<br>Syr(half unit))       |                                 |
| INSULIN SYRIN 0.3 ML 30GX1/2"<br>SHORT NEEDLE 0.3 ML 30 GAUGE X<br>1/2"         | (Comfort EZ Insulin<br>Syringe)            |                                 |
| INSULIN SYRIN 0.5 ML 28GX1/2" 1/2 ML<br>28 GAUGE X 1/2"                         | (Comfort EZ Insulin<br>Syringe)            |                                 |
| INSULIN SYRIN 0.5 ML 29GX1/2" (OTC)<br>0.5 ML 29 GAUGE X 1/2"                   | (Comfort EZ Insulin<br>Syringe)            |                                 |
| INSULIN SYRIN 0.5 ML 30GX1/2"<br>SHORT NEEDLE (OTC) 0.5 ML 30<br>GAUGE X 1/2"   | (Comfort EZ Insulin<br>Syringe)            |                                 |
| INSULIN SYRIN 0.5 ML 30GX5/16"<br>SHORT NEEDLE (OTC) 0.5 ML 30<br>GAUGE X 5/16" | (Advocate Syringes)                        |                                 |
| INSULIN SYRING 0.5 ML 27G 1/2"<br>INNER 1/2 ML 27 GAUGE X 1/2"                  | (Easy Touch Insulin<br>Syringe)            |                                 |

| Drug Name                                                                 |                                | Requirements / Limits           |
|---------------------------------------------------------------------------|--------------------------------|---------------------------------|
| INSULIN SYRINGE 0.3 ML 0.3 ML 29 GAUGE                                    | (insulin syringe-needle u-100) |                                 |
| INSULIN SYRINGE 0.3 ML 31GX1/4 0.3 ML 31 GAUGE X 1/4"                     | (Sure Comfort Insulin Syringe) |                                 |
| INSULIN SYRINGE 0.5 ML 1/2 ML 29 GAUGE                                    | (insulin syringe-needle u-100) |                                 |
| INSULIN SYRINGE 0.5 ML 31GX1/4 1/2 ML 31 GAUGE X 1/4"                     | (Sure Comfort Insulin Syringe) |                                 |
| INSULIN SYRINGE 1 ML 1 ML 29 GAUGE                                        |                                |                                 |
| INSULIN SYRINGE 1 ML 30GX1/2" (RX) 1 ML 30 GAUGE X 1/2"                   | (BD Eclipse Luer-Lok)          |                                 |
| INSULIN SYRINGE 1 ML 30GX5/16" SHORT NEEDLE (OTC) 1 ML 30 GAUGE X 5/16    | (Advocate Syringes)            |                                 |
| INSULIN SYRINGE 1 ML 31GX1/4" 1 ML 31 GAUGE X 1/4"                        | (Sure Comfort Insulin Syringe) |                                 |
| INSULIN SYRINGE-NEEDLE U-100 SYRINGE 0.3 ML 29 GAUGE                      | (Ultilet Insulin Syringe)      |                                 |
| INSULIN SYRINGE-NEEDLE U-100 SYRINGE 1 ML 29 GAUGE X 1/2"                 | (Comfort EZ Insulin Syringe)   |                                 |
| INSULIN SYRINGE-NEEDLE U-100 SYRINGE 1/2 ML 28 GAUGE                      | (Monoject Syringe)             |                                 |
| INSUPEN 30G ULTRAFIN NEEDLE 30 GAUGE X 5/16"                              | (pen needle, diabetic)         |                                 |
| INSUPEN 31G ULTRAFIN NEEDLE 31 GAUGE X 1/4", 31 GAUGE X 5/16"             | (pen needle, diabetic)         |                                 |
| INSUPEN 32G 6MM PEN NEEDLE 32 GAUGE X 1/4"                                | (pen needle, diabetic)         |                                 |
| INSUPEN 32G 8MM PEN NEEDLE 32 GAUGE X 5/16"                               | (pen needle, diabetic)         |                                 |
| INSUPEN PEN NEEDLE 29GX12MM 29 GAUGE X 1/2"                               | (pen needle, diabetic)         |                                 |
| INSUPEN PEN NEEDLE 31GX3/16" 31 GAUGE X 3/16"                             | (pen needle, diabetic)         |                                 |
| INSUPEN PEN NEEDLE 32GX4MM 32 GAUGE X 5/32"                               | (pen needle, diabetic)         |                                 |
| INSUPEN PEN NEEDLE 33GX4MM 33 GAUGE X 5/32"                               | (pen needle, diabetic)         |                                 |
| LANTUS SOLOSTAR U-100 INSULIN SUBCUTANEOUS INSULIN PEN 100 UNIT/ML (3 ML) | (insulin glargine)             | max \$35 copay per month supply |

| Drug Name                                                                        |                                   | Requirements / Limits           |
|----------------------------------------------------------------------------------|-----------------------------------|---------------------------------|
| LANTUS U-100 INSULIN<br>SUBCUTANEOUS SOLUTION                                    | (insulin glargine)                | max \$35 copay per month supply |
| 100 UNIT/ML                                                                      |                                   |                                 |
| LEVEMIR FLEXPEN SUBCUTANEOUS<br>INSULIN PEN 100 UNIT/ML (3 ML)                   |                                   | max \$35 copay per month supply |
| LEVEMIR U-100 INSULIN<br>SUBCUTANEOUS SOLUTION                                   |                                   | max \$35 copay per month supply |
| 100 UNIT/ML                                                                      |                                   |                                 |
| LISCO SPONGES 100/BAG 2 X 2 "                                                    |                                   |                                 |
| LITE TOUCH 31GX1/4" PEN NEEDLE 31<br>GAUGE X 1/4"                                | (pen needle, diabetic)            |                                 |
| LITE TOUCH INSULIN 0.5 ML SYR<br>1/2 ML 28 GAUGE, 1/2 ML 29 , 1/2 ML 30<br>GAUGE | (insulin syringe-needle<br>u-100) |                                 |
| LITE TOUCH INSULIN 1 ML SYR 1 ML<br>28 GAUGE, 1 ML 30 GAUGE X 7/16"              | (insulin syringe-needle<br>u-100) |                                 |
| LITE TOUCH INSULIN 1 ML SYR 1 ML<br>29 GAUGE                                     |                                   |                                 |
| LITE TOUCH INSULIN SYR 1 ML 1 ML<br>31 GAUGE X 5/16                              | (insulin syringe-needle<br>u-100) |                                 |
| LITE TOUCH PEN NEEDLE 29G 29<br>GAUGE X 1/2"                                     | (pen needle, diabetic)            |                                 |
| LITE TOUCH PEN NEEDLE 31G 31<br>GAUGE X 3/16", 31 GAUGE X 5/16"                  | (pen needle, diabetic)            |                                 |
| LITETOUCH INS 0.3 ML 29GX1/2"<br>0.3 ML 29 GAUGE X 1/2"                          | (insulin syringe-needle<br>u-100) |                                 |
| LITETOUCH INS 0.3 ML 30GX5/16"<br>0.3 ML 30 GAUGE X 5/16"                        | (insulin syringe-needle<br>u-100) |                                 |
| LITETOUCH INS 0.3 ML 31GX5/16"<br>0.3 ML 31 GAUGE X 5/16"                        | (insulin syringe-needle<br>u-100) |                                 |
| LITETOUCH INS 0.5 ML 31GX5/16"<br>0.5 ML 31 GAUGE X 5/16"                        | (insulin syringe-needle<br>u-100) |                                 |
| LITETOUCH SYR 0.5 ML 28GX1/2"<br>1/2 ML 28 GAUGE X 1/2"                          | (insulin syringe-needle<br>u-100) |                                 |
| LITETOUCH SYR 0.5 ML 29GX1/2"<br>0.5 ML 29 GAUGE X 1/2"                          | (insulin syringe-needle<br>u-100) |                                 |
| LITETOUCH SYR 0.5 ML 30GX5/16"<br>0.5 ML 30 GAUGE X 5/16"                        | (insulin syringe-needle<br>u-100) |                                 |
| LITETOUCH SYRIN 1 ML 28GX1/2" 1 ML<br>28 GAUGE X 1/2"                            | (insulin syringe-needle<br>u-100) |                                 |
| LITETOUCH SYRIN 1 ML 29GX1/2" 1 ML<br>29 GAUGE X 1/2"                            | (insulin syringe-needle<br>u-100) |                                 |
| LITETOUCH SYRIN 1 ML 30GX5/16"<br>1 ML 30 GAUGE X 5/16                           | (insulin syringe-needle<br>u-100) |                                 |

| Drug Name                                                                                   | Requirements / Limits |
|---------------------------------------------------------------------------------------------|-----------------------|
| MAGELLAN INSUL SYRINGE 0.3 ML<br>0.3 ML 30 X 5/16"                                          |                       |
| MAGELLAN INSUL SYRINGE 0.5 ML<br>0.5 ML 30 GAUGE X 5/16"                                    |                       |
| MAGELLAN INSULIN SYR 0.3 ML 0.3 ML<br>29 GAUGE X 1/2"                                       |                       |
| MAGELLAN INSULIN SYR 0.5 ML 0.5 ML<br>29 GAUGE X 1/2"                                       |                       |
| MAGELLAN INSULIN SYRINGE 1 ML<br>1 ML 29 GAUGE X 1/2", 1 ML 30 GAUGE<br>X 5/16"             |                       |
| MAXICOMFORT II PEN NDL 31GX6MM<br>31 GAUGE X 1/4" (pen needle, diabetic)                    |                       |
| MAXICOMFORT INS 0.5 ML 27GX1/2"<br>1/2 ML 27 GAUGE X 1/2" (insulin syringe-needle<br>u-100) |                       |
| MAXI-COMFORT INS 0.5 ML 28G 1/2 ML<br>28 GAUGE X 1/2" (insulin syringe-needle<br>u-100)     |                       |
| MAXICOMFORT INS 1 ML 27GX1/2"<br>1 ML 27 GAUGE X 1/2" (insulin syringe-needle<br>u-100)     |                       |
| MAXI-COMFORT INS 1 ML 28GX1/2"<br>1 ML 28 GAUGE X 1/2" (insulin syringe-needle<br>u-100)    |                       |
| MAXICOMFORT PEN NDL 29G X 5MM<br>29 GAUGE X 3/16"                                           |                       |
| MAXICOMFORT PEN NDL 29G X 8MM<br>29 GAUGE X 5/16"                                           |                       |
| MICRODOT PEN NEEDLE 31GX6MM 31<br>GAUGE X 1/4" (pen needle, diabetic)                       |                       |
| MICRODOT PEN NEEDLE 32GX4MM 32<br>GAUGE X 5/32" (pen needle, diabetic)                      |                       |
| MICRODOT PEN NEEDLE 33GX4MM 33<br>GAUGE X 5/32" (pen needle, diabetic)                      |                       |
| MICRODOT READYGARD NDL 31G<br>5MM OUTER 31 GAUGE X 3/16"                                    |                       |
| MINI PEN NEEDLE 32G 4MM 32 GAUGE<br>X 5/32" (1st Tier Unifine Pentips)                      |                       |
| MINI PEN NEEDLE 32G 5MM 32 GAUGE<br>X 3/16" (CareFine Pen Needle)                           |                       |
| MINI PEN NEEDLE 32G 6MM 32 GAUGE<br>X 1/4" (BD Ultra-Fine Micro<br>Pen Needle)              |                       |
| MINI PEN NEEDLE 32G 8MM 32 GAUGE<br>X 5/16" (Comfort EZ Pen<br>Needles)                     |                       |
| MINI PEN NEEDLE 33G 4MM 33 GAUGE<br>X 5/32" (Advocate Pen Needle)                           |                       |

| Drug Name                                                                   |                                 | Requirements / Limits |
|-----------------------------------------------------------------------------|---------------------------------|-----------------------|
| MINI PEN NEEDLE 33G 5MM 33 GAUGE X 3/16"                                    | (Comfort EZ Pen Needles)        |                       |
| MINI PEN NEEDLE 33G 6MM 33 GAUGE X 1/4"                                     | (Comfort EZ Pen Needles)        |                       |
| MINI ULTRA-THIN II PEN NDL 31G STERILE 31 GAUGE X 3/16"                     | (pen needle, diabetic)          |                       |
| MONOJECT 0.5 ML SYRN 28GX1/2" 1/2 ML 28 GAUGE                               | (insulin syringe-needle u-100)  |                       |
| MONOJECT 1 ML SYRN 27X1/2" 1 ML 27 GAUGE X 1/2"                             | (insulin syringe-needle u-100)  |                       |
| MONOJECT 1 ML SYRN 28GX1/2" (OTC) 1 ML 28 GAUGE X 1/2"                      | (insulin syringe-needle u-100)  |                       |
| MONOJECT INSUL SYR U100 (OTC) 0.3 ML 29 GAUGE X 1/2"                        | (insulin syringe-needle u-100)  |                       |
| MONOJECT INSUL SYR U100 .5ML,29GX1/2" (OTC) 0.5 ML 29 GAUGE X 1/2"          | (insulin syringe-needle u-100)  |                       |
| MONOJECT INSUL SYR U100 0.5 ML CONVERTS TO 29G (OTC) 1/2 ML 28 GAUGE X 1/2" | (insulin syringe-needle u-100)  |                       |
| MONOJECT INSUL SYR U100 1 ML 1 ML 25 GAUGE X 5/8"                           | (insulin syringe-needle u-100)  |                       |
| MONOJECT INSUL SYR U100 1 ML 3'S, 29GX1/2" (OTC) 1 ML 29 GAUGE X 1/2"       | (insulin syringe-needle u-100)  |                       |
| MONOJECT INSUL SYR U100 1 ML W/O NEEDLE (OTC)                               | (insulin syringes (disposable)) |                       |
| MONOJECT INSULIN SYR 0.3 ML (OTC) 0.3 ML 30 GAUGE X 5/16"                   | (insulin syringe-needle u-100)  |                       |
| MONOJECT INSULIN SYR 0.3 ML 0.3 ML 30 GAUGE X 5/16"                         | (insulin syringe-needle u-100)  |                       |
| MONOJECT INSULIN SYR 0.5 ML (OTC) 0.5 ML 30 GAUGE X 5/16"                   | (insulin syringe-needle u-100)  |                       |
| MONOJECT INSULIN SYR 0.5 ML 0.5 ML 30 GAUGE X 5/16"                         | (insulin syringe-needle u-100)  |                       |
| MONOJECT INSULIN SYR 1 ML 3'S (OTC) 1 ML 30 GAUGE X 5/16                    | (insulin syringe-needle u-100)  |                       |
| MONOJECT INSULIN SYR U-100 0.5 ML 29 GAUGE X 1/2"                           | (insulin syringe-needle u-100)  |                       |
| MONOJECT INSULIN SYR U-100 29 GAUGE X 1/2"                                  |                                 |                       |
| MONOJECT SYRINGE 0.3 ML 0.3 ML 31 GAUGE X 5/16"                             | (insulin syringe-needle u-100)  |                       |
| MONOJECT SYRINGE 0.5 ML 0.5 ML 31 GAUGE X 5/16"                             | (insulin syringe-needle u-100)  |                       |

| Drug Name                                                                   |                                  | Requirements / Limits           |
|-----------------------------------------------------------------------------|----------------------------------|---------------------------------|
| MONOJECT SYRINGE 1 ML 1 ML 31 GAUGE X 5/16                                  | (insulin syringe-needle u-100)   |                                 |
| NOVOFINE 30 NEEDLE                                                          |                                  |                                 |
| NOVOFINE 32G NEEDLES 32 GAUGE X 1/4"                                        | (pen needle, diabetic)           |                                 |
| NOVOFINE PLUS PEN NDL 32GX1/6" 32 GAUGE X 1/6"                              |                                  |                                 |
| NOVOLIN 70/30 U-100 INSULIN SUBCUTANEOUS SUSPENSION 100 UNIT/ML (70-30)     |                                  | max \$35 copay per month supply |
| NOVOLIN 70-30 FLEXPEN U-100 SUBCUTANEOUS INSULIN PEN 100 UNIT/ML (70-30)    |                                  | max \$35 copay per month supply |
| NOVOLIN N FLEXPEN SUBCUTANEOUS INSULIN PEN 100 UNIT/ML (3 ML)               |                                  | max \$35 copay per month supply |
| NOVOLIN N NPH U-100 INSULIN SUBCUTANEOUS SUSPENSION 100 UNIT/ML             |                                  | max \$35 copay per month supply |
| NOVOLIN R FLEXPEN SUBCUTANEOUS INSULIN PEN 100 UNIT/ML (3 ML)               |                                  | max \$35 copay per month supply |
| NOVOLIN R REGULAR U100 INSULIN INJECTION SOLUTION 100 UNIT/ML               |                                  | max \$35 copay per month supply |
| NOVOLOG FLEXPEN U-100 INSULIN SUBCUTANEOUS INSULIN PEN 100 UNIT/ML (3 ML)   | (insulin aspart u-100)           | max \$35 copay per month supply |
| NOVOLOG MIX 70-30 U-100 INSULIN SUBCUTANEOUS SOLUTION 100 UNIT/ML (70-30)   | (insulin asp prt-insulin aspart) | max \$35 copay per month supply |
| NOVOLOG MIX 70-30FLEXPEN U-100 SUBCUTANEOUS INSULIN PEN 100 UNIT/ML (70-30) | (insulin asp prt-insulin aspart) | max \$35 copay per month supply |
| NOVOLOG PENFILL U-100 INSULIN SUBCUTANEOUS CARTRIDGE 100 UNIT/ML            | (insulin aspart u-100)           | max \$35 copay per month supply |
| NOVOLOG U-100 INSULIN ASPART SUBCUTANEOUS SOLUTION 100 UNIT/ML              | (insulin aspart u-100)           | max \$35 copay per month supply |
| NOVOTWIST NEEDLE 32G 5MM 32 GAUGE X 1/5"                                    |                                  |                                 |
| PC UNIFINE PENTIPS 8MM NEEDLE SHORT 31 GAUGE X 5/16"                        | (pen needle, diabetic)           |                                 |
| PEN NEEDLE 30G 5MM OUTER 30 GAUGE X 3/16"                                   | (Embrace Pen Needle)             |                                 |



| Drug Name                                                       |                                 | Requirements / Limits |
|-----------------------------------------------------------------|---------------------------------|-----------------------|
| PEN NEEDLE 30G 8MM INNER 30 GAUGE X 5/16"                       | (CareFine Pen Needle)           |                       |
| PEN NEEDLE 30G X 5/16" 30 GAUGE X 5/16"                         | (pen needle, diabetic)          |                       |
| PEN NEEDLE, DIABETIC NEEDLE 29 GAUGE X 1/2"                     | (1st Tier Unifine Pentips Plus) |                       |
| PEN NEEDLES 12MM 29G 29GX12MM, STRL 29 GAUGE X 1/2"             | (pen needle, diabetic)          |                       |
| PEN NEEDLES 4MM 32G 32 GAUGE X 5/32"                            | (pen needle, diabetic)          |                       |
| PEN NEEDLES 6MM 31G 31GX6MM, STRL 31 GAUGE X 1/4"               | (1st Tier Unifine Pentips)      |                       |
| PEN NEEDLES 8MM 31G 31GX8MM, STRL, SHORT (OTC) 31 GAUGE X 5/16" | (pen needle, diabetic)          |                       |
| PENTIPS PEN NEEDLE 29GX1/2" 29 GAUGE X 1/2"                     | (pen needle, diabetic)          |                       |
| PENTIPS PEN NEEDLE 31GX3/16" MINI, 5MM 31 GAUGE X 3/16"         | (pen needle, diabetic)          |                       |
| PENTIPS PEN NEEDLE 31GX5/16" SHORT, 8MM 31 GAUGE X 5/16"        | (pen needle, diabetic)          |                       |
| PENTIPS PEN NEEDLE 32G 6MM 32 GAUGE X 1/4"                      | (pen needle, diabetic)          |                       |
| PENTIPS PEN NEEDLE 32GX5/32" 4MM 32 GAUGE X 5/32"               | (pen needle, diabetic)          |                       |
| PENTIPS PEN NEEDLE 6MM 31G 31 GAUGE X 1/4"                      | (pen needle, diabetic)          |                       |
| PIP PEN NEEDLE 31G X 5MM 31 GAUGE X 3/16"                       | (pen needle, diabetic)          |                       |
| PIP PEN NEEDLE 32G X 4MM 32 GAUGE X 5/32"                       | (pen needle, diabetic)          |                       |
| PREVENT PEN NEEDLE 31GX1/4" 31 GAUGE X 1/4"                     |                                 |                       |
| PREVENT PEN NEEDLE 31GX5/16" 31 GAUGE X 5/16"                   |                                 |                       |
| PRO COMFORT 0.5 ML 30GX1/2" 0.5 ML 30 GAUGE X 1/2"              | (insulin syringe-needle u-100)  |                       |
| PRO COMFORT 0.5 ML 30GX5/16" 0.5 ML 30 GAUGE X 5/16"            | (insulin syringe-needle u-100)  |                       |
| PRO COMFORT 0.5 ML 31GX5/16" 0.5 ML 31 GAUGE X 5/16"            | (insulin syringe-needle u-100)  |                       |
| PRO COMFORT 1 ML 30GX1/2" 1 ML 30 GAUGE X 1/2"                  | (insulin syringe-needle u-100)  |                       |
| PRO COMFORT 1 ML 30GX5/16" 1 ML 30 GAUGE X 5/16"                | (insulin syringe-needle u-100)  |                       |

| Drug Name                                               |                                | Requirements / Limits |
|---------------------------------------------------------|--------------------------------|-----------------------|
| PRO COMFORT 1 ML 31GX5/16" 1 ML 31 GAUGE X 5/16         | (insulin syringe-needle u-100) |                       |
| PRO COMFORT PEN NDL 31GX5/16" 31 GAUGE X 5/16"          | (pen needle, diabetic)         |                       |
| PRO COMFORT PEN NDL 32G X 1/4" 32 GAUGE X 1/4"          | (pen needle, diabetic)         |                       |
| PRO COMFORT PEN NDL 4MM 32G 32 GAUGE X 5/32"            | (pen needle, diabetic)         |                       |
| PRO COMFORT PEN NDL 5MM 32G 32 GAUGE X 3/16"            | (pen needle, diabetic)         |                       |
| PRODIGY INS SYR 1 ML 28GX1/2" 1 ML 28 GAUGE X 1/2"      | (insulin syringe-needle u-100) |                       |
| PRODIGY SYRNG 0.5 ML 31GX5/16" 0.5 ML 31 GAUGE X 5/16"  | (insulin syringe-needle u-100) |                       |
| PRODIGY SYRNGE 0.3 ML 31GX5/16" 0.3 ML 31 GAUGE X 5/16" | (insulin syringe-needle u-100) |                       |
| PURE CMFT SFTY PEN NDL 31G 5MM 31 GAUGE X 3/16"         | (pen needle, diabetic, safety) |                       |
| PURE CMFT SFTY PEN NDL 31G 6MM 31 GAUGE X 1/4"          |                                |                       |
| PURE CMFT SFTY PEN NDL 32G 4MM 32 GAUGE X 5/32"         |                                |                       |
| PURE COMFORT PEN NDL 32G 4MM 32 GAUGE X 5/32"           | (pen needle, diabetic)         |                       |
| PURE COMFORT PEN NDL 32G 5MM 32 GAUGE X 3/16"           | (pen needle, diabetic)         |                       |
| PURE COMFORT PEN NDL 32G 6MM 32 GAUGE X 1/4"            | (pen needle, diabetic)         |                       |
| PURE COMFORT PEN NDL 32G 8MM 32 GAUGE X 5/16"           | (pen needle, diabetic)         |                       |
| RAYA SURE PEN NEEDLE 29G 12MM 29 GAUGE X 15/32"         |                                |                       |
| RAYA SURE PEN NEEDLE 31G 4MM 31 GAUGE X 5/32"           | (Comfort Touch Pen Needle)     |                       |
| RAYA SURE PEN NEEDLE 31G 5MM 31 GAUGE X 13/64"          |                                |                       |
| RAYA SURE PEN NEEDLE 31G 6MM 31 GAUGE X 15/64"          |                                |                       |
| RELION INS SYR 0.3 ML 31GX6MM 0.3 ML 31 GAUGE X 15/64"  | (BD Veo Insulin Syringe UF)    |                       |
| RELION INS SYR 0.5 ML 31GX6MM 1/2 ML 31 GAUGE X 15/64"  | (BD Veo Insulin Syringe UF)    |                       |
| RELION INS SYR 1 ML 31GX15/64" 1 ML 31 GAUGE X 15/64"   | (BD Veo Insulin Syringe UF)    |                       |

| Drug Name                                                                   | Requirements / Limits           |
|-----------------------------------------------------------------------------|---------------------------------|
| RELI-ON INSULIN 0.5 ML SYR 1/2 ML 29 (Ultilet Insulin Syringe)              |                                 |
| RELI-ON INSULIN 1 ML SYR 1 ML 29 GAUGE X 7/16"                              |                                 |
| RELION MINI PEN 31G X 1/4" NDL 31 GAUGE X 1/4" (pen needle, diabetic)       |                                 |
| RELION NEEDLES NEEDLE 31 GAUGE X 1/4" (pen needle, diabetic)                |                                 |
| RELION PEN NEEDLES NEEDLE 32 GAUGE X 5/32" (pen needle, diabetic)           |                                 |
| SAFESNAP INS SYR UNITS-100 0.3 ML 30GX5/16",10X10 0.3 ML 30 GAUGE X 5/16"   |                                 |
| SAFESNAP INS SYR UNITS-100 0.5 ML 29GX1/2",10X10 0.5 ML 29 GAUGE X 1/2"     |                                 |
| SAFESNAP INS SYR UNITS-100 0.5 ML 30GX5/16",10X10 0.5 ML 30 GAUGE X 5/16"   |                                 |
| SAFESNAP INS SYR UNITS-100 1 ML 28GX1/2",10X10 1 ML 28 GAUGE X 1/2"         |                                 |
| SAFESNAP INS SYR UNITS-100 1 ML 29GX1/2",10X10 1 ML 29 GAUGE X 1/2"         |                                 |
| SAFETY PEN NEEDLE 31G 4MM 31 GAUGE X 5/32" (Comfort EZ PRO Safety Pen Ndl)  |                                 |
| SAFETY PEN NEEDLE 5MM X 31G 31 GAUGE X 3/16" (pen needle, diabetic, safety) |                                 |
| SAFETY SYRINGE 0.5 ML 30G 1/2" 0.5 ML 30 GAUGE X 1/2"                       |                                 |
| SECURESAFE PEN NDL 30GX5/16" OUTER 30 GAUGE X 5/16"                         |                                 |
| SECURESAFE SYR 0.5 ML 29G 1/2" OUTER 0.5 ML 29 GAUGE X 1/2"                 |                                 |
| SECURESAFE SYRNG 1 ML 29G 1/2" OUTER 1 ML 29 GAUGE X 1/2"                   |                                 |
| SKY SAFETY PEN NEEDLE 30G 5MM 30 GAUGE X 3/16"                              |                                 |
| SKY SAFETY PEN NEEDLE 30G 8MM 30 GAUGE X 5/16"                              |                                 |
| SM ULT CFT 0.3 ML 31GX5/16(1/2) 0.3 ML 31 GAUGE X 5/16"                     |                                 |
| SOLQUA 100/33 SUBCUTANEOUS INSULIN PEN 100 UNIT-33 MCG/ML                   | max \$35 copay per month supply |
| STERILE PADS 2" X 2" 2 X 2 " (gauze bandage)                                |                                 |

| Drug Name                                                                                                                                       |                                   | Requirements / Limits |
|-------------------------------------------------------------------------------------------------------------------------------------------------|-----------------------------------|-----------------------|
| SURE CMFT SFTY PEN NDL 31G 6MM<br>31 GAUGE X 1/4"                                                                                               |                                   |                       |
| SURE CMFT SFTY PEN NDL 32G 4MM<br>32 GAUGE X 5/32"                                                                                              |                                   |                       |
| NEEDLES, INSULIN DISP., SAFETY                                                                                                                  | (insulin syringe-needle<br>u-100) |                       |
| SURE COMFORT 0.5 ML SYRINGE<br>0.5 ML 30 GAUGE X 1/2", 0.5 ML 30<br>GAUGE X 5/16", 0.5 ML 31 GAUGE X<br>5/16", 1/2 ML 28 GAUGE X 1/2"           | (insulin syringe-needle<br>u-100) |                       |
| SURE COMFORT 1 ML SYRINGE 1 ML<br>28 GAUGE X 1/2", 1 ML 29 GAUGE X<br>1/2", 1 ML 30 GAUGE X 1/2", 1 ML 30<br>GAUGE X 5/16, 1 ML 31 GAUGE X 5/16 | (insulin syringe-needle<br>u-100) |                       |
| SURE COMFORT 3/10 ML SYRINGE<br>0.3 ML 29 GAUGE X 1/2", 0.3 ML 30<br>GAUGE X 1/2", 0.3 ML 30 GAUGE X<br>5/16"                                   | (insulin syringe-needle<br>u-100) |                       |
| SURE COMFORT 3/10 ML SYRINGE<br>INSULIN SYRINGE 0.3 ML 31 GAUGE X<br>5/16"                                                                      | (insulin syringe-needle<br>u-100) |                       |
| SURE COMFORT 30G PEN NEEDLE 30<br>GAUGE X 5/16"                                                                                                 | (pen needle, diabetic)            |                       |
| SURE COMFORT INS 0.3 ML 31GX1/4<br>0.3 ML 31 GAUGE X 1/4"                                                                                       | (insulin syringe-needle<br>u-100) |                       |
| SURE COMFORT INS 0.5 ML 31GX1/4<br>1/2 ML 31 GAUGE X 1/4"                                                                                       | (insulin syringe-needle<br>u-100) |                       |
| SURE COMFORT INS 1 ML 31GX1/4"<br>1 ML 31 GAUGE X 1/4"                                                                                          | (insulin syringe-needle<br>u-100) |                       |
| SURE COMFORT PEN NDL 29GX1/2"<br>12.7MM 29 GAUGE X 1/2"                                                                                         | (pen needle, diabetic)            |                       |
| SURE COMFORT PEN NDL 31G 5MM 31<br>GAUGE X 3/16"                                                                                                | (pen needle, diabetic)            |                       |
| SURE COMFORT PEN NDL 31G 8MM 31<br>GAUGE X 5/16"                                                                                                | (pen needle, diabetic)            |                       |
| SURE COMFORT PEN NDL 32G 4MM 32<br>GAUGE X 5/32"                                                                                                | (pen needle, diabetic)            |                       |
| SURE COMFORT PEN NDL 32G 6MM 32<br>GAUGE X 1/4"                                                                                                 | (pen needle, diabetic)            |                       |
| SURE-FINE PEN NEEDLES 12.7MM 29<br>GAUGE X 1/2"                                                                                                 | (pen needle, diabetic)            |                       |
| SURE-FINE PEN NEEDLES 5MM 31<br>GAUGE X 3/16"                                                                                                   | (pen needle, diabetic)            |                       |
| SURE-FINE PEN NEEDLES 8MM 31<br>GAUGE X 5/16"                                                                                                   | (pen needle, diabetic)            |                       |

| Drug Name                                                                                                       |                                   | Requirements / Limits |
|-----------------------------------------------------------------------------------------------------------------|-----------------------------------|-----------------------|
| SURE-JECT INSU SYR U100 0.3 ML<br>0.3 ML 29 GAUGE X 1/2", 0.3 ML 30<br>GAUGE X 5/16"                            | (insulin syringe-needle<br>u-100) |                       |
| SURE-JECT INSU SYR U100 0.5 ML<br>0.5 ML 29 GAUGE X 1/2", 0.5 ML 30<br>GAUGE X 5/16", 1/2 ML 28 GAUGE X<br>1/2" | (insulin syringe-needle<br>u-100) |                       |
| SURE-JECT INSU SYR U100 1 ML 1 ML<br>28 GAUGE X 1/2"                                                            | (insulin syringe-needle<br>u-100) |                       |
| SURE-JECT INSUL SYR U100 1 ML 1 ML<br>29 GAUGE X 1/2", 1 ML 30 GAUGE X<br>5/16                                  | (insulin syringe-needle<br>u-100) |                       |
| SURE-JECT INSULIN SYRINGE 1 ML<br>1 ML 31 GAUGE X 5/16                                                          | (insulin syringe-needle<br>u-100) |                       |
| TECHLITE 0.3 ML 29GX12MM (1/2)<br>0.3 ML 29 GAUGE X 1/2"                                                        |                                   |                       |
| TECHLITE 0.3 ML 30GX12MM (1/2)<br>0.3 ML 30 GAUGE X 1/2"                                                        |                                   |                       |
| TECHLITE 0.3 ML 30GX8MM (1/2)<br>0.3 ML 30 GAUGE X 5/16"                                                        |                                   |                       |
| TECHLITE 0.3 ML 31GX6MM (1/2)<br>0.3 ML 31 GAUGE X 15/64"                                                       |                                   |                       |
| TECHLITE 0.3 ML 31GX8MM (1/2)<br>0.3 ML 31 GAUGE X 5/16"                                                        |                                   |                       |
| TECHLITE 0.5 ML 29GX12MM (1/2)<br>0.5 ML 29 GAUGE X 1/2"                                                        |                                   |                       |
| TECHLITE 0.5 ML 30GX12MM (1/2)<br>0.5 ML 30 GAUGE X 1/2"                                                        |                                   |                       |
| TECHLITE 0.5 ML 30GX8MM (1/2)<br>0.5 ML 30 GAUGE X 5/16"                                                        |                                   |                       |
| TECHLITE 0.5 ML 31GX6MM (1/2)<br>0.5 ML 31 GAUGE X 15/64"                                                       |                                   |                       |
| TECHLITE 0.5 ML 31GX8MM (1/2)<br>0.5 ML 31 GAUGE X 5/16"                                                        |                                   |                       |
| TECHLITE INS SYR 1 ML 29GX12MM<br>1 ML 29 GAUGE X 1/2"                                                          | (insulin syringe-needle<br>u-100) |                       |
| TECHLITE INS SYR 1 ML 30GX12MM<br>1 ML 30 GAUGE X 1/2"                                                          | (insulin syringe-needle<br>u-100) |                       |
| TECHLITE INS SYR 1 ML 30GX8MM<br>1 ML 30 GAUGE X 5/16                                                           | (insulin syringe-needle<br>u-100) |                       |
| TECHLITE INS SYR 1 ML 31GX6MM<br>1 ML 31 GAUGE X 15/64"                                                         | (insulin syringe-needle<br>u-100) |                       |
| TECHLITE INS SYR 1 ML 31GX8MM<br>1 ML 31 GAUGE X 5/16                                                           | (insulin syringe-needle<br>u-100) |                       |

| Drug Name                                                                                           |                                | Requirements / Limits |
|-----------------------------------------------------------------------------------------------------|--------------------------------|-----------------------|
| TECHLITE PEN NEEDLE 29GX1/2" 29 GAUGE X 1/2"                                                        | (pen needle, diabetic)         |                       |
| TECHLITE PEN NEEDLE 29GX3/8" 29 GAUGE X 3/8"                                                        |                                |                       |
| TECHLITE PEN NEEDLE 31GX1/4" 31 GAUGE X 1/4"                                                        | (pen needle, diabetic)         |                       |
| TECHLITE PEN NEEDLE 31GX3/16" 31 GAUGE X 3/16"                                                      | (pen needle, diabetic)         |                       |
| TECHLITE PEN NEEDLE 31GX5/16" 31 GAUGE X 5/16"                                                      | (pen needle, diabetic)         |                       |
| TECHLITE PEN NEEDLE 32GX1/4" 32 GAUGE X 1/4"                                                        | (pen needle, diabetic)         |                       |
| TECHLITE PEN NEEDLE 32GX5/16" 32 GAUGE X 5/16"                                                      | (pen needle, diabetic)         |                       |
| TECHLITE PEN NEEDLE 32GX5/32" 32 GAUGE X 5/32"                                                      | (pen needle, diabetic)         |                       |
| TECHLITE PLUS PEN NDL 32G 4MM 32 GAUGE X 5/32"                                                      | (pen needle, diabetic)         |                       |
| TERUMO INS SYRINGE U100-1 ML 1 ML 27 GAUGE X 1/2", 1 ML 28 GAUGE X 1/2", 1 ML 29 GAUGE X 1/2"       | (insulin syringe-needle u-100) |                       |
| TERUMO INS SYRINGE U100-1 ML 1 ML 30 GAUGE X 3/8"                                                   | (Thinpro Insulin Syringe)      |                       |
| TERUMO INS SYRINGE U100-1/2 ML 1/2 ML 30 X 3/8"                                                     | (insulin syringe-needle u-100) |                       |
| TERUMO INS SYRINGE U100-1/3 ML 0.3 ML 30 X 3/8"                                                     | (insulin syringe-needle u-100) |                       |
| TERUMO INS SYRNG U100-1/2 ML 0.5 ML 29 GAUGE X 1/2", 1/2 ML 27 GAUGE X 1/2", 1/2 ML 28 GAUGE X 1/2" | (insulin syringe-needle u-100) |                       |
| THINPRO INS SYRIN U100-0.3 ML 0.3 ML 29 GAUGE X 1/2", 0.3 ML 30 X 3/8"                              | (insulin syringe-needle u-100) |                       |
| THINPRO INS SYRIN U100-0.3 ML 0.3 ML 31 X 3/8"                                                      |                                |                       |
| THINPRO INS SYRIN U100-0.5 ML 0.5 ML 29 GAUGE X 1/2", 1/2 ML 28 GAUGE X 1/2", 1/2 ML 30 X 3/8"      | (insulin syringe-needle u-100) |                       |
| THINPRO INS SYRIN U100-0.5 ML 0.5 ML 31 X 3/8"                                                      |                                |                       |
| THINPRO INS SYRIN U100-1 ML 1 ML 28 GAUGE X 1/2", 1 ML 29 GAUGE X 1/2", 1 ML 30 GAUGE X 3/8"        | (insulin syringe-needle u-100) |                       |
| THINPRO INS SYRIN U100-1 ML 1 ML 31 X 3/8"                                                          |                                |                       |

| Drug Name                                                                                                                                                                                                                                          |                                | Requirements / Limits           |
|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|--------------------------------|---------------------------------|
| TOPCARE CLICKFINE 31G X 1/4" 31 GAUGE X 1/4"                                                                                                                                                                                                       | (pen needle, diabetic)         |                                 |
| TOPCARE CLICKFINE 31G X 5/16" 31 GAUGE X 5/16"                                                                                                                                                                                                     | (pen needle, diabetic)         |                                 |
| TOPCARE ULTRA COMFORT SYRINGE 0.3 ML 29 GAUGE X 1/2", 0.3 ML 30 GAUGE X 5/16", 0.3 ML 31 GAUGE X 5/16", 0.5 ML 29 GAUGE X 1/2", 0.5 ML 30 GAUGE X 5/16", 0.5 ML 31 GAUGE X 5/16", 1 ML 29 GAUGE X 1/2", 1 ML 30 GAUGE X 5/16, 1 ML 31 GAUGE X 5/16 | (insulin syringe-needle u-100) |                                 |
| TOUJEO MAX U-300 SOLOSTAR SUBCUTANEOUS INSULIN PEN 300 UNIT/ML (3 ML)                                                                                                                                                                              | (insulin glargine u-300 conc)  | max \$35 copay per month supply |
| TOUJEO SOLOSTAR U-300 INSULIN SUBCUTANEOUS INSULIN PEN 300 UNIT/ML (1.5 ML)                                                                                                                                                                        | (insulin glargine u-300 conc)  | max \$35 copay per month supply |
| TRESIBA FLEXTOUCH U-100 SUBCUTANEOUS INSULIN PEN 100 UNIT/ML (3 ML)                                                                                                                                                                                | (insulin degludec)             | max \$35 copay per month supply |
| TRESIBA FLEXTOUCH U-200 SUBCUTANEOUS INSULIN PEN 200 UNIT/ML (3 ML)                                                                                                                                                                                | (insulin degludec)             | max \$35 copay per month supply |
| TRESIBA U-100 INSULIN SUBCUTANEOUS SOLUTION 100 UNIT/ML                                                                                                                                                                                            | (insulin degludec)             | max \$35 copay per month supply |
| TRUE CMFRT PRO 0.5 ML 30G 5/16" 0.5 ML 30 GAUGE X 5/16"                                                                                                                                                                                            | (insulin syringe-needle u-100) |                                 |
| TRUE CMFRT PRO 0.5 ML 31G 5/16" 0.5 ML 31 GAUGE X 5/16"                                                                                                                                                                                            | (insulin syringe-needle u-100) |                                 |
| TRUE CMFRT PRO 0.5 ML 32G 5/16" 1/2 ML 32 GAUGE X 5/16"                                                                                                                                                                                            |                                |                                 |
| TRUE CMFT SFTY PEN NDL 31G 5MM 31 GAUGE X 3/16"                                                                                                                                                                                                    | (pen needle, diabetic, safety) |                                 |
| TRUE CMFT SFTY PEN NDL 31G 6MM 31 GAUGE X 1/4"                                                                                                                                                                                                     |                                |                                 |
| TRUE CMFT SFTY PEN NDL 32G 4MM 32 GAUGE X 5/32"                                                                                                                                                                                                    |                                |                                 |
| TRUE COMFORT 0.5 ML 31GX5/16" 0.5 ML 31 GAUGE X 5/16"                                                                                                                                                                                              | (insulin syringe-needle u-100) |                                 |
| TRUE COMFORT 1 ML 31GX5/16" 1 ML 31 GAUGE X 5/16                                                                                                                                                                                                   | (insulin syringe-needle u-100) |                                 |
| TRUE COMFORT PEN NDL 31G 8MM 31 GAUGE X 5/16"                                                                                                                                                                                                      | (pen needle, diabetic)         |                                 |

| Drug Name                                                  |                                   | Requirements / Limits |
|------------------------------------------------------------|-----------------------------------|-----------------------|
| TRUE COMFORT PEN NDL 31GX5MM<br>31 GAUGE X 3/16"           | (pen needle, diabetic)            |                       |
| TRUE COMFORT PEN NDL 31GX6MM<br>31 GAUGE X 1/4"            | (pen needle, diabetic)            |                       |
| TRUE COMFORT PEN NDL 32G 5MM 32<br>GAUGE X 3/16"           | (pen needle, diabetic)            |                       |
| TRUE COMFORT PEN NDL 32G 6MM 32<br>GAUGE X 1/4"            | (pen needle, diabetic)            |                       |
| TRUE COMFORT PEN NDL 32GX4MM<br>32 GAUGE X 5/32"           | (pen needle, diabetic)            |                       |
| TRUE COMFORT PEN NDL 33G 4MM 33<br>GAUGE X 5/32"           | (pen needle, diabetic)            |                       |
| TRUE COMFORT PEN NDL 33G 5MM 33<br>GAUGE X 3/16"           | (pen needle, diabetic)            |                       |
| TRUE COMFORT PEN NDL 33G 6MM 33<br>GAUGE X 1/4"            | (pen needle, diabetic)            |                       |
| TRUE COMFORT PRO 1 ML 30G 1/2"<br>1 ML 30 GAUGE X 1/2"     | (insulin syringe-needle<br>u-100) |                       |
| TRUE COMFORT PRO 1 ML 30G 5/16"<br>1 ML 30 GAUGE X 5/16    | (insulin syringe-needle<br>u-100) |                       |
| TRUE COMFORT PRO 1 ML 31G 5/16"<br>1 ML 31 GAUGE X 5/16    | (insulin syringe-needle<br>u-100) |                       |
| TRUE COMFORT PRO 1 ML 32G 5/16"<br>1 ML 32 GAUGE X 5/16"   |                                   |                       |
| TRUE COMFORT PRO 0.5 ML 30G 1/2"<br>0.5 ML 30 GAUGE X 1/2" | (insulin syringe-needle<br>u-100) |                       |
| TRUEPLUS PEN NEEDLE 29G 12MM 29<br>GAUGE X 1/2"            | (pen needle, diabetic)            |                       |
| TRUEPLUS PEN NEEDLE 31G 5MM 31<br>GAUGE X 3/16"            | (pen needle, diabetic)            |                       |
| TRUEPLUS PEN NEEDLE 31G 8MM 31<br>GAUGE X 5/16"            | (pen needle, diabetic)            |                       |
| TRUEPLUS PEN NEEDLE 31G X 1/4" 31<br>GAUGE X 1/4"          | (pen needle, diabetic)            |                       |
| TRUEPLUS PEN NEEDLE 32GX5/32" 32<br>GAUGE X 5/32"          | (pen needle, diabetic)            |                       |
| TRUEPLUS SYR 0.3 ML 29GX1/2"<br>0.3 ML 29 GAUGE X 1/2"     | (insulin syringe-needle<br>u-100) |                       |
| TRUEPLUS SYR 0.3 ML 30GX5/16"<br>0.3 ML 30 GAUGE X 5/16"   | (insulin syringe-needle<br>u-100) |                       |
| TRUEPLUS SYR 0.3 ML 31GX5/16"<br>0.3 ML 31 GAUGE X 5/16"   | (insulin syringe-needle<br>u-100) |                       |
| TRUEPLUS SYR 0.5 ML 28GX1/2"<br>1/2 ML 28 GAUGE X 1/2"     | (insulin syringe-needle<br>u-100) |                       |



| Drug Name                                                       |                                     | Requirements / Limits |
|-----------------------------------------------------------------|-------------------------------------|-----------------------|
| TRUEPLUS SYR 0.5 ML 29GX1/2"<br>0.5 ML 29 GAUGE X 1/2"          | (insulin syringe-needle<br>u-100)   |                       |
| TRUEPLUS SYR 0.5 ML 30GX5/16"<br>0.5 ML 30 GAUGE X 5/16"        | (insulin syringe-needle<br>u-100)   |                       |
| TRUEPLUS SYR 0.5 ML 31GX5/16"<br>0.5 ML 31 GAUGE X 5/16"        | (insulin syringe-needle<br>u-100)   |                       |
| TRUEPLUS SYR 1 ML 28GX1/2" 1 ML 28<br>GAUGE X 1/2"              | (insulin syringe-needle<br>u-100)   |                       |
| TRUEPLUS SYR 1 ML 29GX1/2" 1 ML 29<br>GAUGE X 1/2"              | (insulin syringe-needle<br>u-100)   |                       |
| TRUEPLUS SYR 1 ML 30GX5/16" 1 ML<br>30 GAUGE X 5/16             | (insulin syringe-needle<br>u-100)   |                       |
| TRUEPLUS SYR 1 ML 31GX5/16" 1 ML<br>31 GAUGE X 5/16             | (insulin syringe-needle<br>u-100)   |                       |
| ULTICAR INS 0.3 ML 31GX1/4(1/2)<br>0.3 ML 31 GAUGE X 1/4"       | (insulin syr/ndl u100 half<br>mark) |                       |
| ULTICARE INS 1 ML 31GX1/4" 1 ML 31<br>GAUGE X 1/4"              | (insulin syringe-needle<br>u-100)   |                       |
| ULTICARE INS SYR 0.3 ML 30G 8MM<br>0.3 ML 30 GAUGE X 5/16"      | (Advocate Syringes)                 |                       |
| ULTICARE INS SYR 0.3 ML 31G 6MM<br>0.3 ML 31 GAUGE X 1/4"       | (insulin syringe-needle<br>u-100)   |                       |
| ULTICARE INS SYR 0.3 ML 31G 8MM<br>0.3 ML 31 GAUGE X 5/16"      | (Advocate Syringes)                 |                       |
| ULTICARE INS SYR 0.5 ML 31G 6MM<br>1/2 ML 31 GAUGE X 1/4"       | (insulin syringe-needle<br>u-100)   |                       |
| ULTICARE INS SYR 1 ML 30GX1/2" 1 ML<br>30 GAUGE X 1/2"          | (insulin syringe-needle<br>u-100)   |                       |
| ULTICARE PEN NEEDLE 31GX3/16" 31<br>GAUGE X 3/16"               | (pen needle, diabetic)              |                       |
| ULTICARE PEN NEEDLE 6MM 31G 31<br>GAUGE X 1/4"                  | (pen needle, diabetic)              |                       |
| ULTICARE PEN NEEDLE 8MM 31G 31<br>GAUGE X 5/16"                 | (pen needle, diabetic)              |                       |
| ULTICARE PEN NEEDLES 12MM 29G 29<br>GAUGE X 1/2"                | (pen needle, diabetic)              |                       |
| ULTICARE PEN NEEDLES 4MM 32G<br>MICRO, 32GX4MM 32 GAUGE X 5/32" | (pen needle, diabetic)              |                       |
| ULTICARE PEN NEEDLES 6MM 32G 32<br>GAUGE X 1/4"                 | (pen needle, diabetic)              |                       |
| ULTICARE SAFE PEN NDL 30G 8MM 30<br>GAUGE X 5/16"               |                                     |                       |
| ULTICARE SAFE PEN NDL 5MM 30G 30<br>GAUGE X 3/16"               |                                     |                       |

| Drug Name                                                                                                        |                                | Requirements / Limits |
|------------------------------------------------------------------------------------------------------------------|--------------------------------|-----------------------|
| ULTICARE SYR 0.3 ML 29G 12.7MM<br>0.3 ML 29 GAUGE X 1/2"                                                         | (Comfort EZ Insulin Syringe)   |                       |
| ULTICARE SYR 0.3 ML 30GX1/2" 0.3 ML<br>30 GAUGE X 1/2"                                                           | (insulin syringe-needle u-100) |                       |
| ULTICARE SYR 0.3 ML 31GX5/16"<br>SHORT NDL 0.3 ML 31 GAUGE X 5/16"                                               | (insulin syringe-needle u-100) |                       |
| ULTICARE SYR 0.5 ML 30GX1/2" 0.5 ML<br>30 GAUGE X 1/2"                                                           | (insulin syringe-needle u-100) |                       |
| ULTICARE SYR 0.5 ML 31GX5/16"<br>SHORT NDL 0.5 ML 31 GAUGE X 5/16"                                               | (insulin syringe-needle u-100) |                       |
| ULTICARE SYR 1 ML 31GX5/16" 1 ML 31<br>GAUGE X 5/16                                                              | (insulin syringe-needle u-100) |                       |
| ULTIGUARD SAFE 1 ML 30G 12.7MM<br>1 ML 30 X 1/2"                                                                 |                                |                       |
| ULTIGUARD SAFE PACK 32G 4MM 32<br>GAUGE X 5/32"                                                                  |                                |                       |
| ULTIGUARD SAFE0.3 ML 30G 12.7MM<br>0.3 ML 30 X 1/2"                                                              |                                |                       |
| ULTIGUARD SAFE0.5 ML 30G 12.7MM<br>1/2 ML 30 X 1/2"                                                              |                                |                       |
| ULTIGUARD SAFEPACK 1 ML 31G 8MM<br>1 ML 31 X 5/16"                                                               |                                |                       |
| ULTIGUARD SAFEPACK 29G 12.7MM 29<br>GAUGE X 1/2"                                                                 |                                |                       |
| ULTIGUARD SAFEPACK 31G 5MM 31<br>GAUGE X 3/16"                                                                   |                                |                       |
| ULTIGUARD SAFEPACK 31G 6MM 31<br>GAUGE X 1/4"                                                                    |                                |                       |
| ULTIGUARD SAFEPACK 31G 8MM 31<br>GAUGE X 5/16"                                                                   |                                |                       |
| ULTIGUARD SAFEPACK 32G 6MM 32<br>GAUGE X 1/4"                                                                    |                                |                       |
| ULTIGUARD SAFEPK 0.3 ML 31G 8MM<br>0.3 ML 31 X 5/16"                                                             |                                |                       |
| ULTIGUARD SAFEPK 0.5 ML 31G 8MM<br>1/2 ML 31 X 5/16"                                                             |                                |                       |
| ULTILET INSULIN SYRINGE 0.3 ML<br>0.3 ML 29 GAUGE X 1/2", 0.3 ML 30<br>GAUGE X 5/16", 0.3 ML 31 GAUGE X<br>5/16" | (insulin syringe-needle u-100) |                       |
| ULTILET INSULIN SYRINGE 0.5 ML<br>0.5 ML 29 GAUGE X 1/2", 0.5 ML 30<br>GAUGE X 5/16", 0.5 ML 31 GAUGE X<br>5/16" | (insulin syringe-needle u-100) |                       |

| Drug Name                                                                                     | Requirements / Limits          |
|-----------------------------------------------------------------------------------------------|--------------------------------|
| ULTILET INSULIN SYRINGE 1 ML 1 ML 29 GAUGE X 1/2", 1 ML 30 GAUGE X 5/16, 1 ML 31 GAUGE X 5/16 | (insulin syringe-needle u-100) |
| ULTILET PEN NEEDLE 29 GAUGE                                                                   |                                |
| ULTILET PEN NEEDLE 4MM 32G 32 GAUGE X 5/32"                                                   | (pen needle, diabetic)         |
| ULTRA COMFORT 0.3 ML SYRINGE 0.3 ML 30 GAUGE X 5/16"                                          | (insulin syringe-needle u-100) |
| ULTRA COMFORT 0.5 ML 28GX1/2" CONVERTS TO 29G 1/2 ML 28 GAUGE X 1/2"                          | (insulin syringe-needle u-100) |
| ULTRA COMFORT 0.5 ML 29GX1/2" 0.5 ML 29 GAUGE X 1/2"                                          | (insulin syringe-needle u-100) |
| ULTRA COMFORT 0.5 ML SYRINGE 1/2 ML 28 GAUGE                                                  | (insulin syringe-needle u-100) |
| ULTRA COMFORT 1 ML 31GX5/16" 1 ML 31 GAUGE X 5/16                                             | (insulin syringe-needle u-100) |
| ULTRA COMFORT 1 ML SYRINGE 1 ML 28 GAUGE X 1/2"                                               | (insulin syringe-needle u-100) |
| ULTRA FLO 0.3 ML 30G 1/2" (1/2) 0.3 ML 30 GAUGE X 1/2"                                        |                                |
| ULTRA FLO 0.3 ML 30G 5/16"(1/2) 0.3 ML 30 GAUGE X 5/16"                                       |                                |
| ULTRA FLO 0.3 ML 31G 5/16"(1/2) 0.3 ML 31 GAUGE X 5/16"                                       |                                |
| ULTRA FLO PEN NEEDLE 31G 5MM 31 GAUGE X 3/16"                                                 | (pen needle, diabetic)         |
| ULTRA FLO PEN NEEDLE 31G 8MM 31 GAUGE X 5/16"                                                 | (pen needle, diabetic)         |
| ULTRA FLO PEN NEEDLE 32G 4MM 32 GAUGE X 5/32"                                                 | (pen needle, diabetic)         |
| ULTRA FLO PEN NEEDLE 33G 4MM 33 GAUGE X 5/32"                                                 | (pen needle, diabetic)         |
| ULTRA FLO PEN NEEDLES 12MM 29G 29 GAUGE X 1/2"                                                | (pen needle, diabetic)         |
| ULTRA FLO SYR 0.3 ML 29GX1/2" 0.3 ML 29 GAUGE X 1/2"                                          | (insulin syringe-needle u-100) |
| ULTRA FLO SYR 0.3 ML 30G 5/16" 0.3 ML 30 GAUGE X 5/16"                                        | (insulin syringe-needle u-100) |
| ULTRA FLO SYR 0.3 ML 31G 5/16" 0.3 ML 31 GAUGE X 5/16"                                        | (insulin syringe-needle u-100) |
| ULTRA FLO SYR 0.5 ML 29G 1/2" 0.5 ML 29 GAUGE X 1/2"                                          | (insulin syringe-needle u-100) |

| Drug Name                                                 |                                | Requirements / Limits |
|-----------------------------------------------------------|--------------------------------|-----------------------|
| ULTRA THIN PEN NDL 32G X 4MM 32 GAUGE X 5/32"             | (pen needle, diabetic)         |                       |
| ULTRACARE INS 0.3 ML 30GX5/16"<br>0.3 ML 30 GAUGE X 5/16" | (insulin syringe-needle u-100) |                       |
| ULTRACARE INS 0.3 ML 31GX5/16"<br>0.3 ML 31 GAUGE X 5/16" | (insulin syringe-needle u-100) |                       |
| ULTRACARE INS 0.5 ML 30GX1/2"<br>0.5 ML 30 GAUGE X 1/2"   | (insulin syringe-needle u-100) |                       |
| ULTRACARE INS 0.5 ML 30GX5/16"<br>0.5 ML 30 GAUGE X 5/16" | (insulin syringe-needle u-100) |                       |
| ULTRACARE INS 0.5 ML 31GX5/16"<br>0.5 ML 31 GAUGE X 5/16" | (insulin syringe-needle u-100) |                       |
| ULTRACARE INS 1 ML 30G X 5/16" 1 ML 30 GAUGE X 5/16       | (insulin syringe-needle u-100) |                       |
| ULTRACARE INS 1 ML 30GX1/2" 1 ML 30 GAUGE X 1/2"          | (insulin syringe-needle u-100) |                       |
| ULTRACARE INS 1 ML 31G X 5/16" 1 ML 31 GAUGE X 5/16       | (insulin syringe-needle u-100) |                       |
| ULTRACARE PEN NEEDLE 31GX1/4" 31 GAUGE X 1/4"             | (pen needle, diabetic)         |                       |
| ULTRACARE PEN NEEDLE 31GX3/16"<br>31 GAUGE X 3/16"        | (pen needle, diabetic)         |                       |
| ULTRACARE PEN NEEDLE 31GX5/16"<br>31 GAUGE X 5/16"        | (pen needle, diabetic)         |                       |
| ULTRACARE PEN NEEDLE 32GX1/4" 32 GAUGE X 1/4"             | (pen needle, diabetic)         |                       |
| ULTRACARE PEN NEEDLE 32GX3/16"<br>32 GAUGE X 3/16"        | (pen needle, diabetic)         |                       |
| ULTRACARE PEN NEEDLE 32GX5/32"<br>32 GAUGE X 5/32"        | (pen needle, diabetic)         |                       |
| ULTRACARE PEN NEEDLE 33GX5/32"<br>33 GAUGE X 5/32"        | (pen needle, diabetic)         |                       |
| ULTRA-THIN II 1 ML 31GX5/16" 1 ML 31 GAUGE X 5/16         | (insulin syringe-needle u-100) |                       |
| ULTRA-THIN II INS 0.3 ML 30G 0.3 ML 30 GAUGE X 5/16"      | (insulin syringe-needle u-100) |                       |
| ULTRA-THIN II INS 0.3 ML 31G 0.3 ML 31 GAUGE X 5/16"      | (insulin syringe-needle u-100) |                       |
| ULTRA-THIN II INS 0.5 ML 29G 0.5 ML 29 GAUGE X 1/2"       | (insulin syringe-needle u-100) |                       |
| ULTRA-THIN II INS 0.5 ML 30G 0.5 ML 30 GAUGE X 5/16"      | (insulin syringe-needle u-100) |                       |
| ULTRA-THIN II INS 0.5 ML 31G 0.5 ML 31 GAUGE X 5/16"      | (insulin syringe-needle u-100) |                       |

| Drug Name                                                      |                                | Requirements / Limits |
|----------------------------------------------------------------|--------------------------------|-----------------------|
| ULTRA-THIN II INS SYR 1 ML 29G 1 ML 29 GAUGE X 1/2"            | (insulin syringe-needle u-100) |                       |
| ULTRA-THIN II INS SYR 1 ML 30G 1 ML 30 GAUGE X 5/16            | (insulin syringe-needle u-100) |                       |
| ULTRA-THIN II PEN NDL 29GX1/2" 29 GAUGE X 1/2"                 | (pen needle, diabetic)         |                       |
| ULTRA-THIN II PEN NDL 31GX5/16 31 GAUGE X 5/16"                | (pen needle, diabetic)         |                       |
| UNIFINE PEN NEEDLE 32G 4MM 32 GAUGE X 5/32"                    | (pen needle, diabetic)         |                       |
| UNIFINE PENTIPS 12MM 29G 29GX12MM, STRL 29 GAUGE X 1/2"        | (pen needle, diabetic)         |                       |
| UNIFINE PENTIPS 31GX3/16" 31GX5MM, STRL, MINI 31 GAUGE X 3/16" | (pen needle, diabetic)         |                       |
| UNIFINE PENTIPS 32GX1/4" 32 GAUGE X 1/4"                       | (pen needle, diabetic)         |                       |
| UNIFINE PENTIPS 32GX5/32" 32GX4MM, STRL, NANO 32 GAUGE X 5/32" | (pen needle, diabetic)         |                       |
| UNIFINE PENTIPS 33GX5/32" 33 GAUGE X 5/32"                     | (pen needle, diabetic)         |                       |
| UNIFINE PENTIPS 6MM 31G 31 GAUGE X 1/4"                        | (pen needle, diabetic)         |                       |
| UNIFINE PENTIPS MAX 30GX3/16" 30 GAUGE X 3/16"                 | (pen needle, diabetic)         |                       |
| UNIFINE PENTIPS NEEDLES 29G 29 GAUGE                           |                                |                       |
| UNIFINE PENTIPS PLUS 29GX1/2" 12MM 29 GAUGE X 1/2"             | (pen needle, diabetic)         |                       |
| UNIFINE PENTIPS PLUS 30GX3/16" 30 GAUGE X 3/16"                | (pen needle, diabetic)         |                       |
| UNIFINE PENTIPS PLUS 31GX1/4" ULTRA SHORT, 6MM 31 GAUGE X 1/4" | (pen needle, diabetic)         |                       |
| UNIFINE PENTIPS PLUS 31GX3/16" MINI 31 GAUGE X 3/16"           | (pen needle, diabetic)         |                       |
| UNIFINE PENTIPS PLUS 31GX5/16" SHORT 31 GAUGE X 5/16"          | (pen needle, diabetic)         |                       |
| UNIFINE PENTIPS PLUS 32GX5/32" 32 GAUGE X 5/32"                | (pen needle, diabetic)         |                       |
| UNIFINE PENTIPS PLUS 33GX5/32" 33 GAUGE X 5/32"                | (pen needle, diabetic)         |                       |
| UNIFINE PROTECT 30G 5MM 30 GAUGE X 3/16"                       |                                |                       |

| Drug Name                                                                                  | Requirements / Limits |
|--------------------------------------------------------------------------------------------|-----------------------|
| UNIFINE PROTECT 30G 8MM 30 GAUGE X 5/16"                                                   |                       |
| UNIFINE PROTECT 32G 4MM 32 GAUGE X 5/32"                                                   |                       |
| UNIFINE SAFECONTROL 30GX3/16" 30 GAUGE X 3/16"                                             |                       |
| UNIFINE SAFECONTROL 30GX5/16" 30 GAUGE X 5/16"                                             |                       |
| UNIFINE SAFECONTROL 31G 5MM 31 GAUGE X 3/16" (pen needle, diabetic)                        |                       |
| UNIFINE SAFECONTROL 31G 6MM 31 GAUGE X 1/4" (pen needle, diabetic)                         |                       |
| UNIFINE SAFECONTROL 31G 8MM 31 GAUGE X 5/16" (pen needle, diabetic)                        |                       |
| UNIFINE SAFECONTROL 32G 4MM 32 GAUGE X 5/32"                                               |                       |
| UNIFINE ULTRA PEN NDL 31G 5MM 31 GAUGE X 3/16" (pen needle, diabetic)                      |                       |
| UNIFINE ULTRA PEN NDL 31G 6MM 31 GAUGE X 1/4" (pen needle, diabetic)                       |                       |
| UNIFINE ULTRA PEN NDL 31G 8MM 31 GAUGE X 5/16" (pen needle, diabetic)                      |                       |
| UNIFINE ULTRA PEN NDL 32G 4MM 32 GAUGE X 5/32" (pen needle, diabetic)                      |                       |
| VANISHPOINT 0.5 ML 30GX1/2" SY OUTER 0.5 ML 30 GAUGE X 1/2" (insulin syringe-needle u-100) |                       |
| VANISHPOINT INS 1 ML 30GX3/16" 1 ML 30 GAUGE X 3/16"                                       |                       |
| VANISHPOINT U-100 29X1/2 SYR 1 ML 29 GAUGE X 1/2" (insulin syringe-needle u-100)           |                       |
| VERIFINE INS SYR 1 ML 29G 1/2" 1 ML 29 GAUGE X 1/2" (insulin syringe-needle u-100)         |                       |
| VERIFINE PEN NEEDLE 29G 12MM 29 GAUGE X 1/2" (pen needle, diabetic)                        |                       |
| VERIFINE PEN NEEDLE 31G 5MM 31 GAUGE X 3/16" (pen needle, diabetic)                        |                       |
| VERIFINE PEN NEEDLE 31G X 6MM 31 GAUGE X 1/4" (pen needle, diabetic)                       |                       |
| VERIFINE PEN NEEDLE 31G X 8MM 31 GAUGE X 5/16" (pen needle, diabetic)                      |                       |
| VERIFINE PEN NEEDLE 32G 6MM 32 GAUGE X 1/4" (pen needle, diabetic)                         |                       |
| VERIFINE PEN NEEDLE 32G X 4MM 32 GAUGE X 5/32" (pen needle, diabetic)                      |                       |

| Drug Name                                                             |                                | Requirements / Limits   |
|-----------------------------------------------------------------------|--------------------------------|-------------------------|
| VERIFINE PEN NEEDLE 32G X 5MM 32 GAUGE X 3/16"                        | (pen needle, diabetic)         |                         |
| VERIFINE PLUS PEN NDL 31G 5MM 31 GAUGE X 3/16"                        | (pen needle, diabetic)         |                         |
| VERIFINE PLUS PEN NDL 31G 8MM 31 GAUGE X 5/16"                        | (pen needle, diabetic)         |                         |
| VERIFINE PLUS PEN NDL 32G 4MM 32 GAUGE X 5/32"                        | (pen needle, diabetic)         |                         |
| VERIFINE PLUS PEN NDL 32G 4MM-SHARPS CONTAINER 32 GAUGE X 5/32"       |                                |                         |
| VERIFINE SYRING 0.5 ML 29G 1/2" 0.5 ML 29 GAUGE X 1/2"                | (insulin syringe-needle u-100) |                         |
| VERIFINE SYRING 1 ML 31G 5/16" 1 ML 31 GAUGE X 5/16                   | (insulin syringe-needle u-100) |                         |
| VERIFINE SYRNG 0.3 ML 31G 5/16" 0.3 ML 31 GAUGE X 5/16"               | (insulin syringe-needle u-100) |                         |
| VERIFINE SYRNG 0.5 ML 31G 5/16" 0.5 ML 31 GAUGE X 5/16"               | (insulin syringe-needle u-100) |                         |
| VERSALON ALL PURPOSE SPONGE 25'S, N-STERILE,3PLY 2 X 2 "              |                                |                         |
| <b>BLOOD PRODUCTS AND MODIFIERS</b>                                   |                                |                         |
| <b>Anticoagulants</b>                                                 |                                |                         |
| ELIQUIS DVT-PE TREAT 30D START ORAL TABLETS, DOSE PACK 5 MG (74 TABS) |                                |                         |
| ELIQUIS ORAL TABLET 2.5 MG, 5 MG                                      |                                |                         |
| <i>enoxaparin subcutaneous syringe 100 mg/ml, 150 mg/ml</i>           | (Lovenox)                      | QL (60 per 30 days)     |
| <i>enoxaparin subcutaneous syringe 120 mg/0.8 ml, 80 mg/0.8 ml</i>    | (Lovenox)                      | QL (48 per 30 days)     |
| <i>enoxaparin subcutaneous syringe 30 mg/0.3 ml</i>                   | (Lovenox)                      | QL (18 per 30 days)     |
| <i>enoxaparin subcutaneous syringe 40 mg/0.4 ml</i>                   | (Lovenox)                      | QL (24 per 30 days)     |
| <i>enoxaparin subcutaneous syringe 60 mg/0.6 ml</i>                   | (Lovenox)                      | QL (36 per 30 days)     |
| <i>fondaparinux subcutaneous syringe 10 mg/0.8 ml</i>                 | (Arixtra)                      | NM; QL (24 per 30 days) |
| <i>fondaparinux subcutaneous syringe 2.5 mg/0.5 ml</i>                | (Arixtra)                      | QL (15 per 30 days)     |
| <i>fondaparinux subcutaneous syringe 5 mg/0.4 ml</i>                  | (Arixtra)                      | NM; QL (12 per 30 days) |

| Drug Name                                                                                                            |            | Requirements / Limits        |
|----------------------------------------------------------------------------------------------------------------------|------------|------------------------------|
| fondaparinux subcutaneous syringe<br>7.5 mg/0.6 ml                                                                   | (Arixtra)  | NM; QL (18 per 30 days)      |
| heparin (porcine) injection solution<br>1,000 unit/ml, 10,000 unit/ml,<br>20,000 unit/ml, 5,000 unit/ml              |            |                              |
| jantoven oral tablet 1 mg, 10 mg, 2 mg,<br>2.5 mg, 3 mg, 4 mg, 5 mg, 6 mg, 7.5 mg                                    | (warfarin) |                              |
| warfarin oral tablet 1 mg, 10 mg, 2 mg,<br>2.5 mg, 3 mg, 4 mg, 5 mg, 6 mg, 7.5 mg                                    | (Jantoven) |                              |
| XARELTO DVT-PE TREAT 30D START<br>ORAL TABLETS, DOSE PACK 15 MG<br>(42)- 20 MG (9)                                   |            |                              |
| XARELTO ORAL SUSPENSION FOR<br>RECONSTITUTION 1 MG/ML                                                                |            |                              |
| XARELTO ORAL TABLET 10 MG, 15 MG,<br>2.5 MG, 20 MG                                                                   |            |                              |
| <b>Blood Products And Modifiers, Other</b>                                                                           |            |                              |
| anagrelide oral capsule 0.5 mg                                                                                       | (Agrylin)  |                              |
| anagrelide oral capsule 1 mg                                                                                         |            |                              |
| LEUKINE INJECTION RECON SOLN<br>250 MCG                                                                              |            | PA; NM                       |
| PROMACTA ORAL POWDER IN<br>PACKET 12.5 MG                                                                            |            | PA; NM; QL (360 per 30 days) |
| PROMACTA ORAL POWDER IN<br>PACKET 25 MG                                                                              |            | PA; NM; QL (180 per 30 days) |
| PROMACTA ORAL TABLET 12.5 MG,<br>25 MG, 50 MG, 75 MG                                                                 |            | PA; NM; QL (60 per 30 days)  |
| RETACRIT INJECTION SOLUTION<br>10,000 UNIT/ML, 20,000 UNIT/2 ML,<br>20,000 UNIT/ML, 4,000 UNIT/ML,<br>40,000 UNIT/ML |            | PA; QL (12 per 28 days)      |
| RETACRIT INJECTION SOLUTION<br>2,000 UNIT/ML                                                                         |            | PA; QL (23 per 30 days)      |
| RETACRIT INJECTION SOLUTION<br>3,000 UNIT/ML                                                                         |            | PA; QL (16 per 30 days)      |
| tranexamic acid oral tablet 650 mg                                                                                   |            |                              |
| ZARXIO INJECTION SYRINGE<br>300 MCG/0.5 ML, 480 MCG/0.8 ML                                                           |            | PA; NM                       |
| ZIEXTENZO SUBCUTANEOUS<br>SYRINGE 6 MG/0.6 ML                                                                        |            | PA; NM                       |
| <b>Platelet Modifying Agents</b>                                                                                     |            |                              |
| aspirin-dipyridamole oral capsule, er<br>multiphase 12 hr 25-200 mg                                                  |            |                              |



| Drug Name                                                        | Requirements / Limits        |
|------------------------------------------------------------------|------------------------------|
| BRILINTA ORAL TABLET 60 MG, 90 MG                                |                              |
| CABLIVI INJECTION KIT 11 MG                                      | PA; NM                       |
| cilostazol oral tablet 100 mg, 50 mg                             |                              |
| clopidogrel oral tablet 75 mg (Plavix)                           |                              |
| prasugrel oral tablet 10 mg, 5 mg (Effient)                      |                              |
| <b>CARDIOVASCULAR AGENTS</b>                                     |                              |
| <b>Alpha-Adrenergic Agonists</b>                                 |                              |
| clonidine hcl oral tablet 0.1 mg, 0.2 mg, 0.3 mg                 |                              |
| clonidine transdermal patch weekly 0.1 mg/24 hr (Catapres-TTS-1) | QL (4 per 28 days)           |
| clonidine transdermal patch weekly 0.2 mg/24 hr (Catapres-TTS-2) | QL (4 per 28 days)           |
| clonidine transdermal patch weekly 0.3 mg/24 hr (Catapres-TTS-3) | QL (4 per 28 days)           |
| droxidopa oral capsule 100 mg, 200 mg, 300 mg (Northera)         | PA; NM; QL (180 per 30 days) |
| guanfacine oral tablet 1 mg, 2 mg                                |                              |
| midodrine oral tablet 10 mg, 2.5 mg, 5 mg                        |                              |
| <b>Alpha-Adrenergic Blocking Agents</b>                          |                              |
| doxazosin oral tablet 1 mg, 2 mg, 4 mg, 8 mg (Cardura)           |                              |
| prazosin oral capsule 1 mg, 2 mg, 5 mg                           |                              |
| terazosin oral capsule 1 mg, 10 mg, 2 mg, 5 mg                   |                              |
| <b>Angiotensin II Receptor Antagonists</b>                       |                              |
| candesartan oral tablet 16 mg, 32 mg, 4 mg, 8 mg (Atacand)       |                              |
| irbesartan oral tablet 150 mg, 300 mg, 75 mg (Avapro)            |                              |
| losartan oral tablet 100 mg, 25 mg, 50 mg (Cozaar)               |                              |
| olmesartan oral tablet 20 mg, 40 mg, 5 mg (Benicar)              |                              |
| telmisartan oral tablet 20 mg, 40 mg, 80 mg (Micardis)           |                              |
| valsartan oral tablet 160 mg, 320 mg, 40 mg, 80 mg (Diovan)      |                              |
| <b>Angiotensin-Converting Enzyme (ACE) Inhibitors</b>            |                              |
| benazepril oral tablet 10 mg, 20 mg, 40 mg (Lotensin)            |                              |
| benazepril oral tablet 5 mg                                      |                              |

| Drug Name                                                                 | Requirements / Limits |
|---------------------------------------------------------------------------|-----------------------|
| captopril oral tablet 100 mg, 12.5 mg, 25 mg, 50 mg                       |                       |
| enalapril maleate oral tablet 10 mg, 2.5 mg, 20 mg, 5 mg (Vasotec)        |                       |
| fosinopril oral tablet 10 mg, 20 mg, 40 mg                                |                       |
| lisinopril oral tablet 10 mg, 2.5 mg, 20 mg, 30 mg, 40 mg, 5 mg (Zestril) |                       |
| moexipril oral tablet 15 mg, 7.5 mg                                       |                       |
| perindopril erbumine oral tablet 2 mg, 4 mg, 8 mg                         |                       |
| quinapril oral tablet 10 mg, 20 mg, 40 mg, 5 mg (Accupril)                |                       |
| ramipril oral capsule 1.25 mg, 10 mg, 2.5 mg, 5 mg (Altace)               |                       |
| trandolapril oral tablet 1 mg, 2 mg, 4 mg                                 |                       |
| <b>Antiarrhythmics</b>                                                    |                       |
| amiodarone oral tablet 100 mg, 200 mg, 400 mg (Pacerone)                  |                       |
| disopyramide phosphate oral capsule 100 mg, 150 mg (Norpace)              |                       |
| dofetilide oral capsule 125 mcg, 250 mcg, 500 mcg (Tikosyn)               |                       |
| flecainide oral tablet 100 mg, 150 mg, 50 mg                              |                       |
| mexiletine oral capsule 150 mg, 200 mg, 250 mg                            |                       |
| MULTAQ ORAL TABLET 400 MG                                                 |                       |
| propafenone oral tablet 150 mg, 225 mg, 300 mg                            |                       |
| quinidine sulfate oral tablet 200 mg, 300 mg                              |                       |
| sotalol af oral tablet 120 mg, 160 mg, 80 mg (sotalol)                    |                       |
| sotalol oral tablet 120 mg, 160 mg, 80 mg (Sotalol AF)                    |                       |
| sotalol oral tablet 240 mg (Betapace)                                     |                       |
| <b>Beta-Adrenergic Blocking Agents</b>                                    |                       |
| acebutolol oral capsule 200 mg, 400 mg                                    |                       |
| atenolol oral tablet 100 mg, 25 mg, 50 mg (Tenormin)                      |                       |
| betaxolol oral tablet 10 mg, 20 mg                                        |                       |
| bisoprolol fumarate oral tablet 10 mg, 5 mg                               |                       |
| carvedilol oral tablet 12.5 mg, 25 mg, 3.125 mg, 6.25 mg (Coreg)          |                       |

| Drug Name                                                                                              | Requirements / Limits |
|--------------------------------------------------------------------------------------------------------|-----------------------|
| carvedilol phosphate oral capsule, er<br>multiphase 24 hr 10 mg, 20 mg, 40 mg,<br>80 mg (Coreg CR)     |                       |
| labetalol oral tablet 100 mg, 200 mg,<br>300 mg                                                        |                       |
| metoprolol succinate oral tablet extended<br>release 24 hr 100 mg, 200 mg, 25 mg,<br>50 mg (Toprol XL) |                       |
| metoprolol tartrate oral tablet 100 mg,<br>50 mg (Lopressor)                                           |                       |
| metoprolol tartrate oral tablet 25 mg,<br>37.5 mg, 75 mg                                               |                       |
| nadolol oral tablet 20 mg, 40 mg, 80 mg (Corgard)                                                      |                       |
| nebivolol oral tablet 10 mg, 2.5 mg,<br>20 mg, 5 mg (Bystolic)                                         |                       |
| pindolol oral tablet 10 mg, 5 mg                                                                       |                       |
| propranolol oral capsule, extended<br>release 24 hr 120 mg, 160 mg, 60 mg (Inderal LA)                 |                       |
| propranolol oral solution 20 mg/5 ml<br>(4 mg/ml), 40 mg/5 ml (8 mg/ml)                                |                       |
| propranolol oral tablet 10 mg, 20 mg,<br>40 mg, 60 mg                                                  |                       |
| timolol maleate oral tablet 10 mg, 20 mg,<br>5 mg                                                      |                       |
| <b>Calcium Channel Blocking Agents, Dihydropyridines</b>                                               |                       |
| amlodipine oral tablet 10 mg, 2.5 mg,<br>5 mg (Norvasc)                                                |                       |
| felodipine oral tablet extended release<br>24 hr 10 mg, 2.5 mg, 5 mg                                   | QL (30 per 30 days)   |
| isradipine oral capsule 2.5 mg, 5 mg                                                                   |                       |
| KATERZIA ORAL SUSPENSION<br>1 MG/ML                                                                    |                       |
| nicardipine oral capsule 20 mg, 30 mg                                                                  |                       |
| nifedipine oral capsule 10 mg, 20 mg                                                                   |                       |
| nifedipine oral tablet extended release<br>24hr 30 mg, 60 mg (Procardia XL)                            | QL (60 per 30 days)   |
| nifedipine oral tablet extended release<br>24hr 90 mg (Procardia XL)                                   | QL (30 per 30 days)   |
| nifedipine oral tablet extended release<br>30 mg, 60 mg                                                | QL (60 per 30 days)   |
| nifedipine oral tablet extended release<br>90 mg                                                       | QL (30 per 30 days)   |

| Drug Name                                                                                 |                 | Requirements / Limits |
|-------------------------------------------------------------------------------------------|-----------------|-----------------------|
| <b>Calcium Channel Blocking Agents, Nondihydropyridines</b>                               |                 |                       |
| cartia xt oral capsule, extended release<br>24hr 120 mg, 180 mg, 240 mg                   | (diltiazem hcl) | QL (60 per 30 days)   |
| cartia xt oral capsule, extended release<br>24hr 300 mg                                   | (diltiazem hcl) | QL (30 per 30 days)   |
| diltiazem hcl oral capsule, extended<br>release 12 hr 120 mg, 60 mg, 90 mg                |                 |                       |
| diltiazem hcl oral capsule, extended<br>release 24 hr 360 mg, 420 mg                      | (Tiadylt ER)    | QL (30 per 30 days)   |
| diltiazem hcl oral capsule, extended<br>release 24hr 120 mg, 180 mg, 240 mg               | (Cartia XT)     | QL (60 per 30 days)   |
| diltiazem hcl oral capsule, extended<br>release 24hr 300 mg                               | (Cartia XT)     | QL (30 per 30 days)   |
| diltiazem hcl oral tablet 120 mg, 30 mg,<br>60 mg                                         | (Cardizem)      |                       |
| diltiazem hcl oral tablet 90 mg                                                           |                 |                       |
| diltiazem hcl oral tablet extended release<br>24 hr 180 mg, 240 mg, 300 mg, 360 mg        | (Matzim LA)     |                       |
| dilt-xr oral capsule, ext.rel 24h degradable<br>120 mg, 180 mg, 240 mg                    | (diltiazem hcl) | QL (60 per 30 days)   |
| matzim la oral tablet extended release<br>24 hr 180 mg, 240 mg, 300 mg, 360 mg,<br>420 mg | (diltiazem hcl) |                       |
| taztia xt oral capsule, extended release<br>24 hr 120 mg, 180 mg, 240 mg                  | (diltiazem hcl) | QL (60 per 30 days)   |
| taztia xt oral capsule, extended release<br>24 hr 300 mg, 360 mg                          | (diltiazem hcl) | QL (30 per 30 days)   |
| tiadylt er oral capsule, extended release<br>24 hr 120 mg, 180 mg, 240 mg                 | (diltiazem hcl) | QL (60 per 30 days)   |
| tiadylt er oral capsule, extended release<br>24 hr 300 mg, 360 mg, 420 mg                 | (diltiazem hcl) | QL (30 per 30 days)   |
| verapamil oral capsule, 24 hr er pellet ct<br>100 mg, 200 mg, 300 mg                      | (Verelan PM)    |                       |
| verapamil oral capsule, ext rel. pellets<br>24 hr 120 mg, 180 mg, 240 mg, 360 mg          |                 |                       |
| verapamil oral tablet 120 mg, 40 mg,<br>80 mg                                             |                 |                       |
| verapamil oral tablet extended release<br>120 mg, 180 mg, 240 mg                          |                 |                       |
| <b>Cardiovascular Agents, Other</b>                                                       |                 |                       |
| aliskiren oral tablet 150 mg, 300 mg                                                      | (Tekturna)      | QL (30 per 30 days)   |
| amiloride-hydrochlorothiazide oral tablet<br>5-50 mg                                      |                 |                       |

| Drug Name                                                                                                                     | Requirements / Limits       |
|-------------------------------------------------------------------------------------------------------------------------------|-----------------------------|
| amlodipine-atorvastatin oral tablet<br>10-10 mg, 10-20 mg, 10-40 mg, 10-80 mg, (Caduet)<br>5-10 mg, 5-20 mg, 5-40 mg, 5-80 mg | QL (30 per 30 days)         |
| amlodipine-atorvastatin oral tablet<br>2.5-10 mg, 2.5-20 mg, 2.5-40 mg                                                        | QL (30 per 30 days)         |
| amlodipine-benazepril oral capsule (Lotrel)<br>10-20 mg, 10-40 mg, 5-10 mg, 5-20 mg                                           |                             |
| amlodipine-benazepril oral capsule<br>2.5-10 mg, 5-40 mg                                                                      |                             |
| amlodipine-olmesartan oral tablet (Azor)<br>10-20 mg, 10-40 mg, 5-20 mg, 5-40 mg                                              |                             |
| amlodipine-valsartan oral tablet<br>10-160 mg, 10-320 mg, 5-160 mg, (Exforge)<br>5-320 mg                                     |                             |
| atenolol-chlorthalidone oral tablet (Tenoretic 100)<br>100-25 mg                                                              |                             |
| atenolol-chlorthalidone oral tablet (Tenoretic 50)<br>50-25 mg                                                                |                             |
| benazepril-hydrochlorothiazide oral tablet (Lotensin HCT)<br>10-12.5 mg, 20-12.5 mg, 20-25 mg                                 |                             |
| benazepril-hydrochlorothiazide oral tablet<br>5-6.25 mg                                                                       |                             |
| bisoprolol-hydrochlorothiazide oral tablet<br>10-6.25 mg, 2.5-6.25 mg, 5-6.25 mg                                              |                             |
| CAMZYOS ORAL CAPSULE 10 MG,<br>15 MG, 2.5 MG, 5 MG                                                                            | PA; NM; QL (30 per 30 days) |
| candesartan-hydrochlorothiazid oral tablet (Atacand HCT)<br>16-12.5 mg, 32-12.5 mg, 32-25 mg                                  |                             |
| CORLANOR ORAL TABLET 5 MG,<br>7.5 MG                                                                                          | PA                          |
| digitek oral tablet 125 mcg (0.125 mg), (digoxin)<br>250 mcg (0.25 mg)                                                        | QL (30 per 30 days)         |
| digox oral tablet 125 mcg (0.125 mg) (digoxin)                                                                                | QL (30 per 30 days)         |
| digoxin 250 mcg tablet 250 mcg (0.25 mg) (Digitek)                                                                            | QL (30 per 30 days)         |
| DIGOXIN ORAL SOLUTION 50 MCG/ML<br>(0.05 MG/ML)                                                                               | QL (255 per 30 days)        |
| digoxin oral tablet 125 mcg (0.125 mg), (Digitek)<br>250 mcg (0.25 mg)                                                        | QL (30 per 30 days)         |
| digoxin oral tablet 62.5 mcg (0.0625 mg) (Lanoxin)                                                                            | QL (60 per 30 days)         |
| enalapril-hydrochlorothiazide oral tablet (Vaseretic)<br>10-25 mg                                                             |                             |
| enalapril-hydrochlorothiazide oral tablet<br>5-12.5 mg                                                                        |                             |

| Drug Name                                                                                                                              | Requirements / Limits       |
|----------------------------------------------------------------------------------------------------------------------------------------|-----------------------------|
| ENTRESTO ORAL TABLET 24-26 MG,<br>49-51 MG, 97-103 MG                                                                                  |                             |
| FILSPARI ORAL TABLET 200 MG,<br>400 MG                                                                                                 | PA; NM; QL (30 per 30 days) |
| <i>fosinopril-hydrochlorothiazide oral tablet</i><br>10-12.5 mg, 20-12.5 mg                                                            |                             |
| <i>irbesartan-hydrochlorothiazide oral tablet</i><br>150-12.5 mg, 300-12.5 mg (Avalide)                                                |                             |
| <i>isosorbide-hydralazine oral tablet</i><br>20-37.5 mg (BiDil)                                                                        |                             |
| LANOXIN ORAL TABLET 125 MCG<br>(0.125 MG), 250 MCG (0.25 MG),<br>62.5 MCG (0.0625 MG) (digoxin)                                        | QL (30 per 30 days)         |
| <i>lisinopril-hydrochlorothiazide oral tablet</i><br>10-12.5 mg, 20-12.5 mg, 20-25 mg (Zestoretic)                                     |                             |
| <i>losartan-hydrochlorothiazide oral tablet</i><br>100-12.5 mg, 100-25 mg, 50-12.5 mg (Hyzaar)                                         |                             |
| <i>metoprolol ta-hydrochlorothiaz oral tablet</i><br>100-25 mg, 100-50 mg, 50-25 mg                                                    |                             |
| <i>metyrosine oral capsule</i> 250 mg (Demser)                                                                                         | NM                          |
| <i>olmesartan-amlodipin-hcthiacid oral tablet</i><br>20-5-12.5 mg, 40-10-12.5 mg,<br>40-10-25 mg, 40-5-12.5 mg, 40-5-25 mg (Tribenzor) |                             |
| <i>olmesartan-hydrochlorothiazide oral tablet</i><br>20-12.5 mg, 40-12.5 mg, 40-25 mg (Benicar HCT)                                    |                             |
| <i>pentoxifylline oral tablet extended release</i><br>400 mg                                                                           |                             |
| <i>quinapril-hydrochlorothiazide oral tablet</i><br>10-12.5 mg, 20-12.5 mg, 20-25 mg (Accuretic)                                       |                             |
| <i>ranolazine oral tablet extended release</i><br>12 hr 1,000 mg, 500 mg                                                               |                             |
| <i>spironolacton-hydrochlorothiaz oral tablet</i><br>25-25 mg                                                                          |                             |
| <i>telmisartan-amlodipine oral tablet</i><br>40-10 mg, 40-5 mg, 80-10 mg, 80-5 mg                                                      |                             |
| <i>telmisartan-hydrochlorothiazid oral tablet</i><br>40-12.5 mg, 80-12.5 mg, 80-25 mg (Micardis HCT)                                   |                             |
| <i>trandolapril-verapamil oral tablet, ir - er,</i><br><i>biphasic 24hr 1-240 mg, 2-180 mg,</i><br><i>2-240 mg, 4-240 mg</i>           |                             |
| <i>triamterene-hydrochlorothiazid oral</i><br><i>capsule</i> 37.5-25 mg                                                                |                             |
| <i>triamterene-hydrochlorothiazid oral tablet</i><br>37.5-25 mg, 75-50 mg                                                              |                             |

| Drug Name                                                                                                               | Requirements / Limits |
|-------------------------------------------------------------------------------------------------------------------------|-----------------------|
| valsartan-hydrochlorothiazide oral tablet<br>160-12.5 mg, 160-25 mg, 320-12.5 mg, (Diovan HCT)<br>320-25 mg, 80-12.5 mg |                       |
| VERQUVO ORAL TABLET 10 MG,<br>2.5 MG, 5 MG                                                                              | PA                    |
| <b>Diuretics, Loop</b>                                                                                                  |                       |
| bumetanide injection solution 0.25 mg/ml                                                                                |                       |
| bumetanide oral tablet 0.5 mg, 1 mg, 2 mg                                                                               |                       |
| furosemide injection solution 10 mg/ml                                                                                  |                       |
| furosemide oral solution 10 mg/ml,<br>40 mg/5 ml (8 mg/ml)                                                              |                       |
| furosemide oral tablet 20 mg, 40 mg, (Lasix)<br>80 mg                                                                   |                       |
| torsemide oral tablet 10 mg, 100 mg, 5 mg                                                                               |                       |
| torsemide oral tablet 20 mg (Soaanz)                                                                                    |                       |
| <b>Diuretics, Potassium-Sparing</b>                                                                                     |                       |
| amiloride oral tablet 5 mg                                                                                              |                       |
| epplerenone oral tablet 25 mg, 50 mg (Inspra)                                                                           |                       |
| KERENDIA ORAL TABLET 10 MG,<br>20 MG                                                                                    | QL (30 per 30 days)   |
| spironolactone oral tablet 100 mg, 25 mg, (Aldactone)<br>50 mg                                                          |                       |
| <b>Diuretics, Thiazide</b>                                                                                              |                       |
| chlorthalidone oral tablet 25 mg, 50 mg                                                                                 |                       |
| hydrochlorothiazide oral capsule 12.5 mg                                                                                |                       |
| hydrochlorothiazide oral tablet 12.5 mg,<br>25 mg, 50 mg                                                                |                       |
| indapamide oral tablet 1.25 mg, 2.5 mg                                                                                  |                       |
| metolazone oral tablet 10 mg, 2.5 mg,<br>5 mg                                                                           |                       |
| <b>Dyslipidemics, Fibric Acid Derivatives</b>                                                                           |                       |
| fenofibrate micronized oral capsule<br>130 mg, 134 mg, 200 mg, 67 mg                                                    | QL (30 per 30 days)   |
| fenofibrate micronized oral capsule 43 mg                                                                               | QL (60 per 30 days)   |
| fenofibrate nanocrystallized oral tablet (Tricor)<br>145 mg                                                             | QL (30 per 30 days)   |
| fenofibrate nanocrystallized oral tablet (Tricor)<br>48 mg                                                              | QL (60 per 30 days)   |
| fenofibrate oral capsule 150 mg (Lipofen)                                                                               | QL (30 per 30 days)   |
| fenofibrate oral capsule 50 mg (Lipofen)                                                                                | QL (60 per 30 days)   |
| fenofibrate oral tablet 160 mg                                                                                          | QL (30 per 30 days)   |

| Drug Name                                                                               | Requirements / Limits |
|-----------------------------------------------------------------------------------------|-----------------------|
| fenofibrate oral tablet 54 mg                                                           | QL (60 per 30 days)   |
| fenofibric acid (choline) oral capsule, delayed release(dr/ec) 135 mg, 45 mg (Trilipix) | QL (30 per 30 days)   |
| gemfibrozil oral tablet 600 mg (Lopid)                                                  | QL (60 per 30 days)   |
| <b>Dyslipidemics, HMG COA Reductase Inhibitors</b>                                      |                       |
| atorvastatin oral tablet 10 mg, 20 mg, 40 mg, 80 mg (Lipitor)                           | QL (30 per 30 days)   |
| fluvastatin oral capsule 20 mg, 40 mg                                                   |                       |
| fluvastatin oral tablet extended release 24 hr 80 mg (Lescol XL)                        |                       |
| LIVALO ORAL TABLET 1 MG, 2 MG, 4 MG (pitavastatin calcium)                              | QL (30 per 30 days)   |
| lovastatin oral tablet 10 mg                                                            | QL (45 per 30 days)   |
| lovastatin oral tablet 20 mg                                                            | QL (30 per 30 days)   |
| lovastatin oral tablet 40 mg                                                            | QL (60 per 30 days)   |
| pravastatin oral tablet 10 mg, 20 mg, 40 mg, 80 mg                                      | QL (30 per 30 days)   |
| rosuvastatin oral tablet 10 mg, 20 mg, 5 mg                                             | QL (30 per 30 days)   |
| rosuvastatin oral tablet 40 mg (Crestor)                                                | QL (30 per 30 days)   |
| simvastatin oral tablet 10 mg, 20 mg, 40 mg (Zocor)                                     | QL (30 per 30 days)   |
| simvastatin oral tablet 5 mg, 80 mg                                                     | QL (30 per 30 days)   |
| <b>Dyslipidemics, Other</b>                                                             |                       |
| cholestyramine (with sugar) oral powder in packet 4 gram (Questran)                     |                       |
| cholestyramine light oral powder in packet 4 gram (cholestyramine-aspartame)            |                       |
| colestipol oral packet 5 gram                                                           |                       |
| colestipol oral tablet 1 gram (Colestid)                                                |                       |
| ezetimibe oral tablet 10 mg (Zetia)                                                     | QL (30 per 30 days)   |
| ezetimibe-simvastatin oral tablet 10-10 mg (Vytorin 10-10)                              |                       |
| ezetimibe-simvastatin oral tablet 10-20 mg (Vytorin 10-20)                              |                       |
| ezetimibe-simvastatin oral tablet 10-40 mg (Vytorin 10-40)                              |                       |
| ezetimibe-simvastatin oral tablet 10-80 mg (Vytorin 10-80)                              |                       |
| icosapent ethyl oral capsule 0.5 gram, 1 gram (Vascepa)                                 |                       |
| JUXTAPID ORAL CAPSULE 10 MG, 20 MG, 30 MG, 5 MG                                         | PA; NM                |
| niacin oral tablet extended release 24 hr 1,000 mg, 500 mg, 750 mg                      |                       |



| Drug Name                                                                                             | Requirements / Limits |
|-------------------------------------------------------------------------------------------------------|-----------------------|
| <i>omega-3 acid ethyl esters oral capsule 1 gram</i> (Lovaza)                                         |                       |
| REPATHA PUSHTRONEX<br>SUBCUTANEOUS WEARABLE<br>INJECTOR 420 MG/3.5 ML                                 | PA                    |
| REPATHA SURECLICK<br>SUBCUTANEOUS PEN INJECTOR<br>140 MG/ML                                           | PA                    |
| REPATHA SYRINGE SUBCUTANEOUS<br>SYRINGE 140 MG/ML                                                     | PA                    |
| VASCEPA ORAL CAPSULE 0.5 GRAM, 1 GRAM (icosapent ethyl)                                               |                       |
| <b>Vasodilators, Direct-Acting Arterial/ Venous</b>                                                   |                       |
| <i>hydralazine oral tablet 10 mg, 100 mg, 25 mg, 50 mg</i>                                            |                       |
| <i>isosorbide dinitrate oral tablet 10 mg, 20 mg, 30 mg</i>                                           |                       |
| <i>isosorbide dinitrate oral tablet 5 mg</i> (Isordil Titrados)                                       |                       |
| <i>isosorbide mononitrate oral tablet 10 mg, 20 mg</i>                                                |                       |
| <i>isosorbide mononitrate oral tablet extended release 24 hr 120 mg, 30 mg, 60 mg</i>                 |                       |
| <i>minoxidil oral tablet 10 mg, 2.5 mg</i>                                                            |                       |
| NITRO-BID TRANSDERMAL OINTMENT 2 % (nitroglycerin)                                                    |                       |
| <i>nitroglycerin rectal ointment 0.4 % (w/w)</i> (Rectiv)                                             |                       |
| <i>nitroglycerin sublingual tablet 0.3 mg, 0.4 mg, 0.6 mg</i> (Nitrostat)                             |                       |
| <i>nitroglycerin transdermal patch 24 hour 0.1 mg/hr, 0.2 mg/hr, 0.4 mg/hr, 0.6 mg/hr</i> (Nitro-Dur) |                       |
| <i>nitroglycerin translingual spray, non-aerosol 400 mcg/spray</i> (Nitrolingual)                     |                       |
| <b>CENTRAL NERVOUS SYSTEM AGENTS</b>                                                                  |                       |
| <b>Attention Deficit Hyperactivity Disorder Agents, Amphetamines</b>                                  |                       |
| <i>dextroamphetamine sulfate oral capsule, extended release 10 mg</i> (Dexedrine Spansule)            | QL (180 per 30 days)  |
| <i>dextroamphetamine sulfate oral capsule, extended release 15 mg</i>                                 | QL (120 per 30 days)  |
| <i>dextroamphetamine sulfate oral capsule, extended release 5 mg</i>                                  | QL (360 per 30 days)  |
| <i>dextroamphetamine sulfate oral solution 5 mg/5 ml</i> (ProCentra)                                  | QL (1800 per 30 days) |

| Drug Name                                                                                          |              | Requirements / Limits        |
|----------------------------------------------------------------------------------------------------|--------------|------------------------------|
| dextroamphetamine sulfate oral tablet 10 mg                                                        | (Zenzedi)    | QL (180 per 30 days)         |
| dextroamphetamine sulfate oral tablet 15 mg                                                        | (Zenzedi)    | QL (120 per 30 days)         |
| dextroamphetamine sulfate oral tablet 2.5 mg, 20 mg, 7.5 mg                                        | (Zenzedi)    | QL (90 per 30 days)          |
| dextroamphetamine sulfate oral tablet 30 mg                                                        | (Zenzedi)    | QL (60 per 30 days)          |
| dextroamphetamine sulfate oral tablet 5 mg                                                         | (Zenzedi)    | QL (150 per 30 days)         |
| dextroamphetamine-amphetamine oral tablet 10 mg, 12.5 mg, 15 mg, 20 mg, 5 mg, 7.5 mg               | (Adderall)   | QL (90 per 30 days)          |
| dextroamphetamine-amphetamine oral tablet 30 mg                                                    | (Adderall)   | QL (60 per 30 days)          |
| <b>Attention Deficit Hyperactivity Disorder Agents, Non-Amphetamines</b>                           |              |                              |
| atomoxetine oral capsule 10 mg, 100 mg, 18 mg, 25 mg, 40 mg, 60 mg, 80 mg                          | (Strattera)  | QL (30 per 30 days)          |
| dexmethylphenidate oral tablet 10 mg                                                               | (Focalin)    | QL (60 per 30 days)          |
| dexmethylphenidate oral tablet 2.5 mg                                                              | (Focalin)    | QL (240 per 30 days)         |
| dexmethylphenidate oral tablet 5 mg                                                                | (Focalin)    | QL (120 per 30 days)         |
| guanfacine oral tablet extended release 24 hr 1 mg, 2 mg, 3 mg, 4 mg                               | (Intuniv ER) | QL (30 per 30 days)          |
| methylphenidate hcl oral tablet 10 mg, 20 mg, 5 mg                                                 | (Ritalin)    | QL (90 per 30 days)          |
| <b>Central Nervous System, Other</b>                                                               |              |                              |
| AUSTEDO ORAL TABLET 12 MG, 6 MG, 9 MG                                                              |              | PA; NM; QL (120 per 30 days) |
| AUSTEDO XR ORAL TABLET EXTENDED RELEASE 24 HR 12 MG, 6 MG                                          |              | PA; NM; QL (90 per 30 days)  |
| AUSTEDO XR ORAL TABLET EXTENDED RELEASE 24 HR 24 MG                                                |              | PA; NM; QL (60 per 30 days)  |
| AUSTEDO XR ORAL TABLET EXTENDED RELEASE 24 HR 30 MG, 36 MG, 42 MG, 48 MG                           |              | PA; NM; QL (30 per 30 days)  |
| AUSTEDO XR TITRATION KT(WK1-4) ORAL TABLET, EXT REL 24HR DOSE PACK 6 MG (14)-12 MG (14)-24 MG (14) |              | PA; NM                       |
| EVRYSDI ORAL RECON SOLN 0.75 MG/ML                                                                 |              | PA; NM                       |

| Drug Name                                                                                                                  | Requirements / Limits        |
|----------------------------------------------------------------------------------------------------------------------------|------------------------------|
| INGREZZA INITIATION PK(TARDIV)<br>ORAL CAPSULE, DOSE PACK 40 MG<br>(7)- 80 MG (21)                                         | PA; NM                       |
| INGREZZA ORAL CAPSULE 40 MG,<br>60 MG, 80 MG                                                                               | PA; NM; QL (30 per 30 days)  |
| INGREZZA SPRINKLE ORAL CAPSULE,<br>SPRINKLE 40 MG, 60 MG, 80 MG                                                            | PA; NM; QL (30 per 30 days)  |
| NUDEXTA ORAL CAPSULE 20-10 MG                                                                                              | PA                           |
| <i>riluzole oral tablet 50 mg</i> (Rilutek)                                                                                | PA                           |
| <i>tetrabenazine oral tablet 12.5 mg</i> (Xenazine)                                                                        | PA; NM; QL (240 per 30 days) |
| <i>tetrabenazine oral tablet 25 mg</i> (Xenazine)                                                                          | PA; NM; QL (120 per 30 days) |
| <b>Fibromyalgia Agents</b>                                                                                                 |                              |
| <i>pregabalin oral capsule 100 mg, 150 mg,<br/>200 mg, 25 mg, 50 mg</i> (Lyrica)                                           | QL (90 per 30 days)          |
| <i>pregabalin oral capsule 225 mg, 300 mg</i> (Lyrica)                                                                     | QL (60 per 30 days)          |
| <i>pregabalin oral capsule 75 mg</i> (Lyrica)                                                                              | QL (120 per 30 days)         |
| <i>pregabalin oral solution 20 mg/ml</i> (Lyrica)                                                                          | QL (900 per 30 days)         |
| SAVELLA ORAL TABLET 100 MG,<br>12.5 MG, 25 MG, 50 MG                                                                       | QL (60 per 30 days)          |
| SAVELLA ORAL TABLETS, DOSE PACK<br>12.5 MG (5)-25 MG(8)-50 MG(42)                                                          | QL (55 per 28 days)          |
| <b>Multiple Sclerosis Agents</b>                                                                                           |                              |
| AVONEX INTRAMUSCULAR PEN<br>INJECTOR KIT 30 MCG/0.5 ML                                                                     | PA; NM                       |
| AVONEX INTRAMUSCULAR SYRINGE<br>KIT 30 MCG/0.5 ML                                                                          | PA; NM                       |
| BETASERON SUBCUTANEOUS KIT<br>0.3 MG                                                                                       | PA; NM                       |
| COPAXONE SUBCUTANEOUS<br>SYRINGE 20 MG/ML, 40 MG/ML (glatiramer)                                                           | PA; NM                       |
| <i>dalfampridine oral tablet extended release<br/>12 hr 10 mg</i> (Ampyra)                                                 | PA; QL (60 per 30 days)      |
| <i>dimethyl fumarate oral capsule, delayed<br/>release(dr/ec) 120 mg, 120 mg<br/>(14)- 240 mg (46), 240 mg</i> (Tecfidera) | PA; NM                       |
| <i>fingolimod oral capsule 0.5 mg</i> (Gilenya)                                                                            | PA; NM                       |
| KESIMPTA PEN SUBCUTANEOUS PEN<br>INJECTOR 20 MG/0.4 ML                                                                     | PA; NM                       |
| MAYZENT ORAL TABLET 0.25 MG,<br>1 MG, 2 MG                                                                                 | PA; NM                       |
| MAYZENT STARTER(FOR 1MG MAINT)<br>ORAL TABLETS, DOSE PACK 0.25 MG<br>(7 TABS)                                              | PA                           |

| Drug Name                                                                      |                              | Requirements / Limits |
|--------------------------------------------------------------------------------|------------------------------|-----------------------|
| MAYZENT STARTER(FOR 2MG MAINT)<br>ORAL TABLETS, DOSE PACK 0.25 MG<br>(12 TABS) |                              | PA; NM                |
| <b>DENTAL AND ORAL AGENTS</b>                                                  |                              |                       |
| <b>Dental And Oral Agents</b>                                                  |                              |                       |
| chlorhexidine gluconate mucous<br>membrane mouthwash 0.12 %                    | (Paroex Oral Rinse)          |                       |
| KOURZEQ DENTAL PASTE 0.1 %                                                     | (triamcinolone<br>acetonide) |                       |
| oralone dental paste 0.1 %                                                     | (triamcinolone<br>acetonide) |                       |
| paroex oral rinse mucous membrane<br>mouthwash 0.12 %                          | (chlorhexidine<br>gluconate) |                       |
| periogard mucous membrane mouthwash<br>0.12 %                                  | (chlorhexidine<br>gluconate) |                       |
| pilocarpine hcl oral tablet 5 mg, 7.5 mg                                       | (Salagen (pilocarpine))      |                       |
| triamcinolone acetonide dental paste<br>0.1 %                                  | (Kourzeq)                    |                       |
| <b>DERMATOLOGICAL AGENTS</b>                                                   |                              |                       |
| <b>Acne And Rosacea Agents</b>                                                 |                              |                       |
| accutane oral capsule 10 mg, 20 mg,<br>30 mg, 40 mg                            | (isotretinoin)               |                       |
| acitretin oral capsule 10 mg, 17.5 mg,<br>22.5 mg, 25 mg                       |                              | PA                    |
| amnestem oral capsule 10 mg, 20 mg,<br>40 mg                                   | (isotretinoin)               |                       |
| avita topical gel 0.025 %                                                      | (tretinoin)                  | PA                    |
| claravis oral capsule 10 mg, 20 mg,<br>30 mg, 40 mg                            | (isotretinoin)               |                       |
| clindamycin-benzoyl peroxide topical gel<br>1.2 %(1 % base) -5 %               | (Neuac)                      |                       |
| erythromycin-benzoyl peroxide topical gel<br>3-5 %                             | (Benzamycin)                 |                       |
| isotretinoin oral capsule 10 mg, 20 mg,<br>30 mg, 40 mg                        | (Accutane)                   |                       |
| tazarotene topical cream 0.1 %                                                 | (Tazorac)                    | PA                    |
| tazarotene topical gel 0.05 %, 0.1 %                                           | (Tazorac)                    | PA                    |
| TAZORAC TOPICAL CREAM 0.05 %                                                   |                              | PA                    |
| tretinoin topical cream 0.025 %                                                | (Avita)                      | PA                    |
| tretinoin topical cream 0.05 %, 0.1 %                                          | (Retin-A)                    | PA                    |
| tretinoin topical gel 0.01 %                                                   | (Retin-A)                    | PA                    |
| tretinoin topical gel 0.025 %                                                  | (Avita)                      | PA                    |

| Drug Name                                                                       | Requirements / Limits |
|---------------------------------------------------------------------------------|-----------------------|
| <i>tretinoin topical gel 0.05 %</i> (Atralin)                                   | PA                    |
| <b>Dermatitis And Pruitus Agents</b>                                            |                       |
| <i>alclometasone topical cream 0.05 %</i>                                       |                       |
| <i>alclometasone topical ointment 0.05 %</i>                                    |                       |
| <i>amcinonide topical ointment 0.1 %</i>                                        |                       |
| <i>ammonium lactate topical cream 12 %</i>                                      |                       |
| <i>ammonium lactate topical lotion 12 %</i> (Skin Treatment)                    |                       |
| <i>betamethasone dipropionate topical cream 0.05 %</i>                          |                       |
| <i>betamethasone dipropionate topical lotion 0.05 %</i>                         |                       |
| <i>betamethasone dipropionate topical ointment 0.05 %</i>                       |                       |
| <i>betamethasone valerate topical cream 0.1 %</i>                               |                       |
| <i>betamethasone valerate topical lotion 0.1 %</i>                              |                       |
| <i>betamethasone valerate topical ointment 0.1 %</i>                            |                       |
| <i>betamethasone, augmented topical cream 0.05 %</i>                            |                       |
| <i>betamethasone, augmented topical lotion 0.05 %</i>                           |                       |
| <i>betamethasone, augmented topical ointment 0.05 %</i> (Diprolene (augmented)) |                       |
| <i>clobetasol scalp solution 0.05 %</i>                                         |                       |
| <i>clobetasol topical cream 0.05 %</i>                                          |                       |
| <i>clobetasol topical gel 0.05 %</i>                                            |                       |
| <i>clobetasol topical ointment 0.05 %</i>                                       |                       |
| <i>clobetasol-emollient topical cream 0.05 %</i>                                |                       |
| <i>desonide topical cream 0.05 %</i> (DesOwen)                                  |                       |
| <i>desonide topical lotion 0.05 %</i>                                           |                       |
| <i>desonide topical ointment 0.05 %</i>                                         |                       |
| <i>desoximetasone topical cream 0.05 %, 0.25 %</i> (Topicort)                   |                       |
| <i>desoximetasone topical gel 0.05 %</i> (Topicort)                             |                       |
| <i>desoximetasone topical ointment 0.05 %, 0.25 %</i> (Topicort)                |                       |
| <b>EUCRISA TOPICAL OINTMENT 2 %</b>                                             |                       |
| <i>fluocinolone topical cream 0.01 %</i>                                        |                       |
| <i>fluocinolone topical cream 0.025 %</i> (Synalar)                             |                       |
| <i>fluocinolone topical ointment 0.025 %</i> (Synalar)                          |                       |
| <i>fluocinolone topical solution 0.01 %</i> (Synalar)                           |                       |

| Drug Name                                                                          | Requirements / Limits |
|------------------------------------------------------------------------------------|-----------------------|
| <i>fluocinonide topical gel 0.05 %</i>                                             |                       |
| <i>fluocinonide topical ointment 0.05 %</i>                                        |                       |
| <i>fluocinonide topical solution 0.05 %</i>                                        |                       |
| <i>fluocinonide-emollient topical cream 0.05 %</i> (Fluocinonide-E)                |                       |
| <i>fluticasone propionate topical cream 0.05 %</i>                                 |                       |
| <i>fluticasone propionate topical ointment 0.005 %</i>                             |                       |
| <i>halobetasol propionate topical cream 0.05 %</i>                                 |                       |
| <i>halobetasol propionate topical ointment 0.05 %</i>                              |                       |
| <i>hydrocortisone 2.5% cream</i>                                                   |                       |
| <i>hydrocortisone topical cream 1 %</i> (Ala-Cort)                                 |                       |
| <i>hydrocortisone topical cream with perineal applicator 2.5 %</i> (Procto-Med HC) |                       |
| <i>hydrocortisone topical lotion 2 %</i> (Ala-Scalp)                               |                       |
| <i>hydrocortisone topical lotion 2.5 %</i>                                         |                       |
| <i>hydrocortisone topical ointment 1 %</i> (Anti-Itch (HC))                        |                       |
| <i>hydrocortisone topical ointment 2.5 %</i>                                       |                       |
| <i>hydrocortisone valerate topical cream 0.2 %</i>                                 |                       |
| <i>hydrocortisone valerate topical ointment 0.2 %</i>                              |                       |
| <i>HYFTOR TOPICAL GEL 0.2 %</i>                                                    | PA; NM                |
| <i>mometasone topical cream 0.1 %</i>                                              |                       |
| <i>mometasone topical ointment 0.1 %</i>                                           |                       |
| <i>mometasone topical solution 0.1 %</i>                                           |                       |
| <i>pimecrolimus topical cream 1 %</i> (Elidel)                                     |                       |
| <i>procto-med hc topical cream with perineal applicator 2.5 %</i> (hydrocortisone) |                       |
| <i>proctosol hc topical cream with perineal applicator 2.5 %</i> (hydrocortisone)  |                       |
| <i>proctozone-hc topical cream with perineal applicator 2.5 %</i> (hydrocortisone) |                       |
| <i>selenium sulfide topical lotion 2.5 %</i>                                       |                       |
| <i>tacrolimus topical ointment 0.03 %, 0.1 %</i>                                   |                       |
| <i>triamcinolone acetonide topical cream 0.025 %</i>                               |                       |
| <i>triamcinolone acetonide topical cream 0.1 %, 0.5 %</i> (Triderm)                |                       |

| Drug Name                                                                | Requirements / Limits |
|--------------------------------------------------------------------------|-----------------------|
| <i>triamcinolone acetonide topical lotion</i><br>0.025 %, 0.1 %          |                       |
| <i>triamcinolone acetonide topical ointment</i><br>0.025 %, 0.1 %, 0.5 % |                       |
| <b>Dermatological Agents, Other</b>                                      |                       |
| ALCOH-GLOVE TOWELETTE 70 %                                               |                       |
| ALCOHOL PADS TOPICAL PADS,<br>MEDICATED (alcohol swabs)                  |                       |
| ALCOHOL PREP SWABS TOPICAL<br>PADS, MEDICATED (alcohol swabs)            |                       |
| ALCOHOL SWABS TOPICAL PADS,<br>MEDICATED (Alcohol Pads)                  |                       |
| ALCOHOL WIPES TOPICAL PADS,<br>MEDICATED (alcohol swabs)                 |                       |
| ALCOH-WIPE TOWELETTE 70 %                                                |                       |
| BD SINGLE USE SWAB (alcohol swabs)                                       |                       |
| <i>calcipotriene scalp solution</i> 0.005 %                              |                       |
| CARETOUCH ALCOHOL 70% PREP<br>PAD (alcohol swabs)                        |                       |
| <i>clotrimazole-betamethasone topical cream</i><br>1-0.05 %              |                       |
| <i>clotrimazole-betamethasone topical lotion</i><br>1-0.05 %             |                       |
| CURITY ALCOHOL PREPS 2 PLY,<br>MEDIUM (alcohol swabs)                    |                       |
| <i>diclofenac sodium topical gel</i> 3 %                                 | PA                    |
| DROPSAFE ALCOHOL 70% PREP PADS (alcohol swabs)                           |                       |
| EASY COMFORT ALCOHOL 70% PAD (alcohol swabs)                             |                       |
| EASY TOUCH ALCOHOL 70% PADS<br>GAMMA-STERILIZED (alcohol swabs)          |                       |
| <i>fluorouracil topical cream</i> 5 % (Efudex)                           |                       |
| <i>fluorouracil topical solution</i> 2 %, 5 %                            |                       |
| HEB INCONTROL ALCOHOL 70% PADS (alcohol swabs)                           |                       |
| <i>hydrocortisone-pramoxine rectal cream</i><br>1-1 % (Analpram-HC)      |                       |
| <i>imiquimod topical cream in packet</i> 5 %                             |                       |
| ISOPROPYL ALCOHOL TOPICAL SWAB<br>70 %                                   |                       |
| IV ANTISEPTIC WIPES (alcohol swabs)                                      |                       |
| KENDALL ALCOHOL 70% PREP PAD (alcohol swabs)                             |                       |
| <i>nystatin-triamcinolone topical cream</i><br>100,000-0.1 unit/g-%      |                       |

| Drug Name                                                                 | Requirements / Limits |
|---------------------------------------------------------------------------|-----------------------|
| <i>nystatin-triamcinolone topical ointment</i><br>100,000-0.1 unit/gram-% |                       |
| PANRETIN TOPICAL GEL 0.1 %                                                | PA NSO; NM            |
| <i>podofilox topical solution 0.5 %</i>                                   |                       |
| PRO COMFORT ALCOHOL 70% PADS (alcohol swabs)                              |                       |
| PURE COMFORT ALCOHOL 70% PADS (alcohol swabs)                             |                       |
| REGRANEX TOPICAL GEL 0.01 %                                               | PA; NM                |
| SANTYL TOPICAL OINTMENT<br>250 UNIT/GRAM                                  |                       |
| <i>silver sulfadiazine topical cream 1 %</i> (SSD)                        |                       |
| <i>ssd topical cream 1 %</i> (silver sulfadiazine)                        |                       |
| SURE COMFORT ALCOHOL PREP PADS (alcohol swabs)                            |                       |
| SURE-PREP ALCOHOL PREP PADS (alcohol swabs)                               |                       |
| TRUE COMFORT ALCOHOL 70% PADS (alcohol swabs)                             |                       |
| TRUE COMFORT PRO ALCOHOL PADS (alcohol swabs)                             |                       |
| ULTILET ALCOHOL STERL SWAB (alcohol swabs)                                |                       |
| WEBCOL ALCOHOL PREPS 20'S, LARGE (alcohol swabs)                          |                       |
| <b>Pediculicides/Scabicides</b>                                           |                       |
| <i>malathion topical lotion 0.5 %</i> (Ovide)                             |                       |
| <i>permethrin topical cream 5 %</i> (Elimite)                             |                       |
| <b>Topical Anti-Infectives</b>                                            |                       |
| <i>ciclopirox topical gel 0.77 %</i>                                      |                       |
| <i>ciclopirox topical shampoo 1 %</i>                                     |                       |
| <i>ciclopirox topical solution 8 %</i> (Ciclodan)                         |                       |
| <i>clindamycin phosphate topical gel 1 %</i>                              |                       |
| <i>clindamycin phosphate topical gel, once daily 1 %</i> (Clindagel)      |                       |
| <i>clindamycin phosphate topical lotion 1 %</i> (Cleocin T)               |                       |
| <i>clindamycin phosphate topical solution 1 %</i>                         |                       |
| <i>ery pads topical swab 2 %</i> (erythromycin with ethanol)              |                       |
| <i>erythromycin with ethanol topical gel 2 %</i> (Erygel)                 |                       |
| <i>erythromycin with ethanol topical solution 2 %</i>                     |                       |
| <i>mupirocin calcium topical cream 2 %</i>                                |                       |
| <i>mupirocin topical ointment 2 %</i> (Centany)                           |                       |



| Drug Name                                                                                                                    | Requirements / Limits |
|------------------------------------------------------------------------------------------------------------------------------|-----------------------|
| <b>ELECTROLYTES/MINERALS/METALS/VITAMINS</b>                                                                                 |                       |
| <b><i>Electrolyte/ Mineral Replacement</i></b>                                                                               |                       |
| <i>carglumic acid oral tablet, dispersible 200 mg</i> (Carbaglu)                                                             | PA; NM                |
| <i>electrolyte-148 intravenous parenteral solution</i>                                                                       |                       |
| <i>fluoride (sodium) oral tablet 1 mg (2.2 mg sod. fluoride)</i>                                                             |                       |
| <i>fluoride (sodium) oral tablet, chewable 0.5 mg (1.1 mg sodium fluorid), 1 mg (2.2 mg sod. fluoride)</i> (Ludent Fluoride) |                       |
| <i>fluoritab oral tablet, chewable 0.5 mg (1.1 mg sodium fluorid), 1 mg (2.2 mg sod. fluoride)</i> (fluoride (sodium))       |                       |
| ISOLYTE S IV SOLUTION-EXCEL SINGLE USE                                                                                       |                       |
| ISOLYTE S PH 7.4 INTRAVENOUS PARENTERAL SOLUTION                                                                             |                       |
| KLOR-CON 10 ORAL TABLET EXTENDED RELEASE 10 MEQ (potassium chloride)                                                         |                       |
| KLOR-CON 8 ORAL TABLET EXTENDED RELEASE 8 MEQ (potassium chloride)                                                           |                       |
| <i>klor-con m10 oral tablet, er particles/crystals 10 meq</i> (potassium chloride)                                           |                       |
| <i>klor-con m15 oral tablet, er particles/crystals 15 meq</i> (potassium chloride)                                           |                       |
| <i>klor-con m20 oral tablet, er particles/crystals 20 meq</i> (potassium chloride)                                           |                       |
| KLOR-CON ORAL PACKET 20 MEQ (potassium chloride)                                                                             |                       |
| <i>ludent fluoride 0.25 mg tb chw d/f, chewable (rx) 0.25 mg(0.55 mg sod. fluoride)</i> (fluoride (sodium))                  |                       |
| <i>ludent fluoride 0.5 mg tb chew d/f, chewable (rx) 0.5 mg (1.1 mg sodium fluorid)</i> (fluoride (sodium))                  |                       |
| <i>ludent fluoride 1 mg tab chew d/f, chewable (rx) 1 mg (2.2 mg sod. fluoride)</i> (fluoride (sodium))                      |                       |
| <i>magnesium sulfate injection solution 500 mg/ml (50 %)</i>                                                                 |                       |
| <i>magnesium sulfate injection syringe 500 mg/ml (50 %)</i>                                                                  |                       |
| PLASMA-LYTE A INTRAVENOUS PARENTERAL SOLUTION (electrolyte-a)                                                                |                       |

| Drug Name                                                                                                                          | Requirements / Limits |
|------------------------------------------------------------------------------------------------------------------------------------|-----------------------|
| potassium chlorid-d5-0.45%nacl<br>intravenous parenteral solution 10 meq/l,<br>20 meq/l, 30 meq/l, 40 meq/l                        | PA BvD                |
| potassium chloride in 0.9%nacl<br>intravenous parenteral solution 20 meq/l,<br>40 meq/l                                            | PA BvD                |
| potassium chloride in 5 % dex intravenous<br>parenteral solution 10 meq/l, 20 meq/l                                                | PA BvD                |
| potassium chloride in Ir-d5 intravenous<br>parenteral solution 20 meq/l                                                            |                       |
| potassium chloride in water intravenous<br>piggyback 10 meq/100 ml, 10 meq/50 ml,<br>20 meq/100 ml, 20 meq/50 ml, 40<br>meq/100 ml | PA BvD                |
| potassium chloride intravenous solution 2<br>meq/ml, 2 meq/ml (20 ml)                                                              | PA BvD                |
| potassium chloride oral capsule, extended<br>release 10 meq, 8 meq                                                                 |                       |
| potassium chloride oral liquid 20<br>meq/15 ml, 40 meq/15 ml                                                                       |                       |
| potassium chloride oral packet 20 meq (Klor-Con)                                                                                   |                       |
| potassium chloride oral tablet extended<br>release 10 meq (Klor-Con 10)                                                            |                       |
| potassium chloride oral tablet extended<br>release 20 meq (K-Tab)                                                                  |                       |
| potassium chloride oral tablet extended<br>release 8 meq (Klor-Con 8)                                                              |                       |
| potassium chloride oral tablet, er<br>particles/crystals 10 meq (Klor-Con M10)                                                     |                       |
| potassium chloride oral tablet, er<br>particles/crystals 15 meq (Klor-Con M15)                                                     |                       |
| potassium chloride oral tablet, er<br>particles/crystals 20 meq (Klor-Con M20)                                                     |                       |
| potassium chloride-0.45 % nacl<br>intravenous parenteral solution 20 meq/l                                                         |                       |
| potassium chloride-d5-0.2%nacl<br>intravenous parenteral solution 20 meq/l                                                         |                       |
| potassium chloride-d5-0.9%nacl<br>intravenous parenteral solution 20 meq/l,<br>40 meq/l                                            |                       |
| potassium citrate oral tablet extended<br>release 10 meq (1,080 mg) (Urocit-K 10)                                                  |                       |
| potassium citrate oral tablet extended<br>release 15 meq (Urocit-K 15)                                                             |                       |

| Drug Name                                                                   | Requirements / Limits        |
|-----------------------------------------------------------------------------|------------------------------|
| potassium citrate oral tablet extended release 5 meq (540 mg) (Urocit-K 5)  |                              |
| sodium chloride 0.45 % intravenous parenteral solution 0.45 %               |                              |
| sodium chloride 0.9 % intravenous parenteral solution                       |                              |
| sodium chloride 0.9% solution mini-bag, single use                          |                              |
| sodium chloride 3 % hypertonic intravenous parenteral solution 3 %          |                              |
| sodium chloride 5 % hypertonic intravenous parenteral solution 5 %          |                              |
| sodium chloride irrigation solution 0.9 % (Sterile Saline)                  |                              |
| sodium fluoride 0.5 mg/ml drop (rx) 0.5 mg (1.1 mg sod.fluorid)/ml          |                              |
| <b>Electrolyte/Mineral/Metal Modifiers</b>                                  |                              |
| deferasirox oral granules in packet 180 mg, 360 mg, 90 mg (Jadenu Sprinkle) | PA; NM                       |
| deferasirox oral tablet 180 mg, 360 mg (Jadenu)                             | PA; NM                       |
| deferasirox oral tablet 90 mg (Jadenu)                                      | PA                           |
| deferasirox oral tablet, dispersible 125 mg (Exjade)                        | PA                           |
| deferasirox oral tablet, dispersible 250 mg, 500 mg (Exjade)                | PA; NM                       |
| deferiprone oral tablet 1,000 mg, 500 mg (Ferriprox)                        | PA; NM                       |
| FERRIPROX (2 TIMES A DAY) ORAL TABLET, MODIFIED RELEASE 1,000 MG            | PA; NM                       |
| FERRIPROX ORAL SOLUTION 100 MG/ML                                           | PA; NM                       |
| kionex (with sorbitol) oral suspension 15-20 gram/60 ml                     | NM                           |
| LOKELMA ORAL POWDER IN PACKET 10 GRAM, 5 GRAM                               |                              |
| sodium polystyrene sulfonate oral powder                                    |                              |
| sps (with sorbitol) oral suspension 15-20 gram/60 ml                        |                              |
| tolvaptan oral tablet 15 mg (Samsca)                                        | PA; NM; QL (120 per 30 days) |
| tolvaptan oral tablet 30 mg (Samsca)                                        | PA; NM; QL (60 per 30 days)  |
| trientine oral capsule 250 mg (Syprine)                                     | PA; NM                       |
| <b>Electrolytes/Minerals/Metals/Vitamins</b>                                |                              |
| bal-care dha combo pack 27-1-430 mg                                         |                              |
| bal-care dha essential pack 27 mg iron-1 mg -374 mg                         |                              |

| Drug Name                                                                   | Requirements / Limits |
|-----------------------------------------------------------------------------|-----------------------|
| CLINIMIX 5%/D15W SULFITE FREE<br>INTRAVENOUS PARENTERAL<br>SOLUTION 5 %     | PA BvD                |
| CLINIMIX 4.25%/D10W SULF FREE<br>INTRAVENOUS PARENTERAL<br>SOLUTION 4.25 %  | PA BvD                |
| CLINIMIX 4.25%/D5W SULFIT FREE<br>INTRAVENOUS PARENTERAL<br>SOLUTION 4.25 % | PA BvD                |
| CLINIMIX 5%-D20W(SULFITE-FREE)<br>INTRAVENOUS PARENTERAL<br>SOLUTION 5 %    | PA BvD                |
| CLINIMIX 6%-D5W (SULFITE-FREE)<br>INTRAVENOUS PARENTERAL<br>SOLUTION 6-5 %  | PA BvD                |
| CLINIMIX 8%-D10W(SULFITE-FREE)<br>INTRAVENOUS PARENTERAL<br>SOLUTION 8-10 % | PA BvD                |
| CLINIMIX 8%-D14W(SULFITE-FREE)<br>INTRAVENOUS PARENTERAL<br>SOLUTION 8-14 % | PA BvD                |
| CLINIMIX E 2.75%/D5W SULF FREE<br>INTRAVENOUS PARENTERAL<br>SOLUTION 2.75 % | PA BvD                |
| CLINIMIX E 4.25%/D10W SUL FREE<br>INTRAVENOUS PARENTERAL<br>SOLUTION 4.25 % | PA BvD                |
| CLINIMIX E 4.25%/D5W SULF FREE<br>INTRAVENOUS PARENTERAL<br>SOLUTION 4.25 % | PA BvD                |
| CLINIMIX E 5%/D15W SULFIT FREE<br>INTRAVENOUS PARENTERAL<br>SOLUTION 5 %    | PA BvD                |
| CLINIMIX E 5%/D20W SULFIT FREE<br>INTRAVENOUS PARENTERAL<br>SOLUTION 5 %    | PA BvD                |
| CLINIMIX E 8%-D10W SULFITEFREE<br>INTRAVENOUS PARENTERAL<br>SOLUTION 8-10 % | PA BvD                |
| CLINIMIX E 8%-D14W SULFITEFREE<br>INTRAVENOUS PARENTERAL<br>SOLUTION 8-14 % | PA BvD                |
| <i>c-nate dha softgel 28 mg</i><br><i>iron-1 mg -200 mg</i>                 |                       |

| Drug Name                                                                 | Requirements / Limits |
|---------------------------------------------------------------------------|-----------------------|
| completenate tablet chew 29 mg<br>iron- 1 mg                              |                       |
| d10 %-0.45 % sodium chloride<br>intravenous parenteral solution           |                       |
| d2.5 %-0.45 % sodium chloride<br>intravenous parenteral solution          |                       |
| d5 % and 0.9 % sodium chloride<br>intravenous parenteral solution         |                       |
| d5 %-0.45 % sodium chloride intravenous<br>parenteral solution            |                       |
| dextrose 10 % and 0.2 % nacl intravenous<br>parenteral solution           |                       |
| dextrose 10 % in water (d10w)<br>intravenous parenteral solution 10 %     | PA BvD                |
| dextrose 5 % in water (d5w) intravenous<br>parenteral solution            |                       |
| dextrose 5 % in water (d5w) intravenous<br>piggyback 5 %                  |                       |
| dextrose 5%-0.2 % sod chloride<br>intravenous parenteral solution         |                       |
| DOJOLVI ORAL LIQUID 8.3 KCAL/ML                                           | PA; NM                |
| folivane-ob capsule 85-1 mg                                               |                       |
| INTRALIPID INTRAVENOUS EMULSION<br>20 %, 30 %                             | PA BvD                |
| ISOLYTE-P IN 5 % DEXTROSE<br>INTRAVENOUS PARENTERAL<br>SOLUTION 5 %       |                       |
| kosher prenatal plus iron tab 30 mg<br>iron- 1 mg                         |                       |
| levocarnitine (with sugar) oral solution<br>100 mg/ml (Carnitor)          |                       |
| levocarnitine oral tablet 330 mg (Carnitor)                               |                       |
| levocarnitine sf 1 g/10 ml sol 100 mg/ml (Carnitor (sugar-free))          |                       |
| marnatal-f capsule 60 mg iron-1 mg                                        |                       |
| m-natal plus tablet 27 mg iron- 1 mg (pnv, calcium<br>72-iron-folic acid) |                       |
| mynatal advance oral tablet 90-1-50 mg                                    |                       |
| mynatal capsule 65 mg iron- 1 mg                                          |                       |
| mynatal oral tablet 90-1-50 mg                                            |                       |
| mynatal plus captab 65 mg iron- 1 mg                                      |                       |
| mynatal-z captab 65 mg iron- 1 mg                                         |                       |
| mynate 90 plus oral tablet extended<br>release 90 mg iron-1 mg            |                       |
| newgen tablet 32-1,000 mg-mcg                                             |                       |

| Drug Name                                                                           | Requirements / Limits                 |
|-------------------------------------------------------------------------------------|---------------------------------------|
| <i>niva-plus tablet 27 mg iron- 1 mg</i>                                            |                                       |
| NUTRILIPID INTRAVENOUS EMULSION<br>20 %                                             | PA BvD                                |
| <i>obstetrix dha combo pack 29 mg<br/>iron- 1,700 mcg dfe</i>                       |                                       |
| <i>obstetrix dha oral combo pack, tablet and<br/>cap, dr 29 mg iron-1 mg -50 mg</i> |                                       |
| <i>o-cal prenatal tablet 15 mg<br/>iron- 1,000 mcg</i>                              |                                       |
| <i>pnv 29-1 tablet (rx) 29 mg iron- 1 mg</i>                                        |                                       |
| <i>pnv prenatal plus multivit tab gluten-free (rx) 27 mg iron- 1 mg</i>             | (pnv, calcium<br>72-iron-folic acid)  |
| <i>pnv-dha + docusate oral capsule<br/>27-1.25-55-300 mg</i>                        |                                       |
| <i>pnv-omega softgel 28-1-300 mg</i>                                                |                                       |
| <i>pr natal 400 combo pack 29-1-400 mg</i>                                          |                                       |
| <i>pr natal 400 ec combo pack 29-1-400 mg</i>                                       |                                       |
| <i>pr natal 430 combo pack 29 mg<br/>iron-1 mg -430 mg</i>                          |                                       |
| <i>pr natal 430 ec combo pack 29-1-430 mg</i>                                       |                                       |
| PREMASOL 10 % INTRAVENOUS<br>PARENTERAL SOLUTION 10 %                               | PA BvD                                |
| <i>prena1 true combo pack 30 mg<br/>iron- 1.4 mg-300 mg</i>                         |                                       |
| <i>prenaissance oral capsule<br/>29-1.25-55-325 mg</i>                              |                                       |
| <i>prenaissance plus oral capsule<br/>28-1-50-250 mg</i>                            |                                       |
| <i>prenatabs fa tablet 29-1 mg</i>                                                  |                                       |
| <i>prenatal 19 (with docusate) oral tablet<br/>29 mg iron- 1 mg-25 mg</i>           |                                       |
| <i>prenatal 19 chewable tablet 29 mg<br/>iron- 1 mg</i>                             |                                       |
| <i>prenatal low iron tablet (rx) 27 mg<br/>iron- 1 mg</i>                           |                                       |
| <i>prenatal plus iron tablet (rx) 29 mg<br/>iron- 1 mg</i>                          | (pnv, calcium 72-iron,<br>carb-folic) |
| <i>prenatal vitamin plus low iron oral tablet<br/>27 mg iron- 1 mg</i>              | (pnv, calcium<br>72-iron-folic acid)  |
| <i>prenatal-u capsule 106.5-1 mg</i>                                                |                                       |
| <i>preplus ca-fe 27 mg-fa 1 mg tb (rx) 27 mg<br/>iron- 1 mg</i>                     | (pnv, calcium<br>72-iron-folic acid)  |
| <i>pretab 29 mg-1 mg tablet (rx) 29-1 mg</i>                                        |                                       |

| Drug Name                                                                      | Requirements / Limits |
|--------------------------------------------------------------------------------|-----------------------|
| PROSOL 20 % INTRAVENOUS PARENTERAL SOLUTION                                    | PA BvD                |
| <i>r-natal ob softgel 20 mg<br/>iron- 1 mg-320 mg</i>                          |                       |
| <i>select-ob chewable caplet 29 mg<br/>iron- 1 mg</i>                          |                       |
| <i>select-ob chewable caplet 29 mg<br/>iron- 1 mg</i>                          |                       |
| <i>se-natal 19 chewable tablet 29 mg<br/>iron- 1 mg</i>                        |                       |
| <i>taron-c dha capsule 35-1-200 mg</i>                                         |                       |
| <i>taron-prex prenatal-dha oral capsule<br/>30 mg iron-1.2 mg-55 mg-265 mg</i> |                       |
| TPN ELECTROLYTES II INTRAVENOUS SOLUTION 18-18-5-4.5-35 MEQ/20 ML              |                       |
| TPN ELECTROLYTES INTRAVENOUS SOLUTION 35-20-5 MEQ/20 ML                        |                       |
| TRAVASOL 10 % INTRAVENOUS PARENTERAL SOLUTION 10 %                             | PA BvD                |
| <i>triveen-duo dha combo pack 29-1-400 mg</i>                                  |                       |
| TROPHAMINE 10 % INTRAVENOUS PARENTERAL SOLUTION 10 %                           | PA BvD                |
| <i>vinate care oral tablet, chewable 40 mg<br/>iron- 1 mg</i>                  |                       |
| <i>virt-c dha softgel (rx) 35-1-200 mg</i>                                     |                       |
| <i>virt-nate dha softgel 28 mg<br/>iron-1 mg -200 mg</i>                       |                       |
| <i>virt-pn dha softgel (rx) 27 mg<br/>iron-1 mg -300 mg</i>                    |                       |
| <i>virt-pn plus softgel (rx) 28-1-300 mg</i>                                   |                       |
| <i>vitafol gummies 3.33 mg iron- 0.33 mg</i>                                   |                       |
| <i>vitafol nano tablet 18 mg iron- 1 mg</i>                                    |                       |
| <i>vitafol-ob+dha combo pack 65-1-250 mg</i>                                   |                       |
| <i>vp-ch-pnv oral capsule 30 mg<br/>iron-1 mg -50 mg-260 mg</i>                |                       |
| <i>vp-pnv-dha softgel (rx) 28 mg<br/>iron- 1 mg-200 mg</i>                     |                       |
| <i>zatean-pn dha capsule 27 mg<br/>iron-1 mg -300 mg</i>                       |                       |
| <i>zatean-pn plus softgel 28-1-300 mg</i>                                      |                       |
| <i>zingiber tablet<br/>1.2 mg-40 mg- 124.1 mg-100 mg</i>                       |                       |

| Drug Name                                                    | Requirements / Limits   |
|--------------------------------------------------------------|-------------------------|
| <b>Phosphate Binders</b>                                     |                         |
| AURYXIA ORAL TABLET 210 MG IRON                              | PA                      |
| calcium acetate(phosphat bind) oral capsule 667 mg           |                         |
| calcium acetate(phosphat bind) oral tablet 667 mg            |                         |
| sevelamer carbonate oral powder in packet 0.8 gram (Renvela) | QL (540 per 30 days)    |
| sevelamer carbonate oral powder in packet 2.4 gram (Renvela) | QL (180 per 30 days)    |
| sevelamer carbonate oral tablet 800 mg (Renvela)             | QL (540 per 30 days)    |
| VELPHORO ORAL TABLET, CHEWABLE 500 MG                        |                         |
| <b>GASTROINTESTINAL AGENTS</b>                               |                         |
| <b>Anti-Constipation Agents</b>                              |                         |
| constulose oral solution 10 gram/15 ml (lactulose)           |                         |
| enulose oral solution 10 gram/15 ml (lactulose)              |                         |
| generlac oral solution 10 gram/15 ml (lactulose)             |                         |
| lactulose oral solution 10 gram/15 ml (Constulose)           |                         |
| LINZESS ORAL CAPSULE 145 MCG, 290 MCG, 72 MCG                | QL (30 per 30 days)     |
| lubiprostone oral capsule 24 mcg, 8 mcg (Amitiza)            | QL (60 per 30 days)     |
| MOVANTIK ORAL TABLET 12.5 MG, 25 MG                          | QL (30 per 30 days)     |
| <b>Anti-Diarrheal Agents</b>                                 |                         |
| alosetron oral tablet 0.5 mg, 1 mg (Lotronex)                | NM; QL (60 per 30 days) |
| diphenoxylate-atropine oral liquid 2.5-0.025 mg/5 ml         |                         |
| diphenoxylate-atropine oral tablet 2.5-0.025 mg (Lomotil)    |                         |
| loperamide oral capsule 2 mg (Anti-Diarrheal (loperamide))   |                         |
| XERMELO ORAL TABLET 250 MG                                   | NM; QL (90 per 30 days) |
| <b>Antispasmodics, Gastrointestinal</b>                      |                         |
| dicyclomine oral capsule 10 mg                               |                         |
| dicyclomine oral solution 10 mg/5 ml                         |                         |
| dicyclomine oral tablet 20 mg                                |                         |
| glycopyrrolate oral tablet 1 mg (Robinul)                    |                         |
| glycopyrrolate oral tablet 2 mg (Robinul Forte)              |                         |



| Drug Name                                                                                         | Requirements / Limits |
|---------------------------------------------------------------------------------------------------|-----------------------|
| <b>Gastrointestinal Agents, Other</b>                                                             |                       |
| BYLVAY ORAL CAPSULE 1,200 MCG, 400 MCG                                                            | PA; NM                |
| BYLVAY ORAL PELLET 200 MCG, 600 MCG                                                               | PA; NM                |
| CLENPIQ ORAL SOLUTION<br>10 MG-3.5 GRAM- 12 GRAM/160 ML,<br>10 MG-3.5 GRAM- 12 GRAM/175 ML        |                       |
| GATTEX 30-VIAL SUBCUTANEOUS KIT 5 MG                                                              | PA; NM                |
| <i>gavilyte-c oral recon soln</i><br>240-22.72-6.72 -5.84 gram (peg 3350-electrolytes)            |                       |
| <i>gavilyte-g oral recon soln</i><br>236-22.74-6.74 -5.86 gram (peg 3350-electrolytes)            |                       |
| <i>gavilyte-n oral recon soln 420 gram</i> (peg-electrolyte soln)                                 |                       |
| LIVMARLI ORAL SOLUTION 9.5 MG/ML                                                                  | PA; NM                |
| <i>metoclopramide hcl oral solution</i><br>5 mg/5 ml                                              |                       |
| <i>metoclopramide hcl oral tablet 10 mg, 5 mg</i> (Reglan)                                        |                       |
| <i>peg 3350-electrolytes oral recon soln</i><br>236-22.74-6.74 -5.86 gram (GaviLyte-G)            |                       |
| <i>peg-electrolyte soln oral recon soln 420 gram</i> (GaviLyte-N)                                 |                       |
| <i>sodium, potassium, mag sulfates oral recon soln 17.5-3.13-1.6 gram</i> (Suprep Bowel Prep Kit) |                       |
| <i>sodium, potassium, mag sulfates oral recon soln 17.5-3.13-1.6 gram 2 pack (480ml)</i>          |                       |
| SUTAB ORAL TABLET<br>1.479-0.188- 0.225 GRAM                                                      |                       |
| <i>ursodiol oral capsule 300 mg</i>                                                               |                       |
| <i>ursodiol oral tablet 250 mg</i> (URSO 250)                                                     |                       |
| <i>ursodiol oral tablet 500 mg</i> (URSO Forte)                                                   |                       |
| <b>Histamine2 (H2) Receptor Antagonists</b>                                                       |                       |
| <i>famotidine oral suspension for reconstitution 40 mg/5 ml (8 mg/ml)</i>                         |                       |
| <i>famotidine oral tablet 20 mg</i> (Acid Controller)                                             |                       |
| <i>famotidine oral tablet 40 mg</i> (Pepcid)                                                      |                       |
| <i>nizatidine oral capsule 150 mg, 300 mg</i>                                                     |                       |
| <b>Protectants</b>                                                                                |                       |
| <i>misoprostol oral tablet 100 mcg, 200 mcg</i> (Cytotec)                                         |                       |

| Drug Name                                                                                                                                                                                            | Requirements / Limits |
|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----------------------|
| sucralfate oral suspension 100 mg/ml (Carafate)                                                                                                                                                      |                       |
| sucralfate oral tablet 1 gram (Carafate)                                                                                                                                                             |                       |
| <b>Proton Pump Inhibitors</b>                                                                                                                                                                        |                       |
| dexlansoprazole oral capsule, biphasic delayed release 30 mg, 60 mg (Dexilant)                                                                                                                       |                       |
| esomeprazole magnesium oral capsule, delayed release(dr/ec) 20 mg, 40 mg (Nexium)                                                                                                                    |                       |
| lansoprazole oral capsule, delayed release(dr/ec) 15 mg (Acid Reducer (lansoprazole))                                                                                                                |                       |
| lansoprazole oral capsule, delayed release(dr/ec) 30 mg (Prevacid)                                                                                                                                   |                       |
| omeprazole oral capsule, delayed release(dr/ec) 10 mg, 20 mg, 40 mg                                                                                                                                  |                       |
| pantoprazole oral tablet, delayed release (dr/ec) 20 mg, 40 mg (Protonix)                                                                                                                            |                       |
| <b>GENETIC OR ENZYME OR PROTEIN DISORDER: REPLACEMENT, MODIFIERS, TREATMENT</b>                                                                                                                      |                       |
| <b>Genetic Or Enzyme Or Protein Disorder: Replacement, Modifiers, Treatment</b>                                                                                                                      |                       |
| betaine oral powder 1 gram/scoop (Cystadane)                                                                                                                                                         | NM                    |
| CREON ORAL CAPSULE, DELAYED RELEASE(DR/EC)<br>12,000-38,000 -60,000 UNIT,<br>24,000-76,000 -120,000 UNIT,<br>3,000-9,500- 15,000 UNIT,<br>36,000-114,000- 180,000 UNIT,<br>6,000-19,000 -30,000 UNIT |                       |
| cromolyn oral concentrate 100 mg/5 ml (Gastrocrom)                                                                                                                                                   |                       |
| CYSTAGON ORAL CAPSULE 150 MG, 50 MG                                                                                                                                                                  | PA                    |
| ENDARI ORAL POWDER IN PACKET 5 GRAM                                                                                                                                                                  | PA                    |
| GALAFOLD ORAL CAPSULE 123 MG                                                                                                                                                                         | PA; NM                |
| miglustat oral capsule 100 mg (Yargesa)                                                                                                                                                              | PA; NM                |
| nitisinone oral capsule 10 mg, 2 mg, 20 mg, 5 mg (Orfadin)                                                                                                                                           | PA; NM                |
| PROLASTIN-C INTRAVENOUS SOLUTION 1,000 MG (+/-)/20 ML                                                                                                                                                | PA; NM                |
| RAVICTI ORAL LIQUID 1.1 GRAM/ML                                                                                                                                                                      | PA; NM                |
| sapropterin oral powder in packet 100 mg, 500 mg (Javygtor)                                                                                                                                          | PA; NM                |
| sapropterin oral tablet, soluble 100 mg (Javygtor)                                                                                                                                                   | PA; NM                |
| TEGSEDI SUBCUTANEOUS SYRINGE 284 MG/1.5 ML                                                                                                                                                           | PA; NM                |

| Drug Name                                                                                                                                                                                                                                                                                                | Requirements / Limits       |
|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----------------------------|
| VIJOICE ORAL TABLET 125 MG,<br>250 MG/DAY (200 MG X1-50 MG X1),<br>50 MG                                                                                                                                                                                                                                 | PA; NM                      |
| VYNDAMAX ORAL CAPSULE 61 MG                                                                                                                                                                                                                                                                              | PA; NM; QL (30 per 30 days) |
| XURIDEN ORAL GRANULES IN PACKET<br>2 GRAM                                                                                                                                                                                                                                                                | PA; NM                      |
| <i>yargesa oral capsule 100 mg</i> (miglustat)                                                                                                                                                                                                                                                           | PA; NM                      |
| ZENPEP ORAL CAPSULE, DELAYED<br>RELEASE(DR/EC)<br>10,000-32,000 -42,000 UNIT,<br>15,000-47,000 -63,000 UNIT,<br>20,000-63,000- 84,000 UNIT,<br>25,000-79,000- 105,000 UNIT,<br>3,000-10,000 -14,000-UNIT,<br>40,000-126,000- 168,000 UNIT,<br>5,000-17,000- 24,000 UNIT,<br>60,000-189,600- 252,600 UNIT |                             |
| ZOKINVY ORAL CAPSULE 50 MG,<br>75 MG                                                                                                                                                                                                                                                                     | PA; NM                      |
| <b>GENITOURINARY AGENTS</b>                                                                                                                                                                                                                                                                              |                             |
| <b>Antispasmodics, Urinary</b>                                                                                                                                                                                                                                                                           |                             |
| <i>darifenacin oral tablet extended release<br/>24 hr 15 mg, 7.5 mg</i>                                                                                                                                                                                                                                  |                             |
| <i>fesoterodine oral tablet extended release</i> (Toviaz)<br><i>24 hr 4 mg, 8 mg</i>                                                                                                                                                                                                                     | QL (30 per 30 days)         |
| MYRBETRIQ ORAL SUSPENSION,<br>EXTENDED REL RECON 8 MG/ML                                                                                                                                                                                                                                                 | QL (300 per 30 days)        |
| MYRBETRIQ ORAL TABLET EXTENDED<br>RELEASE 24 HR 25 MG, 50 MG (mirabegron)                                                                                                                                                                                                                                | QL (30 per 30 days)         |
| <i>oxybutynin chloride oral syrup 5 mg/5 ml</i>                                                                                                                                                                                                                                                          | QL (600 per 30 days)        |
| <i>oxybutynin chloride oral tablet 5 mg</i>                                                                                                                                                                                                                                                              | QL (120 per 30 days)        |
| <i>oxybutynin chloride oral tablet extended<br/>release 24hr 10 mg, 15 mg, 5 mg</i>                                                                                                                                                                                                                      | QL (60 per 30 days)         |
| <i>solifenacin oral tablet 10 mg, 5 mg</i> (Vesicare)                                                                                                                                                                                                                                                    | QL (30 per 30 days)         |
| <i>tolterodine oral capsule, extended release</i> (Detrol LA)<br><i>24hr 2 mg, 4 mg</i>                                                                                                                                                                                                                  | QL (30 per 30 days)         |
| <i>tolterodine oral tablet 1 mg, 2 mg</i> (Detrol)                                                                                                                                                                                                                                                       | QL (60 per 30 days)         |
| <i>trospium oral capsule, extended release<br/>24hr 60 mg</i>                                                                                                                                                                                                                                            | QL (30 per 30 days)         |
| <i>trospium oral tablet 20 mg</i>                                                                                                                                                                                                                                                                        | QL (60 per 30 days)         |
| <b>Benign Prostatic Hypertrophy Agents</b>                                                                                                                                                                                                                                                               |                             |
| <i>alfuzosin oral tablet extended release</i> (Uroxatral)<br><i>24 hr 10 mg</i>                                                                                                                                                                                                                          | QL (30 per 30 days)         |

| Drug Name                                                                                              | Requirements / Limits        |
|--------------------------------------------------------------------------------------------------------|------------------------------|
| CARDURA XL ORAL TABLET<br>EXTENDED RELEASE 24HR 4 MG,<br>8 MG                                          |                              |
| <i>dutasteride oral capsule 0.5 mg</i> (Avodart)                                                       | QL (30 per 30 days)          |
| <i>dutasteride-tamsulosin oral capsule, er<br/>multiphase 24 hr 0.5-0.4 mg</i> (Jalyn)                 | QL (30 per 30 days)          |
| <i>finasteride oral tablet 5 mg</i> (Proscar)                                                          | QL (30 per 30 days)          |
| <i>silodosin oral capsule 4 mg, 8 mg</i> (Rapaflo)                                                     | QL (30 per 30 days)          |
| <i>tamsulosin oral capsule 0.4 mg</i> (Flomax)                                                         | QL (60 per 30 days)          |
| <b>Genitourinary Agents, Other</b>                                                                     |                              |
| <i>bethanechol chloride oral tablet 10 mg,<br/>25 mg, 5 mg, 50 mg</i>                                  |                              |
| ELMIRON ORAL CAPSULE 100 MG                                                                            |                              |
| <i>penicillamine oral tablet 250 mg</i> (Depen Titratabs)                                              | NM                           |
| <b>HORMONAL AGENTS, STIMULANT/ REPLACEMENT/ MODIFYING (ADRENAL)</b>                                    |                              |
| <b>Hormonal Agents, Stimulant/ Replacement/ Modifying (Adrenal)</b>                                    |                              |
| <i>dexamethasone oral solution 0.5 mg/5 ml</i>                                                         |                              |
| <i>dexamethasone oral tablet 0.5 mg,<br/>0.75 mg, 1 mg, 1.5 mg, 2 mg, 4 mg, 6 mg</i>                   |                              |
| <i>fludrocortisone oral tablet 0.1 mg</i>                                                              |                              |
| <i>hydrocortisone oral tablet 10 mg, 20 mg,<br/>5 mg</i> (Cortef)                                      |                              |
| ISTURISA ORAL TABLET 1 MG                                                                              | PA; NM; QL (240 per 30 days) |
| ISTURISA ORAL TABLET 10 MG                                                                             | PA; NM; QL (180 per 30 days) |
| ISTURISA ORAL TABLET 5 MG                                                                              | PA; NM; QL (120 per 30 days) |
| <i>methylprednisolone oral tablet 16 mg,<br/>4 mg, 8 mg</i> (Medrol)                                   |                              |
| <i>methylprednisolone oral tablet 32 mg</i>                                                            |                              |
| <i>methylprednisolone oral tablets, dose<br/>pack 4 mg</i> (Medrol (Pak))                              |                              |
| <i>prednisolone 15 mg/5 ml soln d/f<br/>15 mg/5 ml (3 mg/ml)</i>                                       | PA BvD                       |
| <i>prednisolone oral solution 15 mg/5 ml</i>                                                           | PA BvD                       |
| <i>prednisolone sodium phosphate oral<br/>solution 10 mg/5 ml, 25 mg/5 ml (5 mg/ml)</i>                | PA BvD                       |
| <i>prednisolone sodium phosphate oral<br/>solution 20 mg/5 ml (4 mg/ml)</i> (Veripred 20)              | PA BvD                       |
| <i>prednisolone sodium phosphate oral<br/>solution 5 mg base/5 ml (6.7 mg/5 ml)</i> (Pediapred)        | PA BvD                       |
| <i>prednisolone sodium phosphate oral<br/>tablet, disintegrating 10 mg, 15 mg, 30 mg</i> (Orapred ODT) | PA BvD                       |

| Drug Name                                                                                   | Requirements / Limits |
|---------------------------------------------------------------------------------------------|-----------------------|
| PREDNISONE INTENSOL ORAL CONCENTRATE 5 MG/ML                                                | PA BvD                |
| <i>prednisone oral solution 5 mg/5 ml</i>                                                   | PA BvD                |
| <i>prednisone oral tablet 1 mg, 10 mg, 2.5 mg, 20 mg, 5 mg, 50 mg</i>                       | PA BvD                |
| <i>prednisone oral tablets, dose pack 10 mg, 10 mg (48 pack), 5 mg, 5 mg (48 pack)</i>      |                       |
| <b>HORMONAL AGENTS, STIMULANT/ REPLACEMENT/ MODIFYING (PITUITARY)</b>                       |                       |
| <b><i>Hormonal Agents, Stimulant/ Replacement/ Modifying (Pituitary)</i></b>                |                       |
| <i>desmopressin 10 mcg/0.1 ml spr 10 mcg/spray (0.1 ml)</i>                                 |                       |
| <i>desmopressin nasal spray, non-aerosol 10 mcg/spray (0.1 ml)</i>                          |                       |
| <i>desmopressin oral tablet 0.1 mg, 0.2 mg (DDAVP)</i>                                      |                       |
| INCRELEX SUBCUTANEOUS SOLUTION 10 MG/ML                                                     | PA; NM                |
| NOC DURNA (MEN) SUBLINGUAL TABLET, DISINTEGRATING 55.3 MCG                                  |                       |
| NOC DURNA (WOMEN) SUBLINGUAL TABLET, DISINTEGRATING 27.7 MCG                                |                       |
| OMNITROPE SUBCUTANEOUS CARTRIDGE 10 MG/1.5 ML (6.7 MG/ML), 5 MG/1.5 ML (3.3 MG/ML)          | PA; NM                |
| OMNITROPE SUBCUTANEOUS RECON SOLN 5.8 MG                                                    | PA; NM                |
| <b>HORMONAL AGENTS, STIMULANT/ REPLACEMENT/ MODIFYING (SEX HORMONES/ MODIFIERS)</b>         |                       |
| <b><i>Androgens</i></b>                                                                     |                       |
| <i>danazol oral capsule 100 mg, 200 mg, 50 mg</i>                                           |                       |
| <i>testosterone cypionate intramuscular oil 100 mg/ml, 200 mg/ml (Depo-Testosterone)</i>    |                       |
| <i>testosterone cypionate intramuscular oil 200 mg/ml (1 ml)</i>                            |                       |
| <i>testosterone enanthate intramuscular oil 200 mg/ml</i>                                   |                       |
| <i>testosterone transdermal gel in metered-dose pump 10 mg/0.5 gram /actuation</i>          |                       |
| <i>testosterone transdermal gel in metered-dose pump 12.5 mg/ 1.25 gram (1 %) (Vogelxo)</i> |                       |

| Drug Name                                                                                                                                         | Requirements / Limits |
|---------------------------------------------------------------------------------------------------------------------------------------------------|-----------------------|
| testosterone transdermal gel in metered-dose pump 20.25 mg/1.25 gram (AndroGel) (1.62 %)                                                          |                       |
| testosterone transdermal gel in packet 1 % (25 mg/2.5gram), 1 % (50 mg/5 gram), 1.62 % (AndroGel) (20.25 mg/1.25 gram), 1.62 % (40.5 mg/2.5 gram) |                       |
| testosterone transdermal solution in metered pump w/app 30 mg/actuation (1.5 ml)                                                                  |                       |
| <b>Estrogens</b>                                                                                                                                  |                       |
| DUAVEE ORAL TABLET 0.45-20 MG                                                                                                                     |                       |
| estradiol oral tablet 0.5 mg, 1 mg, 2 mg (Estrace)                                                                                                |                       |
| estradiol transdermal patch semiweekly 0.025 mg/24 hr, 0.0375 mg/24 hr, 0.05 mg/24 hr, 0.075 mg/24 hr, 0.1 mg/24 hr (Dotti)                       |                       |
| estradiol transdermal patch weekly 0.025 mg/24 hr, 0.0375 mg/24 hr, 0.05 mg/24 hr, 0.06 mg/24 hr, 0.075 mg/24 hr, 0.1 mg/24 hr (Climara)          |                       |
| estradiol vaginal cream 0.01 % (0.1 mg/gram) (Estrace)                                                                                            |                       |
| estradiol vaginal tablet 10 mcg (Vagifem)                                                                                                         |                       |
| IMVEXXY MAINTENANCE PACK VAGINAL INSERT 10 MCG, 4 MCG                                                                                             |                       |
| IMVEXXY STARTER PACK VAGINAL INSERT, DOSE PACK 10 MCG, 4 MCG                                                                                      |                       |
| MENEST ORAL TABLET 0.3 MG, 0.625 MG, 1.25 MG, 2.5 MG                                                                                              |                       |
| PREMARIN ORAL TABLET 0.3 MG, 0.45 MG, 0.9 MG                                                                                                      |                       |
| PREMARIN ORAL TABLET 0.625 MG, 1.25 MG (conjugated estrogens)                                                                                     |                       |
| PREMARIN VAGINAL CREAM 0.625 MG/GRAM                                                                                                              |                       |
| <b>Hormonal Agents, Stimulant/ Replacement/ Modifying (Sex Hormones/ Modifiers)</b>                                                               |                       |
| afirmelle oral tablet 0.1-20 mg-mcg (levonorgestrel-ethinyl estrad)                                                                               |                       |
| altavera (28) oral tablet 0.15-0.03 mg (levonorgestrel-ethinyl estrad)                                                                            |                       |
| alyacen 1/35 (28) oral tablet 1-35 mg-mcg (norethindrone-ethin estradiol)                                                                         |                       |

| Drug Name                                                                 |                                       | Requirements / Limits |
|---------------------------------------------------------------------------|---------------------------------------|-----------------------|
| alyacen 7/7/7 (28) oral tablet<br>0.5/0.75/1 mg- 35 mcg                   |                                       |                       |
| apri oral tablet 0.15-0.03 mg                                             | (desogestrel-ethinyl<br>estradiol)    |                       |
| aranelle (28) oral tablet<br>0.5/1/0.5-35 mg-mcg                          |                                       |                       |
| aubra eq oral tablet 0.1-20 mg-mcg                                        | (levonorgestrel-ethinyl<br>estradiol) |                       |
| aurovela 1.5/30 (21) oral tablet<br>1.5-30 mg-mcg                         | (norethindrone ac-eth<br>estradiol)   |                       |
| aurovela 1/20 (21) oral tablet<br>1-20 mg-mcg                             | (norethindrone ac-eth<br>estradiol)   |                       |
| aurovela fe 1.5/30 (28) oral tablet<br>1.5 mg-30 mcg (21)/75 mg (7)       | (norethindrone-e.estradi<br>ol-iron)  |                       |
| aurovela fe 1-20 (28) oral tablet<br>1 mg-20 mcg (21)/75 mg (7)           | (norethindrone-e.estradi<br>ol-iron)  |                       |
| aviane oral tablet 0.1-20 mg-mcg                                          | (levonorgestrel-ethinyl<br>estradiol) |                       |
| ayuna oral tablet 0.15-0.03 mg                                            | (levonorgestrel-ethinyl<br>estradiol) |                       |
| azurette (28) oral tablet 0.15-0.02 mgx21<br>/0.01 mg x 5                 | (desog-e.estradiol/e.estr<br>adiol)   |                       |
| balziva (28) oral tablet 0.4-35 mg-mcg                                    |                                       |                       |
| blisovi fe 1.5/30 (28) oral tablet<br>1.5 mg-30 mcg (21)/75 mg (7)        | (norethindrone-e.estradi<br>ol-iron)  |                       |
| blisovi fe 1/20 (28) oral tablet<br>1 mg-20 mcg (21)/75 mg (7)            | (norethindrone-e.estradi<br>ol-iron)  |                       |
| briellyn oral tablet 0.4-35 mg-mcg                                        |                                       |                       |
| caziant (28) oral tablet<br>0.1/.125/.15-25 mg-mcg                        |                                       |                       |
| chateal eq (28) oral tablet 0.15-0.03 mg                                  | (levonorgestrel-ethinyl<br>estradiol) |                       |
| cryselle (28) oral tablet 0.3-30 mg-mcg                                   | (norgestrel-ethinyl<br>estradiol)     |                       |
| cyred eq oral tablet 0.15-0.03 mg                                         | (desogestrel-ethinyl<br>estradiol)    |                       |
| dasetta 1/35 (28) oral tablet 1-35 mg-mcg                                 | (norethindrone-ethin<br>estradiol)    |                       |
| dasetta 7/7/7 (28) oral tablet<br>0.5/0.75/1 mg- 35 mcg                   |                                       |                       |
| desog-e.estradiol/e.estradiol oral tablet<br>0.15-0.02 mgx21 /0.01 mg x 5 | (Azurette (28))                       |                       |
| desogestrel-ethinyl estradiol oral tablet<br>0.15-0.03 mg                 | (Apri)                                |                       |

| Drug Name                                                              |                                         | Requirements / Limits |
|------------------------------------------------------------------------|-----------------------------------------|-----------------------|
| <i>drospirenone-ethinyl estradiol oral tablet 3-0.02 mg</i>            | <i>(Jasmiel (28))</i>                   |                       |
| <i>drospirenone-ethinyl estradiol oral tablet 3-0.03 mg</i>            | <i>(Ocella)</i>                         |                       |
| <i>elinest oral tablet 0.3-30 mg-mcg</i>                               | <i>(norgestrel-ethinyl estradiol)</i>   |                       |
| <i>eluryng vaginal ring 0.12-0.015 mg/24 hr</i>                        | <i>(etonogestrel-ethinyl estradiol)</i> |                       |
| <i>enilloring vaginal ring 0.12-0.015 mg/24 hr</i>                     | <i>(etonogestrel-ethinyl estradiol)</i> |                       |
| <i>enpresse oral tablet 50-30 (6)/75-40 (5)/125-30(10)</i>             | <i>(levonorg-eth estrad triphasic)</i>  |                       |
| <i>enskyce oral tablet 0.15-0.03 mg</i>                                | <i>(desogestrel-ethinyl estradiol)</i>  |                       |
| <i>estarylla oral tablet 0.25-35 mg-mcg</i>                            | <i>(norgestimate-ethinyl estradiol)</i> |                       |
| <i>ethynodiol diac-eth estradiol oral tablet 1-35 mg-mcg</i>           | <i>(Kelnor 1/35 (28))</i>               |                       |
| <i>ethynodiol diac-eth estradiol oral tablet 1-50 mg-mcg</i>           | <i>(Kelnor 1-50 (28))</i>               |                       |
| <i>etonogestrel-ethinyl estradiol vaginal ring 0.12-0.015 mg/24 hr</i> | <i>(EluRyng)</i>                        |                       |
| <i>falmina (28) oral tablet 0.1-20 mg-mcg</i>                          | <i>(levonorgestrel-ethinyl estrad)</i>  |                       |
| <i>hailey fe 1.5/30 (28) oral tablet 1.5 mg-30 mcg (21)/75 mg (7)</i>  | <i>(norethindrone-e.estradiol-iron)</i> |                       |
| <i>hailey fe 1/20 (28) oral tablet 1 mg-20 mcg (21)/75 mg (7)</i>      | <i>(norethindrone-e.estradiol-iron)</i> |                       |
| <i>hailey oral tablet 1.5-30 mg-mcg</i>                                | <i>(norethindrone ac-eth estradiol)</i> |                       |
| <i>haloette vaginal ring 0.12-0.015 mg/24 hr</i>                       | <i>(etonogestrel-ethinyl estradiol)</i> |                       |
| <i>iclevia oral tablets, dose pack,3 month 0.15 mg-30 mcg (91)</i>     | <i>(levonorgestrel-ethinyl estrad)</i>  |                       |
| INTRAROSA VAGINAL INSERT 6.5 MG                                        |                                         | PA                    |
| <i>isibloom oral tablet 0.15-0.03 mg</i>                               | <i>(desogestrel-ethinyl estradiol)</i>  |                       |
| <i>jasmiel (28) oral tablet 3-0.02 mg</i>                              | <i>(drospirenone-ethinyl estradiol)</i> |                       |
| <i>jolessa oral tablets, dose pack,3 month 0.15 mg-30 mcg (91)</i>     | <i>(levonorgestrel-ethinyl estrad)</i>  |                       |
| <i>juleber oral tablet 0.15-0.03 mg</i>                                | <i>(desogestrel-ethinyl estradiol)</i>  |                       |



| Drug Name                                                                                |                                       | Requirements / Limits |
|------------------------------------------------------------------------------------------|---------------------------------------|-----------------------|
| junel 1.5/30 (21) oral tablet<br>1.5-30 mg-mcg                                           | (norethindrone ac-eth<br>estradiol)   |                       |
| junel 1/20 (21) oral tablet 1-20 mg-mcg                                                  | (norethindrone ac-eth<br>estradiol)   |                       |
| junel fe 1.5/30 (28) oral tablet<br>1.5 mg-30 mcg (21)/75 mg (7)                         | (norethindrone-e.estradi<br>ol-iron)  |                       |
| junel fe 1/20 (28) oral tablet 1 mg-20 mcg<br>(21)/75 mg (7)                             | (norethindrone-e.estradi<br>ol-iron)  |                       |
| kalliga oral tablet 0.15-0.03 mg                                                         | (desogestrel-ethinyl<br>estradiol)    |                       |
| kariva (28) oral tablet 0.15-0.02 mgx21<br>/0.01 mg x 5                                  | (desog-e.estradiol/e.estr<br>adiol)   |                       |
| kelnor 1/35 (28) oral tablet 1-35 mg-mcg                                                 | (ethynodiol diac-eth<br>estradiol)    |                       |
| kelnor 1-50 (28) oral tablet 1-50 mg-mcg                                                 | (ethynodiol diac-eth<br>estradiol)    |                       |
| kurvelo (28) oral tablet 0.15-0.03 mg                                                    | (levonorgestrel-ethinyl<br>estradiol) |                       |
| larin 1.5/30 (21) oral tablet 1.5-30 mg-mcg                                              | (norethindrone ac-eth<br>estradiol)   |                       |
| larin 1/20 (21) oral tablet 1-20 mg-mcg                                                  | (norethindrone ac-eth<br>estradiol)   |                       |
| larin fe 1.5/30 (28) oral tablet<br>1.5 mg-30 mcg (21)/75 mg (7)                         | (norethindrone-e.estradi<br>ol-iron)  |                       |
| larin fe 1/20 (28) oral tablet 1 mg-20 mcg<br>(21)/75 mg (7)                             | (norethindrone-e.estradi<br>ol-iron)  |                       |
| leena 28 oral tablet 0.5/1/0.5-35 mg-mcg                                                 |                                       |                       |
| lessina oral tablet 0.1-20 mg-mcg                                                        | (levonorgestrel-ethinyl<br>estradiol) |                       |
| levonest (28) oral tablet 50-30 (6)/75-40<br>(5)/125-30(10)                              | (levonorg-eth estradi<br>triphasic)   |                       |
| levonorgestrel-ethinyl estradiol oral tablet<br>0.1-20 mg-mcg                            | (Afirmelle)                           |                       |
| levonorgestrel-ethinyl estradiol oral tablet<br>0.15-0.03 mg                             | (Altavera (28))                       |                       |
| levonorgestrel-ethinyl estradiol oral tablets,<br>dose pack, 3 month 0.15 mg-30 mcg (91) | (Iclevia)                             |                       |
| levonorg-eth estradiol triphasic oral tablet<br>50-30 (6)/75-40 (5)/125-30(10)           | (Enpresse)                            |                       |
| levora-28 oral tablet 0.15-0.03 mg                                                       | (levonorgestrel-ethinyl<br>estradiol) |                       |
| loryna (28) oral tablet 3-0.02 mg                                                        | (drospirenone-ethinyl<br>estradiol)   |                       |

| Drug Name                                                                    |                                       | Requirements / Limits |
|------------------------------------------------------------------------------|---------------------------------------|-----------------------|
| low-ogestrel (28) oral tablet<br>0.3-30 mg-mcg                               | (norgestrel-ethinyl<br>estradiol)     |                       |
| lo-zumandimine (28) oral tablet 3-0.02 mg                                    | (drospirenone-ethinyl<br>estradiol)   |                       |
| luteru (28) oral tablet 0.1-20 mg-mcg                                        | (levonorgestrel-ethinyl<br>estradiol) |                       |
| marlissa (28) oral tablet 0.15-0.03 mg                                       | (levonorgestrel-ethinyl<br>estradiol) |                       |
| microgestin 1.5/30 (21) oral tablet<br>1.5-30 mg-mcg                         | (norethindrone ac-eth<br>estradiol)   |                       |
| microgestin 1/20 (21) oral tablet<br>1-20 mg-mcg                             | (norethindrone ac-eth<br>estradiol)   |                       |
| microgestin fe 1.5/30 (28) oral tablet<br>1.5 mg-30 mcg (21)/75 mg (7)       | (norethindrone-e.estradi<br>ol-iron)  |                       |
| microgestin fe 1/20 (28) oral tablet<br>1 mg-20 mcg (21)/75 mg (7)           | (norethindrone-e.estradi<br>ol-iron)  |                       |
| mili oral tablet 0.25-35 mg-mcg                                              | (norgestimate-ethinyl<br>estradiol)   |                       |
| mono-lynyah oral tablet 0.25-35 mg-mcg                                       | (norgestimate-ethinyl<br>estradiol)   |                       |
| necon 0.5/35 (28) oral tablet<br>0.5-35 mg-mcg                               |                                       |                       |
| nikki (28) oral tablet 3-0.02 mg                                             | (drospirenone-ethinyl<br>estradiol)   |                       |
| norethindrone ac-eth estradiol oral tablet<br>1.5-30 mg-mcg                  | (Aurovela 1.5/30 (21))                |                       |
| norethindrone ac-eth estradiol oral tablet<br>1-20 mg-mcg                    | (Aurovela 1/20 (21))                  |                       |
| norethindrone ac-eth estradiol oral tablet<br>1-5 mg-mcg                     | (Fyavolv)                             |                       |
| norethindrone-e.estradiol-iron oral tablet<br>1 mg-20 mcg (21)/75 mg (7)     | (Aurovela Fe 1-20 (28))               |                       |
| norethindrone-e.estradiol-iron oral tablet<br>1.5 mg-30 mcg (21)/75 mg (7)   | (Aurovela Fe 1.5/30<br>(28))          |                       |
| norgestimate-ethinyl estradiol oral tablet<br>0.18/0.215/0.25 mg-35 mcg (28) | (Tri-Estarylla)                       |                       |
| norgestimate-ethinyl estradiol oral tablet<br>0.25-35 mg-mcg                 | (Estarylla)                           |                       |
| nortrel 0.5/35 (28) oral tablet<br>0.5-35 mg-mcg                             |                                       |                       |
| nortrel 1/35 (21) oral tablet 1-35 mg-mcg<br>(21)                            |                                       |                       |
| nortrel 1/35 (28) oral tablet 1-35 mg-mcg                                    | (norethindrone-ethin<br>estradiol)    |                       |

| Drug Name                                                                                          | Requirements / Limits |
|----------------------------------------------------------------------------------------------------|-----------------------|
| nortrel 7/7/7 (28) oral tablet<br>0.5/0.75/1 mg- 35 mcg                                            |                       |
| nylia 1/35 (28) oral tablet 1-35 mg-mcg (norethindrone-ethin<br>estradiol)                         |                       |
| nylia 7/7/7 (28) oral tablet<br>0.5/0.75/1 mg- 35 mcg                                              |                       |
| nymyo oral tablet 0.25-35 mg-mcg (norgestimate-ethinyl<br>estradiol)                               |                       |
| ocella oral tablet 3-0.03 mg (drospirenone-ethinyl<br>estradiol)                                   |                       |
| OSPHENA ORAL TABLET 60 MG                                                                          | PA                    |
| philith oral tablet 0.4-35 mg-mcg                                                                  |                       |
| pimtrea (28) oral tablet 0.15-0.02 mgx21 (desog-e.estradiol/e.estr<br>/0.01 mg x 5 adiol)          |                       |
| pirmella oral tablet 0.5/0.75/1 mg- 35 mcg                                                         |                       |
| pirmella oral tablet 1-35 mg-mcg (norethindrone-ethin<br>estradiol)                                |                       |
| portia 28 oral tablet 0.15-0.03 mg (levonorgestrel-ethinyl<br>estradiol)                           |                       |
| PREMPHASE ORAL TABLET 0.625 MG<br>(14)/ 0.625MG-5MG(14)                                            |                       |
| PREMPRO ORAL TABLET 0.3-1.5 MG,<br>0.45-1.5 MG, 0.625-2.5 MG, 0.625-5 MG                           |                       |
| reclipsen (28) oral tablet 0.15-0.03 mg (desogestrel-ethinyl<br>estradiol)                         |                       |
| setlakin oral tablets, dose pack,3 month (levonorgestrel-ethinyl<br>0.15 mg-30 mcg (91) estradiol) |                       |
| simliya (28) oral tablet 0.15-0.02 mgx21 (desog-e.estradiol/e.estr<br>/0.01 mg x 5 adiol)          |                       |
| sprintec (28) oral tablet 0.25-35 mg-mcg (norgestimate-ethinyl<br>estradiol)                       |                       |
| sronyx oral tablet 0.1-20 mg-mcg (levonorgestrel-ethinyl<br>estradiol)                             |                       |
| syeda oral tablet 3-0.03 mg (drospirenone-ethinyl<br>estradiol)                                    |                       |
| tarina fe 1-20 eq (28) oral tablet (norethindrone-e.estradi<br>1 mg-20 mcg (21)/75 mg (7) ol-iron) |                       |
| tri-estarylla oral tablet (norgestimate-ethinyl<br>0.18/0.215/0.25 mg-35 mcg (28) estradiol)       |                       |
| tri-linyah oral tablet (norgestimate-ethinyl<br>0.18/0.215/0.25 mg-35 mcg (28) estradiol)          |                       |
| tri-mili oral tablet (norgestimate-ethinyl<br>0.18/0.215/0.25 mg-35 mcg (28) estradiol)            |                       |

| Drug Name                                                            |                                       | Requirements / Limits |
|----------------------------------------------------------------------|---------------------------------------|-----------------------|
| tri-nymyo oral tablet<br>0.18/0.215/0.25 mg-35 mcg (28)              | (norgestimate-ethinyl<br>estradiol)   |                       |
| tri-sprintec (28) oral tablet<br>0.18/0.215/0.25 mg-35 mcg (28)      | (norgestimate-ethinyl<br>estradiol)   |                       |
| trivora (28) oral tablet 50-30 (6)/75-40<br>(5)/125-30(10)           | (levonorg-eth estrad<br>triphasic)    |                       |
| tri-vylibra oral tablet<br>0.18/0.215/0.25 mg-35 mcg (28)            | (norgestimate-ethinyl<br>estradiol)   |                       |
| turqoz (28) oral tablet 0.3-30 mg-mcg                                | (norgestrel-ethinyl<br>estradiol)     |                       |
| velivet triphasic regimen (28) oral tablet<br>0.1/.125/.15-25 mg-mcg |                                       |                       |
| vestura (28) oral tablet 3-0.02 mg                                   | (drospirenone-ethinyl<br>estradiol)   |                       |
| vienva oral tablet 0.1-20 mg-mcg                                     | (levonorgestrel-ethinyl<br>estradiol) |                       |
| viorele (28) oral tablet 0.15-0.02 mgx21<br>/0.01 mg x 5             | (desog-e.estradiol/e.estr<br>adiol)   |                       |
| volnea (28) oral tablet 0.15-0.02 mgx21<br>/0.01 mg x 5              | (desog-e.estradiol/e.estr<br>adiol)   |                       |
| vyfemla (28) oral tablet 0.4-35 mg-mcg                               |                                       |                       |
| vylibra oral tablet 0.25-35 mg-mcg                                   | (norgestimate-ethinyl<br>estradiol)   |                       |
| wera (28) oral tablet 0.5-35 mg-mcg                                  |                                       |                       |
| zarah oral tablet 3-0.03 mg                                          | (drospirenone-ethinyl<br>estradiol)   |                       |
| zovia 1-35 (28) oral tablet 1-35 mg-mcg                              | (ethynodiol diac-eth<br>estradiol)    |                       |
| zumandimine (28) oral tablet 3-0.03 mg                               | (drospirenone-ethinyl<br>estradiol)   |                       |
| <b>Progestins</b>                                                    |                                       |                       |
| camila oral tablet 0.35 mg                                           | (norethindrone<br>(contraceptive))    |                       |
| deblitane oral tablet 0.35 mg                                        | (norethindrone<br>(contraceptive))    |                       |
| DEPO-SUBQ PROVERA 104<br>SUBCUTANEOUS SYRINGE<br>104 MG/0.65 ML      |                                       |                       |
| errin oral tablet 0.35 mg                                            | (norethindrone<br>(contraceptive))    |                       |
| heather oral tablet 0.35 mg                                          | (norethindrone<br>(contraceptive))    |                       |
| incassia oral tablet 0.35 mg                                         | (norethindrone<br>(contraceptive))    |                       |

| Drug Name                                                                                                                          |                                    | Requirements / Limits |
|------------------------------------------------------------------------------------------------------------------------------------|------------------------------------|-----------------------|
| jencycla oral tablet 0.35 mg                                                                                                       | (norethindrone<br>(contraceptive)) |                       |
| lyleq oral tablet 0.35 mg                                                                                                          | (norethindrone<br>(contraceptive)) |                       |
| lyza oral tablet 0.35 mg                                                                                                           | (norethindrone<br>(contraceptive)) |                       |
| medroxyprogesterone intramuscular<br>suspension 150 mg/ml                                                                          | (Depo-Provera)                     |                       |
| medroxyprogesterone intramuscular<br>syringe 150 mg/ml                                                                             | (Depo-Provera)                     |                       |
| medroxyprogesterone oral tablet 10 mg,<br>2.5 mg, 5 mg                                                                             | (Provera)                          |                       |
| megestrol oral suspension 400 mg/10 ml<br>(40 mg/ml), 625 mg/5 ml (125 mg/ml)                                                      |                                    |                       |
| megestrol oral tablet 20 mg, 40 mg                                                                                                 |                                    |                       |
| nora-be oral tablet 0.35 mg                                                                                                        | (norethindrone<br>(contraceptive)) |                       |
| norethindrone (contraceptive) oral tablet<br>0.35 mg                                                                               | (Camila)                           |                       |
| norethindrone acetate oral tablet 5 mg                                                                                             |                                    |                       |
| progesterone micronized oral capsule<br>100 mg, 200 mg                                                                             | (Prometrium)                       |                       |
| sharobel oral tablet 0.35 mg                                                                                                       | (norethindrone<br>(contraceptive)) |                       |
| tulana oral tablet 0.35 mg                                                                                                         | (norethindrone<br>(contraceptive)) |                       |
| <b>HORMONAL AGENTS, STIMULANT/ REPLACEMENT/ MODIFYING (THYROID)</b>                                                                |                                    |                       |
| <b>Hormonal Agents, Stimulant/ Replacement/ Modifying (Thyroid)</b>                                                                |                                    |                       |
| euthyrox oral tablet 100 mcg, 112 mcg,<br>125 mcg, 137 mcg, 150 mcg, 175 mcg,<br>200 mcg, 25 mcg, 50 mcg, 75 mcg,<br>88 mcg        | (levothyroxine)                    |                       |
| LEVO-T ORAL TABLET 100 MCG,<br>112 MCG, 125 MCG, 137 MCG,<br>150 MCG, 175 MCG, 200 MCG, 25 MCG,<br>300 MCG, 50 MCG, 75 MCG, 88 MCG | (levothyroxine)                    |                       |
| levothyroxine oral tablet 100 mcg,<br>112 mcg, 125 mcg, 137 mcg, 150 mcg,<br>175 mcg, 200 mcg, 25 mcg, 50 mcg,<br>75 mcg, 88 mcg   | (Euthyrox)                         |                       |
| levothyroxine oral tablet 300 mcg                                                                                                  | (Levo-T)                           |                       |

| Drug Name                                                                                                                                    | Requirements / Limits |
|----------------------------------------------------------------------------------------------------------------------------------------------|-----------------------|
| LEVOXYL ORAL TABLET 100 MCG, 112 MCG, 125 MCG, 137 MCG, 150 MCG, 175 MCG, 200 MCG, 25 MCG, 50 MCG, 75 MCG, 88 MCG (levothyroxine)            |                       |
| liothyronine oral tablet 25 mcg, 5 mcg, 50 mcg (Cytomel)                                                                                     |                       |
| SYNTHROID ORAL TABLET 100 MCG, 112 MCG, 125 MCG, 137 MCG, 150 MCG, 175 MCG, 200 MCG, 25 MCG, 300 MCG, 50 MCG, 75 MCG, 88 MCG (levothyroxine) |                       |
| UNITHROID ORAL TABLET 100 MCG, 112 MCG, 125 MCG, 137 MCG, 150 MCG, 175 MCG, 200 MCG, 25 MCG, 300 MCG, 50 MCG, 75 MCG, 88 MCG (levothyroxine) |                       |
| <b>HORMONAL AGENTS, SUPPRESSANT (PITUITARY)</b>                                                                                              |                       |
| <b><i>Hormonal Agents, Suppressant (Pituitary)</i></b>                                                                                       |                       |
| cabergoline oral tablet 0.5 mg                                                                                                               |                       |
| ELIGARD (3 MONTH) SUBCUTANEOUS SYRINGE 22.5 MG                                                                                               | PA NSO                |
| ELIGARD (4 MONTH) SUBCUTANEOUS SYRINGE 30 MG                                                                                                 | PA NSO                |
| ELIGARD (6 MONTH) SUBCUTANEOUS SYRINGE 45 MG                                                                                                 | PA NSO                |
| ELIGARD SUBCUTANEOUS SYRINGE 7.5 MG (1 MONTH)                                                                                                | PA NSO                |
| FIRMAGON KIT W DILUENT SYRINGE SUBCUTANEOUS RECON SOLN 120 MG                                                                                | PA NSO; NM            |
| FIRMAGON KIT W DILUENT SYRINGE SUBCUTANEOUS RECON SOLN 80 MG                                                                                 | PA NSO                |
| leuprolide (3 month) intramuscular suspension for reconstitution 22.5 mg                                                                     | PA NSO                |
| leuprolide subcutaneous kit 1 mg/0.2 ml                                                                                                      | PA NSO                |
| LUPRON DEPOT (3 MONTH) INTRAMUSCULAR SYRINGE KIT 11.25 MG, 22.5 MG                                                                           | PA NSO; NM            |
| LUPRON DEPOT (4 MONTH) INTRAMUSCULAR SYRINGE KIT 30 MG                                                                                       | PA NSO; NM            |
| LUPRON DEPOT (6 MONTH) INTRAMUSCULAR SYRINGE KIT 45 MG                                                                                       | PA NSO; NM            |
| LUPRON DEPOT INTRAMUSCULAR SYRINGE KIT 3.75 MG, 7.5 MG                                                                                       | PA NSO; NM            |

| Drug Name                                                                                  | Requirements / Limits       |
|--------------------------------------------------------------------------------------------|-----------------------------|
| LUPRON DEPOT-PED (3 MONTH)<br>INTRAMUSCULAR SYRINGE KIT<br>11.25 MG, 30 MG                 | PA NSO; NM                  |
| LUPRON DEPOT-PED<br>INTRAMUSCULAR KIT 11.25 MG,<br>15 MG, 7.5 MG (PED)                     | PA NSO; NM                  |
| LUPRON DEPOT-PED<br>INTRAMUSCULAR SYRINGE KIT 45 MG                                        | PA NSO; NM                  |
| <i>octreotide acetate injection solution</i><br><i>1,000 mcg/ml</i>                        | PA; NM                      |
| <i>octreotide acetate injection solution</i><br><i>100 mcg/ml, 50 mcg/ml</i> (Sandostatin) | PA                          |
| <i>octreotide acetate injection solution</i><br><i>200 mcg/ml</i>                          | PA                          |
| <i>octreotide acetate injection solution</i><br><i>500 mcg/ml</i> (Sandostatin)            | PA; NM                      |
| SIGNIFOR SUBCUTANEOUS SOLUTION<br>0.3 MG/ML (1 ML), 0.6 MG/ML (1 ML),<br>0.9 MG/ML (1 ML)  | PA; NM; QL (60 per 30 days) |
| SOMAVERT SUBCUTANEOUS RECON<br>SOLN 10 MG, 15 MG, 20 MG, 25 MG,<br>30 MG                   | PA; NM; QL (60 per 30 days) |
| SYNAREL NASAL SPRAY,<br>NON-AEROSOL 2 MG/ML                                                | PA; NM                      |
| TRELSTAR INTRAMUSCULAR<br>SUSPENSION FOR RECONSTITUTION<br>11.25 MG, 22.5 MG, 3.75 MG      | PA NSO                      |
| <b>HORMONAL AGENTS, SUPPRESSANT (THYROID)</b>                                              |                             |
| <b><i>Antithyroid Agents</i></b>                                                           |                             |
| <i>methimazole oral tablet 10 mg, 5 mg</i>                                                 |                             |
| <i>propylthiouracil oral tablet 50 mg</i>                                                  |                             |
| <b>IMMUNOLOGICAL AGENTS</b>                                                                |                             |
| <b><i>Angioedema Agents</i></b>                                                            |                             |
| <i>icatibant subcutaneous syringe</i><br><i>30 mg/3 ml</i> (Firazyr)                       | PA; NM                      |
| TAKHZYRO SUBCUTANEOUS<br>SOLUTION 300 MG/2 ML (150 MG/ML)                                  | PA; NM                      |
| TAKHZYRO SUBCUTANEOUS SYRINGE<br>150 MG/ML, 300 MG/2 ML (150 MG/ML)                        | PA; NM                      |

| Drug Name                                                                                                           | Requirements / Limits |
|---------------------------------------------------------------------------------------------------------------------|-----------------------|
| <b>Immunoglobulins</b>                                                                                              |                       |
| PANZYGA INTRAVENOUS SOLUTION<br>10 %, 10 % (100 ML), 10 % (200 ML),<br>10 % (25 ML), 10 % (300 ML), 10 %<br>(50 ML) | PA BvD; NM            |
| PRIVIGEN INTRAVENOUS SOLUTION<br>10 %                                                                               | PA BvD; NM            |
| <b>Immunological Agents, Other</b>                                                                                  |                       |
| ARCALYST SUBCUTANEOUS RECON<br>SOLN 220 MG                                                                          | PA; NM                |
| COSENTYX (2 SYRINGES)<br>SUBCUTANEOUS SYRINGE 150 MG/ML                                                             | PA; NM                |
| COSENTYX INTRAVENOUS SOLUTION<br>25 MG/ML                                                                           | PA; NM                |
| COSENTYX PEN (2 PENS)<br>SUBCUTANEOUS PEN INJECTOR<br>150 MG/ML                                                     | PA; NM                |
| COSENTYX SUBCUTANEOUS<br>SYRINGE 75 MG/0.5 ML                                                                       | PA; NM                |
| COSENTYX UNOREADY PEN<br>SUBCUTANEOUS PEN INJECTOR<br>300 MG/2 ML (150 MG/ML)                                       | PA; NM                |
| DUPIXENT PEN SUBCUTANEOUS PEN<br>INJECTOR 200 MG/1.14 ML,<br>300 MG/2 ML                                            | PA; NM                |
| DUPIXENT SYRINGE SUBCUTANEOUS<br>SYRINGE 100 MG/0.67 ML,<br>200 MG/1.14 ML, 300 MG/2 ML                             | PA; NM                |
| <i>leflunomide oral tablet 10 mg, 20 mg (Arava)</i>                                                                 |                       |
| OTEZLA ORAL TABLET 30 MG                                                                                            | PA; NM                |
| OTEZLA STARTER ORAL TABLETS,<br>DOSE PACK 10 MG (4)-20 MG (4)-30 MG<br>(47), 10 MG (4)-20 MG (4)-30 MG(19)          | PA; NM                |
| RINVOQ ORAL TABLET EXTENDED<br>RELEASE 24 HR 15 MG, 30 MG, 45 MG                                                    | PA; NM                |
| SKYRIZI SUBCUTANEOUS PEN<br>INJECTOR 150 MG/ML                                                                      | PA; NM                |
| SKYRIZI SUBCUTANEOUS SYRINGE<br>150 MG/ML                                                                           | PA; NM                |
| SKYRIZI SUBCUTANEOUS WEARABLE<br>INJECTOR 180 MG/1.2 ML (150 MG/ML),<br>360 MG/2.4 ML (150 MG/ML)                   | PA; NM                |
| STELARA SUBCUTANEOUS SOLUTION<br>45 MG/0.5 ML                                                                       | PA; NM                |



| Drug Name                                                                    | Requirements / Limits |
|------------------------------------------------------------------------------|-----------------------|
| STELARA SUBCUTANEOUS SYRINGE<br>45 MG/0.5 ML, 90 MG/ML                       | PA; NM                |
| TAVNEOS ORAL CAPSULE 10 MG                                                   | PA; NM                |
| XOLAIR SUBCUTANEOUS<br>AUTO-INJECTOR 150 MG/ML,<br>300 MG/2 ML, 75 MG/0.5 ML | PA; NM                |
| XOLAIR SUBCUTANEOUS RECON<br>SOLN 150 MG                                     | PA; NM                |
| XOLAIR SUBCUTANEOUS SYRINGE<br>150 MG/ML, 300 MG/2 ML, 75 MG/0.5 ML          | PA; NM                |
| <b>Immunostimulants</b>                                                      |                       |
| ACTIMMUNE SUBCUTANEOUS<br>SOLUTION 100 MCG/0.5 ML                            | PA NSO; NM            |
| BESREMI SUBCUTANEOUS SYRINGE<br>500 MCG/ML                                   | PA NSO; NM            |
| PEGASYS SUBCUTANEOUS SOLUTION<br>180 MCG/ML                                  | PA; NM                |
| PEGASYS SUBCUTANEOUS SYRINGE<br>180 MCG/0.5 ML                               | PA; NM                |
| <b>Immunosuppressants</b>                                                    |                       |
| <i>azathioprine oral tablet 100 mg, 75 mg</i> (Azasan)                       | PA BvD                |
| <i>azathioprine oral tablet 50 mg</i> (Imuran)                               | PA BvD                |
| BENLYSTA SUBCUTANEOUS<br>AUTO-INJECTOR 200 MG/ML                             | PA; NM                |
| BENLYSTA SUBCUTANEOUS SYRINGE<br>200 MG/ML                                   | PA; NM                |
| <i>cyclosporine modified oral capsule<br/>100 mg, 25 mg</i> (Gengraf)        | PA BvD                |
| <i>cyclosporine modified oral capsule 50 mg</i>                              | PA BvD                |
| <i>cyclosporine modified oral solution<br/>100 mg/ml</i> (Gengraf)           | PA BvD                |
| <i>cyclosporine oral capsule 100 mg, 25 mg</i> (Sandimmune)                  | PA BvD                |
| ENBREL MINI SUBCUTANEOUS<br>CARTRIDGE 50 MG/ML (1 ML)                        | PA; NM                |
| ENBREL SUBCUTANEOUS SOLUTION<br>25 MG/0.5 ML                                 | PA; NM                |
| ENBREL SUBCUTANEOUS SYRINGE<br>25 MG/0.5 ML (0.5), 50 MG/ML (1 ML)           | PA; NM                |
| ENBREL SURECLICK SUBCUTANEOUS<br>PEN INJECTOR 50 MG/ML (1 ML)                | PA; NM                |
| ENSPRYNG SUBCUTANEOUS<br>SYRINGE 120 MG/ML                                   | PA NSO; NM            |

| Drug Name                                                                                                | Requirements / Limits                    |
|----------------------------------------------------------------------------------------------------------|------------------------------------------|
| ENVARUSUS XR ORAL TABLET<br>EXTENDED RELEASE 24 HR 0.75 MG,<br>1 MG, 4 MG                                | PA BvD                                   |
| <i>everolimus (immunosuppressive) oral<br/>tablet 0.25 mg, 0.75 mg, 1 mg</i> (Zortress)                  | PA BvD; NM; QL (60 per 30 days)          |
| <i>everolimus (immunosuppressive) oral<br/>tablet 0.5 mg</i> (Zortress)                                  | PA BvD; NM; QL (120 per 30 days)         |
| <i>gengraf oral capsule 100 mg, 25 mg</i> (cyclosporine modified)                                        | PA BvD                                   |
| <i>gengraf oral solution 100 mg/ml</i> (cyclosporine modified)                                           | PA BvD                                   |
| HUMIRA PEN CROHNS-UC-HS START<br>SUBCUTANEOUS PEN INJECTOR KIT<br>40 MG/0.8 ML                           | PA; NM; Only NDCs starting with<br>00074 |
| HUMIRA PEN PSOR-UVEITS-ADOL HS<br>SUBCUTANEOUS PEN INJECTOR KIT<br>40 MG/0.8 ML                          | PA; NM; Only NDCs starting with<br>00074 |
| HUMIRA PEN SUBCUTANEOUS PEN<br>INJECTOR KIT 40 MG/0.8 ML                                                 | PA; NM; Only NDCs starting with<br>00074 |
| HUMIRA SUBCUTANEOUS SYRINGE<br>KIT 40 MG/0.8 ML                                                          | PA; NM; Only NDCs starting with<br>00074 |
| HUMIRA(CF) PEDI CROHNS STARTER<br>SUBCUTANEOUS SYRINGE KIT<br>80 MG/0.8 ML,<br>80 MG/0.8 ML-40 MG/0.4 ML | PA; NM; Only NDCs starting with<br>00074 |
| HUMIRA(CF) PEN CROHNS-UC-HS<br>SUBCUTANEOUS PEN INJECTOR KIT<br>80 MG/0.8 ML                             | PA; NM; Only NDCs starting with<br>00074 |
| HUMIRA(CF) PEN PEDIATRIC UC<br>SUBCUTANEOUS PEN INJECTOR KIT<br>80 MG/0.8 ML                             | PA; NM; Only NDCs starting with<br>00074 |
| HUMIRA(CF) PEN PSOR-UV-ADOL HS<br>SUBCUTANEOUS PEN INJECTOR KIT<br>80 MG/0.8 ML-40 MG/0.4 ML             | PA; NM; Only NDCs starting with<br>00074 |
| HUMIRA(CF) PEN SUBCUTANEOUS<br>PEN INJECTOR KIT 40 MG/0.4 ML,<br>80 MG/0.8 ML                            | PA; NM; Only NDCs starting with<br>00074 |
| HUMIRA(CF) SUBCUTANEOUS<br>SYRINGE KIT 10 MG/0.1 ML,<br>20 MG/0.2 ML, 40 MG/0.4 ML                       | PA; NM; Only NDCs starting with<br>00074 |
| KINERET SUBCUTANEOUS SYRINGE<br>100 MG/0.67 ML                                                           | PA; NM                                   |
| LUPKYNIS ORAL CAPSULE 7.9 MG                                                                             | PA; NM; QL (180 per 30 days)             |
| <i>methotrexate sodium (pf) injection solution<br/>25 mg/ml</i>                                          |                                          |
| <i>methotrexate sodium injection solution<br/>25 mg/ml</i>                                               |                                          |

| Drug Name                                                                                  | Requirements / Limits |
|--------------------------------------------------------------------------------------------|-----------------------|
| <i>methotrexate sodium oral tablet 2.5 mg</i>                                              | PA BvD                |
| <i>mycophenolate mofetil oral capsule 250 mg</i> (CellCept)                                | PA BvD                |
| <i>mycophenolate mofetil oral suspension for reconstitution 200 mg/ml</i> (CellCept)       | PA BvD; NM            |
| <i>mycophenolate mofetil oral tablet 500 mg</i> (CellCept)                                 | PA BvD                |
| <i>mycophenolate sodium oral tablet, delayed release (dr/ec) 180 mg, 360 mg</i> (Myfortic) | PA BvD                |
| PROGRAF ORAL GRANULES IN PACKET 0.2 MG, 1 MG                                               | PA BvD                |
| REZUROCK ORAL TABLET 200 MG                                                                | PA; NM                |
| <i>sirolimus oral solution 1 mg/ml</i> (Rapamune)                                          | PA BvD; NM            |
| <i>sirolimus oral tablet 0.5 mg, 1 mg, 2 mg</i> (Rapamune)                                 | PA BvD                |
| <i>tacrolimus oral capsule 0.5 mg, 1 mg, 5 mg</i> (Prograf)                                | PA BvD                |
| TREXALL ORAL TABLET 10 MG, 15 MG, 5 MG, 7.5 MG                                             | PA BvD                |
| <b>Vaccines</b>                                                                            |                       |
| ABRYSVO (PF) INTRAMUSCULAR RECON SOLN 120 MCG/0.5 ML                                       | \$0 copay             |
| ACTHIB (PF) INTRAMUSCULAR RECON SOLN 10 MCG/0.5 ML                                         |                       |
| ADACEL(TDAP ADOLESN/ADULT)(PF) INTRAMUSCULAR SUSPENSION 2 LF-(2.5-5-3-5 MCG)-5LF/0.5 ML    | \$0 copay             |
| ADACEL(TDAP ADOLESN/ADULT)(PF) INTRAMUSCULAR SYRINGE 2 LF-(2.5-5-3-5 MCG)-5LF/0.5 ML       | \$0 copay             |
| AREXVY (PF) INTRAMUSCULAR SUSPENSION FOR RECONSTITUTION 120 MCG/0.5 ML                     | \$0 copay             |
| AREXVY ANTIGEN COMPONENT 120 MCG                                                           | \$0 copay             |
| BCG VACCINE, LIVE (PF) PERCUTANEOUS SUSPENSION FOR RECONSTITUTION 50 MG                    | \$0 copay             |
| BEXSERO INTRAMUSCULAR SYRINGE 50-50-50-25 MCG/0.5 ML                                       | \$0 copay             |
| BOOSTRIX TDAP INTRAMUSCULAR SUSPENSION 2.5-8-5 LF-MCG-LF/0.5ML                             | \$0 copay             |
| BOOSTRIX TDAP INTRAMUSCULAR SYRINGE 2.5-8-5 LF-MCG-LF/0.5ML                                | \$0 copay             |

| Drug Name                                                                             | Requirements / Limits |
|---------------------------------------------------------------------------------------|-----------------------|
| DAPTACEL (DTAP PEDIATRIC) (PF)<br>INTRAMUSCULAR SUSPENSION<br>15-10-5 LF-MCG-LF/0.5ML |                       |
| ENGERIX-B (PF) INTRAMUSCULAR<br>SUSPENSION 20 MCG/ML                                  | PA BvD; \$0 copay     |
| ENGERIX-B (PF) INTRAMUSCULAR<br>SYRINGE 20 MCG/ML                                     | PA BvD; \$0 copay     |
| ENGERIX-B PEDIATRIC (PF)<br>INTRAMUSCULAR SYRINGE<br>10 MCG/0.5 ML                    | PA BvD; \$0 copay     |
| GARDASIL 9 (PF) INTRAMUSCULAR<br>SUSPENSION 0.5 ML                                    | \$0 copay             |
| GARDASIL 9 (PF) INTRAMUSCULAR<br>SYRINGE 0.5 ML                                       | \$0 copay             |
| HAVRIX (PF) INTRAMUSCULAR<br>SYRINGE 1,440 ELISA UNIT/ML                              | \$0 copay             |
| HAVRIX (PF) INTRAMUSCULAR<br>SYRINGE 720 ELISA UNIT/0.5 ML                            |                       |
| HEPLISAV-B (PF) INTRAMUSCULAR<br>SYRINGE 20 MCG/0.5 ML                                | PA BvD; \$0 copay     |
| HIBERIX (PF) INTRAMUSCULAR<br>RECON SOLN 10 MCG/0.5 ML                                |                       |
| IMOVAX RABIES VACCINE (PF)<br>INTRAMUSCULAR RECON SOLN<br>2.5 UNIT                    | PA BvD; \$0 copay     |
| INFANRIX (DTAP) (PF)<br>INTRAMUSCULAR SYRINGE 25-58-10<br>LF-MCG-LF/0.5ML             |                       |
| IPOL INJECTION SUSPENSION<br>40-8-32 UNIT/0.5 ML                                      | \$0 copay             |
| IXCHIQ (PF) INTRAMUSCULAR RECON<br>SOLN 1,000 TCID50/0.5 ML                           | \$0 copay             |
| IXIARO (PF) INTRAMUSCULAR<br>SYRINGE 6 MCG/0.5 ML                                     | \$0 copay             |
| JYNNEOS (PF) SUBCUTANEOUS<br>SUSPENSION 0.5X TO 3.95X<br>10EXP8 UNIT/0.5              | \$0 copay             |
| KINRIX (PF) INTRAMUSCULAR<br>SYRINGE 25 LF-58 MCG-10 LF/0.5 ML                        |                       |
| MENACTRA (PF) INTRAMUSCULAR<br>SOLUTION 4 MCG/0.5 ML                                  | \$0 copay             |
| MENQUADFI (PF) INTRAMUSCULAR<br>SOLUTION 10 MCG/0.5 ML                                | \$0 copay             |
| MENVEO A-C-Y-W-135-DIP (PF)<br>INTRAMUSCULAR KIT 10-5 MCG/0.5 ML                      | \$0 copay             |

| Drug Name                                                                                                                 | Requirements / Limits |
|---------------------------------------------------------------------------------------------------------------------------|-----------------------|
| M-M-R II (PF) SUBCUTANEOUS RECON<br>SOLN 1,000-12,500 TCID50/0.5 ML                                                       | \$0 copay             |
| MRESVIA (PF) INTRAMUSCULAR<br>SYRINGE 50 MCG/0.5 ML                                                                       |                       |
| PEDIARIX (PF) INTRAMUSCULAR<br>SYRINGE<br>10 MCG-25LF-25 MCG-10LF/0.5 ML                                                  |                       |
| PEDVAX HIB (PF) INTRAMUSCULAR<br>SOLUTION 7.5 MCG/0.5 ML                                                                  |                       |
| PENBRAYA (PF) INTRAMUSCULAR KIT<br>5-120 MCG/0.5 ML                                                                       | \$0 copay             |
| PENBRAYA MENACWY<br>COMPONENT(PF) INTRAMUSCULAR<br>SUSPENSION FOR RECONSTITUTION<br>5 MCG/0.5 ML                          | \$0 copay             |
| PENBRAYA MENB COMPONENT (PF)<br>INTRAMUSCULAR SYRINGE<br>120 MCG/0.5 ML                                                   | \$0 copay             |
| PENTACEL (PF) INTRAMUSCULAR KIT<br>15LF-48MCG-62DU -10 MCG/0.5ML                                                          |                       |
| PREHEVBRIO (PF) INTRAMUSCULAR<br>SUSPENSION 10 MCG/ML                                                                     | PA BvD; \$0 copay     |
| PRIORIX (PF) SUBCUTANEOUS<br>SUSPENSION FOR RECONSTITUTION<br>10EXP3.4-4.2- 3.3CCID50/0.5ML                               | \$0 copay             |
| PROQUAD (PF) SUBCUTANEOUS<br>SUSPENSION FOR RECONSTITUTION<br>10EXP3-4.3-3- 3.99 TCID50/0.5                               |                       |
| QUADRACEL (PF) INTRAMUSCULAR<br>SUSPENSION 15 LF-48 MCG- 5<br>LF UNIT/0.5ML, 15 LF-48 MCG- 5<br>LF UNIT/0.5ML (58 UNT/ML) |                       |
| QUADRACEL (PF) INTRAMUSCULAR<br>SYRINGE 15 LF-48 MCG- 5<br>LF UNIT/0.5ML                                                  |                       |
| RABAVERT (PF) INTRAMUSCULAR<br>SUSPENSION FOR RECONSTITUTION<br>2.5 UNIT                                                  | PA BvD; \$0 copay     |
| RECOMBIVAX HB (PF)<br>INTRAMUSCULAR SUSPENSION<br>10 MCG/ML, 40 MCG/ML, 5 MCG/0.5 ML                                      | PA BvD; \$0 copay     |
| RECOMBIVAX HB (PF)<br>INTRAMUSCULAR SYRINGE<br>10 MCG/ML, 5 MCG/0.5 ML                                                    | PA BvD; \$0 copay     |

| Drug Name                                                                          | Requirements / Limits                           |
|------------------------------------------------------------------------------------|-------------------------------------------------|
| ROTARIX ORAL SUSPENSION 10EXP6<br>CCID50 /1.5 ML                                   |                                                 |
| ROTARIX ORAL SUSPENSION FOR<br>RECONSTITUTION 10EXP6 CCID50/ML                     |                                                 |
| ROTATEQ VACCINE ORAL SOLUTION<br>2 ML                                              |                                                 |
| SHINGRIX (PF) INTRAMUSCULAR<br>SUSPENSION FOR RECONSTITUTION<br>50 MCG/0.5 ML      | \$0 copay                                       |
| TDVAX INTRAMUSCULAR<br>SUSPENSION 2-2 LF UNIT/0.5 ML                               | (tetanus-diphtheria<br>toxoids-td)<br>\$0 copay |
| TENIVAC (PF) INTRAMUSCULAR<br>SUSPENSION 5 LF UNIT- 2<br>LF UNIT/0.5ML             | \$0 copay                                       |
| TENIVAC (PF) INTRAMUSCULAR<br>SYRINGE 5-2 LF UNIT/0.5 ML                           | \$0 copay                                       |
| TETANUS, DIPHTHERIA TOX PED(PF)<br>INTRAMUSCULAR SUSPENSION 5-25<br>LF UNIT/0.5 ML |                                                 |
| TICOVAC INTRAMUSCULAR SYRINGE<br>1.2 MCG/0.25 ML                                   |                                                 |
| TICOVAC INTRAMUSCULAR SYRINGE<br>2.4 MCG/0.5 ML                                    | \$0 copay                                       |
| TRUMENBA INTRAMUSCULAR<br>SYRINGE 120 MCG/0.5 ML                                   | \$0 copay                                       |
| TWINRIX (PF) INTRAMUSCULAR<br>SYRINGE 720 ELISA UNIT- 20 MCG/ML                    | \$0 copay                                       |
| TYPHIM VI INTRAMUSCULAR<br>SOLUTION 25 MCG/0.5 ML                                  | \$0 copay                                       |
| TYPHIM VI INTRAMUSCULAR SYRINGE<br>25 MCG/0.5 ML                                   | (typhoid vi polysacch<br>vaccine)<br>\$0 copay  |
| VAQTA (PF) INTRAMUSCULAR<br>SUSPENSION 25 UNIT/0.5 ML                              |                                                 |
| VAQTA (PF) INTRAMUSCULAR<br>SUSPENSION 50 UNIT/ML                                  | \$0 copay                                       |
| VAQTA (PF) INTRAMUSCULAR<br>SYRINGE 25 UNIT/0.5 ML                                 |                                                 |
| VAQTA (PF) INTRAMUSCULAR<br>SYRINGE 50 UNIT/ML                                     | \$0 copay                                       |
| VARIVAX (PF) SUBCUTANEOUS<br>SUSPENSION FOR RECONSTITUTION<br>1,350 UNIT/0.5 ML    | \$0 copay                                       |

| Drug Name                                                                                                                        | Requirements / Limits    |
|----------------------------------------------------------------------------------------------------------------------------------|--------------------------|
| YF-VAX (PF) SUBCUTANEOUS<br>SUSPENSION FOR RECONSTITUTION<br>10 EXP4.74 UNIT/0.5 ML, 10<br>EXP4.74 UNIT/0.5 ML(2.5 ML IN 1 VIAL) | \$0 copay                |
| <b>INFLAMMATORY BOWEL DISEASE AGENTS</b>                                                                                         |                          |
| <b>Aminosalicylates</b>                                                                                                          |                          |
| balsalazide oral capsule 750 mg (Colazal)                                                                                        |                          |
| LIALDA ORAL TABLET, DELAYED<br>RELEASE (DR/EC) 1.2 GRAM (mesalamine)                                                             |                          |
| mesalamine oral capsule (with del rel<br>tablets) 400 mg (Delzicol)                                                              |                          |
| mesalamine oral capsule, extended<br>release 24hr 0.375 gram (Apriso)                                                            |                          |
| mesalamine oral tablet, delayed release<br>(dr/ec) 800 mg                                                                        |                          |
| mesalamine rectal enema 4 gram/60 ml (Rowasa)                                                                                    |                          |
| sulfasalazine oral tablet 500 mg (Azulfidine)                                                                                    |                          |
| sulfasalazine oral tablet, delayed release<br>(dr/ec) 500 mg (Azulfidine EN-tabs)                                                |                          |
| <b>Glucocorticoids</b>                                                                                                           |                          |
| budesonide oral capsule, delayed,<br>extend.release 3 mg                                                                         |                          |
| budesonide oral tablet, delayed and<br>ext.release 9 mg (Uceris)                                                                 | NM                       |
| hydrocortisone rectal enema<br>100 mg/60 ml (Cortenema)                                                                          |                          |
| <b>METABOLIC BONE DISEASE AGENTS</b>                                                                                             |                          |
| <b>Metabolic Bone Disease Agents</b>                                                                                             |                          |
| alendronate oral tablet 10 mg, 5 mg                                                                                              | QL (30 per 30 days)      |
| alendronate oral tablet 35 mg                                                                                                    | QL (4 per 28 days)       |
| alendronate oral tablet 70 mg (Fosamax)                                                                                          | QL (4 per 28 days)       |
| calcitonin (salmon) nasal spray,<br>non-aerosol 200 unit/actuation                                                               | QL (4 per 28 days)       |
| calcitriol oral capsule 0.25 mcg, 0.5 mcg (Rocaltrol)                                                                            |                          |
| calcitriol oral solution 1 mcg/ml (Rocaltrol)                                                                                    |                          |
| cinacalcet oral tablet 30 mg, 60 mg (Sensipar)                                                                                   | QL (60 per 30 days)      |
| cinacalcet oral tablet 90 mg (Sensipar)                                                                                          | NM; QL (120 per 30 days) |
| ibandronate oral tablet 150 mg                                                                                                   | QL (1 per 30 days)       |

| Drug Name                                                                                                    | Requirements / Limits         |
|--------------------------------------------------------------------------------------------------------------|-------------------------------|
| NATPARA SUBCUTANEOUS CARTRIDGE 100 MCG/DOSE, 25 MCG/DOSE, 50 MCG/DOSE, 75 MCG/DOSE                           | PA; NM                        |
| <i>paricalcitol oral capsule 1 mcg, 2 mcg (Zemlar)</i>                                                       |                               |
| <i>paricalcitol oral capsule 4 mcg</i>                                                                       |                               |
| PROLIA SUBCUTANEOUS SYRINGE 60 MG/ML                                                                         | QL (1 per 180 days)           |
| <i>raloxifene oral tablet 60 mg (Evista)</i>                                                                 |                               |
| <i>risedronate oral tablet 150 mg (Actonel)</i>                                                              | QL (1 per 28 days)            |
| <i>risedronate oral tablet 30 mg, 5 mg</i>                                                                   | QL (30 per 30 days)           |
| <i>risedronate oral tablet 35 mg (Actonel)</i>                                                               | QL (4 per 28 days)            |
| <i>risedronate oral tablet 35 mg (12 pack), 35 mg (4 pack)</i>                                               | QL (4 per 28 days)            |
| <i>risedronate oral tablet, delayed release (dr/ec) 35 mg (Atelvia)</i>                                      | QL (4 per 28 days)            |
| <i>teriparatide subcutaneous pen injector 20 mcg/dose (620mcg/2.48ml)</i>                                    | PA; NM; QL (2.48 per 28 days) |
| TYMLOS SUBCUTANEOUS PEN INJECTOR 80 MCG (3,120 MCG/1.56 ML)                                                  | PA; NM; QL (1.56 per 30 days) |
| XGEVA SUBCUTANEOUS SOLUTION 120 MG/1.7 ML (70 MG/ML)                                                         | PA; NM; QL (2 per 28 days)    |
| <b>NON-FRF</b>                                                                                               |                               |
| <b>Non-FRF</b>                                                                                               |                               |
| OXLUMO SUBCUTANEOUS SOLUTION 94.5 MG/0.5 ML                                                                  | PA; NM                        |
| <b>OPHTHALMIC AGENTS</b>                                                                                     |                               |
| <b>Ophthalmic Agents, Other</b>                                                                              |                               |
| <i>atropine ophthalmic (eye) drops 1 % (Isopto Atropine)</i>                                                 |                               |
| <i>cyclosporine ophthalmic (eye) dropperette 0.05 % (Restasis)</i>                                           | QL (60 per 30 days)           |
| CYSTADROPS OPHTHALMIC (EYE) DROPS 0.37 %                                                                     | PA; NM                        |
| CYSTARAN OPHTHALMIC (EYE) DROPS 0.44 %                                                                       | PA; NM                        |
| EYSUVIS OPHTHALMIC (EYE) DROPS, SUSPENSION 0.25 %                                                            | QL (8.3 per 14 days)          |
| <i>neomycin-bacitracin-poly-hc ophthalmic (eye) ointment (Neo-Polycin HC)</i><br>3.5-400-10,000 mg-unit/g-1% |                               |



| Drug Name                                                                                                       | Requirements / Limits |
|-----------------------------------------------------------------------------------------------------------------|-----------------------|
| neomycin-polymyxin b-dexameth<br>ophthalmic (eye) drops, suspension (Maxitrol)<br>3.5mg/ml-10,000 unit/ml-0.1 % |                       |
| neomycin-polymyxin b-dexameth<br>ophthalmic (eye) ointment (Maxitrol)<br>3.5 mg/g-10,000 unit/g-0.1 %           |                       |
| neomycin-polymyxin-gramicidin<br>ophthalmic (eye) drops<br>1.75 mg-10,000 unit-0.025mg/ml                       |                       |
| neomycin-polymyxin-hc ophthalmic (eye)<br>drops, suspension<br>3.5-10,000-10 mg-unit-mg/ml                      |                       |
| polymyxin b sulf-trimethoprim ophthalmic<br>(eye) drops 10,000 unit- 1 mg/ml                                    |                       |
| RESTASIS MULTIDOSE OPHTHALMIC<br>(EYE) DROPS 0.05 %                                                             | QL (5.5 per 28 days)  |
| RESTASIS OPHTHALMIC (EYE)<br>DROPPERETTE 0.05 % (cyclosporine)                                                  | QL (60 per 30 days)   |
| sulfacetamide-prednisolone ophthalmic<br>(eye) drops 10 %-0.23 % (0.25 %)                                       |                       |
| tobramycin-dexamethasone ophthalmic<br>(eye) drops, suspension 0.3-0.1 %                                        |                       |
| XIIDRA OPHTHALMIC (EYE)<br>DROPPERETTE 5 %                                                                      | QL (60 per 30 days)   |
| <b>Ophthalmic Anti-Allergy Agents</b>                                                                           |                       |
| azelastine ophthalmic (eye) drops 0.05 %                                                                        |                       |
| cromolyn ophthalmic (eye) drops 4 %                                                                             |                       |
| olopatadine ophthalmic (eye) drops 0.1 % (Eye Allergy<br>Itch-Redness Rlf)                                      |                       |
| olopatadine ophthalmic (eye) drops 0.2 % (Eye Allergy Itch Relief)                                              |                       |
| <b>Ophthalmic Anti-Infectives</b>                                                                               |                       |
| AZASITE OPHTHALMIC (EYE) DROPS<br>1 %                                                                           |                       |
| bacitracin ophthalmic (eye) ointment<br>500 unit/gram                                                           |                       |
| bacitracin-polymyxin b ophthalmic (eye)<br>ointment 500-10,000 unit/gram (Polycin)                              |                       |
| erythromycin ophthalmic (eye) ointment<br>5 mg/gram (0.5 %)                                                     |                       |
| gatifloxacin ophthalmic (eye) drops 0.5 %                                                                       |                       |
| gentamicin ophthalmic (eye) drops 0.3 %                                                                         |                       |
| moxifloxacin ophthalmic (eye) drops 0.5 % (Vigamox)                                                             |                       |

| Drug Name                                                                                              | Requirements / Limits |
|--------------------------------------------------------------------------------------------------------|-----------------------|
| NATACYN OPHTHALMIC (EYE) DROPS, SUSPENSION 5 %                                                         |                       |
| neomycin-bacitracin-polymyxin ophthalmic (eye) ointment (Neo-Polycin)<br>3.5-400-10,000 mg-unit-unit/g |                       |
| ofloxacin ophthalmic (eye) drops 0.3 % (Ocuflox)                                                       |                       |
| sulfacetamide sodium ophthalmic (eye) drops 10 %                                                       |                       |
| tobramycin ophthalmic (eye) drops 0.3 %                                                                |                       |
| <b>Ophthalmic Anti-Inflammatories</b>                                                                  |                       |
| bromfenac ophthalmic (eye) drops 0.075 % (BromSite)                                                    |                       |
| bromfenac ophthalmic (eye) drops 0.09 %                                                                |                       |
| dexamethasone sodium phosphate ophthalmic (eye) drops 0.1 %                                            |                       |
| diclofenac sodium ophthalmic (eye) drops 0.1 %                                                         |                       |
| DUREZOL OPHTHALMIC (EYE) DROPS 0.05 % (difluprednate)                                                  |                       |
| fluorometholone ophthalmic (eye) drops, suspension 0.1 % (FML Liquifilm)                               |                       |
| flurbiprofen sodium ophthalmic (eye) drops 0.03 %                                                      |                       |
| ILEVRO OPHTHALMIC (EYE) DROPS, SUSPENSION 0.3 %                                                        |                       |
| ketorolac ophthalmic (eye) drops 0.4 % (Acular LS)                                                     |                       |
| ketorolac ophthalmic (eye) drops 0.5 % (Acular)                                                        |                       |
| loteprednol etabonate ophthalmic (eye) drops, suspension 0.5 % (Lotemax)                               |                       |
| prednisolone acetate ophthalmic (eye) drops, suspension 1 % (Pred Forte)                               |                       |
| prednisolone sodium phosphate ophthalmic (eye) drops 1 %                                               |                       |
| <b>Ophthalmic Beta-Adrenergic Blocking Agents</b>                                                      |                       |
| betaxolol ophthalmic (eye) drops 0.5 %                                                                 |                       |
| carteolol ophthalmic (eye) drops 1 %                                                                   |                       |
| levobunolol ophthalmic (eye) drops 0.5 %                                                               |                       |
| timolol maleate ophthalmic (eye) drops 0.25 %, 0.5 %                                                   |                       |
| timolol maleate ophthalmic (eye) drops, once daily 0.5 % (Istalol)                                     |                       |
| timolol maleate ophthalmic (eye) gel forming solution 0.25 %, 0.5 %                                    |                       |

| Drug Name                                                                   | Requirements / Limits |
|-----------------------------------------------------------------------------|-----------------------|
| <b>Ophthalmic Intraocular Pressure Lowering Agents, Other</b>               |                       |
| acetazolamide oral capsule, extended release 500 mg                         |                       |
| acetazolamide oral tablet 125 mg, 250 mg                                    |                       |
| apraclonidine ophthalmic (eye) drops 0.5 %                                  |                       |
| AZOPT OPHTHALMIC (EYE) DROPS, SUSPENSION 1 % (brinzolamide)                 |                       |
| brimonidine ophthalmic (eye) drops 0.1 %, 0.15 % (Alphagan P)               |                       |
| brimonidine ophthalmic (eye) drops 0.2 %                                    |                       |
| brimonidine-timolol ophthalmic (eye) drops 0.2-0.5 % (Combigan)             |                       |
| COMBIGAN OPHTHALMIC (EYE) DROPS 0.2-0.5 % (brimonidine-timolol)             |                       |
| dorzolamide ophthalmic (eye) drops 2 %                                      |                       |
| dorzolamide-timolol (pf) ophthalmic (eye) dropperette 2-0.5 % (Cosopt (PF)) |                       |
| dorzolamide-timolol ophthalmic (eye) drops 22.3-6.8 mg/ml (Cosopt)          |                       |
| methazolamide oral tablet 25 mg, 50 mg                                      |                       |
| pilocarpine hcl ophthalmic (eye) drops 1 %, 2 %, 4 %                        |                       |
| RHOPRESSA OPHTHALMIC (EYE) DROPS 0.02 %                                     |                       |
| ROCKLATAN OPHTHALMIC (EYE) DROPS 0.02-0.005 %                               |                       |
| SIMBRINZA OPHTHALMIC (EYE) DROPS, SUSPENSION 1-0.2 %                        |                       |
| <b>Ophthalmic Prostaglandin And Prostanamide Analogs</b>                    |                       |
| latanoprost ophthalmic (eye) drops 0.005 % (Xalatan)                        |                       |
| LUMIGAN OPHTHALMIC (EYE) DROPS 0.01 %                                       |                       |
| travoprost ophthalmic (eye) drops 0.004 % (Travatan Z)                      |                       |
| VYZULTA OPHTHALMIC (EYE) DROPS 0.024 %                                      |                       |
| <b>OTIC AGENTS</b>                                                          |                       |
| <b>Otic Agents</b>                                                          |                       |
| acetic acid otic (ear) solution 2 %                                         |                       |
| ciprofloxacin hcl otic (ear) dropperette 0.2 % (Cetraxal)                   |                       |

| Drug Name                                                                                                                                                                                                   | Requirements / Limits |
|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----------------------|
| <i>ciprofloxacin-dexamethasone otic (ear) drops, suspension 0.3-0.1 %</i>                                                                                                                                   |                       |
| <i>ciprofloxacin-fluocinolone otic (ear) solution 0.3-0.025 % (0.25 ml)</i> (Otovel)                                                                                                                        |                       |
| <i>fluocinolone acetonide oil otic (ear) drops 0.01 %</i> (DermOtic Oil)                                                                                                                                    |                       |
| <i>neomycin-polymyxin-hc otic (ear) drops, suspension 3.5-10,000-1 mg/ml-unit/ml-%</i>                                                                                                                      |                       |
| <i>neomycin-polymyxin-hc otic (ear) solution 3.5-10,000-1 mg/ml-unit/ml-%</i>                                                                                                                               |                       |
| <i>ofloxacin otic (ear) drops 0.3 %</i>                                                                                                                                                                     |                       |
| <b>RESPIRATORY TRACT/ PULMONARY AGENTS</b>                                                                                                                                                                  |                       |
| <b>Antihistamines</b>                                                                                                                                                                                       |                       |
| <i>azelastine nasal spray, non-aerosol 137 mcg (0.1 %)</i>                                                                                                                                                  | QL (30 per 25 days)   |
| <i>azelastine nasal spray, non-aerosol 205.5 mcg (0.15 %)</i> (Astepro Allergy)                                                                                                                             | QL (30 per 25 days)   |
| <i>cetirizine oral solution 1 mg/ml</i> (All Day Allergy (cetirizine))                                                                                                                                      |                       |
| <i>cyproheptadine oral syrup 2 mg/5 ml</i>                                                                                                                                                                  |                       |
| <i>cyproheptadine oral tablet 4 mg</i>                                                                                                                                                                      |                       |
| <i>levocetirizine oral solution 2.5 mg/5 ml</i> (Xyzal)                                                                                                                                                     |                       |
| <i>levocetirizine oral tablet 5 mg</i> (24HR Allergy Relief)                                                                                                                                                |                       |
| <b>Anti-Inflammatories, Inhaled Corticosteroids</b>                                                                                                                                                         |                       |
| ARNUITY ELLIPTA INHALATION<br>BLISTER WITH DEVICE<br>100 MCG/ACTUATION,<br>200 MCG/ACTUATION,<br>50 MCG/ACTUATION                                                                                           | QL (30 per 30 days)   |
| ASMANEX HFA INHALATION HFA<br>AEROSOL INHALER<br>100 MCG/ACTUATION,<br>200 MCG/ACTUATION,<br>50 MCG/ACTUATION                                                                                               | QL (26 per 30 days)   |
| ASMANEX TWISTHALER INHALATION<br>AEROSOL POWDR BREATH<br>ACTIVATED 110 MCG/ ACTUATION (30),<br>220 MCG/ ACTUATION (120), 220 MCG/<br>ACTUATION (14), 220 MCG/<br>ACTUATION (30), 220 MCG/<br>ACTUATION (60) | QL (2 per 30 days)    |

| Drug Name                                                                                          | Requirements / Limits |
|----------------------------------------------------------------------------------------------------|-----------------------|
| budesonide inhalation suspension for nebulization 0.25 mg/2 ml, 0.5 mg/2 ml, 1 mg/2 ml (Pulmicort) | PA BvD                |
| flunisolide nasal spray, non-aerosol 25 mcg (0.025 %)                                              | QL (50 per 30 days)   |
| fluticasone propionate inhalation hfa aerosol inhaler 110 mcg/actuation, 220 mcg/actuation         | QL (24 per 30 days)   |
| fluticasone propionate inhalation hfa aerosol inhaler 44 mcg/actuation                             | QL (10.6 per 30 days) |
| fluticasone propionate nasal spray, suspension 50 mcg/actuation (24 Hour Allergy Relief)           | QL (16 per 30 days)   |
| mometasone nasal spray, non-aerosol 50 mcg/actuation (Allergy Nasal (mometasone))                  | QL (34 per 30 days)   |
| <b>Antileukotrienes</b>                                                                            |                       |
| montelukast oral granules in packet 4 mg (Singulair)                                               | QL (30 per 30 days)   |
| montelukast oral tablet 10 mg (Singulair)                                                          | QL (30 per 30 days)   |
| montelukast oral tablet, chewable 4 mg, 5 mg (Singulair)                                           | QL (30 per 30 days)   |
| zafirlukast oral tablet 10 mg, 20 mg (Accolate)                                                    | QL (60 per 30 days)   |
| <b>Bronchodilators, Anticholinergic</b>                                                            |                       |
| ATROVENT HFA INHALATION HFA AEROSOL INHALER 17 MCG/ACTUATION                                       | QL (26 per 30 days)   |
| ipratropium bromide inhalation solution 0.02 %                                                     | PA BvD                |
| ipratropium bromide nasal spray, non-aerosol 21 mcg (0.03 %)                                       | QL (60 per 30 days)   |
| ipratropium bromide nasal spray, non-aerosol 42 mcg (0.06 %)                                       | QL (30 per 30 days)   |
| SPIRIVA RESPIMAT INHALATION MIST 1.25 MCG/ACTUATION, 2.5 MCG/ACTUATION                             | QL (4 per 30 days)    |
| SPIRIVA WITH HANDIHALER INHALATION CAPSULE, W/INHALATION DEVICE 18 MCG (tiotropium bromide)        | QL (30 per 30 days)   |
| <b>Bronchodilators, Sympathomimetic</b>                                                            |                       |
| albuterol sulfate inhalation hfa aerosol inhaler 90 mcg/actuation (Ventolin HFA)                   | QL (17 per 30 days)   |
| albuterol sulfate inhalation hfa aerosol inhaler 90 mcg/actuation (nda020503)                      | QL (13.4 per 30 days) |
| albuterol sulfate inhalation hfa aerosol inhaler 90 mcg/actuation (nda020983)                      | QL (36 per 30 days)   |

| Drug Name                                                                                                                       | Requirements / Limits |
|---------------------------------------------------------------------------------------------------------------------------------|-----------------------|
| <i>albuterol sulfate inhalation solution for nebulization 0.63 mg/3 ml, 1.25 mg/3 ml, 2.5 mg /3 ml (0.083 %), 2.5 mg/0.5 ml</i> | PA BvD                |
| <i>albuterol sulfate oral syrup 2 mg/5 ml</i>                                                                                   |                       |
| <i>albuterol sulfate oral tablet 2 mg, 4 mg</i>                                                                                 |                       |
| <i>epinephrine injection auto-injector 0.15 mg/0.15 ml, 0.3 mg/0.3 ml (Auvi-Q)</i>                                              |                       |
| <i>epinephrine injection auto-injector 0.15 mg/0.3 ml (EpiPen Jr)</i>                                                           |                       |
| SEREVENT DISKUS INHALATION BLISTER WITH DEVICE 50 MCG/DOSE                                                                      | QL (60 per 30 days)   |
| <i>terbutaline oral tablet 2.5 mg, 5 mg</i>                                                                                     |                       |
| VENTOLIN HFA INHALATION HFA AEROSOL INHALER (albuterol sulfate) 90 MCG/ACTUATION                                                | QL (36 per 30 days)   |
| <b>Cystic Fibrosis Agents</b>                                                                                                   |                       |
| BRONCHITOL INHALATION CAPSULE, W/INHALATION DEVICE 40 MG                                                                        | PA; NM                |
| CAYSTON INHALATION SOLUTION FOR NEBULIZATION 75 MG/ML                                                                           | PA; NM                |
| KALYDECO ORAL GRANULES IN PACKET 13.4 MG, 25 MG, 5.8 MG, 50 MG, 75 MG                                                           | PA; NM                |
| KALYDECO ORAL TABLET 150 MG                                                                                                     | PA; NM                |
| ORKAMBI ORAL GRANULES IN PACKET 100-125 MG, 150-188 MG, 75-94 MG                                                                | PA; NM                |
| ORKAMBI ORAL TABLET 100-125 MG, 200-125 MG                                                                                      | PA; NM                |
| PULMOZYME INHALATION SOLUTION 1 MG/ML                                                                                           | PA BvD; NM            |
| SYMDEKO ORAL TABLETS, SEQUENTIAL 100-150 MG (D)/ 150 MG (N), 50-75 MG (D)/ 75 MG (N)                                            | PA; NM                |
| TOBI PODHALER INHALATION CAPSULE, W/INHALATION DEVICE 28 MG                                                                     | PA; NM                |
| <i>tobramycin in 0.225 % nacl inhalation solution for nebulization 300 mg/5 ml (Tobi)</i>                                       | PA BvD; NM            |
| TRIKAFTA ORAL GRANULES IN PACKET, SEQUENTIAL 100-50-75MG (D) /75 MG (N), 80-40-60 MG (D) /59.5 MG (N)                           | PA; NM                |

| Drug Name                                                                                                                                                    | Requirements / Limits       |
|--------------------------------------------------------------------------------------------------------------------------------------------------------------|-----------------------------|
| TRIKAFTA ORAL TABLETS,<br>SEQUENTIAL 100-50-75 MG(D) /150 MG<br>(N), 50-25-37.5 MG (D)/75 MG (N)                                                             | PA; NM                      |
| <b>Phosphodiesterase Inhibitors, Airways Disease</b>                                                                                                         |                             |
| roflumilast oral tablet 250 mcg, 500 mcg (Daliresp)                                                                                                          | QL (30 per 30 days)         |
| theophylline oral tablet extended release<br>12 hr 100 mg, 200 mg                                                                                            |                             |
| theophylline oral tablet extended release<br>12 hr 300 mg, 450 mg                                                                                            |                             |
| theophylline oral tablet extended release<br>24 hr 400 mg, 600 mg                                                                                            |                             |
| <b>Pulmonary Antihypertensives</b>                                                                                                                           |                             |
| ADEMPAS ORAL TABLET 0.5 MG, 1 MG,<br>1.5 MG, 2 MG, 2.5 MG                                                                                                    | PA; NM; QL (90 per 30 days) |
| ambrisentan oral tablet 10 mg, 5 mg (Letairis)                                                                                                               | PA; NM; QL (30 per 30 days) |
| bosentan oral tablet 125 mg, 62.5 mg (Tracleer)                                                                                                              | PA; NM; QL (60 per 30 days) |
| OPSUMIT ORAL TABLET 10 MG                                                                                                                                    | PA; NM; QL (90 per 30 days) |
| sildenafil (pulm.hypertension) oral tablet<br>20 mg (Revatio)                                                                                                | PA; QL (90 per 30 days)     |
| WINREVAIR SUBCUTANEOUS KIT<br>45 MG, 45 MG (2 PACK), 60 MG, 60 MG<br>(2 PACK)                                                                                | PA; NM; QL (1 per 21 days)  |
| <b>Pulmonary Fibrosis Agents</b>                                                                                                                             |                             |
| OFEV ORAL CAPSULE 100 MG, 150 MG                                                                                                                             | PA; NM                      |
| pirfenidone oral capsule 267 mg (Esbriet)                                                                                                                    | PA; NM                      |
| pirfenidone oral tablet 267 mg, 801 mg (Esbriet)                                                                                                             | PA; NM                      |
| pirfenidone oral tablet 534 mg                                                                                                                               | PA; NM                      |
| <b>Respiratory Tract Agents, Other</b>                                                                                                                       |                             |
| acetylcysteine solution 100 mg/ml (10 %),<br>200 mg/ml (20 %)                                                                                                | PA BvD                      |
| ADVAIR HFA INHALATION HFA<br>AEROSOL INHALER<br>115-21 MCG/ACTUATION,<br>230-21 MCG/ACTUATION,<br>45-21 MCG/ACTUATION<br>(fluticasone<br>propion-salmeterol) | QL (12 per 30 days)         |
| ANORO ELLIPTA INHALATION BLISTER<br>WITH DEVICE<br>62.5-25 MCG/ACTUATION                                                                                     | QL (60 per 30 days)         |
| BREO ELLIPTA INHALATION BLISTER<br>WITH DEVICE 100-25 MCG/DOSE,<br>200-25 MCG/DOSE<br>(fluticasone<br>furoate-vilanterol)                                    | QL (60 per 30 days)         |

| Drug Name                                                                                                                                                                    | Requirements / Limits      |
|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|----------------------------|
| BREO ELLIPTA INHALATION BLISTER WITH DEVICE 50-25 MCG/DOSE                                                                                                                   | QL (60 per 30 days)        |
| <i>breyana inhalation hfa aerosol inhaler</i><br>160-4.5 mcg/actuation, (budesonide-formoterol)<br>80-4.5 mcg/actuation                                                      | QL (10.3 per 30 days)      |
| BREZTRI AEROSPHERE INHALATION HFA AEROSOL INHALER<br>160-9-4.8 MCG/ACTUATION                                                                                                 | QL (10.7 per 30 days)      |
| <i>budesonide-formoterol inhalation hfa aerosol inhaler</i> 160-4.5 mcg/actuation, (Breyana)<br>80-4.5 mcg/actuation                                                         | QL (10.2 per 30 days)      |
| COMBIVENT RESPIMAT INHALATION MIST 20-100 MCG/ACTUATION                                                                                                                      | QL (4 per 20 days)         |
| <i>cromolyn inhalation solution for nebulization</i> 20 mg/2 ml                                                                                                              | PA BvD                     |
| FASENRA PEN SUBCUTANEOUS AUTO-INJECTOR 30 MG/ML                                                                                                                              | PA; NM; QL (1 per 28 days) |
| FASENRA SUBCUTANEOUS SYRINGE 10 MG/0.5 ML, 30 MG/ML                                                                                                                          | PA; NM; QL (1 per 28 days) |
| <i>fluticasone propion-salmeterol inhalation aerosol powdr breath activated</i><br>113-14 mcg/actuation, (AirDuo RespiClick)<br>232-14 mcg/actuation,<br>55-14 mcg/actuation | QL (1 per 30 days)         |
| <i>fluticasone propion-salmeterol inhalation blister with device</i> 100-50 mcg/dose, (Advair Diskus)<br>250-50 mcg/dose, 500-50 mcg/dose                                    | QL (60 per 30 days)        |
| <i>ipratropium-albuterol inhalation solution for nebulization</i> 0.5 mg-3 mg(2.5 mg base)/3 ml                                                                              | PA BvD                     |
| NUCALA SUBCUTANEOUS AUTO-INJECTOR 100 MG/ML                                                                                                                                  | PA; NM                     |
| NUCALA SUBCUTANEOUS RECON SOLN 100 MG                                                                                                                                        | PA; NM                     |
| NUCALA SUBCUTANEOUS SYRINGE 100 MG/ML, 40 MG/0.4 ML                                                                                                                          | PA; NM                     |
| TRELEGY ELLIPTA INHALATION BLISTER WITH DEVICE<br>100-62.5-25 MCG, 200-62.5-25 MCG                                                                                           | QL (60 per 30 days)        |
| <b>SKELETAL MUSCLE RELAXANTS</b>                                                                                                                                             |                            |
| <b><i>Skeletal Muscle Relaxants</i></b>                                                                                                                                      |                            |
| <i>chlorzoxazone oral tablet</i> 250 mg, 500 mg                                                                                                                              |                            |
| <i>chlorzoxazone oral tablet</i> 375 mg, 750 mg (Lorzone)                                                                                                                    |                            |



| Drug Name                                                              | Requirements / Limits        |
|------------------------------------------------------------------------|------------------------------|
| <i>cyclobenzaprine oral tablet 10 mg, 5 mg</i>                         |                              |
| <i>cyclobenzaprine oral tablet 7.5 mg (Fexmid)</i>                     |                              |
| <i>methocarbamol oral tablet 500 mg, 750 mg</i>                        |                              |
| <i>orphenadrine citrate oral tablet extended release 100 mg</i>        |                              |
| <b>SLEEP DISORDER AGENTS</b>                                           |                              |
| <b><i>Sleep Promoting Agents</i></b>                                   |                              |
| BELSOMRA ORAL TABLET 10 MG, 15 MG, 20 MG, 5 MG                         | QL (30 per 30 days)          |
| <i>temazepam oral capsule 15 mg, 22.5 mg, 30 mg (Restoril)</i>         | QL (30 per 30 days)          |
| <i>temazepam oral capsule 7.5 mg (Restoril)</i>                        | QL (120 per 30 days)         |
| <i>zaleplon oral capsule 10 mg, 5 mg</i>                               | QL (30 per 30 days)          |
| <i>zolpidem oral tablet 10 mg, 5 mg (Ambien)</i>                       | QL (30 per 30 days)          |
| <b><i>Wakefulness Promoting Agents</i></b>                             |                              |
| <i>armodafinil oral tablet 150 mg, 200 mg, 250 mg, 50 mg (Nuvigil)</i> | PA; QL (30 per 30 days)      |
| <i>modafinil oral tablet 100 mg, 200 mg (Provigil)</i>                 | PA; QL (60 per 30 days)      |
| <i>sodium oxybate oral solution 500 mg/ml (Xyrem)</i>                  | PA; NM; QL (540 per 30 days) |

## Imperial MAPD 2024 1-Tier (Lista de medicamentos cubiertos)

| Nombre del Medicamento                                                                                                                                                                               | Requerimientos / Límites     |
|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|------------------------------|
| <i>anagrelide oral capsule 0.5 mg</i> (Agrylin)                                                                                                                                                      |                              |
| <i>anagrelide oral capsule 1 mg</i>                                                                                                                                                                  |                              |
| <i>betaine oral powder 1 gram/scoop</i> (Cystadane)                                                                                                                                                  | NM                           |
| CREON ORAL CAPSULE, DELAYED RELEASE(DR/EC)<br>12,000-38,000 -60,000 UNIT,<br>24,000-76,000 -120,000 UNIT,<br>3,000-9,500- 15,000 UNIT,<br>36,000-114,000- 180,000 UNIT,<br>6,000-19,000 -30,000 UNIT |                              |
| <i>cromolyn oral concentrate 100 mg/5 ml</i> (Gastrocrom)                                                                                                                                            |                              |
| CYSTAGON ORAL CAPSULE 150 MG, 50 MG                                                                                                                                                                  | PA                           |
| ENDARI ORAL POWDER IN PACKET 5 GRAM                                                                                                                                                                  | PA                           |
| GALAFOLD ORAL CAPSULE 123 MG                                                                                                                                                                         | PA; NM                       |
| LEUKINE INJECTION RECON SOLN 250 MCG                                                                                                                                                                 | PA; NM                       |
| <i>miglustat oral capsule 100 mg</i> (Yargesa)                                                                                                                                                       | PA; NM                       |
| <i>nitisinone oral capsule 10 mg, 2 mg, 20 mg, 5 mg</i> (Orfadin)                                                                                                                                    | PA; NM                       |
| PROLASTIN-C INTRAVENOUS SOLUTION 1,000 MG (+/-)/20 ML                                                                                                                                                | PA; NM                       |
| PROMACTA ORAL POWDER IN PACKET 12.5 MG                                                                                                                                                               | PA; NM; QL (360 per 30 days) |
| PROMACTA ORAL POWDER IN PACKET 25 MG                                                                                                                                                                 | PA; NM; QL (180 per 30 days) |
| PROMACTA ORAL TABLET 12.5 MG, 25 MG, 50 MG, 75 MG                                                                                                                                                    | PA; NM; QL (60 per 30 days)  |
| RAVICTI ORAL LIQUID 1.1 GRAM/ML                                                                                                                                                                      | PA; NM                       |
| RETACRIT INJECTION SOLUTION 10,000 UNIT/ML, 20,000 UNIT/2 ML, 20,000 UNIT/ML, 4,000 UNIT/ML, 40,000 UNIT/ML                                                                                          | PA; QL (12 per 28 days)      |
| RETACRIT INJECTION SOLUTION 2,000 UNIT/ML                                                                                                                                                            | PA; QL (23 per 30 days)      |
| RETACRIT INJECTION SOLUTION 3,000 UNIT/ML                                                                                                                                                            | PA; QL (16 per 30 days)      |
| <i>sapropterin oral powder in packet 100 mg, 500 mg</i> (Javygtor)                                                                                                                                   | PA; NM                       |
| <i>sapropterin oral tablet, soluble 100 mg</i> (Javygtor)                                                                                                                                            | PA; NM                       |

| Nombre del Medicamento                                                                                                                                                                                                                                                                                   | Requerimientos / Límites    |
|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----------------------------|
| TEGSEDI SUBCUTANEOUS SYRINGE<br>284 MG/1.5 ML                                                                                                                                                                                                                                                            | PA; NM                      |
| <i>tranexamic acid oral tablet 650 mg</i>                                                                                                                                                                                                                                                                |                             |
| VIJOICE ORAL TABLET 125 MG,<br>250 MG/DAY (200 MG X1-50 MG X1),<br>50 MG                                                                                                                                                                                                                                 | PA; NM                      |
| VYNDAMAX ORAL CAPSULE 61 MG                                                                                                                                                                                                                                                                              | PA; NM; QL (30 per 30 days) |
| XURIDEN ORAL GRANULES IN PACKET<br>2 GRAM                                                                                                                                                                                                                                                                | PA; NM                      |
| <i>yargesa oral capsule 100 mg</i> (miglustat)                                                                                                                                                                                                                                                           | PA; NM                      |
| ZARXIO INJECTION SYRINGE<br>300 MCG/0.5 ML, 480 MCG/0.8 ML                                                                                                                                                                                                                                               | PA; NM                      |
| ZENPEP ORAL CAPSULE, DELAYED<br>RELEASE(DR/EC)<br>10,000-32,000 -42,000 UNIT,<br>15,000-47,000 -63,000 UNIT,<br>20,000-63,000- 84,000 UNIT,<br>25,000-79,000- 105,000 UNIT,<br>3,000-10,000 -14,000-UNIT,<br>40,000-126,000- 168,000 UNIT,<br>5,000-17,000- 24,000 UNIT,<br>60,000-189,600- 252,600 UNIT |                             |
| ZIEXTENZO SUBCUTANEOUS<br>SYRINGE 6 MG/0.6 ML                                                                                                                                                                                                                                                            | PA; NM                      |
| ZOKINVY ORAL CAPSULE 50 MG,<br>75 MG                                                                                                                                                                                                                                                                     | PA; NM                      |
| <b>Agentes Modificadores De Plaquetas</b>                                                                                                                                                                                                                                                                |                             |
| <i>aspirin-dipyridamole oral capsule, er<br/>multiphase 12 hr 25-200 mg</i>                                                                                                                                                                                                                              |                             |
| BRILINTA ORAL TABLET 60 MG, 90 MG                                                                                                                                                                                                                                                                        |                             |
| CABLIVI INJECTION KIT 11 MG                                                                                                                                                                                                                                                                              | PA; NM                      |
| <i>cilostazol oral tablet 100 mg, 50 mg</i>                                                                                                                                                                                                                                                              |                             |
| <i>clopidogrel oral tablet 75 mg</i> (Plavix)                                                                                                                                                                                                                                                            |                             |
| <i>prasugrel oral tablet 10 mg, 5 mg</i> (Effient)                                                                                                                                                                                                                                                       |                             |
| <b>Anticoagulantes</b>                                                                                                                                                                                                                                                                                   |                             |
| ELIQUIS DVT-PE TREAT 30D START<br>ORAL TABLETS, DOSE PACK 5 MG (74<br>TABS)                                                                                                                                                                                                                              |                             |
| ELIQUIS ORAL TABLET 2.5 MG, 5 MG                                                                                                                                                                                                                                                                         |                             |
| <i>enoxaparin subcutaneous syringe<br/>100 mg/ml, 150 mg/ml</i> (Lovenox)                                                                                                                                                                                                                                | QL (60 per 30 days)         |
| <i>enoxaparin subcutaneous syringe<br/>120 mg/0.8 ml, 80 mg/0.8 ml</i> (Lovenox)                                                                                                                                                                                                                         | QL (48 per 30 days)         |

| Nombre del Medicamento                                                                                  |                          | Requerimientos / Límites |
|---------------------------------------------------------------------------------------------------------|--------------------------|--------------------------|
| enoxaparin subcutaneous syringe<br>30 mg/0.3 ml                                                         | (Lovenox)                | QL (18 per 30 days)      |
| enoxaparin subcutaneous syringe<br>40 mg/0.4 ml                                                         | (Lovenox)                | QL (24 per 30 days)      |
| enoxaparin subcutaneous syringe<br>60 mg/0.6 ml                                                         | (Lovenox)                | QL (36 per 30 days)      |
| fondaparinux subcutaneous syringe<br>10 mg/0.8 ml                                                       | (Arixtra)                | NM; QL (24 per 30 days)  |
| fondaparinux subcutaneous syringe<br>2.5 mg/0.5 ml                                                      | (Arixtra)                | QL (15 per 30 days)      |
| fondaparinux subcutaneous syringe<br>5 mg/0.4 ml                                                        | (Arixtra)                | NM; QL (12 per 30 days)  |
| fondaparinux subcutaneous syringe<br>7.5 mg/0.6 ml                                                      | (Arixtra)                | NM; QL (18 per 30 days)  |
| heparin (porcine) injection solution<br>1,000 unit/ml, 10,000 unit/ml,<br>20,000 unit/ml, 5,000 unit/ml |                          |                          |
| jantoven oral tablet 1 mg, 10 mg, 2 mg,<br>2.5 mg, 3 mg, 4 mg, 5 mg, 6 mg, 7.5 mg                       | (warfarin)               |                          |
| warfarin oral tablet 1 mg, 10 mg, 2 mg,<br>2.5 mg, 3 mg, 4 mg, 5 mg, 6 mg, 7.5 mg                       | (Jantoven)               |                          |
| XARELTO DVT-PE TREAT 30D START<br>ORAL TABLETS, DOSE PACK 15 MG<br>(42)- 20 MG (9)                      |                          |                          |
| XARELTO ORAL SUSPENSION FOR<br>RECONSTITUTION 1 MG/ML                                                   |                          |                          |
| XARELTO ORAL TABLET 10 MG, 15 MG,<br>2.5 MG, 20 MG                                                      |                          |                          |
| <b>AGENTES ANTI-ADICCIÓN/DE TRATAMIENTO DE ABUSO DE SUSTANCIAS</b>                                      |                          |                          |
| buprenorphine hcl sublingual tablet 2 mg,<br>8 mg                                                       |                          |                          |
| buprenorphine-naloxone sublingual film<br>12-3 mg, 2-0.5 mg, 4-1 mg, 8-2 mg                             | (Suboxone)               |                          |
| buprenorphine-naloxone sublingual tablet<br>2-0.5 mg, 8-2 mg                                            |                          |                          |
| SUBOXONE SUBLINGUAL FILM<br>12-3 MG, 2-0.5 MG, 4-1 MG, 8-2 MG                                           | (buprenorphine-naloxone) |                          |
| <b>Agentes De Abandono Del Tabaquismo</b>                                                               |                          |                          |
| bupropion hcl (smoking deter) oral tablet<br>extended release 12 hr 150 mg                              |                          |                          |
| NICOTROL INHALATION CARTRIDGE<br>10 MG                                                                  |                          |                          |

| Nombre del Medicamento                                                                  | Requerimientos / Límites |
|-----------------------------------------------------------------------------------------|--------------------------|
| varenicline oral tablet 0.5 mg, 1 mg (56 pack)                                          |                          |
| varenicline oral tablet 1 mg (Chantix)                                                  |                          |
| varenicline oral tablets, dose pack 0.5 mg (11)- 1 mg (42) (Chantix Starting Month Box) |                          |
| <b>Agentes De Reversión De Opioides</b>                                                 |                          |
| KLOXXADO NASAL SPRAY, NON-AEROSOL 8 MG/ACTUATION                                        |                          |
| naloxone injection solution 0.4 mg/ml                                                   |                          |
| naloxone injection syringe 0.4 mg/ml, 1 mg/ml                                           |                          |
| naloxone nasal spray, non-aerosol 4 mg/actuation (Narcan)                               |                          |
| NARCAN NASAL SPRAY, NON-AEROSOL 4 MG/ACTUATION (naloxone)                               |                          |
| OPVEE NASAL SPRAY, NON-AEROSOL 2.7 MG/ACTUATION                                         |                          |
| ZIMHI INJECTION SYRINGE 5 MG/0.5 ML                                                     |                          |
| <b>Disuasorios De Alcohol/Anti-Ansiedad</b>                                             |                          |
| acamprosate oral tablet, delayed release (dr/ec) 333 mg                                 |                          |
| disulfiram oral tablet 250 mg                                                           |                          |
| naltrexone oral tablet 50 mg                                                            |                          |
| VIVITROL INTRAMUSCULAR SUSPENSION, EXTENDED REL RECON 380 MG                            | NM                       |
| <b>AGENTES ANTIDEMENCIA</b>                                                             |                          |
| <b>Agentes Antidemencia, Otros</b>                                                      |                          |
| memantine oral capsule, sprinkle, er 24hr 14 mg, 21 mg, 28 mg, 7 mg (Namenda XR)        | QL (30 per 30 days)      |
| memantine oral solution 2 mg/ml                                                         | QL (360 per 30 days)     |
| memantine oral tablet 10 mg, 5 mg                                                       | QL (60 per 30 days)      |
| memantine oral tablets, dose pack 5-10 mg (Namenda Titration Pak)                       | QL (49 per 28 days)      |
| NAMZARIC ORAL CAP, SPRINKLE, ER 24HR DOSE PACK 7/14/21/28 MG-10 MG                      | PA                       |
| NAMZARIC ORAL CAPSULE, SPRINKLE, ER 24HR 14-10 MG, 21-10 MG, 28-10 MG, 7-10 MG          | PA                       |

| Nombre del Medicamento                                                                                | Requerimientos / Límites |
|-------------------------------------------------------------------------------------------------------|--------------------------|
| <b>Inhibidores De Colinesterasa</b>                                                                   |                          |
| donepezil oral tablet 10 mg (Aricept)                                                                 | QL (60 per 30 days)      |
| donepezil oral tablet 23 mg, 5 mg (Aricept)                                                           | QL (30 per 30 days)      |
| donepezil oral tablet, disintegrating 10 mg                                                           | QL (60 per 30 days)      |
| donepezil oral tablet, disintegrating 5 mg                                                            | QL (30 per 30 days)      |
| galantamine oral capsule, ext rel. pellets 24 hr 16 mg, 24 mg, 8 mg                                   | QL (30 per 30 days)      |
| galantamine oral solution 4 mg/ml                                                                     | QL (200 per 30 days)     |
| galantamine oral tablet 12 mg, 4 mg, 8 mg                                                             | QL (60 per 30 days)      |
| rivastigmine tartrate oral capsule 1.5 mg, 3 mg, 4.5 mg, 6 mg                                         | QL (60 per 30 days)      |
| rivastigmine transdermal patch 24 hour 13.3 mg/24 hour, 4.6 mg/24 hour, 9.5 mg/24 hour (Exelon Patch) | QL (30 per 30 days)      |
| <b>AGENTES ANTIESPÁSTICOS</b>                                                                         |                          |
| <b>Agentes Antiespásticos</b>                                                                         |                          |
| baclofen oral tablet 10 mg, 15 mg, 20 mg, 5 mg                                                        |                          |
| tizanidine oral tablet 2 mg                                                                           |                          |
| tizanidine oral tablet 4 mg (Zanaflex)                                                                |                          |
| <b>AGENTES ANTIGOTA</b>                                                                               |                          |
| <b>Agentes Antigota</b>                                                                               |                          |
| allopurinol oral tablet 100 mg (Zyloprim)                                                             |                          |
| allopurinol oral tablet 300 mg                                                                        |                          |
| colchicine oral capsule 0.6 mg (Mitigare)                                                             |                          |
| colchicine oral tablet 0.6 mg (Colcrys)                                                               |                          |
| febuxostat oral tablet 40 mg, 80 mg (Uloric)                                                          | PA                       |
| probenecid oral tablet 500 mg                                                                         |                          |
| probenecid-colchicine oral tablet 500-0.5 mg                                                          |                          |
| <b>AGENTES ANTIMIASTÉNICOS</b>                                                                        |                          |
| <b>Parasimpaticomiméticos</b>                                                                         |                          |
| pyridostigmine bromide oral syrup 60 mg/5 ml (Mestinon)                                               |                          |
| pyridostigmine bromide oral tablet 30 mg                                                              |                          |
| pyridostigmine bromide oral tablet 60 mg (Mestinon)                                                   |                          |
| <b>AGENTES ANTIMIGRAÑA</b>                                                                            |                          |
| naratriptan oral tablet 1 mg, 2.5 mg                                                                  | QL (9 per 30 days)       |
| rizatriptan oral tablet 10 mg (Maxalt)                                                                | QL (12 per 30 days)      |

| Nombre del Medicamento                                                                                 | Requerimientos / Límites |
|--------------------------------------------------------------------------------------------------------|--------------------------|
| <i>rizatriptan oral tablet 5 mg</i>                                                                    | QL (12 per 30 days)      |
| <i>rizatriptan oral tablet, disintegrating 10 mg (Maxalt-MLT)</i>                                      | QL (12 per 30 days)      |
| <i>rizatriptan oral tablet, disintegrating 5 mg</i>                                                    | QL (12 per 30 days)      |
| <i>sumatriptan nasal spray, non-aerosol 20 mg/actuation</i>                                            | QL (12 per 30 days)      |
| <i>sumatriptan nasal spray, non-aerosol 5 mg/actuation</i>                                             | QL (18 per 30 days)      |
| <i>sumatriptan succinate oral tablet 100 mg, 25 mg, 50 mg (Imitrex)</i>                                | QL (9 per 30 days)       |
| <i>sumatriptan succinate subcutaneous cartridge 6 mg/0.5 ml (Imitrex STATdose Refill)</i>              | QL (4 per 30 days)       |
| <i>sumatriptan succinate subcutaneous pen injector 4 mg/0.5 ml, 6 mg/0.5 ml (Imitrex STATdose Pen)</i> | QL (4 per 30 days)       |
| <i>sumatriptan succinate subcutaneous solution 6 mg/0.5 ml (Imitrex)</i>                               | QL (4 per 30 days)       |
| <i>zolmitriptan oral tablet 2.5 mg, 5 mg (Zomig)</i>                                                   | QL (6 per 30 days)       |
| <i>zolmitriptan oral tablet, disintegrating 2.5 mg, 5 mg</i>                                           | QL (6 per 30 days)       |
| <b>Alcaloides De Cornezuelo</b>                                                                        |                          |
| <i>dihydroergotamine nasal spray, non-aerosol 0.5 mg/pump act. (4 mg/ml) (Migranal)</i>                | NM                       |
| <i>ergotamine-caffeine oral tablet 1-100 mg</i>                                                        | QL (40 per 28 days)      |
| <b>Non-FRF</b>                                                                                         |                          |
| <i>sumatriptan 4 mg/0.5 ml inject outer, sub (Imitrex STATdose Pen)</i>                                | QL (4 per 30 days)       |
| <i>sumatriptan succinate subcutaneous syringe 6 mg/0.5 ml</i>                                          | QL (4 per 30 days)       |
| <b>Profiláctico</b>                                                                                    |                          |
| EMGALITY PEN SUBCUTANEOUS PEN INJECTOR 120 MG/ML                                                       | PA                       |
| EMGALITY SYRINGE SUBCUTANEOUS SYRINGE 120 MG/ML                                                        | PA                       |
| EPRONTIA ORAL SOLUTION 25 MG/ML                                                                        |                          |
| <i>propranolol oral capsule, extended release 24 hr 80 mg (Inderal LA)</i>                             |                          |
| <i>propranolol oral tablet 80 mg</i>                                                                   |                          |
| <i>topiramate oral capsule, sprinkle 15 mg, 25 mg (Topamax)</i>                                        |                          |
| <i>topiramate oral capsule, sprinkle, er 24hr 100 mg, 150 mg, 200 mg, 25 mg, 50 mg (Qudexy XR)</i>     |                          |
| <i>topiramate oral tablet 100 mg, 200 mg, 25 mg, 50 mg (Topamax)</i>                                   |                          |

| Nombre del Medicamento                                                                                                                            | Requerimientos / Límites |
|---------------------------------------------------------------------------------------------------------------------------------------------------|--------------------------|
| UBRELVY ORAL TABLET 100 MG,<br>50 MG                                                                                                              | PA; QL (16 per 30 days)  |
| <b>AGENTES ANTIPARKINSON</b>                                                                                                                      |                          |
| <i>carbidopa oral tablet 25 mg</i> (Lodosyn)                                                                                                      |                          |
| <i>carbidopa-levodopa oral tablet 10-100 mg</i> (Sinemet)                                                                                         |                          |
| <i>carbidopa-levodopa oral tablet 25-100 mg</i> (Dhivy)                                                                                           |                          |
| <i>carbidopa-levodopa oral tablet 25-250 mg</i>                                                                                                   |                          |
| <i>carbidopa-levodopa oral tablet extended release 25-100 mg, 50-200 mg</i>                                                                       |                          |
| <i>carbidopa-levodopa oral tablet, disintegrating 10-100 mg, 25-100 mg, 25-250 mg</i>                                                             |                          |
| INBRIJA INHALATION CAPSULE,<br>W/INHALATION DEVICE 42 MG                                                                                          | PA; NM                   |
| RYTARY ORAL CAPSULE, EXTENDED<br>RELEASE 23.75-95 MG, 36.25-145 MG,<br>48.75-195 MG, 61.25-245 MG                                                 | ST                       |
| <b>Agentes Antiparkinson, Otros</b>                                                                                                               |                          |
| <i>amantadine hcl oral capsule 100 mg</i>                                                                                                         |                          |
| <i>amantadine hcl oral solution 50 mg/5 ml</i>                                                                                                    |                          |
| <i>amantadine hcl oral tablet 100 mg</i>                                                                                                          |                          |
| <i>carbidopa-levodopa-entacapone oral tablet 12.5-50-200 mg, 18.75-75-200 mg, 25-100-200 mg, 31.25-125-200 mg, 37.5-150-200 mg, 50-200-200 mg</i> |                          |
| <i>entacapone oral tablet 200 mg</i>                                                                                                              |                          |
| <b>Agonistas De Dopamina</b>                                                                                                                      |                          |
| <i>bromocriptine oral capsule 5 mg</i> (Parlodel)                                                                                                 |                          |
| <i>bromocriptine oral tablet 2.5 mg</i> (Parlodel)                                                                                                |                          |
| NEUPRO TRANSDERMAL PATCH<br>24 HOUR 1 MG/24 HOUR,<br>2 MG/24 HOUR, 3 MG/24 HOUR,<br>4 MG/24 HOUR, 6 MG/24 HOUR,<br>8 MG/24 HOUR                   |                          |
| <i>pramipexole oral tablet 0.125 mg, 0.25 mg, 0.5 mg, 0.75 mg, 1 mg, 1.5 mg</i>                                                                   |                          |
| <i>ropinirole oral tablet 0.25 mg, 0.5 mg, 1 mg, 2 mg, 3 mg, 4 mg, 5 mg</i>                                                                       |                          |
| <b>Anticolinérgicos</b>                                                                                                                           |                          |
| <i>benztropine oral tablet 0.5 mg, 1 mg, 2 mg</i>                                                                                                 |                          |
| <i>trihexyphenidyl oral elixir 0.4 mg/ml</i>                                                                                                      |                          |
| <i>trihexyphenidyl oral tablet 2 mg, 5 mg</i>                                                                                                     |                          |



| Nombre del Medicamento                                                                      | Requerimientos / Límites |
|---------------------------------------------------------------------------------------------|--------------------------|
| <b>Inhibidores De Monoamino Oxidasa B (MAO-B)</b>                                           |                          |
| rasagiline oral tablet 0.5 mg, 1 mg (Azilect)                                               |                          |
| selegiline hcl oral capsule 5 mg                                                            |                          |
| selegiline hcl oral tablet 5 mg                                                             |                          |
| <b>AGENTES BIPOLARES</b>                                                                    |                          |
| <b>Estabilizadores De Ánimo</b>                                                             |                          |
| divalproex oral capsule, delayed rel sprinkle 125 mg (Depakote Sprinkles)                   |                          |
| divalproex oral tablet extended release 24 hr 250 mg, 500 mg (Depakote ER)                  |                          |
| divalproex oral tablet, delayed release (dr/ec) 125 mg, 250 mg, 500 mg (Depakote)           |                          |
| lithium carbonate oral capsule 150 mg, 300 mg, 600 mg                                       |                          |
| lithium carbonate oral tablet 300 mg                                                        |                          |
| lithium carbonate oral tablet extended release 300 mg (Lithobid)                            |                          |
| lithium carbonate oral tablet extended release 450 mg                                       |                          |
| lithium citrate oral solution 8 meq/5 ml                                                    |                          |
| <b>AGENTES CARDIOVASCULARES</b>                                                             |                          |
| amlodipine oral tablet 10 mg, 2.5 mg, 5 mg (Norvasc)                                        |                          |
| cartia xt oral capsule, extended release 24hr 120 mg, 180 mg, 240 mg (diltiazem hcl)        | QL (60 per 30 days)      |
| cartia xt oral capsule, extended release 24hr 300 mg (diltiazem hcl)                        | QL (30 per 30 days)      |
| diltiazem hcl oral capsule, extended release 12 hr 120 mg, 60 mg, 90 mg                     |                          |
| diltiazem hcl oral capsule, extended release 24 hr 360 mg, 420 mg (Tiadylt ER)              | QL (30 per 30 days)      |
| diltiazem hcl oral capsule, extended release 24hr 120 mg, 180 mg, 240 mg (Cartia XT)        | QL (60 per 30 days)      |
| diltiazem hcl oral capsule, extended release 24hr 300 mg (Cartia XT)                        | QL (30 per 30 days)      |
| diltiazem hcl oral tablet 120 mg, 30 mg, 60 mg (Cardizem)                                   |                          |
| diltiazem hcl oral tablet 90 mg                                                             |                          |
| diltiazem hcl oral tablet extended release 24 hr 180 mg, 240 mg, 300 mg, 360 mg (Matzim LA) |                          |
| dilt-xr oral capsule, ext.rel 24h degradable 120 mg, 180 mg, 240 mg (diltiazem hcl)         | QL (60 per 30 days)      |

| Nombre del Medicamento                                                                                        | Requerimientos / Límites |
|---------------------------------------------------------------------------------------------------------------|--------------------------|
| <i>felodipine oral tablet extended release</i><br>24 hr 10 mg, 2.5 mg, 5 mg                                   | QL (30 per 30 days)      |
| <i>isradipine oral capsule</i> 2.5 mg, 5 mg                                                                   |                          |
| KATERZIA ORAL SUSPENSION<br>1 MG/ML                                                                           |                          |
| <i>matzim la oral tablet extended release</i><br>24 hr 180 mg, 240 mg, 300 mg, 360 mg, 420 mg (diltiazem hcl) |                          |
| <i>nicardipine oral capsule</i> 20 mg, 30 mg                                                                  |                          |
| <i>nifedipine oral capsule</i> 10 mg, 20 mg                                                                   |                          |
| <i>nifedipine oral tablet extended release</i> 24hr 30 mg, 60 mg (Procardia XL)                               | QL (60 per 30 days)      |
| <i>nifedipine oral tablet extended release</i> 24hr 90 mg (Procardia XL)                                      | QL (30 per 30 days)      |
| <i>nifedipine oral tablet extended release</i> 30 mg, 60 mg                                                   | QL (60 per 30 days)      |
| <i>nifedipine oral tablet extended release</i> 90 mg                                                          | QL (30 per 30 days)      |
| <i>taztia xt oral capsule, extended release</i> 24 hr 120 mg, 180 mg, 240 mg (diltiazem hcl)                  | QL (60 per 30 days)      |
| <i>taztia xt oral capsule, extended release</i> 24 hr 300 mg, 360 mg (diltiazem hcl)                          | QL (30 per 30 days)      |
| <i>tiadylt er oral capsule, extended release</i> 24 hr 120 mg, 180 mg, 240 mg (diltiazem hcl)                 | QL (60 per 30 days)      |
| <i>tiadylt er oral capsule, extended release</i> 24 hr 300 mg, 360 mg, 420 mg (diltiazem hcl)                 | QL (30 per 30 days)      |
| <i>verapamil oral capsule, 24 hr er pellet ct</i> 100 mg, 200 mg, 300 mg (Verelan PM)                         |                          |
| <i>verapamil oral capsule, ext rel. pellets</i> 24 hr 120 mg, 180 mg, 240 mg, 360 mg                          |                          |
| <i>verapamil oral tablet</i> 120 mg, 40 mg, 80 mg                                                             |                          |
| <i>verapamil oral tablet extended release</i> 120 mg, 180 mg, 240 mg                                          |                          |
| <b>Agentes Bloqueadores Alfa-Adrenérgicos</b>                                                                 |                          |
| <i>doxazosin oral tablet</i> 1 mg, 2 mg, 4 mg, 8 mg (Cardura)                                                 |                          |
| <i>prazosin oral capsule</i> 1 mg, 2 mg, 5 mg                                                                 |                          |
| <i>terazosin oral capsule</i> 1 mg, 10 mg, 2 mg, 5 mg                                                         |                          |
| <b>Agentes Bloqueadores Beta-Adrenérgicos</b>                                                                 |                          |
| <i>acebutolol oral capsule</i> 200 mg, 400 mg                                                                 |                          |
| <i>atenolol oral tablet</i> 100 mg, 25 mg, 50 mg (Tenormin)                                                   |                          |

| Nombre del Medicamento                                                                                                         | Requerimientos / Límites |
|--------------------------------------------------------------------------------------------------------------------------------|--------------------------|
| <i>betaxolol oral tablet 10 mg, 20 mg</i>                                                                                      |                          |
| <i>bisoprolol fumarate oral tablet 10 mg, 5 mg</i>                                                                             |                          |
| <i>carvedilol oral tablet 12.5 mg, 25 mg, 3.125 mg, 6.25 mg</i> (Coreg)                                                        |                          |
| <i>carvedilol phosphate oral capsule, er multiphase 24 hr 10 mg, 20 mg, 40 mg, 80 mg</i> (Coreg CR)                            |                          |
| <i>labetalol oral tablet 100 mg, 200 mg, 300 mg</i>                                                                            |                          |
| <i>metoprolol succinate oral tablet extended release 24 hr 100 mg, 200 mg, 25 mg, 50 mg</i> (Toprol XL)                        |                          |
| <i>metoprolol tartrate oral tablet 100 mg, 50 mg</i> (Lopressor)                                                               |                          |
| <i>metoprolol tartrate oral tablet 25 mg, 37.5 mg, 75 mg</i>                                                                   |                          |
| <i>nadolol oral tablet 20 mg, 40 mg, 80 mg</i> (Corgard)                                                                       |                          |
| <i>nebivolol oral tablet 10 mg, 2.5 mg, 20 mg, 5 mg</i> (Bystolic)                                                             |                          |
| <i>pindolol oral tablet 10 mg, 5 mg</i>                                                                                        |                          |
| <i>propranolol oral capsule, extended release 24 hr 120 mg, 160 mg, 60 mg</i> (Inderal LA)                                     |                          |
| <i>propranolol oral solution 20 mg/5 ml (4 mg/ml), 40 mg/5 ml (8 mg/ml)</i>                                                    |                          |
| <i>propranolol oral tablet 10 mg, 20 mg, 40 mg, 60 mg</i>                                                                      |                          |
| <i>timolol maleate oral tablet 10 mg, 20 mg, 5 mg</i>                                                                          |                          |
| <b>Agentes Cardiovasculares, Otros</b>                                                                                         |                          |
| <i>aliskiren oral tablet 150 mg, 300 mg</i> (Tekturna)                                                                         | QL (30 per 30 days)      |
| <i>amiloride-hydrochlorothiazide oral tablet 5-50 mg</i>                                                                       |                          |
| <i>amlodipine-atorvastatin oral tablet 10-10 mg, 10-20 mg, 10-40 mg, 10-80 mg, 5-10 mg, 5-20 mg, 5-40 mg, 5-80 mg</i> (Caduet) | QL (30 per 30 days)      |
| <i>amlodipine-atorvastatin oral tablet 2.5-10 mg, 2.5-20 mg, 2.5-40 mg</i>                                                     | QL (30 per 30 days)      |
| <i>amlodipine-benazepril oral capsule 10-20 mg, 10-40 mg, 5-10 mg, 5-20 mg</i> (Lotrel)                                        |                          |
| <i>amlodipine-benazepril oral capsule 2.5-10 mg, 5-40 mg</i>                                                                   |                          |
| <i>amlodipine-olmesartan oral tablet 10-20 mg, 10-40 mg, 5-20 mg, 5-40 mg</i> (Azor)                                           |                          |

| Nombre del Medicamento                                                                                  | Requerimientos / Límites    |
|---------------------------------------------------------------------------------------------------------|-----------------------------|
| <i>amlodipine-valsartan oral tablet</i><br>10-160 mg, 10-320 mg, 5-160 mg, 5-320 mg<br>(Exforge)        |                             |
| <i>atenolol-chlorthalidone oral tablet</i><br>100-25 mg<br>(Tenoretic 100)                              |                             |
| <i>atenolol-chlorthalidone oral tablet</i><br>50-25 mg<br>(Tenoretic 50)                                |                             |
| <i>benazepril-hydrochlorothiazide oral tablet</i><br>10-12.5 mg, 20-12.5 mg, 20-25 mg<br>(Lotensin HCT) |                             |
| <i>benazepril-hydrochlorothiazide oral tablet</i><br>5-6.25 mg                                          |                             |
| <i>bisoprolol-hydrochlorothiazide oral tablet</i><br>10-6.25 mg, 2.5-6.25 mg, 5-6.25 mg                 |                             |
| CAMZYOS ORAL CAPSULE 10 MG,<br>15 MG, 2.5 MG, 5 MG                                                      | PA; NM; QL (30 per 30 days) |
| <i>candesartan-hydrochlorothiazid oral tablet</i><br>16-12.5 mg, 32-12.5 mg, 32-25 mg<br>(Atacand HCT)  |                             |
| CORLANOR ORAL TABLET 5 MG,<br>7.5 MG                                                                    | PA                          |
| <i>digitek oral tablet 125 mcg (0.125 mg),</i><br><i>250 mcg (0.25 mg)</i><br>(digoxin)                 | QL (30 per 30 days)         |
| <i>digox oral tablet 125 mcg (0.125 mg)</i><br>(digoxin)                                                | QL (30 per 30 days)         |
| <i>digoxin 250 mcg tablet 250 mcg (0.25 mg)</i><br>(Digitek)                                            | QL (30 per 30 days)         |
| DIGOXIN ORAL SOLUTION 50 MCG/ML<br>(0.05 MG/ML)                                                         | QL (255 per 30 days)        |
| <i>digoxin oral tablet 125 mcg (0.125 mg),</i><br><i>250 mcg (0.25 mg)</i><br>(Digitek)                 | QL (30 per 30 days)         |
| <i>digoxin oral tablet 62.5 mcg (0.0625 mg)</i><br>(Lanoxin)                                            | QL (60 per 30 days)         |
| <i>enalapril-hydrochlorothiazide oral tablet</i><br>10-25 mg<br>(Vaseretic)                             |                             |
| <i>enalapril-hydrochlorothiazide oral tablet</i><br>5-12.5 mg                                           |                             |
| ENTRESTO ORAL TABLET 24-26 MG,<br>49-51 MG, 97-103 MG                                                   |                             |
| FILSPARI ORAL TABLET 200 MG,<br>400 MG                                                                  | PA; NM; QL (30 per 30 days) |
| <i>fosinopril-hydrochlorothiazide oral tablet</i><br>10-12.5 mg, 20-12.5 mg                             |                             |
| <i>irbesartan-hydrochlorothiazide oral tablet</i><br>150-12.5 mg, 300-12.5 mg<br>(Avalide)              |                             |
| <i>isosorbide-hydralazine oral tablet</i><br>20-37.5 mg<br>(BiDil)                                      |                             |

| Nombre del Medicamento                                                                                                           | Requerimientos / Límites |
|----------------------------------------------------------------------------------------------------------------------------------|--------------------------|
| LANOXIN ORAL TABLET 125 MCG<br>(0.125 MG), 250 MCG (0.25 MG),<br>62.5 MCG (0.0625 MG) (digoxin)                                  | QL (30 per 30 days)      |
| lisinopril-hydrochlorothiazide oral tablet<br>10-12.5 mg, 20-12.5 mg, 20-25 mg (Zestoretic)                                      |                          |
| losartan-hydrochlorothiazide oral tablet<br>100-12.5 mg, 100-25 mg, 50-12.5 mg (Hyzaar)                                          |                          |
| metoprolol ta-hydrochlorothiaz oral tablet<br>100-25 mg, 100-50 mg, 50-25 mg                                                     |                          |
| metyrosine oral capsule 250 mg (Demser)                                                                                          | NM                       |
| olmesartan-amlodipin-hcthiiazid oral tablet<br>20-5-12.5 mg, 40-10-12.5 mg,<br>40-10-25 mg, 40-5-12.5 mg, 40-5-25 mg (Tribenzor) |                          |
| olmesartan-hydrochlorothiazide oral tablet<br>20-12.5 mg, 40-12.5 mg, 40-25 mg (Benicar HCT)                                     |                          |
| pentoxifylline oral tablet extended release<br>400 mg                                                                            |                          |
| quinapril-hydrochlorothiazide oral tablet<br>10-12.5 mg, 20-12.5 mg, 20-25 mg (Accuretic)                                        |                          |
| ranolazine oral tablet extended release<br>12 hr 1,000 mg, 500 mg                                                                |                          |
| spironolacton-hydrochlorothiaz oral tablet<br>25-25 mg                                                                           |                          |
| telmisartan-amlodipine oral tablet<br>40-10 mg, 40-5 mg, 80-10 mg, 80-5 mg                                                       |                          |
| telmisartan-hydrochlorothiazid oral tablet<br>40-12.5 mg, 80-12.5 mg, 80-25 mg (Micardis HCT)                                    |                          |
| trandolapril-verapamil oral tablet, ir - er,<br>biphasic 24hr 1-240 mg, 2-180 mg,<br>2-240 mg, 4-240 mg                          |                          |
| triamterene-hydrochlorothiazid oral<br>capsule 37.5-25 mg                                                                        |                          |
| triamterene-hydrochlorothiazid oral tablet<br>37.5-25 mg, 75-50 mg                                                               |                          |
| valsartan-hydrochlorothiazide oral tablet<br>160-12.5 mg, 160-25 mg, 320-12.5 mg,<br>320-25 mg, 80-12.5 mg (Diovan HCT)          |                          |
| VERQUVO ORAL TABLET 10 MG,<br>2.5 MG, 5 MG                                                                                       | PA                       |
| <b>Agonistas Alfa-Adrenérgicos</b>                                                                                               |                          |
| clonidine hcl oral tablet 0.1 mg, 0.2 mg,<br>0.3 mg                                                                              |                          |
| clonidine transdermal patch weekly<br>0.1 mg/24 hr (Catapres-TTS-1)                                                              | QL (4 per 28 days)       |

| Nombre del Medicamento                                               |                  | Requerimientos / Límites     |
|----------------------------------------------------------------------|------------------|------------------------------|
| clonidine transdermal patch weekly<br>0.2 mg/24 hr                   | (Catapres-TTS-2) | QL (4 per 28 days)           |
| clonidine transdermal patch weekly<br>0.3 mg/24 hr                   | (Catapres-TTS-3) | QL (4 per 28 days)           |
| droxidopa oral capsule 100 mg, 200 mg,<br>300 mg                     | (Northera)       | PA; NM; QL (180 per 30 days) |
| guanfacine oral tablet 1 mg, 2 mg                                    |                  |                              |
| midodrine oral tablet 10 mg, 2.5 mg, 5 mg                            |                  |                              |
| <b>Antagonistas De Receptores De Angiotensina II</b>                 |                  |                              |
| candesartan oral tablet 16 mg, 32 mg,<br>4 mg, 8 mg                  | (Atacand)        |                              |
| irbesartan oral tablet 150 mg, 300 mg,<br>75 mg                      | (Avapro)         |                              |
| losartan oral tablet 100 mg, 25 mg, 50 mg                            | (Cozaar)         |                              |
| olmesartan oral tablet 20 mg, 40 mg, 5 mg                            | (Benicar)        |                              |
| telmisartan oral tablet 20 mg, 40 mg,<br>80 mg                       | (Micardis)       |                              |
| valsartan oral tablet 160 mg, 320 mg,<br>40 mg, 80 mg                | (Diovan)         |                              |
| <b>Antiarrítmicos</b>                                                |                  |                              |
| amiodarone oral tablet 100 mg, 200 mg,<br>400 mg                     | (Pacerone)       |                              |
| disopyramide phosphate oral capsule<br>100 mg, 150 mg                | (Norpace)        |                              |
| dofetilide oral capsule 125 mcg, 250 mcg,<br>500 mcg                 | (Tikosyn)        |                              |
| flecainide oral tablet 100 mg, 150 mg,<br>50 mg                      |                  |                              |
| mexiletine oral capsule 150 mg, 200 mg,<br>250 mg                    |                  |                              |
| MULTAQ ORAL TABLET 400 MG                                            |                  |                              |
| propafenone oral tablet 150 mg, 225 mg,<br>300 mg                    |                  |                              |
| quinidine sulfate oral tablet 200 mg,<br>300 mg                      |                  |                              |
| sotalol af oral tablet 120 mg, 160 mg,<br>80 mg                      | (sotalol)        |                              |
| sotalol oral tablet 120 mg, 160 mg, 80 mg                            | (Sotalol AF)     |                              |
| sotalol oral tablet 240 mg                                           | (Betapace)       |                              |
| <b>Dislipídicos, Derivados De Ácido Fólico</b>                       |                  |                              |
| fenofibrate micronized oral capsule<br>130 mg, 134 mg, 200 mg, 67 mg |                  | QL (30 per 30 days)          |

| Nombre del Medicamento                                                                         | Requerimientos / Límites |
|------------------------------------------------------------------------------------------------|--------------------------|
| <i>fenofibrate micronized oral capsule 43 mg</i>                                               | QL (60 per 30 days)      |
| <i>fenofibrate nanocrystallized oral tablet 145 mg</i> (Tricor)                                | QL (30 per 30 days)      |
| <i>fenofibrate nanocrystallized oral tablet 48 mg</i> (Tricor)                                 | QL (60 per 30 days)      |
| <i>fenofibrate oral capsule 150 mg</i> (Lipofen)                                               | QL (30 per 30 days)      |
| <i>fenofibrate oral capsule 50 mg</i> (Lipofen)                                                | QL (60 per 30 days)      |
| <i>fenofibrate oral tablet 160 mg</i>                                                          | QL (30 per 30 days)      |
| <i>fenofibrate oral tablet 54 mg</i>                                                           | QL (60 per 30 days)      |
| <i>fenofibric acid (choline) oral capsule, delayed release(dr/ec) 135 mg, 45 mg</i> (Trilipix) | QL (30 per 30 days)      |
| <i>gemfibrozil oral tablet 600 mg</i> (Lopid)                                                  | QL (60 per 30 days)      |
| <b>Dislipidémicos, Inhibidores De Reductasa HMG COA</b>                                        |                          |
| <i>atorvastatin oral tablet 10 mg, 20 mg, 40 mg, 80 mg</i> (Lipitor)                           | QL (30 per 30 days)      |
| <i>fluvastatin oral capsule 20 mg, 40 mg</i>                                                   |                          |
| <i>fluvastatin oral tablet extended release 24 hr 80 mg</i> (Lescol XL)                        |                          |
| <i>LIVALO ORAL TABLET 1 MG, 2 MG, 4 MG</i> (pitavastatin calcium)                              | QL (30 per 30 days)      |
| <i>lovastatin oral tablet 10 mg</i>                                                            | QL (45 per 30 days)      |
| <i>lovastatin oral tablet 20 mg</i>                                                            | QL (30 per 30 days)      |
| <i>lovastatin oral tablet 40 mg</i>                                                            | QL (60 per 30 days)      |
| <i>pravastatin oral tablet 10 mg, 20 mg, 40 mg, 80 mg</i>                                      | QL (30 per 30 days)      |
| <i>rosuvastatin oral tablet 10 mg, 20 mg, 5 mg</i>                                             | QL (30 per 30 days)      |
| <i>rosuvastatin oral tablet 40 mg</i> (Crestor)                                                | QL (30 per 30 days)      |
| <i>simvastatin oral tablet 10 mg, 20 mg, 40 mg</i> (Zocor)                                     | QL (30 per 30 days)      |
| <i>simvastatin oral tablet 5 mg, 80 mg</i>                                                     | QL (30 per 30 days)      |
| <b>Dislipidémicos, Otros</b>                                                                   |                          |
| <i>cholestyramine (with sugar) oral powder in packet 4 gram</i> (Questran)                     |                          |
| <i>cholestyramine light oral powder in packet 4 gram</i> (cholestyramine-aspartame)            |                          |
| <i>colestipol oral packet 5 gram</i>                                                           |                          |
| <i>colestipol oral tablet 1 gram</i> (Colestid)                                                |                          |
| <i>ezetimibe oral tablet 10 mg</i> (Zetia)                                                     | QL (30 per 30 days)      |
| <i>ezetimibe-simvastatin oral tablet 10-10 mg</i> (Vytorin 10-10)                              |                          |
| <i>ezetimibe-simvastatin oral tablet 10-20 mg</i> (Vytorin 10-20)                              |                          |
| <i>ezetimibe-simvastatin oral tablet 10-40 mg</i> (Vytorin 10-40)                              |                          |

| Nombre del Medicamento                                                    | Requerimientos / Límites |
|---------------------------------------------------------------------------|--------------------------|
| <i>ezetimibe-simvastatin oral tablet 10-80 mg (Vytorin 10-80)</i>         |                          |
| <i>icosapent ethyl oral capsule 0.5 gram, 1 gram (Vascepa)</i>            |                          |
| JUXTAPID ORAL CAPSULE 10 MG, 20 MG, 30 MG, 5 MG                           | PA; NM                   |
| <i>niacin oral tablet extended release 24 hr 1,000 mg, 500 mg, 750 mg</i> |                          |
| <i>omega-3 acid ethyl esters oral capsule 1 gram (Lovaza)</i>             |                          |
| REPATHA PUSHTRONEX<br>SUBCUTANEOUS WEARABLE<br>INJECTOR 420 MG/3.5 ML     | PA                       |
| REPATHA SURECLICK<br>SUBCUTANEOUS PEN INJECTOR<br>140 MG/ML               | PA                       |
| REPATHA SYRINGE SUBCUTANEOUS<br>SYRINGE 140 MG/ML                         | PA                       |
| VASCEPA ORAL CAPSULE 0.5 GRAM, 1 GRAM (icosapent ethyl)                   |                          |
| <b>Diuréticos, Ahorradores De Potasio</b>                                 |                          |
| <i>amiloride oral tablet 5 mg</i>                                         |                          |
| <i>eplerenone oral tablet 25 mg, 50 mg (Inspra)</i>                       |                          |
| KERENDIA ORAL TABLET 10 MG, 20 MG                                         | QL (30 per 30 days)      |
| <i>spironolactone oral tablet 100 mg, 25 mg, 50 mg (Aldactone)</i>        |                          |
| <b>Diuréticos, Ciclo</b>                                                  |                          |
| <i>bumetanide injection solution 0.25 mg/ml</i>                           |                          |
| <i>bumetanide oral tablet 0.5 mg, 1 mg, 2 mg</i>                          |                          |
| <i>furosemide injection solution 10 mg/ml</i>                             |                          |
| <i>furosemide oral solution 10 mg/ml, 40 mg/5 ml (8 mg/ml)</i>            |                          |
| <i>furosemide oral tablet 20 mg, 40 mg, 80 mg (Lasix)</i>                 |                          |
| <i>torsemide oral tablet 10 mg, 100 mg, 5 mg</i>                          |                          |
| <i>torsemide oral tablet 20 mg (Soaanz)</i>                               |                          |
| <b>Diuréticos, Tiazidas</b>                                               |                          |
| <i>chlorthalidone oral tablet 25 mg, 50 mg</i>                            |                          |
| <i>hydrochlorothiazide oral capsule 12.5 mg</i>                           |                          |
| <i>hydrochlorothiazide oral tablet 12.5 mg, 25 mg, 50 mg</i>              |                          |
| <i>indapamide oral tablet 1.25 mg, 2.5 mg</i>                             |                          |



| Nombre del Medicamento                                                                         | Requerimientos / Límites |
|------------------------------------------------------------------------------------------------|--------------------------|
| metolazone oral tablet 10 mg, 2.5 mg, 5 mg                                                     |                          |
| <b>Inhibidores De Enzima Convertidora De Angiotensina (ECA)</b>                                |                          |
| benazepril oral tablet 10 mg, 20 mg, 40 mg (Lotensin)                                          |                          |
| benazepril oral tablet 5 mg                                                                    |                          |
| captopril oral tablet 100 mg, 12.5 mg, 25 mg, 50 mg                                            |                          |
| enalapril maleate oral tablet 10 mg, 2.5 mg, 20 mg, 5 mg (Vasotec)                             |                          |
| fosinopril oral tablet 10 mg, 20 mg, 40 mg                                                     |                          |
| lisinopril oral tablet 10 mg, 2.5 mg, 20 mg, 30 mg, 40 mg, 5 mg (Zestril)                      |                          |
| moexipril oral tablet 15 mg, 7.5 mg                                                            |                          |
| perindopril erbumine oral tablet 2 mg, 4 mg, 8 mg                                              |                          |
| quinapril oral tablet 10 mg, 20 mg, 40 mg, 5 mg (Accupril)                                     |                          |
| ramipril oral capsule 1.25 mg, 10 mg, 2.5 mg, 5 mg (Altace)                                    |                          |
| trandolapril oral tablet 1 mg, 2 mg, 4 mg                                                      |                          |
| <b>Vasodilatadores, De Acción Directa/Venosa</b>                                               |                          |
| hydralazine oral tablet 10 mg, 100 mg, 25 mg, 50 mg                                            |                          |
| isosorbide dinitrate oral tablet 10 mg, 20 mg, 30 mg                                           |                          |
| isosorbide dinitrate oral tablet 5 mg (Isordil Titrados)                                       |                          |
| isosorbide mononitrate oral tablet 10 mg, 20 mg                                                |                          |
| isosorbide mononitrate oral tablet extended release 24 hr 120 mg, 30 mg, 60 mg                 |                          |
| minoxidil oral tablet 10 mg, 2.5 mg                                                            |                          |
| NITRO-BID TRANSDERMAL OINTMENT 2 % (nitroglycerin)                                             |                          |
| nitroglycerin rectal ointment 0.4 % (w/w) (Rectiv)                                             |                          |
| nitroglycerin sublingual tablet 0.3 mg, 0.4 mg, 0.6 mg (Nitrostat)                             |                          |
| nitroglycerin transdermal patch 24 hour 0.1 mg/hr, 0.2 mg/hr, 0.4 mg/hr, 0.6 mg/hr (Nitro-Dur) |                          |
| nitroglycerin translingual spray, non-aerosol 400 mcg/spray (Nitrolingual)                     |                          |

| Nombre del Medicamento                                                             | Requerimientos / Límites |
|------------------------------------------------------------------------------------|--------------------------|
| <b>AGENTES DE ENFERMEDAD INTESTINAL INFLAMATORIA</b>                               |                          |
| <b>Aminosalicilatos</b>                                                            |                          |
| balsalazide oral capsule 750 mg (Colazal)                                          |                          |
| LIALDA ORAL TABLET, DELAYED RELEASE (DR/EC) 1.2 GRAM (mesalamine)                  |                          |
| mesalamine oral capsule (with del rel tablets) 400 mg (Delzicol)                   |                          |
| mesalamine oral capsule, extended release 24hr 0.375 gram (Apriso)                 |                          |
| mesalamine oral tablet, delayed release (dr/ec) 800 mg                             |                          |
| mesalamine rectal enema 4 gram/60 ml (Rowasa)                                      |                          |
| sulfasalazine oral tablet 500 mg (Azulfidine)                                      |                          |
| sulfasalazine oral tablet, delayed release (dr/ec) 500 mg (Azulfidine EN-tabs)     |                          |
| <b>Glucocorticoides</b>                                                            |                          |
| budesonide oral capsule, delayed, extend.release 3 mg                              |                          |
| budesonide oral tablet, delayed and ext.release 9 mg (Uceris)                      | NM                       |
| hydrocortisone rectal enema 100 mg/60 ml (Cortenema)                               |                          |
| <b>AGENTES DE ENFERMEDAD ÓSEA METABÓLICA</b>                                       |                          |
| <b>Agentes De Enfermedad Ósea Metabólica</b>                                       |                          |
| alendronate oral tablet 10 mg, 5 mg                                                | QL (30 per 30 days)      |
| alendronate oral tablet 35 mg                                                      | QL (4 per 28 days)       |
| alendronate oral tablet 70 mg (Fosamax)                                            | QL (4 per 28 days)       |
| calcitonin (salmon) nasal spray, non-aerosol 200 unit/actuation                    | QL (4 per 28 days)       |
| calcitriol oral capsule 0.25 mcg, 0.5 mcg (Rocaltrol)                              |                          |
| calcitriol oral solution 1 mcg/ml (Rocaltrol)                                      |                          |
| cinacalcet oral tablet 30 mg, 60 mg (Sensipar)                                     | QL (60 per 30 days)      |
| cinacalcet oral tablet 90 mg (Sensipar)                                            | NM; QL (120 per 30 days) |
| ibandronate oral tablet 150 mg                                                     | QL (1 per 30 days)       |
| NATPARA SUBCUTANEOUS CARTRIDGE 100 MCG/DOSE, 25 MCG/DOSE, 50 MCG/DOSE, 75 MCG/DOSE | PA; NM                   |
| paricalcitol oral capsule 1 mcg, 2 mcg (Zemplar)                                   |                          |
| paricalcitol oral capsule 4 mcg                                                    |                          |

| Nombre del Medicamento                                                        | Requerimientos / Límites      |
|-------------------------------------------------------------------------------|-------------------------------|
| PROLIA SUBCUTANEOUS SYRINGE<br>60 MG/ML                                       | QL (1 per 180 days)           |
| <i>raloxifene oral tablet 60 mg</i> (Evista)                                  |                               |
| <i>risedronate oral tablet 150 mg</i> (Actonel)                               | QL (1 per 28 days)            |
| <i>risedronate oral tablet 30 mg, 5 mg</i>                                    | QL (30 per 30 days)           |
| <i>risedronate oral tablet 35 mg</i> (Actonel)                                | QL (4 per 28 days)            |
| <i>risedronate oral tablet 35 mg (12 pack),<br/>35 mg (4 pack)</i>            | QL (4 per 28 days)            |
| <i>risedronate oral tablet, delayed release<br/>(dr/ec) 35 mg</i> (Atelvia)   | QL (4 per 28 days)            |
| <i>teriparatide subcutaneous pen injector<br/>20 mcg/dose (620mcg/2.48ml)</i> | PA; NM; QL (2.48 per 28 days) |
| TYMLOS SUBCUTANEOUS PEN<br>INJECTOR 80 MCG<br>(3,120 MCG/1.56 ML)             | PA; NM; QL (1.56 per 30 days) |
| XGEVA SUBCUTANEOUS SOLUTION<br>120 MG/1.7 ML (70 MG/ML)                       | PA; NM; QL (2 per 28 days)    |
| <b>AGENTES DE TRASTORNO DE SUEÑO</b>                                          |                               |
| <i>armodafinil oral tablet 150 mg, 200 mg,<br/>250 mg, 50 mg</i> (Nuvigil)    | PA; QL (30 per 30 days)       |
| BELSOMRA ORAL TABLET 10 MG,<br>15 MG, 20 MG, 5 MG                             | QL (30 per 30 days)           |
| <i>modafinil oral tablet 100 mg, 200 mg</i> (Provigil)                        | PA; QL (60 per 30 days)       |
| <i>sodium oxybate oral solution 500 mg/ml</i> (Xyrem)                         | PA; NM; QL (540 per 30 days)  |
| <i>temazepam oral capsule 15 mg, 22.5 mg,<br/>30 mg</i> (Restoril)            | QL (30 per 30 days)           |
| <i>temazepam oral capsule 7.5 mg</i> (Restoril)                               | QL (120 per 30 days)          |
| <i>zaleplon oral capsule 10 mg, 5 mg</i>                                      | QL (30 per 30 days)           |
| <i>zolpidem oral tablet 10 mg, 5 mg</i> (Ambien)                              | QL (30 per 30 days)           |
| <b>AGENTES DEL SISTEMA NERVIOSO CENTRAL</b>                                   |                               |
| <b>Agentes De Esclerosis Múltiple</b>                                         |                               |
| AVONEX INTRAMUSCULAR PEN<br>INJECTOR KIT 30 MCG/0.5 ML                        | PA; NM                        |
| AVONEX INTRAMUSCULAR SYRINGE<br>KIT 30 MCG/0.5 ML                             | PA; NM                        |
| BETASERON SUBCUTANEOUS KIT<br>0.3 MG                                          | PA; NM                        |
| COPAXONE SUBCUTANEOUS<br>SYRINGE 20 MG/ML, 40 MG/ML (glatiramer)              | PA; NM                        |
| <i>dalfampridine oral tablet extended release<br/>12 hr 10 mg</i> (Ampyra)    | PA; QL (60 per 30 days)       |

| Nombre del Medicamento                                                                                             | Requerimientos / Límites |
|--------------------------------------------------------------------------------------------------------------------|--------------------------|
| <i>dimethyl fumarate oral capsule, delayed release(dr/ec) 120 mg, 120 mg (14)- 240 mg (46), 240 mg</i> (Tecfidera) | PA; NM                   |
| <i> fingolimod oral capsule 0.5 mg</i> (Gilenya)                                                                   | PA; NM                   |
| KESIMPTA PEN SUBCUTANEOUS PEN INJECTOR 20 MG/0.4 ML                                                                | PA; NM                   |
| MAYZENT ORAL TABLET 0.25 MG, 1 MG, 2 MG                                                                            | PA; NM                   |
| MAYZENT STARTER(FOR 1MG MAINT) ORAL TABLETS, DOSE PACK 0.25 MG (7 TABS)                                            | PA                       |
| MAYZENT STARTER(FOR 2MG MAINT) ORAL TABLETS, DOSE PACK 0.25 MG (12 TABS)                                           | PA; NM                   |
| <b>Agentes De Fibromialgia</b>                                                                                     |                          |
| <i>pregabalin oral capsule 100 mg, 150 mg, 200 mg, 25 mg, 50 mg</i> (Lyrica)                                       | QL (90 per 30 days)      |
| <i>pregabalin oral capsule 225 mg, 300 mg</i> (Lyrica)                                                             | QL (60 per 30 days)      |
| <i>pregabalin oral capsule 75 mg</i> (Lyrica)                                                                      | QL (120 per 30 days)     |
| <i>pregabalin oral solution 20 mg/ml</i> (Lyrica)                                                                  | QL (900 per 30 days)     |
| SAVELLA ORAL TABLET 100 MG, 12.5 MG, 25 MG, 50 MG                                                                  | QL (60 per 30 days)      |
| SAVELLA ORAL TABLETS, DOSE PACK 12.5 MG (5)-25 MG(8)-50 MG(42)                                                     | QL (55 per 28 days)      |
| <b>Agentes De Trastorno Por Déficit De Atención Con Hiperactividad, Anfetaminas</b>                                |                          |
| <i>dextroamphetamine sulfate oral capsule, extended release 10 mg</i> (Dexedrine Spansule)                         | QL (180 per 30 days)     |
| <i>dextroamphetamine sulfate oral capsule, extended release 15 mg</i>                                              | QL (120 per 30 days)     |
| <i>dextroamphetamine sulfate oral capsule, extended release 5 mg</i>                                               | QL (360 per 30 days)     |
| <i>dextroamphetamine sulfate oral solution 5 mg/5 ml</i> (ProCentra)                                               | QL (1800 per 30 days)    |
| <i>dextroamphetamine sulfate oral tablet 10 mg</i> (Zenzedi)                                                       | QL (180 per 30 days)     |
| <i>dextroamphetamine sulfate oral tablet 15 mg</i> (Zenzedi)                                                       | QL (120 per 30 days)     |
| <i>dextroamphetamine sulfate oral tablet 2.5 mg, 20 mg, 7.5 mg</i> (Zenzedi)                                       | QL (90 per 30 days)      |
| <i>dextroamphetamine sulfate oral tablet 30 mg</i> (Zenzedi)                                                       | QL (60 per 30 days)      |
| <i>dextroamphetamine sulfate oral tablet 5 mg</i> (Zenzedi)                                                        | QL (150 per 30 days)     |

| Nombre del Medicamento                                                                             | Requerimientos / Límites     |
|----------------------------------------------------------------------------------------------------|------------------------------|
| dextroamphetamine-amphetamine oral tablet 10 mg, 12.5 mg, 15 mg, 20 mg, 5 mg, 7.5 mg (Adderall)    | QL (90 per 30 days)          |
| dextroamphetamine-amphetamine oral tablet 30 mg (Adderall)                                         | QL (60 per 30 days)          |
| <b>Agentes De Trastorno Por Déficit De Atención Con Hiperactividad, No-Anfetaminas</b>             |                              |
| atomoxetine oral capsule 10 mg, 100 mg, 18 mg, 25 mg, 40 mg, 60 mg, 80 mg (Strattera)              | QL (30 per 30 days)          |
| dexmethylphenidate oral tablet 10 mg (Focalin)                                                     | QL (60 per 30 days)          |
| dexmethylphenidate oral tablet 2.5 mg (Focalin)                                                    | QL (240 per 30 days)         |
| dexmethylphenidate oral tablet 5 mg (Focalin)                                                      | QL (120 per 30 days)         |
| guanfacine oral tablet extended release 24 hr 1 mg, 2 mg, 3 mg, 4 mg (Intuniv ER)                  | QL (30 per 30 days)          |
| methylphenidate hcl oral tablet 10 mg, 20 mg, 5 mg (Ritalin)                                       | QL (90 per 30 days)          |
| <b>Sistema Nervioso Central, Otros</b>                                                             |                              |
| AUSTEDO ORAL TABLET 12 MG, 6 MG, 9 MG                                                              | PA; NM; QL (120 per 30 days) |
| AUSTEDO XR ORAL TABLET EXTENDED RELEASE 24 HR 12 MG, 6 MG                                          | PA; NM; QL (90 per 30 days)  |
| AUSTEDO XR ORAL TABLET EXTENDED RELEASE 24 HR 24 MG                                                | PA; NM; QL (60 per 30 days)  |
| AUSTEDO XR ORAL TABLET EXTENDED RELEASE 24 HR 30 MG, 36 MG, 42 MG, 48 MG                           | PA; NM; QL (30 per 30 days)  |
| AUSTEDO XR TITRATION KT(WK1-4) ORAL TABLET, EXT REL 24HR DOSE PACK 6 MG (14)-12 MG (14)-24 MG (14) | PA; NM                       |
| EVRYSDI ORAL RECON SOLN 0.75 MG/ML                                                                 | PA; NM                       |
| INGREZZA INITIATION PK(TARDIV) ORAL CAPSULE, DOSE PACK 40 MG (7)- 80 MG (21)                       | PA; NM                       |
| INGREZZA ORAL CAPSULE 40 MG, 60 MG, 80 MG                                                          | PA; NM; QL (30 per 30 days)  |
| INGREZZA SPRINKLE ORAL CAPSULE, SPRINKLE 40 MG, 60 MG, 80 MG                                       | PA; NM; QL (30 per 30 days)  |
| NUDEXTA ORAL CAPSULE 20-10 MG                                                                      | PA                           |
| riluzole oral tablet 50 mg (Rilutek)                                                               | PA                           |
| tetrabenazine oral tablet 12.5 mg (Xenazine)                                                       | PA; NM; QL (240 per 30 days) |
| tetrabenazine oral tablet 25 mg (Xenazine)                                                         | PA; NM; QL (120 per 30 days) |

| Nombre del Medicamento                                          |                                  | Requerimientos / Límites |
|-----------------------------------------------------------------|----------------------------------|--------------------------|
| <b>AGENTES DENTALES Y ORALES</b>                                |                                  |                          |
| <b>Agentes Dentales Y Orales</b>                                |                                  |                          |
| <i>chlorhexidine gluconate mucous membrane mouthwash 0.12 %</i> | <i>(Paroex Oral Rinse)</i>       |                          |
| KOURZEQ DENTAL PASTE 0.1 %                                      | <i>(triamcinolone acetonide)</i> |                          |
| <i>oralone dental paste 0.1 %</i>                               | <i>(triamcinolone acetonide)</i> |                          |
| <i>paroex oral rinse mucous membrane mouthwash 0.12 %</i>       | <i>(chlorhexidine gluconate)</i> |                          |
| <i>periogard mucous membrane mouthwash 0.12 %</i>               | <i>(chlorhexidine gluconate)</i> |                          |
| <i>pilocarpine hcl oral tablet 5 mg, 7.5 mg</i>                 | <i>(Salagen (pilocarpine))</i>   |                          |
| <i>triamcinolone acetonide dental paste 0.1 %</i>               | <i>(Kourzeq)</i>                 |                          |
| <b>AGENTES DERMATOLÓGICOS</b>                                   |                                  |                          |
| <i>accutane oral capsule 10 mg, 20 mg, 40 mg</i>                | <i>(isotretinoin)</i>            |                          |
| <i>acitretin oral capsule 10 mg, 17.5 mg, 25 mg</i>             |                                  | PA                       |
| <i>alclometasone topical cream 0.05 %</i>                       |                                  |                          |
| <i>alclometasone topical ointment 0.05 %</i>                    |                                  |                          |
| <i>amcinonide topical ointment 0.1 %</i>                        |                                  |                          |
| <i>ammonium lactate topical cream 12 %</i>                      |                                  |                          |
| <i>ammonium lactate topical lotion 12 %</i>                     | <i>(Skin Treatment)</i>          |                          |
| <i>amnestem oral capsule 10 mg, 20 mg, 40 mg</i>                | <i>(isotretinoin)</i>            |                          |
| <i>betamethasone dipropionate topical cream 0.05 %</i>          |                                  |                          |
| <i>betamethasone dipropionate topical lotion 0.05 %</i>         |                                  |                          |
| <i>betamethasone dipropionate topical ointment 0.05 %</i>       |                                  |                          |
| <i>betamethasone valerate topical cream 0.1 %</i>               |                                  |                          |
| <i>betamethasone valerate topical lotion 0.1 %</i>              |                                  |                          |
| <i>betamethasone valerate topical ointment 0.1 %</i>            |                                  |                          |
| <i>betamethasone, augmented topical cream 0.05 %</i>            |                                  |                          |

| Nombre del Medicamento                                                   | Requerimientos / Límites |
|--------------------------------------------------------------------------|--------------------------|
| betamethasone, augmented topical lotion 0.05 %                           |                          |
| betamethasone, augmented topical ointment 0.05 % (Diprolene (augmented)) |                          |
| ciclopirox topical gel 0.77 %                                            |                          |
| ciclopirox topical shampoo 1 %                                           |                          |
| ciclopirox topical solution 8 % (Ciclodan)                               |                          |
| claravis oral capsule 10 mg, 20 mg, 30 mg, 40 mg (isotretinoin)          |                          |
| clindamycin phosphate topical gel 1 %                                    |                          |
| clindamycin phosphate topical gel, once daily 1 % (Clindagel)            |                          |
| clindamycin phosphate topical lotion 1 % (Cleocin T)                     |                          |
| clindamycin phosphate topical solution 1 %                               |                          |
| clindamycin-benzoyl peroxide topical gel 1.2 %(1 % base) -5 % (Neuac)    |                          |
| clobetasol scalp solution 0.05 %                                         |                          |
| clobetasol topical cream 0.05 %                                          |                          |
| clobetasol topical gel 0.05 %                                            |                          |
| clobetasol topical ointment 0.05 %                                       |                          |
| clobetasol-emollient topical cream 0.05 %                                |                          |
| desonide topical cream 0.05 % (DesOwen)                                  |                          |
| desonide topical lotion 0.05 %                                           |                          |
| desonide topical ointment 0.05 %                                         |                          |
| desoximetasone topical cream 0.05 %, 0.25 % (Topicort)                   |                          |
| desoximetasone topical gel 0.05 % (Topicort)                             |                          |
| desoximetasone topical ointment 0.05 %, 0.25 % (Topicort)                |                          |
| ery pads topical swab 2 % (erythromycin with ethanol)                    |                          |
| erythromycin with ethanol topical gel 2 % (Erygel)                       |                          |
| erythromycin with ethanol topical solution 2 %                           |                          |
| erythromycin-benzoyl peroxide topical gel 3-5 % (Benzamycin)             |                          |
| EUCRISA TOPICAL OINTMENT 2 %                                             |                          |
| fluocinolone topical cream 0.01 %                                        |                          |
| fluocinolone topical cream 0.025 % (Synalar)                             |                          |
| fluocinolone topical ointment 0.025 % (Synalar)                          |                          |
| fluocinolone topical solution 0.01 % (Synalar)                           |                          |
| fluocinonide topical gel 0.05 %                                          |                          |

| Nombre del Medicamento                                                             | Requerimientos / Límites |
|------------------------------------------------------------------------------------|--------------------------|
| <i>fluocinonide topical ointment 0.05 %</i>                                        |                          |
| <i>fluocinonide topical solution 0.05 %</i>                                        |                          |
| <i>fluocinonide-emollient topical cream 0.05 %</i> (Fluocinonide-E)                |                          |
| <i>fluticasone propionate topical cream 0.05 %</i>                                 |                          |
| <i>fluticasone propionate topical ointment 0.005 %</i>                             |                          |
| <i>halobetasol propionate topical cream 0.05 %</i>                                 |                          |
| <i>halobetasol propionate topical ointment 0.05 %</i>                              |                          |
| <i>hydrocortisone topical cream 1 %</i> (Ala-Cort)                                 |                          |
| <i>hydrocortisone topical cream with perineal applicator 2.5 %</i> (Procto-Med HC) |                          |
| <i>hydrocortisone topical lotion 2.5 %</i>                                         |                          |
| <i>hydrocortisone topical ointment 1 %</i> (Anti-Itch (HC))                        |                          |
| <i>hydrocortisone topical ointment 2.5 %</i>                                       |                          |
| <i>hydrocortisone valerate topical cream 0.2 %</i>                                 |                          |
| <i>hydrocortisone valerate topical ointment 0.2 %</i>                              |                          |
| <b>HYFTOR TOPICAL GEL 0.2 %</b>                                                    | PA; NM                   |
| <i>isotretinoin oral capsule 10 mg, 20 mg, 30 mg, 40 mg</i> (Accutane)             |                          |
| <i>mometasone topical cream 0.1 %</i>                                              |                          |
| <i>mometasone topical ointment 0.1 %</i>                                           |                          |
| <i>mometasone topical solution 0.1 %</i>                                           |                          |
| <i>mupirocin calcium topical cream 2 %</i>                                         |                          |
| <i>mupirocin topical ointment 2 %</i> (Centany)                                    |                          |
| <i>pimecrolimus topical cream 1 %</i> (Elidel)                                     |                          |
| <i>procto-med hc topical cream with perineal applicator 2.5 %</i> (hydrocortisone) |                          |
| <i>proctosol hc topical cream with perineal applicator 2.5 %</i> (hydrocortisone)  |                          |
| <i>proctozone-hc topical cream with perineal applicator 2.5 %</i> (hydrocortisone) |                          |
| <i>selenium sulfide topical lotion 2.5 %</i>                                       |                          |
| <i>tacrolimus topical ointment 0.03 %, 0.1 %</i>                                   |                          |
| <i>tazarotene topical cream 0.1 %</i> (Tazorac)                                    | PA                       |
| <i>tazarotene topical gel 0.05 %, 0.1 %</i> (Tazorac)                              | PA                       |
| <b>TAZORAC TOPICAL CREAM 0.05 %</b>                                                | PA                       |
| <i>tretinoin topical cream 0.025 %</i> (Avita)                                     | PA                       |



| Nombre del Medicamento                                                |                 | Requerimientos / Límites |
|-----------------------------------------------------------------------|-----------------|--------------------------|
| <i>tretinoin topical cream 0.05 %, 0.1 %</i>                          | (Retin-A)       | PA                       |
| <i>tretinoin topical gel 0.01 %</i>                                   | (Retin-A)       | PA                       |
| <i>tretinoin topical gel 0.025 %</i>                                  | (Avita)         | PA                       |
| <i>tretinoin topical gel 0.05 %</i>                                   | (Atralin)       | PA                       |
| <i>triamcinolone acetonide topical cream 0.025 %</i>                  |                 |                          |
| <i>triamcinolone acetonide topical cream 0.1 %, 0.5 %</i>             | (Triderm)       |                          |
| <i>triamcinolone acetonide topical lotion 0.025 %, 0.1 %</i>          |                 |                          |
| <i>triamcinolone acetonide topical ointment 0.025 %, 0.1 %, 0.5 %</i> |                 |                          |
| <b>Agentes Dermatológicos, Otros</b>                                  |                 |                          |
| ALCOH-GLOVE TOWELETTE 70 %                                            |                 |                          |
| ALCOHOL PADS TOPICAL PADS, MEDICATED                                  | (alcohol swabs) |                          |
| ALCOHOL PREP SWABS TOPICAL PADS, MEDICATED                            | (alcohol swabs) |                          |
| ALCOHOL SWABS TOPICAL PADS, MEDICATED                                 | (Alcohol Pads)  |                          |
| ALCOHOL WIPES TOPICAL PADS, MEDICATED                                 | (alcohol swabs) |                          |
| ALCOH-WIPE TOWELETTE 70 %                                             |                 |                          |
| BD SINGLE USE SWAB                                                    | (alcohol swabs) |                          |
| <i>calcipotriene scalp solution 0.005 %</i>                           |                 |                          |
| CARETOUCH ALCOHOL 70% PREP PAD                                        | (alcohol swabs) |                          |
| <i>clotrimazole-betamethasone topical cream 1-0.05 %</i>              |                 |                          |
| <i>clotrimazole-betamethasone topical lotion 1-0.05 %</i>             |                 |                          |
| CURITY ALCOHOL PREPS 2 PLY, MEDIUM                                    | (alcohol swabs) |                          |
| <i>diclofenac sodium topical gel 3 %</i>                              |                 | PA                       |
| DROPSAFE ALCOHOL 70% PREP PADS                                        | (alcohol swabs) |                          |
| EASY COMFORT ALCOHOL 70% PAD                                          | (alcohol swabs) |                          |
| EASY TOUCH ALCOHOL 70% PADS GAMMA-STERILIZED                          | (alcohol swabs) |                          |
| <i>fluorouracil topical cream 5 %</i>                                 | (Efudex)        |                          |
| <i>fluorouracil topical solution 2 %, 5 %</i>                         |                 |                          |
| HEB INCONTROL ALCOHOL 70% PADS                                        | (alcohol swabs) |                          |
| <i>hydrocortisone-pramoxine rectal cream 1-1 %</i>                    | (Analpram-HC)   |                          |

| Nombre del Medicamento                                                     | Requerimientos / Límites |
|----------------------------------------------------------------------------|--------------------------|
| <i>imiquimod topical cream in packet 5 %</i>                               |                          |
| ISOPROPYL ALCOHOL TOPICAL SWAB<br>70 %                                     |                          |
| IV ANTISEPTIC WIPES (alcohol swabs)                                        |                          |
| KENDALL ALCOHOL 70% PREP PAD (alcohol swabs)                               |                          |
| <i>nystatin-triamcinolone topical cream<br/>100,000-0.1 unit/g-%</i>       |                          |
| <i>nystatin-triamcinolone topical ointment<br/>100,000-0.1 unit/gram-%</i> |                          |
| PANRETIN TOPICAL GEL 0.1 %                                                 | PA NSO; NM               |
| <i>podofilox topical solution 0.5 %</i>                                    |                          |
| PRO COMFORT ALCOHOL 70% PADS (alcohol swabs)                               |                          |
| PURE COMFORT ALCOHOL 70% PADS (alcohol swabs)                              |                          |
| REGRANEX TOPICAL GEL 0.01 %                                                | PA; NM                   |
| SANTYL TOPICAL OINTMENT<br>250 UNIT/GRAM                                   |                          |
| <i>silver sulfadiazine topical cream 1 % (SSD)</i>                         |                          |
| <i>ssd topical cream 1 % (silver sulfadiazine)</i>                         |                          |
| SURE COMFORT ALCOHOL PREP PADS (alcohol swabs)                             |                          |
| SURE-PREP ALCOHOL PREP PADS (alcohol swabs)                                |                          |
| TRUE COMFORT ALCOHOL 70% PADS (alcohol swabs)                              |                          |
| TRUE COMFORT PRO ALCOHOL PADS (alcohol swabs)                              |                          |
| ULTILET ALCOHOL STERIL SWAB (alcohol swabs)                                |                          |
| WEBCOL ALCOHOL PREPS 20'S, LARGE (alcohol swabs)                           |                          |
| <b>Non-FRF</b>                                                             |                          |
| <i>accutane oral capsule 30 mg (isotretinoin)</i>                          |                          |
| <i>acitretin oral capsule 22.5 mg</i>                                      | PA                       |
| <i>avita topical gel 0.025 % (tretinoin)</i>                               | PA                       |
| <i>hydrocortisone 2.5% cream</i>                                           |                          |
| <i>hydrocortisone topical lotion 2 % (Ala-Scalp)</i>                       |                          |
| <b>Pediculicidas/Escabidas</b>                                             |                          |
| <i>malathion topical lotion 0.5 % (Ovide)</i>                              |                          |
| <i>permethrin topical cream 5 % (Elimite)</i>                              |                          |
| <b>AGENTES GASTROINTESTINALES</b>                                          |                          |
| <i>alose tron oral tablet 0.5 mg, 1 mg (Lotronex)</i>                      | NM; QL (60 per 30 days)  |
| <i>constulose oral solution 10 gram/15 ml (lactulose)</i>                  |                          |
| <i>diphenoxylate-atropine oral liquid<br/>2.5-0.025 mg/5 ml</i>            |                          |

| Nombre del Medicamento                                                                        | Requerimientos / Límites |
|-----------------------------------------------------------------------------------------------|--------------------------|
| diphenoxylate-atropine oral tablet<br>2.5-0.025 mg (Lomotil)                                  |                          |
| enulose oral solution 10 gram/15 ml (lactulose)                                               |                          |
| generlac oral solution 10 gram/15 ml (lactulose)                                              |                          |
| lactulose oral solution 10 gram/15 ml (Constulose)                                            |                          |
| LINZESS ORAL CAPSULE 145 MCG,<br>290 MCG, 72 MCG                                              | QL (30 per 30 days)      |
| loperamide oral capsule 2 mg (Anti-Diarrheal<br>(loperamide))                                 |                          |
| lubiprostone oral capsule 24 mcg, 8 mcg (Amitiza)                                             | QL (60 per 30 days)      |
| MOVANTIK ORAL TABLET 12.5 MG,<br>25 MG                                                        | QL (30 per 30 days)      |
| XERMELO ORAL TABLET 250 MG                                                                    | NM; QL (90 per 30 days)  |
| <b>Agentes Gastrointestinales, Otros</b>                                                      |                          |
| BYLVAY ORAL CAPSULE 1,200 MCG,<br>400 MCG                                                     | PA; NM                   |
| BYLVAY ORAL PELLET 200 MCG,<br>600 MCG                                                        | PA; NM                   |
| CLENPIQ ORAL SOLUTION<br>10 MG-3.5 GRAM- 12 GRAM/160 ML,<br>10 MG-3.5 GRAM- 12 GRAM/175 ML    |                          |
| GATTEX 30-VIAL SUBCUTANEOUS KIT<br>5 MG                                                       | PA; NM                   |
| gavilyte-c oral recon soln<br>240-22.72-6.72 -5.84 gram (peg 3350-electrolytes)               |                          |
| gavilyte-g oral recon soln<br>236-22.74-6.74 -5.86 gram (peg 3350-electrolytes)               |                          |
| gavilyte-n oral recon soln 420 gram (peg-electrolyte soln)                                    |                          |
| LIVMARLI ORAL SOLUTION 9.5 MG/ML                                                              | PA; NM                   |
| metoclopramide hcl oral solution<br>5 mg/5 ml                                                 |                          |
| metoclopramide hcl oral tablet 10 mg,<br>5 mg (Reglan)                                        |                          |
| peg 3350-electrolytes oral recon soln<br>236-22.74-6.74 -5.86 gram (GaviLyte-G)               |                          |
| peg-electrolyte soln oral recon soln<br>420 gram (GaviLyte-N)                                 |                          |
| sodium, potassium, mag sulfates oral<br>recon soln 17.5-3.13-1.6 gram (Suprep Bowel Prep Kit) |                          |
| sodium, potassium, mag sulfates oral<br>recon soln 17.5-3.13-1.6 gram 2 pack<br>(480ml)       |                          |

| Nombre del Medicamento                                                                | Requerimientos / Límites |
|---------------------------------------------------------------------------------------|--------------------------|
| SUTAB ORAL TABLET<br>1.479-0.188- 0.225 GRAM                                          |                          |
| ursodiol oral capsule 300 mg                                                          |                          |
| ursodiol oral tablet 250 mg (URSO 250)                                                |                          |
| ursodiol oral tablet 500 mg (URSO Forte)                                              |                          |
| <b>Antagonistas De Receptores De Histamina2 (H2)</b>                                  |                          |
| famotidine oral suspension for reconstitution 40 mg/5 ml (8 mg/ml)                    |                          |
| famotidine oral tablet 20 mg (Acid Controller)                                        |                          |
| famotidine oral tablet 40 mg (Pepcid)                                                 |                          |
| nizatidine oral capsule 150 mg, 300 mg                                                |                          |
| <b>Antiespasmódicos, Gastrointestinales</b>                                           |                          |
| dicyclomine oral capsule 10 mg                                                        |                          |
| dicyclomine oral solution 10 mg/5 ml                                                  |                          |
| dicyclomine oral tablet 20 mg                                                         |                          |
| glycopyrrolate oral tablet 1 mg (Robinul)                                             |                          |
| glycopyrrolate oral tablet 2 mg (Robinul Forte)                                       |                          |
| <b>Inhibidores De Bomba De Protones</b>                                               |                          |
| dexlansoprazole oral capsule, biphas delayed release 30 mg, 60 mg (Dexilant)          |                          |
| esomeprazole magnesium oral capsule, delayed release(dr/ec) 20 mg, 40 mg (Nexium)     |                          |
| lansoprazole oral capsule, delayed release(dr/ec) 15 mg (Acid Reducer (lansoprazole)) |                          |
| lansoprazole oral capsule, delayed release(dr/ec) 30 mg (Prevacid)                    |                          |
| omeprazole oral capsule, delayed release(dr/ec) 10 mg, 20 mg, 40 mg                   |                          |
| pantoprazole oral tablet, delayed release (dr/ec) 20 mg, 40 mg (Protonix)             |                          |
| <b>Protectores</b>                                                                    |                          |
| misoprostol oral tablet 100 mcg, 200 mcg (Cytotec)                                    |                          |
| sucralfate oral suspension 100 mg/ml (Carafate)                                       |                          |
| sucralfate oral tablet 1 gram (Carafate)                                              |                          |
| <b>AGENTES GENITOURINARIOS</b>                                                        |                          |
| <b>Agentes De Hipertrofia Prostática Benigna</b>                                      |                          |
| alfuzosin oral tablet extended release 24 hr 10 mg (Uroxatral)                        | QL (30 per 30 days)      |

| Nombre del Medicamento                                                                                                                                | Requerimientos / Límites |
|-------------------------------------------------------------------------------------------------------------------------------------------------------|--------------------------|
| CARDURA XL ORAL TABLET<br>EXTENDED RELEASE 24HR 4 MG,<br>8 MG                                                                                         |                          |
| <i>dutasteride oral capsule 0.5 mg</i> (Avodart)                                                                                                      | QL (30 per 30 days)      |
| <i>dutasteride-tamsulosin oral capsule, er<br/>multiphase 24 hr 0.5-0.4 mg</i> (Jalyn)                                                                | QL (30 per 30 days)      |
| <i>finasteride oral tablet 5 mg</i> (Proscar)                                                                                                         | QL (30 per 30 days)      |
| <i>silodosin oral capsule 4 mg, 8 mg</i> (Rapaflo)                                                                                                    | QL (30 per 30 days)      |
| <i>tamsulosin oral capsule 0.4 mg</i> (Flomax)                                                                                                        | QL (60 per 30 days)      |
| <b>Agentes Genitourinarios, Otros</b>                                                                                                                 |                          |
| <i>bethanechol chloride oral tablet 10 mg,<br/>25 mg, 5 mg, 50 mg</i>                                                                                 |                          |
| ELMIRON ORAL CAPSULE 100 MG                                                                                                                           |                          |
| <i>penicillamine oral tablet 250 mg</i> (Depen Titratabs)                                                                                             | NM                       |
| <b>Antiespasmódicos, Urinario</b>                                                                                                                     |                          |
| <i>darifenacin oral tablet extended release<br/>24 hr 15 mg, 7.5 mg</i>                                                                               |                          |
| <i>fesoterodine oral tablet extended release<br/>24 hr 4 mg, 8 mg</i> (Toviaz)                                                                        | QL (30 per 30 days)      |
| MYRBETRIQ ORAL SUSPENSION,<br>EXTENDED REL RECON 8 MG/ML                                                                                              | QL (300 per 30 days)     |
| MYRBETRIQ ORAL TABLET EXTENDED<br>RELEASE 24 HR 25 MG, 50 MG (mirabegron)                                                                             | QL (30 per 30 days)      |
| <i>oxybutynin chloride oral syrup 5 mg/5 ml</i>                                                                                                       | QL (600 per 30 days)     |
| <i>oxybutynin chloride oral tablet 5 mg</i>                                                                                                           | QL (120 per 30 days)     |
| <i>oxybutynin chloride oral tablet extended<br/>release 24hr 10 mg, 15 mg, 5 mg</i>                                                                   | QL (60 per 30 days)      |
| <i>solifenacin oral tablet 10 mg, 5 mg</i> (Vesicare)                                                                                                 | QL (30 per 30 days)      |
| <i>tolterodine oral capsule, extended release<br/>24hr 2 mg, 4 mg</i> (Detrol LA)                                                                     | QL (30 per 30 days)      |
| <i>tolterodine oral tablet 1 mg, 2 mg</i> (Detrol)                                                                                                    | QL (60 per 30 days)      |
| <i>trospium oral capsule, extended release<br/>24hr 60 mg</i>                                                                                         | QL (30 per 30 days)      |
| <i>trospium oral tablet 20 mg</i>                                                                                                                     | QL (60 per 30 days)      |
| <b>AGENTES HORMONALES, ESTIMULANTE/REEMPLAZO/MODIFICADOR (TIROIDES)</b>                                                                               |                          |
| <b>Agentes Hormonales, Estimulante/Reemplazo/Modificador (Tiroides)</b>                                                                               |                          |
| <i>euthyrox oral tablet 100 mcg, 112 mcg,<br/>125 mcg, 137 mcg, 150 mcg, 175 mcg,<br/>200 mcg, 25 mcg, 50 mcg, 75 mcg,<br/>88 mcg</i> (levothyroxine) |                          |

| Nombre del Medicamento                                                                                                                |                                  | Requerimientos / Límites |
|---------------------------------------------------------------------------------------------------------------------------------------|----------------------------------|--------------------------|
| LEVO-T ORAL TABLET 100 MCG,<br>112 MCG, 125 MCG, 137 MCG,<br>150 MCG, 175 MCG, 200 MCG, 25 MCG,<br>300 MCG, 50 MCG, 75 MCG, 88 MCG    | (levothyroxine)                  |                          |
| levothyroxine oral tablet 100 mcg,<br>112 mcg, 125 mcg, 137 mcg, 150 mcg,<br>175 mcg, 200 mcg, 25 mcg, 50 mcg,<br>75 mcg, 88 mcg      | (Euthyrox)                       |                          |
| levothyroxine oral tablet 300 mcg                                                                                                     | (Levo-T)                         |                          |
| LEVOXYL ORAL TABLET 100 MCG,<br>112 MCG, 125 MCG, 137 MCG,<br>150 MCG, 175 MCG, 200 MCG, 25 MCG,<br>50 MCG, 75 MCG, 88 MCG            | (levothyroxine)                  |                          |
| liothyronine oral tablet 25 mcg, 5 mcg,<br>50 mcg                                                                                     | (Cytomel)                        |                          |
| SYNTHROID ORAL TABLET 100 MCG,<br>112 MCG, 125 MCG, 137 MCG,<br>150 MCG, 175 MCG, 200 MCG, 25 MCG,<br>300 MCG, 50 MCG, 75 MCG, 88 MCG | (levothyroxine)                  |                          |
| UNITHROID ORAL TABLET 100 MCG,<br>112 MCG, 125 MCG, 137 MCG,<br>150 MCG, 175 MCG, 200 MCG, 25 MCG,<br>300 MCG, 50 MCG, 75 MCG, 88 MCG | (levothyroxine)                  |                          |
| <b>AGENTES HORMONALES, ESTIMULANTE/REEMPLAZO/MODIFICADOR (HORMONAS SEXUALES/MODIFICADORES)</b>                                        |                                  |                          |
| <b>Agentes Hormonales, Estimulante/Reemplazo/Modificador (Hormonas Sexuales/Modificadores)</b>                                        |                                  |                          |
| afirmelle oral tablet 0.1-20 mg-mcg                                                                                                   | (levonorgestrel-ethinyl estrad)  |                          |
| altavera (28) oral tablet 0.15-0.03 mg                                                                                                | (levonorgestrel-ethinyl estrad)  |                          |
| alyacen 1/35 (28) oral tablet 1-35 mg-mcg                                                                                             | (norethindrone-ethin estradiol)  |                          |
| alyacen 7/7/7 (28) oral tablet<br>0.5/0.75/1 mg- 35 mcg                                                                               |                                  |                          |
| apri oral tablet 0.15-0.03 mg                                                                                                         | (desogestrel-ethinyl estradiol)  |                          |
| aranelle (28) oral tablet<br>0.5/1/0.5-35 mg-mcg                                                                                      |                                  |                          |
| aubra eq oral tablet 0.1-20 mg-mcg                                                                                                    | (levonorgestrel-ethinyl estrad)  |                          |
| aurovela 1.5/30 (21) oral tablet<br>1.5-30 mg-mcg                                                                                     | (norethindrone ac-eth estradiol) |                          |

| Nombre del Medicamento                                                    |                                       | Requerimientos / Límites |
|---------------------------------------------------------------------------|---------------------------------------|--------------------------|
| aurovela 1/20 (21) oral tablet<br>1-20 mg-mcg                             | (norethindrone ac-eth<br>estradiol)   |                          |
| aurovela fe 1.5/30 (28) oral tablet<br>1.5 mg-30 mcg (21)/75 mg (7)       | (norethindrone-e.estradi<br>ol-iron)  |                          |
| aurovela fe 1-20 (28) oral tablet<br>1 mg-20 mcg (21)/75 mg (7)           | (norethindrone-e.estradi<br>ol-iron)  |                          |
| aviane oral tablet 0.1-20 mg-mcg                                          | (levonorgestrel-ethinyl<br>estradiol) |                          |
| ayuna oral tablet 0.15-0.03 mg                                            | (levonorgestrel-ethinyl<br>estradiol) |                          |
| azurette (28) oral tablet 0.15-0.02 mgx21<br>/0.01 mg x 5                 | (desog-e.estradiol/e.estr<br>adiol)   |                          |
| balziva (28) oral tablet 0.4-35 mg-mcg                                    |                                       |                          |
| blisovi fe 1.5/30 (28) oral tablet<br>1.5 mg-30 mcg (21)/75 mg (7)        | (norethindrone-e.estradi<br>ol-iron)  |                          |
| blisovi fe 1/20 (28) oral tablet<br>1 mg-20 mcg (21)/75 mg (7)            | (norethindrone-e.estradi<br>ol-iron)  |                          |
| brielllyn oral tablet 0.4-35 mg-mcg                                       |                                       |                          |
| caziant (28) oral tablet<br>0.1/.125/.15-25 mg-mcg                        |                                       |                          |
| chateal eq (28) oral tablet 0.15-0.03 mg                                  | (levonorgestrel-ethinyl<br>estradiol) |                          |
| cryselle (28) oral tablet 0.3-30 mg-mcg                                   | (norgestrel-ethinyl<br>estradiol)     |                          |
| cyred eq oral tablet 0.15-0.03 mg                                         | (desogestrel-ethinyl<br>estradiol)    |                          |
| dasetta 1/35 (28) oral tablet 1-35 mg-mcg                                 | (norethindrone-ethin<br>estradiol)    |                          |
| dasetta 7/7/7 (28) oral tablet<br>0.5/0.75/1 mg- 35 mcg                   |                                       |                          |
| desog-e.estradiol/e.estradiol oral tablet<br>0.15-0.02 mgx21 /0.01 mg x 5 | (Azurette (28))                       |                          |
| desogestrel-ethinyl estradiol oral tablet<br>0.15-0.03 mg                 | (Apri)                                |                          |
| drosiprenone-ethinyl estradiol oral tablet<br>3-0.02 mg                   | (Jasmiel (28))                        |                          |
| drosiprenone-ethinyl estradiol oral tablet<br>3-0.03 mg                   | (Ocella)                              |                          |
| elinest oral tablet 0.3-30 mg-mcg                                         | (norgestrel-ethinyl<br>estradiol)     |                          |
| eluryng vaginal ring 0.12-0.015 mg/24 hr                                  | (etonogestrel-ethinyl<br>estradiol)   |                          |
| enilloring vaginal ring 0.12-0.015 mg/24 hr                               | (etonogestrel-ethinyl<br>estradiol)   |                          |

| Nombre del Medicamento                                          |                                  | Requerimientos / Límites |
|-----------------------------------------------------------------|----------------------------------|--------------------------|
| enpresse oral tablet 50-30 (6)/75-40 (5)/125-30(10)             | (levonorg-eth estrad triphasic)  |                          |
| enskyce oral tablet 0.15-0.03 mg                                | (desogestrel-ethinyl estradiol)  |                          |
| estarylla oral tablet 0.25-35 mg-mcg                            | (norgestimate-ethinyl estradiol) |                          |
| ethynodiol diac-eth estradiol oral tablet 1-35 mg-mcg           | (Kelnor 1/35 (28))               |                          |
| ethynodiol diac-eth estradiol oral tablet 1-50 mg-mcg           | (Kelnor 1-50 (28))               |                          |
| etonogestrel-ethinyl estradiol vaginal ring 0.12-0.015 mg/24 hr | (EluRyng)                        |                          |
| falmina (28) oral tablet 0.1-20 mg-mcg                          | (levonorgestrel-ethinyl estrad)  |                          |
| hailey fe 1.5/30 (28) oral tablet 1.5 mg-30 mcg (21)/75 mg (7)  | (norethindrone-e.estradiol-iron) |                          |
| hailey fe 1/20 (28) oral tablet 1 mg-20 mcg (21)/75 mg (7)      | (norethindrone-e.estradiol-iron) |                          |
| hailey oral tablet 1.5-30 mg-mcg                                | (norethindrone ac-eth estradiol) |                          |
| haloette vaginal ring 0.12-0.015 mg/24 hr                       | (etonogestrel-ethinyl estradiol) |                          |
| iclevia oral tablets, dose pack,3 month 0.15 mg-30 mcg (91)     | (levonorgestrel-ethinyl estrad)  |                          |
| INTRAROSA VAGINAL INSERT 6.5 MG                                 |                                  | PA                       |
| isibloom oral tablet 0.15-0.03 mg                               | (desogestrel-ethinyl estradiol)  |                          |
| jasmiel (28) oral tablet 3-0.02 mg                              | (drospirenone-ethinyl estradiol) |                          |
| jolessa oral tablets, dose pack,3 month 0.15 mg-30 mcg (91)     | (levonorgestrel-ethinyl estrad)  |                          |
| juleber oral tablet 0.15-0.03 mg                                | (desogestrel-ethinyl estradiol)  |                          |
| junal 1.5/30 (21) oral tablet 1.5-30 mg-mcg                     | (norethindrone ac-eth estradiol) |                          |
| junal 1/20 (21) oral tablet 1-20 mg-mcg                         | (norethindrone ac-eth estradiol) |                          |
| junal fe 1.5/30 (28) oral tablet 1.5 mg-30 mcg (21)/75 mg (7)   | (norethindrone-e.estradiol-iron) |                          |
| junal fe 1/20 (28) oral tablet 1 mg-20 mcg (21)/75 mg (7)       | (norethindrone-e.estradiol-iron) |                          |
| kalliga oral tablet 0.15-0.03 mg                                | (desogestrel-ethinyl estradiol)  |                          |



| Nombre del Medicamento                                                            |                                  | Requerimientos / Límites |
|-----------------------------------------------------------------------------------|----------------------------------|--------------------------|
| kariva (28) oral tablet 0.15-0.02 mgx21 /0.01 mg x 5                              | (desog-e.estradiol/e.estradiol)  |                          |
| kelnor 1/35 (28) oral tablet 1-35 mg-mcg                                          | (ethynodiol diac-eth estradiol)  |                          |
| kelnor 1-50 (28) oral tablet 1-50 mg-mcg                                          | (ethynodiol diac-eth estradiol)  |                          |
| kurvelo (28) oral tablet 0.15-0.03 mg                                             | (levonorgestrel-ethinyl estrad)  |                          |
| larin 1.5/30 (21) oral tablet 1.5-30 mg-mcg                                       | (norethindrone ac-eth estradiol) |                          |
| larin 1/20 (21) oral tablet 1-20 mg-mcg                                           | (norethindrone ac-eth estradiol) |                          |
| larin fe 1.5/30 (28) oral tablet 1.5 mg-30 mcg (21)/75 mg (7)                     | (norethindrone-e.estradiol-iron) |                          |
| larin fe 1/20 (28) oral tablet 1 mg-20 mcg (21)/75 mg (7)                         | (norethindrone-e.estradiol-iron) |                          |
| leena 28 oral tablet 0.5/1/0.5-35 mg-mcg                                          |                                  |                          |
| lessina oral tablet 0.1-20 mg-mcg                                                 | (levonorgestrel-ethinyl estrad)  |                          |
| levonest (28) oral tablet 50-30 (6)/75-40 (5)/125-30(10)                          | (levonorg-eth estrad triphasic)  |                          |
| levonorgestrel-ethinyl estrad oral tablet 0.1-20 mg-mcg                           | (Afirmelle)                      |                          |
| levonorgestrel-ethinyl estrad oral tablet 0.15-0.03 mg                            | (Altavera (28))                  |                          |
| levonorgestrel-ethinyl estrad oral tablets, dose pack,3 month 0.15 mg-30 mcg (91) | (Iclevia)                        |                          |
| levonorg-eth estrad triphasic oral tablet 50-30 (6)/75-40 (5)/125-30(10)          | (Enpresse)                       |                          |
| levora-28 oral tablet 0.15-0.03 mg                                                | (levonorgestrel-ethinyl estrad)  |                          |
| loryna (28) oral tablet 3-0.02 mg                                                 | (drospirenone-ethinyl estradiol) |                          |
| low-ogestrel (28) oral tablet 0.3-30 mg-mcg                                       | (norgestrel-ethinyl estradiol)   |                          |
| lo-zumandimine (28) oral tablet 3-0.02 mg                                         | (drospirenone-ethinyl estradiol) |                          |
| lutra (28) oral tablet 0.1-20 mg-mcg                                              | (levonorgestrel-ethinyl estrad)  |                          |
| marlissa (28) oral tablet 0.15-0.03 mg                                            | (levonorgestrel-ethinyl estrad)  |                          |
| microgestin 1.5/30 (21) oral tablet 1.5-30 mg-mcg                                 | (norethindrone ac-eth estradiol) |                          |

| Nombre del Medicamento                                                       |                                      | Requerimientos / Límites |
|------------------------------------------------------------------------------|--------------------------------------|--------------------------|
| microgestin 1/20 (21) oral tablet<br>1-20 mg-mcg                             | (norethindrone ac-eth<br>estradiol)  |                          |
| microgestin fe 1.5/30 (28) oral tablet<br>1.5 mg-30 mcg (21)/75 mg (7)       | (norethindrone-e.estradi<br>ol-iron) |                          |
| microgestin fe 1/20 (28) oral tablet<br>1 mg-20 mcg (21)/75 mg (7)           | (norethindrone-e.estradi<br>ol-iron) |                          |
| mili oral tablet 0.25-35 mg-mcg                                              | (norgestimate-ethinyl<br>estradiol)  |                          |
| mono-lynyah oral tablet 0.25-35 mg-mcg                                       | (norgestimate-ethinyl<br>estradiol)  |                          |
| necon 0.5/35 (28) oral tablet<br>0.5-35 mg-mcg                               |                                      |                          |
| nikki (28) oral tablet 3-0.02 mg                                             | (drospirenone-ethinyl<br>estradiol)  |                          |
| norethindrone ac-eth estradiol oral tablet<br>1.5-30 mg-mcg                  | (Aurovela 1.5/30 (21))               |                          |
| norethindrone ac-eth estradiol oral tablet<br>1-20 mg-mcg                    | (Aurovela 1/20 (21))                 |                          |
| norethindrone ac-eth estradiol oral tablet<br>1-5 mg-mcg                     | (Fyavolv)                            |                          |
| norethindrone-e.estradiol-iron oral tablet<br>1 mg-20 mcg (21)/75 mg (7)     | (Aurovela Fe 1-20 (28))              |                          |
| norethindrone-e.estradiol-iron oral tablet<br>1.5 mg-30 mcg (21)/75 mg (7)   | (Aurovela Fe 1.5/30<br>(28))         |                          |
| norgestimate-ethinyl estradiol oral tablet<br>0.18/0.215/0.25 mg-35 mcg (28) | (Tri-Estarylla)                      |                          |
| norgestimate-ethinyl estradiol oral tablet<br>0.25-35 mg-mcg                 | (Estarylla)                          |                          |
| nortrel 0.5/35 (28) oral tablet<br>0.5-35 mg-mcg                             |                                      |                          |
| nortrel 1/35 (21) oral tablet 1-35 mg-mcg<br>(21)                            |                                      |                          |
| nortrel 1/35 (28) oral tablet 1-35 mg-mcg                                    | (norethindrone-ethin<br>estradiol)   |                          |
| nortrel 7/7/7 (28) oral tablet<br>0.5/0.75/1 mg- 35 mcg                      |                                      |                          |
| nylia 1/35 (28) oral tablet 1-35 mg-mcg                                      | (norethindrone-ethin<br>estradiol)   |                          |
| nylia 7/7/7 (28) oral tablet<br>0.5/0.75/1 mg- 35 mcg                        |                                      |                          |
| nymyo oral tablet 0.25-35 mg-mcg                                             | (norgestimate-ethinyl<br>estradiol)  |                          |
| ocella oral tablet 3-0.03 mg                                                 | (drospirenone-ethinyl<br>estradiol)  |                          |

| Nombre del Medicamento                                                |                                         | Requerimientos / Límites |
|-----------------------------------------------------------------------|-----------------------------------------|--------------------------|
| OSPHENA ORAL TABLET 60 MG                                             |                                         | PA                       |
| <i>philith oral tablet 0.4-35 mg-mcg</i>                              |                                         |                          |
| <i>pimtree (28) oral tablet 0.15-0.02 mgx21 /0.01 mg x 5</i>          | <i>(desog-e.estradiol/e.estradiol)</i>  |                          |
| <i>pirmella oral tablet 0.5/0.75/1 mg- 35 mcg</i>                     |                                         |                          |
| <i>pirmella oral tablet 1-35 mg-mcg</i>                               | <i>(norethindrone-ethin estradiol)</i>  |                          |
| <i>portia 28 oral tablet 0.15-0.03 mg</i>                             | <i>(levonorgestrel-ethinyl estrad)</i>  |                          |
| PREMPHASE ORAL TABLET 0.625 MG (14)/ 0.625MG-5MG(14)                  |                                         |                          |
| PREMPRO ORAL TABLET 0.3-1.5 MG, 0.45-1.5 MG, 0.625-2.5 MG, 0.625-5 MG |                                         |                          |
| <i>reclipsen (28) oral tablet 0.15-0.03 mg</i>                        | <i>(desogestrel-ethinyl estradiol)</i>  |                          |
| <i>setlakin oral tablets, dose pack,3 month 0.15 mg-30 mcg (91)</i>   | <i>(levonorgestrel-ethinyl estrad)</i>  |                          |
| <i>simliya (28) oral tablet 0.15-0.02 mgx21 /0.01 mg x 5</i>          | <i>(desog-e.estradiol/e.estradiol)</i>  |                          |
| <i>sprintec (28) oral tablet 0.25-35 mg-mcg</i>                       | <i>(norgestimate-ethinyl estradiol)</i> |                          |
| <i>sronyx oral tablet 0.1-20 mg-mcg</i>                               | <i>(levonorgestrel-ethinyl estrad)</i>  |                          |
| <i>syeda oral tablet 3-0.03 mg</i>                                    | <i>(drospirenone-ethinyl estradiol)</i> |                          |
| <i>tarina fe 1-20 eq (28) oral tablet 1 mg-20 mcg (21)/75 mg (7)</i>  | <i>(norethindrone-e.estradiol-iron)</i> |                          |
| <i>tri-estarylla oral tablet 0.18/0.215/0.25 mg-35 mcg (28)</i>       | <i>(norgestimate-ethinyl estradiol)</i> |                          |
| <i>tri-linyah oral tablet 0.18/0.215/0.25 mg-35 mcg (28)</i>          | <i>(norgestimate-ethinyl estradiol)</i> |                          |
| <i>tri-mili oral tablet 0.18/0.215/0.25 mg-35 mcg (28)</i>            | <i>(norgestimate-ethinyl estradiol)</i> |                          |
| <i>tri-nymyo oral tablet 0.18/0.215/0.25 mg-35 mcg (28)</i>           | <i>(norgestimate-ethinyl estradiol)</i> |                          |
| <i>tri-sprintec (28) oral tablet 0.18/0.215/0.25 mg-35 mcg (28)</i>   | <i>(norgestimate-ethinyl estradiol)</i> |                          |
| <i>trivora (28) oral tablet 50-30 (6)/75-40 (5)/125-30(10)</i>        | <i>(levonorg-eth estrad triphasic)</i>  |                          |
| <i>tri-vylibra oral tablet 0.18/0.215/0.25 mg-35 mcg (28)</i>         | <i>(norgestimate-ethinyl estradiol)</i> |                          |
| <i>turqoz (28) oral tablet 0.3-30 mg-mcg</i>                          | <i>(norgestrel-ethinyl estradiol)</i>   |                          |

| Nombre del Medicamento                                                                                                                             |                                       | Requerimientos / Límites |
|----------------------------------------------------------------------------------------------------------------------------------------------------|---------------------------------------|--------------------------|
| velivet triphasic regimen (28) oral tablet<br>0.1/.125/.15-25 mg-mcg                                                                               |                                       |                          |
| vestura (28) oral tablet 3-0.02 mg                                                                                                                 | (drospirenone-ethinyl<br>estradiol)   |                          |
| vienva oral tablet 0.1-20 mg-mcg                                                                                                                   | (levonorgestrel-ethinyl<br>estradiol) |                          |
| violele (28) oral tablet 0.15-0.02 mgx21<br>/0.01 mg x 5                                                                                           | (desog-e.estradiol/e.estr<br>adiol)   |                          |
| volnea (28) oral tablet 0.15-0.02 mgx21<br>/0.01 mg x 5                                                                                            | (desog-e.estradiol/e.estr<br>adiol)   |                          |
| vyfemla (28) oral tablet 0.4-35 mg-mcg                                                                                                             |                                       |                          |
| vylibra oral tablet 0.25-35 mg-mcg                                                                                                                 | (norgestimate-ethinyl<br>estradiol)   |                          |
| wera (28) oral tablet 0.5-35 mg-mcg                                                                                                                |                                       |                          |
| zarah oral tablet 3-0.03 mg                                                                                                                        | (drospirenone-ethinyl<br>estradiol)   |                          |
| zovia 1-35 (28) oral tablet 1-35 mg-mcg                                                                                                            | (ethynodiol diac-eth<br>estradiol)    |                          |
| zumandimine (28) oral tablet 3-0.03 mg                                                                                                             | (drospirenone-ethinyl<br>estradiol)   |                          |
| <b>Andrógenos</b>                                                                                                                                  |                                       |                          |
| danazol oral capsule 100 mg, 200 mg,<br>50 mg                                                                                                      |                                       |                          |
| testosterone cypionate intramuscular oil<br>100 mg/ml, 200 mg/ml                                                                                   | (Depo-Testosterone)                   |                          |
| testosterone cypionate intramuscular oil<br>200 mg/ml (1 ml)                                                                                       |                                       |                          |
| testosterone enanthate intramuscular oil<br>200 mg/ml                                                                                              |                                       |                          |
| testosterone transdermal gel in<br>metered-dose pump 10 mg/0.5 gram<br>/actuation                                                                  |                                       |                          |
| testosterone transdermal gel in<br>metered-dose pump 12.5 mg/ 1.25 gram<br>(1 %)                                                                   | (Vogelxo)                             |                          |
| testosterone transdermal gel in<br>metered-dose pump 20.25 mg/1.25 gram<br>(1.62 %)                                                                | (AndroGel)                            |                          |
| testosterone transdermal gel in packet<br>1 % (25 mg/2.5gram), 1 %<br>(50 mg/5 gram), 1.62 %<br>(20.25 mg/1.25 gram), 1.62 %<br>(40.5 mg/2.5 gram) | (AndroGel)                            |                          |

| Nombre del Medicamento                                                                                                                   | Requerimientos / Límites |
|------------------------------------------------------------------------------------------------------------------------------------------|--------------------------|
| testosterone transdermal solution in metered pump w/app 30 mg/actuation (1.5 ml)                                                         |                          |
| <b>Estrógenos</b>                                                                                                                        |                          |
| DUAVEE ORAL TABLET 0.45-20 MG                                                                                                            |                          |
| estradiol oral tablet 0.5 mg, 1 mg, 2 mg (Estrace)                                                                                       |                          |
| estradiol transdermal patch semiweekly 0.025 mg/24 hr, 0.0375 mg/24 hr, 0.05 mg/24 hr, 0.075 mg/24 hr, 0.1 mg/24 hr (Dotti)              |                          |
| estradiol transdermal patch weekly 0.025 mg/24 hr, 0.0375 mg/24 hr, 0.05 mg/24 hr, 0.06 mg/24 hr, 0.075 mg/24 hr, 0.1 mg/24 hr (Climara) |                          |
| estradiol vaginal cream 0.01 % (0.1 mg/gram) (Estrace)                                                                                   |                          |
| estradiol vaginal tablet 10 mcg (Vagifem)                                                                                                |                          |
| IMVEXXY MAINTENANCE PACK VAGINAL INSERT 10 MCG, 4 MCG                                                                                    |                          |
| IMVEXXY STARTER PACK VAGINAL INSERT, DOSE PACK 10 MCG, 4 MCG                                                                             |                          |
| MENEST ORAL TABLET 0.3 MG, 0.625 MG, 1.25 MG, 2.5 MG                                                                                     |                          |
| PREMARIN ORAL TABLET 0.3 MG, 0.45 MG, 0.9 MG                                                                                             |                          |
| PREMARIN ORAL TABLET 0.625 MG, 1.25 MG (conjugated estrogens)                                                                            |                          |
| PREMARIN VAGINAL CREAM 0.625 MG/GRAM                                                                                                     |                          |
| <b>Progestinas</b>                                                                                                                       |                          |
| camila oral tablet 0.35 mg (norethindrone (contraceptive))                                                                               |                          |
| deblitane oral tablet 0.35 mg (norethindrone (contraceptive))                                                                            |                          |
| DEPO-SUBQ PROVERA 104 SUBCUTANEOUS SYRINGE 104 MG/0.65 ML                                                                                |                          |
| errin oral tablet 0.35 mg (norethindrone (contraceptive))                                                                                |                          |
| heather oral tablet 0.35 mg (norethindrone (contraceptive))                                                                              |                          |
| incassia oral tablet 0.35 mg (norethindrone (contraceptive))                                                                             |                          |

| Nombre del Medicamento                                                                   |                                    | Requerimientos / Límites |
|------------------------------------------------------------------------------------------|------------------------------------|--------------------------|
| jencycla oral tablet 0.35 mg                                                             | (norethindrone<br>(contraceptive)) |                          |
| lyleq oral tablet 0.35 mg                                                                | (norethindrone<br>(contraceptive)) |                          |
| lyza oral tablet 0.35 mg                                                                 | (norethindrone<br>(contraceptive)) |                          |
| medroxyprogesterone intramuscular<br>suspension 150 mg/ml                                | (Depo-Provera)                     |                          |
| medroxyprogesterone intramuscular<br>syringe 150 mg/ml                                   | (Depo-Provera)                     |                          |
| medroxyprogesterone oral tablet 10 mg,<br>2.5 mg, 5 mg                                   | (Provera)                          |                          |
| megestrol oral suspension 400 mg/10 ml<br>(40 mg/ml), 625 mg/5 ml (125 mg/ml)            |                                    |                          |
| megestrol oral tablet 20 mg, 40 mg                                                       |                                    |                          |
| nora-be oral tablet 0.35 mg                                                              | (norethindrone<br>(contraceptive)) |                          |
| norethindrone (contraceptive) oral tablet<br>0.35 mg                                     | (Camila)                           |                          |
| norethindrone acetate oral tablet 5 mg                                                   |                                    |                          |
| progesterone micronized oral capsule<br>100 mg, 200 mg                                   | (Prometrium)                       |                          |
| sharobel oral tablet 0.35 mg                                                             | (norethindrone<br>(contraceptive)) |                          |
| tulana oral tablet 0.35 mg                                                               | (norethindrone<br>(contraceptive)) |                          |
| <b>AGENTES HORMONALES, ESTIMULANTE/REEMPLAZO/MODIFICADOR (PITUITARIO)</b>                |                                    |                          |
| <b>Agentes Hormonales, Estimulante/Reemplazo/Modificador (Pituitario)</b>                |                                    |                          |
| desmopressin 10 mcg/0.1 ml spr<br>10 mcg/spray (0.1 ml)                                  |                                    |                          |
| desmopressin nasal spray, non-aerosol<br>10 mcg/spray (0.1 ml)                           |                                    |                          |
| desmopressin oral tablet 0.1 mg, 0.2 mg                                                  | (DDAVP)                            |                          |
| INCRELEX SUBCUTANEOUS<br>SOLUTION 10 MG/ML                                               |                                    | PA; NM                   |
| NOC DURNA (MEN) SUBLINGUAL<br>TABLET, DISINTEGRATING 55.3 MCG                            |                                    |                          |
| NOC DURNA (WOMEN) SUBLINGUAL<br>TABLET, DISINTEGRATING 27.7 MCG                          |                                    |                          |
| OMNITROPE SUBCUTANEOUS<br>CARTRIDGE 10 MG/1.5 ML (6.7 MG/ML),<br>5 MG/1.5 ML (3.3 MG/ML) |                                    | PA; NM                   |

| Nombre del Medicamento                                                                      | Requerimientos / Límites     |
|---------------------------------------------------------------------------------------------|------------------------------|
| OMNITROPE SUBCUTANEOUS RECON SOLN 5.8 MG                                                    | PA; NM                       |
| <b>AGENTES HORMONALES, ESTIMULANTE/REEMPLAZO/MODIFICADOR (SUPRARRENAL)</b>                  |                              |
| <b>Agentes Hormonales, Estimulante/Reemplazo/Modificador (Suprarrenal)</b>                  |                              |
| dexamethasone oral solution 0.5 mg/5 ml                                                     |                              |
| dexamethasone oral tablet 0.5 mg, 0.75 mg, 1 mg, 1.5 mg, 2 mg, 4 mg, 6 mg                   |                              |
| fludrocortisone oral tablet 0.1 mg                                                          |                              |
| hydrocortisone oral tablet 10 mg, 20 mg, 5 mg (Cortef)                                      |                              |
| ISTURISA ORAL TABLET 1 MG                                                                   | PA; NM; QL (240 per 30 days) |
| ISTURISA ORAL TABLET 10 MG                                                                  | PA; NM; QL (180 per 30 days) |
| ISTURISA ORAL TABLET 5 MG                                                                   | PA; NM; QL (120 per 30 days) |
| methylprednisolone oral tablet 16 mg, 4 mg, 8 mg (Medrol)                                   |                              |
| methylprednisolone oral tablet 32 mg                                                        |                              |
| methylprednisolone oral tablets, dose pack 4 mg (Medrol (Pak))                              |                              |
| prednisolone 15 mg/5 ml soln d/f 15 mg/5 ml (3 mg/ml)                                       | PA BvD                       |
| prednisolone oral solution 15 mg/5 ml                                                       | PA BvD                       |
| prednisolone sodium phosphate oral solution 10 mg/5 ml, 25 mg/5 ml (5 mg/ml)                | PA BvD                       |
| prednisolone sodium phosphate oral solution 20 mg/5 ml (4 mg/ml) (Veripred 20)              | PA BvD                       |
| prednisolone sodium phosphate oral solution 5 mg base/5 ml (6.7 mg/5 ml) (Pediapred)        | PA BvD                       |
| prednisolone sodium phosphate oral tablet, disintegrating 10 mg, 15 mg, 30 mg (Orapred ODT) | PA BvD                       |
| PREDNISONE INTENSOL ORAL CONCENTRATE 5 MG/ML                                                | PA BvD                       |
| prednisone oral solution 5 mg/5 ml                                                          | PA BvD                       |
| prednisone oral tablet 1 mg, 10 mg, 2.5 mg, 20 mg, 5 mg, 50 mg                              | PA BvD                       |
| prednisone oral tablets, dose pack 10 mg, 10 mg (48 pack), 5 mg, 5 mg (48 pack)             |                              |
| <b>AGENTES HORMONALES, SUPRESORES (PITUITARIO)</b>                                          |                              |
| <b>Agentes Hormonales, Supresores (Pituitario)</b>                                          |                              |
| cabergoline oral tablet 0.5 mg                                                              |                              |
| ELIGARD (3 MONTH) SUBCUTANEOUS SYRINGE 22.5 MG                                              | PA NSO                       |

| Nombre del Medicamento                                                              | Requerimientos / Límites    |
|-------------------------------------------------------------------------------------|-----------------------------|
| ELIGARD (4 MONTH) SUBCUTANEOUS SYRINGE 30 MG                                        | PA NSO                      |
| ELIGARD (6 MONTH) SUBCUTANEOUS SYRINGE 45 MG                                        | PA NSO                      |
| ELIGARD SUBCUTANEOUS SYRINGE 7.5 MG (1 MONTH)                                       | PA NSO                      |
| FIRMAGON KIT W DILUENT SYRINGE SUBCUTANEOUS RECON SOLN 120 MG                       | PA NSO; NM                  |
| FIRMAGON KIT W DILUENT SYRINGE SUBCUTANEOUS RECON SOLN 80 MG                        | PA NSO                      |
| <i>leuprolide (3 month) intramuscular suspension for reconstitution 22.5 mg</i>     | PA NSO                      |
| <i>leuprolide subcutaneous kit 1 mg/0.2 ml</i>                                      | PA NSO                      |
| LUPRON DEPOT (3 MONTH) INTRAMUSCULAR SYRINGE KIT 11.25 MG, 22.5 MG                  | PA NSO; NM                  |
| LUPRON DEPOT (4 MONTH) INTRAMUSCULAR SYRINGE KIT 30 MG                              | PA NSO; NM                  |
| LUPRON DEPOT (6 MONTH) INTRAMUSCULAR SYRINGE KIT 45 MG                              | PA NSO; NM                  |
| LUPRON DEPOT INTRAMUSCULAR SYRINGE KIT 3.75 MG, 7.5 MG                              | PA NSO; NM                  |
| LUPRON DEPOT-PED (3 MONTH) INTRAMUSCULAR SYRINGE KIT 11.25 MG, 30 MG                | PA NSO; NM                  |
| LUPRON DEPOT-PED INTRAMUSCULAR KIT 11.25 MG, 15 MG, 7.5 MG (PED)                    | PA NSO; NM                  |
| LUPRON DEPOT-PED INTRAMUSCULAR SYRINGE KIT 45 MG                                    | PA NSO; NM                  |
| <i>octreotide acetate injection solution 1,000 mcg/ml</i>                           | PA; NM                      |
| <i>octreotide acetate injection solution 100 mcg/ml, 50 mcg/ml</i> (Sandostatin)    | PA                          |
| <i>octreotide acetate injection solution 200 mcg/ml</i>                             | PA                          |
| <i>octreotide acetate injection solution 500 mcg/ml</i> (Sandostatin)               | PA; NM                      |
| SIGNIFOR SUBCUTANEOUS SOLUTION 0.3 MG/ML (1 ML), 0.6 MG/ML (1 ML), 0.9 MG/ML (1 ML) | PA; NM; QL (60 per 30 days) |
| SOMAVERT SUBCUTANEOUS RECON SOLN 10 MG, 15 MG, 20 MG, 25 MG, 30 MG                  | PA; NM; QL (60 per 30 days) |



| Nombre del Medicamento                                                                | Requerimientos / Límites |
|---------------------------------------------------------------------------------------|--------------------------|
| SYNAREL NASAL SPRAY,<br>NON-AEROSOL 2 MG/ML                                           | PA; NM                   |
| TRELSTAR INTRAMUSCULAR<br>SUSPENSION FOR RECONSTITUTION<br>11.25 MG, 22.5 MG, 3.75 MG | PA NSO                   |
| <b>AGENTES HORMONALES, SUPRESORES (TIROIDES)</b>                                      |                          |
| <b>Agentes Antitiroideos</b>                                                          |                          |
| <i>methimazole oral tablet 10 mg, 5 mg</i>                                            |                          |
| <i>propylthiouracil oral tablet 50 mg</i>                                             |                          |
| <b>AGENTES INMUNOLÓGICOS</b>                                                          |                          |
| ACTIMMUNE SUBCUTANEOUS<br>SOLUTION 100 MCG/0.5 ML                                     | PA NSO; NM               |
| ARCALYST SUBCUTANEOUS RECON<br>SOLN 220 MG                                            | PA; NM                   |
| <i>azathioprine oral tablet 100 mg, 75 mg</i> (Azasan)                                | PA BvD                   |
| <i>azathioprine oral tablet 50 mg</i> (Imuran)                                        | PA BvD                   |
| BENLYSTA SUBCUTANEOUS<br>AUTO-INJECTOR 200 MG/ML                                      | PA; NM                   |
| BENLYSTA SUBCUTANEOUS SYRINGE<br>200 MG/ML                                            | PA; NM                   |
| BESREMI SUBCUTANEOUS SYRINGE<br>500 MCG/ML                                            | PA NSO; NM               |
| COSENTYX (2 SYRINGES)<br>SUBCUTANEOUS SYRINGE 150 MG/ML                               | PA; NM                   |
| COSENTYX PEN (2 PENS)<br>SUBCUTANEOUS PEN INJECTOR<br>150 MG/ML                       | PA; NM                   |
| COSENTYX SUBCUTANEOUS<br>SYRINGE 75 MG/0.5 ML                                         | PA; NM                   |
| COSENTYX UNOREADY PEN<br>SUBCUTANEOUS PEN INJECTOR<br>300 MG/2 ML (150 MG/ML)         | PA; NM                   |
| <i>cyclosporine modified oral capsule<br/>100 mg, 25 mg</i> (Gengraf)                 | PA BvD                   |
| <i>cyclosporine modified oral capsule 50 mg</i>                                       | PA BvD                   |
| <i>cyclosporine modified oral solution<br/>100 mg/ml</i> (Gengraf)                    | PA BvD                   |
| <i>cyclosporine oral capsule 100 mg, 25 mg</i> (Sandimmune)                           | PA BvD                   |
| DUPIXENT PEN SUBCUTANEOUS PEN<br>INJECTOR 200 MG/1.14 ML,<br>300 MG/2 ML              | PA; NM                   |

| Nombre del Medicamento                                                                       | Requerimientos / Límites                 |
|----------------------------------------------------------------------------------------------|------------------------------------------|
| DUPIXENT SYRINGE SUBCUTANEOUS<br>SYRINGE 100 MG/0.67 ML,<br>200 MG/1.14 ML, 300 MG/2 ML      | PA; NM                                   |
| ENBREL MINI SUBCUTANEOUS<br>CARTRIDGE 50 MG/ML (1 ML)                                        | PA; NM                                   |
| ENBREL SUBCUTANEOUS SOLUTION<br>25 MG/0.5 ML                                                 | PA; NM                                   |
| ENBREL SUBCUTANEOUS SYRINGE<br>25 MG/0.5 ML (0.5), 50 MG/ML (1 ML)                           | PA; NM                                   |
| ENBREL SURECLICK SUBCUTANEOUS<br>PEN INJECTOR 50 MG/ML (1 ML)                                | PA; NM                                   |
| ENSPRYNG SUBCUTANEOUS<br>SYRINGE 120 MG/ML                                                   | PA NSO; NM                               |
| ENVARSUS XR ORAL TABLET<br>EXTENDED RELEASE 24 HR 0.75 MG,<br>1 MG, 4 MG                     | PA BvD                                   |
| <i>everolimus (immunosuppressive) oral<br/>tablet 0.25 mg, 0.75 mg, 1 mg</i> (Zortress)      | PA BvD; NM; QL (60 per 30 days)          |
| <i>everolimus (immunosuppressive) oral<br/>tablet 0.5 mg</i> (Zortress)                      | PA BvD; NM; QL (120 per 30 days)         |
| <i>gengraf oral capsule 100 mg, 25 mg</i> (cyclosporine modified)                            | PA BvD                                   |
| <i>gengraf oral solution 100 mg/ml</i> (cyclosporine modified)                               | PA BvD                                   |
| HUMIRA PEN SUBCUTANEOUS PEN<br>INJECTOR KIT 40 MG/0.8 ML                                     | PA; NM; Only NDCs starting with<br>00074 |
| HUMIRA SUBCUTANEOUS SYRINGE<br>KIT 40 MG/0.8 ML                                              | PA; NM; Only NDCs starting with<br>00074 |
| HUMIRA(CF) PEN CROHNS-UC-HS<br>SUBCUTANEOUS PEN INJECTOR KIT<br>80 MG/0.8 ML                 | PA; NM; Only NDCs starting with<br>00074 |
| HUMIRA(CF) PEN PEDIATRIC UC<br>SUBCUTANEOUS PEN INJECTOR KIT<br>80 MG/0.8 ML                 | PA; NM; Only NDCs starting with<br>00074 |
| HUMIRA(CF) PEN PSOR-UV-ADOL HS<br>SUBCUTANEOUS PEN INJECTOR KIT<br>80 MG/0.8 ML-40 MG/0.4 ML | PA; NM; Only NDCs starting with<br>00074 |
| HUMIRA(CF) PEN SUBCUTANEOUS<br>PEN INJECTOR KIT 40 MG/0.4 ML,<br>80 MG/0.8 ML                | PA; NM; Only NDCs starting with<br>00074 |
| HUMIRA(CF) SUBCUTANEOUS<br>SYRINGE KIT 10 MG/0.1 ML,<br>20 MG/0.2 ML, 40 MG/0.4 ML           | PA; NM; Only NDCs starting with<br>00074 |
| KINERET SUBCUTANEOUS SYRINGE<br>100 MG/0.67 ML                                               | PA; NM                                   |
| <i>leflunomide oral tablet 10 mg, 20 mg</i> (Arava)                                          |                                          |

| Nombre del Medicamento                                                                                           | Requerimientos / Límites     |
|------------------------------------------------------------------------------------------------------------------|------------------------------|
| LUPKYNIS ORAL CAPSULE 7.9 MG                                                                                     | PA; NM; QL (180 per 30 days) |
| methotrexate sodium (pf) injection solution<br>25 mg/ml                                                          |                              |
| methotrexate sodium injection solution<br>25 mg/ml                                                               |                              |
| methotrexate sodium oral tablet 2.5 mg                                                                           | PA BvD                       |
| mycophenolate mofetil oral capsule (CellCept)<br>250 mg                                                          | PA BvD                       |
| mycophenolate mofetil oral suspension for reconstitution 200 mg/ml (CellCept)                                    | PA BvD; NM                   |
| mycophenolate mofetil oral tablet 500 mg (CellCept)                                                              | PA BvD                       |
| mycophenolate sodium oral tablet, delayed release (dr/ec) 180 mg, 360 mg (Myfortic)                              | PA BvD                       |
| OTEZLA ORAL TABLET 30 MG                                                                                         | PA; NM                       |
| OTEZLA STARTER ORAL TABLETS, DOSE PACK 10 MG (4)-20 MG (4)-30 MG (47)                                            | PA; NM                       |
| PANZYGA INTRAVENOUS SOLUTION<br>10 %, 10 % (100 ML), 10 % (200 ML),<br>10 % (25 ML), 10 % (300 ML), 10 % (50 ML) | PA BvD; NM                   |
| PEGASYS SUBCUTANEOUS SOLUTION<br>180 MCG/ML                                                                      | PA; NM                       |
| PEGASYS SUBCUTANEOUS SYRINGE<br>180 MCG/0.5 ML                                                                   | PA; NM                       |
| PRIVIGEN INTRAVENOUS SOLUTION<br>10 %                                                                            | PA BvD; NM                   |
| PROGRAF ORAL GRANULES IN<br>PACKET 0.2 MG, 1 MG                                                                  | PA BvD                       |
| REZUROCK ORAL TABLET 200 MG                                                                                      | PA; NM                       |
| RINVOQ ORAL TABLET EXTENDED<br>RELEASE 24 HR 15 MG, 30 MG, 45 MG                                                 | PA; NM                       |
| sirolimus oral solution 1 mg/ml (Rapamune)                                                                       | PA BvD; NM                   |
| sirolimus oral tablet 0.5 mg, 1 mg, 2 mg (Rapamune)                                                              | PA BvD                       |
| SKYRIZI SUBCUTANEOUS PEN<br>INJECTOR 150 MG/ML                                                                   | PA; NM                       |
| SKYRIZI SUBCUTANEOUS SYRINGE<br>150 MG/ML                                                                        | PA; NM                       |
| SKYRIZI SUBCUTANEOUS WEARABLE<br>INJECTOR 180 MG/1.2 ML (150 MG/ML),<br>360 MG/2.4 ML (150 MG/ML)                | PA; NM                       |
| STELARA SUBCUTANEOUS SOLUTION<br>45 MG/0.5 ML                                                                    | PA; NM                       |

| Nombre del Medicamento                                                                                   | Requerimientos / Límites              |
|----------------------------------------------------------------------------------------------------------|---------------------------------------|
| STELARA SUBCUTANEOUS SYRINGE<br>45 MG/0.5 ML, 90 MG/ML                                                   | PA; NM                                |
| <i>tacrolimus oral capsule 0.5 mg, 1 mg, 5 mg</i> (Prograf)                                              | PA BvD                                |
| TAVNEOS ORAL CAPSULE 10 MG                                                                               | PA; NM                                |
| TREXALL ORAL TABLET 10 MG, 15 MG, 5 MG, 7.5 MG                                                           | PA BvD                                |
| XOLAIR SUBCUTANEOUS<br>AUTO-INJECTOR 150 MG/ML,<br>300 MG/2 ML, 75 MG/0.5 ML                             | PA; NM                                |
| XOLAIR SUBCUTANEOUS RECON<br>SOLN 150 MG                                                                 | PA; NM                                |
| XOLAIR SUBCUTANEOUS SYRINGE<br>150 MG/ML, 300 MG/2 ML, 75 MG/0.5 ML                                      | PA; NM                                |
| <b>Agentes De Angioedema</b>                                                                             |                                       |
| <i>icatibant subcutaneous syringe 30 mg/3 ml</i> (Firazyr)                                               | PA; NM                                |
| TAKHZYRO SUBCUTANEOUS<br>SOLUTION 300 MG/2 ML (150 MG/ML)                                                | PA; NM                                |
| TAKHZYRO SUBCUTANEOUS SYRINGE<br>150 MG/ML, 300 MG/2 ML (150 MG/ML)                                      | PA; NM                                |
| <b>Non-FRF</b>                                                                                           |                                       |
| COSENTYX INTRAVENOUS SOLUTION<br>25 MG/ML                                                                | PA; NM                                |
| HUMIRA PEN CROHNS-UC-HS START<br>SUBCUTANEOUS PEN INJECTOR KIT<br>40 MG/0.8 ML                           | PA; NM; Only NDCs starting with 00074 |
| HUMIRA PEN PSOR-UEITS-ADOL HS<br>SUBCUTANEOUS PEN INJECTOR KIT<br>40 MG/0.8 ML                           | PA; NM; Only NDCs starting with 00074 |
| HUMIRA(CF) PEDI CROHNS STARTER<br>SUBCUTANEOUS SYRINGE KIT<br>80 MG/0.8 ML,<br>80 MG/0.8 ML-40 MG/0.4 ML | PA; NM; Only NDCs starting with 00074 |
| OTEZLA STARTER ORAL TABLETS,<br>DOSE PACK 10 MG (4)-20 MG<br>(4)-30 MG(19)                               | PA; NM                                |
| <i>tacrolimus 0.5 mg capsule (immediate release)</i> (Prograf)                                           | PA BvD                                |
| <i>tacrolimus 1 mg capsule (immediate release)</i> (Prograf)                                             | PA BvD                                |
| <i>tacrolimus 5 mg capsule (immediate release)</i> (Prograf)                                             | PA BvD                                |

| Nombre del Medicamento                                                                        | Requerimientos / Límites |
|-----------------------------------------------------------------------------------------------|--------------------------|
| <b>Vacunas</b>                                                                                |                          |
| ABRYOVO (PF) INTRAMUSCULAR<br>RECON SOLN 120 MCG/0.5 ML                                       | \$0 copay                |
| ACTHIB (PF) INTRAMUSCULAR RECON<br>SOLN 10 MCG/0.5 ML                                         |                          |
| ADACEL(TDAP ADOLESN/ADULT)(PF)<br>INTRAMUSCULAR SUSPENSION 2<br>LF-(2.5-5-3-5 MCG)-5LF/0.5 ML | \$0 copay                |
| ADACEL(TDAP ADOLESN/ADULT)(PF)<br>INTRAMUSCULAR SYRINGE 2<br>LF-(2.5-5-3-5 MCG)-5LF/0.5 ML    | \$0 copay                |
| AREXVY (PF) INTRAMUSCULAR<br>SUSPENSION FOR RECONSTITUTION<br>120 MCG/0.5 ML                  | \$0 copay                |
| AREXVY ANTIGEN COMPONENT<br>120 MCG                                                           | \$0 copay                |
| BCG VACCINE, LIVE (PF)<br>PERCUTANEOUS SUSPENSION FOR<br>RECONSTITUTION 50 MG                 | \$0 copay                |
| BEXSERO INTRAMUSCULAR SYRINGE<br>50-50-50-25 MCG/0.5 ML                                       | \$0 copay                |
| BOOSTRIX TDAP INTRAMUSCULAR<br>SUSPENSION 2.5-8-5 LF-MCG-LF/0.5ML                             | \$0 copay                |
| BOOSTRIX TDAP INTRAMUSCULAR<br>SYRINGE 2.5-8-5 LF-MCG-LF/0.5ML                                | \$0 copay                |
| DAPTACEL (DTAP PEDIATRIC) (PF)<br>INTRAMUSCULAR SUSPENSION<br>15-10-5 LF-MCG-LF/0.5ML         |                          |
| ENGRIX-B (PF) INTRAMUSCULAR<br>SUSPENSION 20 MCG/ML                                           | PA BvD; \$0 copay        |
| ENGRIX-B (PF) INTRAMUSCULAR<br>SYRINGE 20 MCG/ML                                              | PA BvD; \$0 copay        |
| ENGRIX-B PEDIATRIC (PF)<br>INTRAMUSCULAR SYRINGE<br>10 MCG/0.5 ML                             | PA BvD; \$0 copay        |
| GARDASIL 9 (PF) INTRAMUSCULAR<br>SUSPENSION 0.5 ML                                            | \$0 copay                |
| GARDASIL 9 (PF) INTRAMUSCULAR<br>SYRINGE 0.5 ML                                               | \$0 copay                |
| HAVRIX (PF) INTRAMUSCULAR<br>SYRINGE 1,440 ELISA UNIT/ML                                      | \$0 copay                |
| HAVRIX (PF) INTRAMUSCULAR<br>SYRINGE 720 ELISA UNIT/0.5 ML                                    |                          |

| <b>Nombre del Medicamento</b>                                                                    | <b>Requerimientos / Límites</b> |
|--------------------------------------------------------------------------------------------------|---------------------------------|
| HEPLISAV-B (PF) INTRAMUSCULAR<br>SYRINGE 20 MCG/0.5 ML                                           | PA BvD; \$0 copay               |
| HIBERIX (PF) INTRAMUSCULAR<br>RECON SOLN 10 MCG/0.5 ML                                           |                                 |
| IMOVAX RABIES VACCINE (PF)<br>INTRAMUSCULAR RECON SOLN<br>2.5 UNIT                               | PA BvD; \$0 copay               |
| INFANRIX (DTAP) (PF)<br>INTRAMUSCULAR SYRINGE 25-58-10<br>LF-MCG-LF/0.5ML                        |                                 |
| IPOL INJECTION SUSPENSION<br>40-8-32 UNIT/0.5 ML                                                 | \$0 copay                       |
| IXCHIQ (PF) INTRAMUSCULAR RECON<br>SOLN 1,000 TCID50/0.5 ML                                      | \$0 copay                       |
| IXIARO (PF) INTRAMUSCULAR<br>SYRINGE 6 MCG/0.5 ML                                                | \$0 copay                       |
| JYNNEOS (PF) SUBCUTANEOUS<br>SUSPENSION 0.5X TO 3.95X<br>10EXP8 UNIT/0.5                         | \$0 copay                       |
| KINRIX (PF) INTRAMUSCULAR<br>SYRINGE 25 LF-58 MCG-10 LF/0.5 ML                                   |                                 |
| MENACTRA (PF) INTRAMUSCULAR<br>SOLUTION 4 MCG/0.5 ML                                             | \$0 copay                       |
| MENQUADFI (PF) INTRAMUSCULAR<br>SOLUTION 10 MCG/0.5 ML                                           | \$0 copay                       |
| MENVEO A-C-Y-W-135-DIP (PF)<br>INTRAMUSCULAR KIT 10-5 MCG/0.5 ML                                 | \$0 copay                       |
| M-M-R II (PF) SUBCUTANEOUS RECON<br>SOLN 1,000-12,500 TCID50/0.5 ML                              | \$0 copay                       |
| MRESVIA (PF) INTRAMUSCULAR<br>SYRINGE 50 MCG/0.5 ML                                              |                                 |
| PEDIARIX (PF) INTRAMUSCULAR<br>SYRINGE<br>10 MCG-25LF-25 MCG-10LF/0.5 ML                         |                                 |
| PEDVAX HIB (PF) INTRAMUSCULAR<br>SOLUTION 7.5 MCG/0.5 ML                                         |                                 |
| PENBRAYA (PF) INTRAMUSCULAR KIT<br>5-120 MCG/0.5 ML                                              | \$0 copay                       |
| PENBRAYA MENACWY<br>COMPONENT(PF) INTRAMUSCULAR<br>SUSPENSION FOR RECONSTITUTION<br>5 MCG/0.5 ML | \$0 copay                       |
| PENBRAYA MENB COMPONENT (PF)<br>INTRAMUSCULAR SYRINGE<br>120 MCG/0.5 ML                          | \$0 copay                       |

| Nombre del Medicamento                                                                                                    | Requerimientos / Límites                        |
|---------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------|
| PENTACEL (PF) INTRAMUSCULAR KIT<br>15LF-48MCG-62DU -10 MCG/0.5ML                                                          |                                                 |
| PREHEVBRIQ (PF) INTRAMUSCULAR<br>SUSPENSION 10 MCG/ML                                                                     | PA BvD; \$0 copay                               |
| PRIORIX (PF) SUBCUTANEOUS<br>SUSPENSION FOR RECONSTITUTION<br>10EXP3.4-4.2- 3.3CCID50/0.5ML                               | \$0 copay                                       |
| PROQUAD (PF) SUBCUTANEOUS<br>SUSPENSION FOR RECONSTITUTION<br>10EXP3-4.3-3- 3.99 TCID50/0.5                               |                                                 |
| QUADRACEL (PF) INTRAMUSCULAR<br>SUSPENSION 15 LF-48 MCG- 5<br>LF UNIT/0.5ML, 15 LF-48 MCG- 5<br>LF UNIT/0.5ML (58 UNT/ML) |                                                 |
| QUADRACEL (PF) INTRAMUSCULAR<br>SYRINGE 15 LF-48 MCG- 5<br>LF UNIT/0.5ML                                                  |                                                 |
| RABAVERT (PF) INTRAMUSCULAR<br>SUSPENSION FOR RECONSTITUTION<br>2.5 UNIT                                                  | PA BvD; \$0 copay                               |
| RECOMBIVAX HB (PF)<br>INTRAMUSCULAR SUSPENSION<br>10 MCG/ML, 40 MCG/ML, 5 MCG/0.5 ML                                      | PA BvD; \$0 copay                               |
| RECOMBIVAX HB (PF)<br>INTRAMUSCULAR SYRINGE<br>10 MCG/ML, 5 MCG/0.5 ML                                                    | PA BvD; \$0 copay                               |
| ROTARIX ORAL SUSPENSION 10EXP6<br>CCID50 /1.5 ML                                                                          |                                                 |
| ROTARIX ORAL SUSPENSION FOR<br>RECONSTITUTION 10EXP6 CCID50/ML                                                            |                                                 |
| ROTATEQ VACCINE ORAL SOLUTION<br>2 ML                                                                                     |                                                 |
| SHINGRIX (PF) INTRAMUSCULAR<br>SUSPENSION FOR RECONSTITUTION<br>50 MCG/0.5 ML                                             | \$0 copay                                       |
| TDVAX INTRAMUSCULAR<br>SUSPENSION 2-2 LF UNIT/0.5 ML                                                                      | (tetanus-diphtheria<br>toxoids-td)<br>\$0 copay |
| TENIVAC (PF) INTRAMUSCULAR<br>SUSPENSION 5 LF UNIT- 2<br>LF UNIT/0.5ML                                                    | \$0 copay                                       |
| TENIVAC (PF) INTRAMUSCULAR<br>SYRINGE 5-2 LF UNIT/0.5 ML                                                                  | \$0 copay                                       |
| TETANUS, DIPHTHERIA TOX PED(PF)<br>INTRAMUSCULAR SUSPENSION 5-25<br>LF UNIT/0.5 ML                                        |                                                 |

| Nombre del Medicamento                                                                                                           | Requerimientos / Límites |
|----------------------------------------------------------------------------------------------------------------------------------|--------------------------|
| TICOVAC INTRAMUSCULAR SYRINGE<br>1.2 MCG/0.25 ML                                                                                 |                          |
| TICOVAC INTRAMUSCULAR SYRINGE<br>2.4 MCG/0.5 ML                                                                                  | \$0 copay                |
| TRUMENBA INTRAMUSCULAR<br>SYRINGE 120 MCG/0.5 ML                                                                                 | \$0 copay                |
| TWINRIX (PF) INTRAMUSCULAR<br>SYRINGE 720 ELISA UNIT- 20 MCG/ML                                                                  | \$0 copay                |
| TYPHIM VI INTRAMUSCULAR<br>SOLUTION 25 MCG/0.5 ML                                                                                | \$0 copay                |
| TYPHIM VI INTRAMUSCULAR SYRINGE (typhoid vi polysacch<br>25 MCG/0.5 ML vaccine)                                                  | \$0 copay                |
| VAQTA (PF) INTRAMUSCULAR<br>SUSPENSION 25 UNIT/0.5 ML                                                                            |                          |
| VAQTA (PF) INTRAMUSCULAR<br>SUSPENSION 50 UNIT/ML                                                                                | \$0 copay                |
| VAQTA (PF) INTRAMUSCULAR<br>SYRINGE 25 UNIT/0.5 ML                                                                               |                          |
| VAQTA (PF) INTRAMUSCULAR<br>SYRINGE 50 UNIT/ML                                                                                   | \$0 copay                |
| VARIVAX (PF) SUBCUTANEOUS<br>SUSPENSION FOR RECONSTITUTION<br>1,350 UNIT/0.5 ML                                                  | \$0 copay                |
| YF-VAX (PF) SUBCUTANEOUS<br>SUSPENSION FOR RECONSTITUTION<br>10 EXP4.74 UNIT/0.5 ML, 10<br>EXP4.74 UNIT/0.5 ML(2.5 ML IN 1 VIAL) | \$0 copay                |
| <b>AGENTES OFTÁLMICOS</b>                                                                                                        |                          |
| <i>acetazolamide oral capsule, extended<br/>release 500 mg</i>                                                                   |                          |
| <i>acetazolamide oral tablet 125 mg, 250 mg</i>                                                                                  |                          |
| <i>apraclonidine ophthalmic (eye) drops<br/>0.5 %</i>                                                                            |                          |
| AZOPT OPHTHALMIC (EYE) DROPS, (brinzolamide)<br>SUSPENSION 1 %                                                                   |                          |
| <i>betaxolol ophthalmic (eye) drops 0.5 %</i>                                                                                    |                          |
| <i>brimonidine ophthalmic (eye) drops 0.1 %, (Alphagan P)<br/>0.15 %</i>                                                         |                          |
| <i>brimonidine ophthalmic (eye) drops 0.2 %</i>                                                                                  |                          |
| <i>brimonidine-timolol ophthalmic (eye) drops (Combigan)<br/>0.2-0.5 %</i>                                                       |                          |
| <i>carteolol ophthalmic (eye) drops 1 %</i>                                                                                      |                          |
| COMBIGAN OPHTHALMIC (EYE) (brimonidine-timolol)<br>DROPS 0.2-0.5 %                                                               |                          |



| Nombre del Medicamento                                                                                           | Requerimientos / Límites |
|------------------------------------------------------------------------------------------------------------------|--------------------------|
| <i>dorzolamide ophthalmic (eye) drops 2 %</i>                                                                    |                          |
| <i>dorzolamide-timolol (pf) ophthalmic (eye) drops 2-0.5 %</i> (Cosopt (PF))                                     |                          |
| <i>dorzolamide-timolol ophthalmic (eye) drops 22.3-6.8 mg/ml</i> (Cosopt)                                        |                          |
| <i>levobunolol ophthalmic (eye) drops 0.5 %</i>                                                                  |                          |
| <i>methazolamide oral tablet 25 mg, 50 mg</i>                                                                    |                          |
| <i>pilocarpine hcl ophthalmic (eye) drops 1 %, 2 %, 4 %</i>                                                      |                          |
| RHOPRESSA OPHTHALMIC (EYE) DROPS 0.02 %                                                                          |                          |
| ROCKLATAN OPHTHALMIC (EYE) DROPS 0.02-0.005 %                                                                    |                          |
| SIMBRINZA OPHTHALMIC (EYE) DROPS, SUSPENSION 1-0.2 %                                                             |                          |
| <i>timolol maleate ophthalmic (eye) drops 0.25 %, 0.5 %</i>                                                      |                          |
| <i>timolol maleate ophthalmic (eye) drops, once daily 0.5 %</i> (Istalol)                                        |                          |
| <i>timolol maleate ophthalmic (eye) gel forming solution 0.25 %, 0.5 %</i>                                       |                          |
| <b>Agentes Anti-Alérgicos Oftálmicos</b>                                                                         |                          |
| <i>azelastine ophthalmic (eye) drops 0.05 %</i>                                                                  |                          |
| <i>cromolyn ophthalmic (eye) drops 4 %</i>                                                                       |                          |
| <i>olopatadine ophthalmic (eye) drops 0.1 %</i> (Eye Allergy Itch-Redness Rlf)                                   |                          |
| <i>olopatadine ophthalmic (eye) drops 0.2 %</i> (Eye Allergy Itch Relief)                                        |                          |
| <b>Agentes Oftálmicos, Otros</b>                                                                                 |                          |
| <i>atropine ophthalmic (eye) drops 1 %</i> (Isopto Atropine)                                                     |                          |
| <i>cyclosporine ophthalmic (eye) dropperette 0.05 %</i> (Restasis)                                               | QL (60 per 30 days)      |
| CYSTADROPS OPHTHALMIC (EYE) DROPS 0.37 %                                                                         | PA; NM                   |
| CYSTARAN OPHTHALMIC (EYE) DROPS 0.44 %                                                                           | PA; NM                   |
| EYSUVIS OPHTHALMIC (EYE) DROPS, SUSPENSION 0.25 %                                                                | QL (8.3 per 14 days)     |
| <i>neomycin-bacitracin-poly-hc ophthalmic (eye) ointment 3.5-400-10,000 mg-unit/g-1%</i> (Neo-Polycin HC)        |                          |
| <i>neomycin-polymyxin b-dexameth ophthalmic (eye) drops, suspension 3.5mg/ml-10,000 unit/ml-0.1 %</i> (Maxitrol) |                          |

| Nombre del Medicamento                                                                                | Requerimientos / Límites |
|-------------------------------------------------------------------------------------------------------|--------------------------|
| neomycin-polymyxin b-dexameth<br>ophthalmic (eye) ointment (Maxitrol)<br>3.5 mg/g-10,000 unit/g-0.1 % |                          |
| neomycin-polymyxin-gramicidin<br>ophthalmic (eye) drops<br>1.75 mg-10,000 unit-0.025mg/ml             |                          |
| neomycin-polymyxin-hc ophthalmic (eye)<br>drops, suspension<br>3.5-10,000-10 mg-unit-mg/ml            |                          |
| polymyxin b sulf-trimethoprim ophthalmic<br>(eye) drops 10,000 unit- 1 mg/ml                          |                          |
| RESTASIS MULTIDOSE OPHTHALMIC<br>(EYE) DROPS 0.05 %                                                   | QL (5.5 per 28 days)     |
| RESTASIS OPHTHALMIC (EYE)<br>DROPPERETTE 0.05 % (cyclosporine)                                        | QL (60 per 30 days)      |
| sulfacetamide-prednisolone ophthalmic<br>(eye) drops 10 %-0.23 % (0.25 %)                             |                          |
| tobramycin-dexamethasone ophthalmic<br>(eye) drops, suspension 0.3-0.1 %                              |                          |
| XIIDRA OPHTHALMIC (EYE)<br>DROPPERETTE 5 %                                                            | QL (60 per 30 days)      |
| <b>Análogos De Prostaglandina Oftálmica Y Prostamida</b>                                              |                          |
| latanoprost ophthalmic (eye) drops (Xalatan)<br>0.005 %                                               |                          |
| LUMIGAN OPHTHALMIC (EYE) DROPS<br>0.01 %                                                              |                          |
| travoprost ophthalmic (eye) drops 0.004 % (Travatan Z)                                                |                          |
| VYZULTA OPHTHALMIC (EYE) DROPS<br>0.024 %                                                             |                          |
| <b>Antiinflamatorios Oftálmicos</b>                                                                   |                          |
| bromfenac ophthalmic (eye) drops (BromSite)<br>0.075 %                                                |                          |
| bromfenac ophthalmic (eye) drops 0.09 %                                                               |                          |
| dexamethasone sodium phosphate<br>ophthalmic (eye) drops 0.1 %                                        |                          |
| diclofenac sodium ophthalmic (eye) drops<br>0.1 %                                                     |                          |
| DUREZOL OPHTHALMIC (EYE) DROPS (difluprednate)<br>0.05 %                                              |                          |
| fluorometholone ophthalmic (eye) drops,<br>suspension 0.1 % (FML Liquifilm)                           |                          |
| flurbiprofen sodium ophthalmic (eye)<br>drops 0.03 %                                                  |                          |

| Nombre del Medicamento                                                                                     | Requerimientos / Límites |
|------------------------------------------------------------------------------------------------------------|--------------------------|
| ILEVRO OPHTHALMIC (EYE) DROPS, SUSPENSION 0.3 %                                                            |                          |
| <i>ketorolac ophthalmic (eye) drops 0.4 %</i> (Acular LS)                                                  |                          |
| <i>ketorolac ophthalmic (eye) drops 0.5 %</i> (Acular)                                                     |                          |
| <i>loteprednol etabonate ophthalmic (eye) drops, suspension 0.5 %</i> (Lotemax)                            |                          |
| <i>prednisolone acetate ophthalmic (eye) drops, suspension 1 %</i> (Pred Forte)                            |                          |
| <i>prednisolone sodium phosphate ophthalmic (eye) drops 1 %</i>                                            |                          |
| <b>Oftálmicos Antiinfecciosos</b>                                                                          |                          |
| AZASITE OPHTHALMIC (EYE) DROPS 1 %                                                                         |                          |
| <i>bacitracin ophthalmic (eye) ointment 500 unit/gram</i>                                                  |                          |
| <i>bacitracin-polymyxin b ophthalmic (eye) ointment 500-10,000 unit/gram</i> (Polycin)                     |                          |
| <i>erythromycin ophthalmic (eye) ointment 5 mg/gram (0.5 %)</i>                                            |                          |
| <i>gatifloxacin ophthalmic (eye) drops 0.5 %</i>                                                           |                          |
| <i>gentamicin ophthalmic (eye) drops 0.3 %</i>                                                             |                          |
| <i>moxifloxacin ophthalmic (eye) drops 0.5 %</i> (Vigamox)                                                 |                          |
| NATACYN OPHTHALMIC (EYE) DROPS, SUSPENSION 5 %                                                             |                          |
| <i>neomycin-bacitracin-polymyxin ophthalmic (eye) ointment 3.5-400-10,000 mg-unit-unit/g</i> (Neo-Polycin) |                          |
| <i>ofloxacin ophthalmic (eye) drops 0.3 %</i> (Ocuflox)                                                    |                          |
| <i>sulfacetamide sodium ophthalmic (eye) drops 10 %</i>                                                    |                          |
| <i>tobramycin ophthalmic (eye) drops 0.3 %</i>                                                             |                          |
| <b>AGENTES ÓTICOS</b>                                                                                      |                          |
| <b>Agentes Óticos</b>                                                                                      |                          |
| <i>acetic acid otic (ear) solution 2 %</i>                                                                 |                          |
| <i>ciprofloxacin hcl otic (ear) dropperette 0.2 %</i> (Cetraxal)                                           |                          |
| <i>ciprofloxacin-dexamethasone otic (ear) drops, suspension 0.3-0.1 %</i>                                  |                          |
| <i>ciprofloxacin-fluocinolone otic (ear) solution 0.3-0.025 % (0.25 ml)</i> (Otovel)                       |                          |
| <i>fluocinolone acetonide oil otic (ear) drops 0.01 %</i> (DermOtic Oil)                                   |                          |

| Nombre del Medicamento                                                             | Requerimientos / Límites     |
|------------------------------------------------------------------------------------|------------------------------|
| neomycin-polymyxin-hc otic (ear) drops, suspension 3.5-10,000-1 mg/ml-unit/ml-%    |                              |
| neomycin-polymyxin-hc otic (ear) solution 3.5-10,000-1 mg/ml-unit/ml-%             |                              |
| ofloxacin otic (ear) drops 0.3 %                                                   |                              |
| <b>ANALGÉSICOS</b>                                                                 |                              |
| <b>Analgésicos</b>                                                                 |                              |
| butalbital-acetaminophen-caff oral tablet 50-325-40 mg (Esgic)                     | QL (180 per 30 days)         |
| butalbital-aspirin-cafeine oral capsule 50-325-40 mg                               | QL (180 per 30 days)         |
| butalbital-aspirin-cafeine oral tablet 50-325-40 mg                                | QL (180 per 30 days)         |
| codeine-bitalbital-asa-caff oral capsule 30-50-325-40 mg (Ascomp with Codeine)     | QL (180 per 30 days)         |
| <b>Analgésicos Opiáceos, De Acción Corta</b>                                       |                              |
| acetaminophen-codeine oral solution 120-12 mg/5 ml                                 | QL (5000 per 30 days)        |
| acetaminophen-codeine oral tablet 300-15 mg, 300-30 mg, 300-60 mg                  | QL (360 per 30 days)         |
| codeine sulfate oral tablet 15 mg, 30 mg, 60 mg                                    | QL (180 per 30 days)         |
| fentanyl citrate buccal lozenge on a handle 1,200 mcg, 1,600 mcg, 600 mcg, 800 mcg | PA; NM; QL (120 per 30 days) |
| fentanyl citrate buccal lozenge on a handle 200 mcg, 400 mcg                       | PA; QL (120 per 30 days)     |
| hydrocodone-acetaminophen oral solution 7.5-325 mg/15 ml                           | QL (5500 per 30 days)        |
| hydrocodone-acetaminophen oral tablet 10-325 mg, 5-325 mg, 7.5-325 mg              | QL (360 per 30 days)         |
| hydrocodone-acetaminophen oral tablet 2.5-325 mg                                   |                              |
| hydrocodone-ibuprofen oral tablet 10-200 mg, 5-200 mg, 7.5-200 mg                  | QL (150 per 30 days)         |
| hydromorphone oral liquid 1 mg/ml (Dilaudid)                                       | QL (1920 per 30 days)        |
| hydromorphone oral tablet 2 mg, 4 mg (Dilaudid)                                    | QL (360 per 30 days)         |
| hydromorphone oral tablet 8 mg (Dilaudid)                                          | QL (240 per 30 days)         |
| morphine concentrate oral solution 100 mg/5 ml (20 mg/ml)                          | QL (600 per 30 days)         |
| morphine oral solution 10 mg/5 ml                                                  | QL (1800 per 30 days)        |

| Nombre del Medicamento                                                                                                                        | Requerimientos / Límites    |
|-----------------------------------------------------------------------------------------------------------------------------------------------|-----------------------------|
| <i>morphine oral solution 20 mg/5 ml (4 mg/ml)</i>                                                                                            | QL (1500 per 30 days)       |
| MORPHINE ORAL TABLET 15 MG, 30 MG                                                                                                             | QL (180 per 30 days)        |
| <i>oxycodone oral concentrate 20 mg/ml</i>                                                                                                    | QL (180 per 30 days)        |
| <i>oxycodone oral solution 5 mg/5 ml</i>                                                                                                      | QL (1080 per 30 days)       |
| <i>oxycodone oral tablet 10 mg, 20 mg, 5 mg</i>                                                                                               | QL (180 per 30 days)        |
| <i>oxycodone oral tablet 15 mg, 30 mg (Roxicodone)</i>                                                                                        | QL (180 per 30 days)        |
| <i>oxycodone-acetaminophen oral solution 5-325 mg/5 ml</i>                                                                                    | QL (1080 per 30 days)       |
| <i>oxycodone-acetaminophen oral tablet 10-325 mg, 2.5-325 mg, 5-325 mg, 7.5-325 mg (Endocet)</i>                                              | QL (360 per 30 days)        |
| <i>tramadol oral tablet 100 mg</i>                                                                                                            | QL (120 per 30 days)        |
| <i>tramadol oral tablet 50 mg</i>                                                                                                             | QL (240 per 30 days)        |
| <i>tramadol-acetaminophen oral tablet 37.5-325 mg</i>                                                                                         | QL (240 per 30 days)        |
| <b>Analgésicos Opiáceos, De Acción Prolongada</b>                                                                                             |                             |
| <i>fentanyl transdermal patch 72 hour 100 mcg/hr, 12 mcg/hr, 25 mcg/hr, 37.5 mcg/hour, 50 mcg/hr, 62.5 mcg/hour, 75 mcg/hr, 87.5 mcg/hour</i> | PA NSO; QL (10 per 30 days) |
| <i>methadone oral tablet 10 mg, 5 mg</i>                                                                                                      | QL (240 per 30 days)        |
| <i>morphine oral tablet extended release 100 mg, 15 mg, 200 mg, 30 mg, 60 mg (MS Contin)</i>                                                  | QL (90 per 30 days)         |
| <i>oxycodone oral tablet, oral only, ext.rel.12 hr 10 mg, 20 mg, 40 mg, 80 mg (OxyContin)</i>                                                 | QL (60 per 30 days)         |
| <b>Medicamentos No-Esteroideos Antiinflamatorios</b>                                                                                          |                             |
| <i>celecoxib oral capsule 100 mg, 200 mg, 400 mg, 50 mg (Celebrex)</i>                                                                        |                             |
| <i>diclofenac potassium oral tablet 50 mg</i>                                                                                                 |                             |
| <i>diclofenac sodium oral tablet extended release 24 hr 100 mg</i>                                                                            |                             |
| <i>diclofenac sodium oral tablet, delayed release (dr/ec) 25 mg, 50 mg, 75 mg</i>                                                             |                             |
| <i>diclofenac sodium topical gel 1 % (Aleve (diclofenac))</i>                                                                                 |                             |
| <i>diflunisal oral tablet 500 mg</i>                                                                                                          |                             |
| <i>ec-naproxen oral tablet, delayed release (dr/ec) 500 mg (naproxen)</i>                                                                     |                             |
| <i>etodolac oral capsule 200 mg, 300 mg</i>                                                                                                   |                             |
| <i>etodolac oral tablet 400 mg (Lodine)</i>                                                                                                   |                             |
| <i>etodolac oral tablet 500 mg</i>                                                                                                            |                             |
| <i>flurbiprofen oral tablet 100 mg</i>                                                                                                        |                             |

| Nombre del Medicamento                                         |                               | Requerimientos / Límites |
|----------------------------------------------------------------|-------------------------------|--------------------------|
| <i>ibu oral tablet 400 mg, 600 mg, 800 mg</i>                  | ( <i>ibuprofen</i> )          |                          |
| <i>ibuprofen oral suspension 100 mg/5 ml</i>                   | ( <i>Children's Advil</i> )   |                          |
| <i>ibuprofen oral tablet 400 mg, 600 mg, 800 mg</i>            | ( <i>IBU</i> )                |                          |
| <i>indomethacin oral capsule 25 mg, 50 mg</i>                  |                               |                          |
| <i>indomethacin oral capsule, extended release 75 mg</i>       |                               |                          |
| <i>ketorolac oral tablet 10 mg</i>                             |                               |                          |
| <i>meloxicam oral tablet 15 mg, 7.5 mg</i>                     |                               |                          |
| <i>nabumetone oral tablet 500 mg, 750 mg</i>                   |                               |                          |
| <i>naproxen oral suspension 125 mg/5 ml</i>                    | ( <i>Naprosyn</i> )           |                          |
| <i>naproxen oral tablet 250 mg, 375 mg</i>                     |                               |                          |
| <i>naproxen oral tablet 500 mg</i>                             | ( <i>Naprosyn</i> )           |                          |
| <i>naproxen oral tablet, delayed release (dr/ec) 375 mg</i>    | ( <i>EC-Naprosyn</i> )        |                          |
| <i>naproxen sodium oral tablet 275 mg</i>                      |                               |                          |
| <i>naproxen sodium oral tablet 550 mg</i>                      | ( <i>Anaprox DS</i> )         |                          |
| <i>oxaprozin oral tablet 600 mg</i>                            | ( <i>Daypro</i> )             |                          |
| <i>piroxicam oral capsule 10 mg, 20 mg</i>                     | ( <i>Feldene</i> )            |                          |
| <i>sulindac oral tablet 150 mg, 200 mg</i>                     |                               |                          |
| <b>ANESTÉSICOS</b>                                             |                               |                          |
| <b>Anestesia Local</b>                                         |                               |                          |
| <i>dermacinrx lidocan 5% patch outer</i>                       | ( <i>lidocaine</i> )          | PA; QL (90 per 30 days)  |
| <i>lidocaine hcl mucous membrane solution 4 % (40 mg/ml)</i>   |                               | QL (50 per 30 days)      |
| <i>lidocaine topical adhesive patch, medicated 5 %</i>         | ( <i>DermacinRx Lidocan</i> ) | PA; QL (90 per 30 days)  |
| <i>lidocaine viscous mucous membrane solution 2 %</i>          | ( <i>lidocaine hcl</i> )      |                          |
| <i>lidocaine-prilocaine topical cream 2.5-2.5 %</i>            |                               | QL (30 per 30 days)      |
| <i>lidocan iii topical adhesive patch, medicated 5 %</i>       | ( <i>lidocaine</i> )          | PA; QL (90 per 30 days)  |
| <i>tridacaine ii topical adhesive patch, medicated 5 %</i>     | ( <i>lidocaine</i> )          | PA; QL (90 per 30 days)  |
| <i>tridacaine topical adhesive patch, medicated 5 %</i>        | ( <i>lidocaine</i> )          | PA; QL (90 per 30 days)  |
| <b>ANSIOLÍTICOS</b>                                            |                               |                          |
| <b>Ansiolíticos, Otros</b>                                     |                               |                          |
| <i>buspirone oral tablet 10 mg, 15 mg, 30 mg, 5 mg, 7.5 mg</i> |                               |                          |

| Nombre del Medicamento                                                        | Requerimientos / Límites |
|-------------------------------------------------------------------------------|--------------------------|
| <i>hydroxyzine hcl oral solution 10 mg/5 ml</i>                               |                          |
| <i>hydroxyzine hcl oral tablet 10 mg, 25 mg, 50 mg</i>                        |                          |
| <i>hydroxyzine pamoate oral capsule 100 mg, 50 mg</i>                         |                          |
| <i>hydroxyzine pamoate oral capsule 25 mg (Vistaril)</i>                      |                          |
| <i>oxazepam oral capsule 10 mg, 15 mg, 30 mg</i>                              | QL (120 per 30 days)     |
| <b>Benzodiacepinas</b>                                                        |                          |
| ALPRAZOLAM INTENSOL ORAL CONCENTRATE 1 MG/ML                                  | QL (300 per 30 days)     |
| <i>alprazolam oral tablet 0.25 mg, 0.5 mg (Xanax)</i>                         | QL (120 per 30 days)     |
| <i>alprazolam oral tablet 1 mg (Xanax)</i>                                    | QL (240 per 30 days)     |
| <i>alprazolam oral tablet 2 mg (Xanax)</i>                                    | QL (150 per 30 days)     |
| <i>chlordiazepoxide hcl oral capsule 10 mg, 25 mg, 5 mg</i>                   | QL (120 per 30 days)     |
| <i>clonazepam oral tablet 0.5 mg, 1 mg (Klonopin)</i>                         | QL (90 per 30 days)      |
| <i>clonazepam oral tablet 2 mg (Klonopin)</i>                                 | QL (300 per 30 days)     |
| <i>clonazepam oral tablet, disintegrating 0.125 mg, 0.25 mg, 0.5 mg, 1 mg</i> | QL (90 per 30 days)      |
| <i>clonazepam oral tablet, disintegrating 2 mg</i>                            | QL (300 per 30 days)     |
| <i>clorazepate dipotassium oral tablet 15 mg, 3.75 mg, 7.5 mg</i>             | QL (180 per 30 days)     |
| <i>diazepam intensol oral concentrate 5 mg/ml (diazepam)</i>                  | QL (240 per 30 days)     |
| <i>diazepam oral solution 5 mg/5 ml (1 mg/ml)</i>                             | QL (1200 per 30 days)    |
| <i>diazepam oral tablet 10 mg, 2 mg (Valium)</i>                              | QL (120 per 30 days)     |
| <i>diazepam oral tablet 5 mg (Valium)</i>                                     | QL (240 per 30 days)     |
| <i>lorazepam 2 mg/ml oral concent (Lorazepam Intensol)</i>                    | QL (240 per 30 days)     |
| <i>lorazepam intensol oral concentrate 2 mg/ml (lorazepam)</i>                | QL (240 per 30 days)     |
| <i>lorazepam oral tablet 0.5 mg, 1 mg, 2 mg (Ativan)</i>                      | QL (150 per 30 days)     |
| <b>ANTIBACTERIANOS</b>                                                        |                          |
| <b>Aminoglicósidos</b>                                                        |                          |
| <i>amikacin injection solution 1,000 mg/4 ml, 500 mg/2 ml</i>                 |                          |
| ARIKAYCE INHALATION SUSPENSION FOR NEBULIZATION 590 MG/8.4 ML                 | PA                       |
| <i>gentamicin 800 mg/20 ml vial muv, outer 40 mg/ml</i>                       |                          |

| Nombre del Medicamento                                                                                                                       | Requerimientos / Límites |
|----------------------------------------------------------------------------------------------------------------------------------------------|--------------------------|
| <i>gentamicin in nacl (iso-osm) intravenous piggyback 100 mg/100 ml, 100 mg/50 ml, 120 mg/100 ml, 60 mg/50 ml, 80 mg/100 ml, 80 mg/50 ml</i> |                          |
| <i>gentamicin injection solution 40 mg/ml</i>                                                                                                |                          |
| <i>gentamicin topical cream 0.1 %</i>                                                                                                        |                          |
| <i>gentamicin topical ointment 0.1 %</i>                                                                                                     |                          |
| <i>neomycin oral tablet 500 mg</i>                                                                                                           |                          |
| <i>paromomycin oral capsule 250 mg (Humatin)</i>                                                                                             |                          |
| <i>tobramycin sulfate injection solution 10 mg/ml, 40 mg/ml</i>                                                                              |                          |
| ZEMDRI INTRAVENOUS SOLUTION 50 MG/ML                                                                                                         | NM                       |
| <b>Antibacterianos, Otros</b>                                                                                                                |                          |
| <i>aztreonam injection recon soln 1 gram, 2 gram (Azactam)</i>                                                                               |                          |
| CLINDAMYCIN 600 MG/50 ML-NS OUTER, SINGLE-USE                                                                                                |                          |
| <i>clindamycin hcl oral capsule 150 mg, 300 mg, 75 mg (Cleocin HCl)</i>                                                                      |                          |
| <i>clindamycin in 5 % dextrose intravenous piggyback 300 mg/50 ml, 900 mg/50 ml</i>                                                          |                          |
| CLINDAMYCIN IN 5 % DEXTROSE INTRAVENOUS PIGGYBACK 600 MG/50 ML                                                                               |                          |
| <i>clindamycin pediatric oral recon soln 75 mg/5 ml (clindamycin palmitate hcl)</i>                                                          |                          |
| <i>clindamycin phosphate injection solution 150 mg/ml (Cleocin)</i>                                                                          |                          |
| <i>clindamycin phosphate vaginal cream 2 % (Cleocin)</i>                                                                                     |                          |
| <i>colistin (colistimethate na) injection recon soln 150 mg (Coly-Mycin M Parenteral)</i>                                                    |                          |
| <i>daptomycin intravenous recon soln 350 mg</i>                                                                                              |                          |
| <i>daptomycin intravenous recon soln 500 mg (Cubicin RF)</i>                                                                                 | NM                       |
| FIRVANQ ORAL RECON SOLN 25 MG/ML, 50 MG/ML (vancomycin)                                                                                      |                          |
| <i>linezolid in dextrose 5% intravenous piggyback 600 mg/300 ml (Zyvox)</i>                                                                  | PA                       |
| <i>linezolid oral tablet 600 mg (Zyvox)</i>                                                                                                  | PA                       |
| <i>methenamine hippurate oral tablet 1 gram (Hiprex)</i>                                                                                     |                          |



| Nombre del Medicamento                                                            | Requerimientos / Límites |
|-----------------------------------------------------------------------------------|--------------------------|
| metronidazole in nacl (iso-os) intravenous piggyback 500 mg/100 ml (Metro I.V.)   |                          |
| metronidazole oral tablet 250 mg, 500 mg                                          |                          |
| metronidazole topical cream 0.75 % (Rosadan)                                      |                          |
| metronidazole topical gel 0.75 % (Rosadan)                                        |                          |
| metronidazole topical gel 1 % (Metrogel)                                          |                          |
| metronidazole topical lotion 0.75 % (MetroLotion)                                 |                          |
| metronidazole vaginal gel 0.75 % (37.5mg/5 gram) (Vandazole)                      |                          |
| metronidazole vaginal gel 1.3 % (65 mg/5 gram) (Nuversa)                          |                          |
| nitrofurantoin macrocrystal oral capsule 100 mg, 25 mg, 50 mg (Macrochantin)      |                          |
| nitrofurantoin monohyd/m-cryst oral capsule 100 mg (Macrobid)                     |                          |
| rosadan topical cream 0.75 % (metronidazole)                                      |                          |
| tigecycline intravenous recon soln 50 mg (Tygacil)                                | NM                       |
| tinidazole oral tablet 250 mg, 500 mg                                             |                          |
| trimethoprim oral tablet 100 mg                                                   |                          |
| vancomycin intravenous recon soln 1,000 mg, 10 gram, 5 gram, 500 mg, 750 mg       |                          |
| vancomycin oral capsule 125 mg, 250 mg (Vancocin)                                 |                          |
| vancomycin oral recon soln 25 mg/ml, 50 mg/ml (Firvanq)                           |                          |
| XIFAXAN ORAL TABLET 200 MG, 550 MG                                                |                          |
| <b>Betalactámico, Cefalosporinas</b>                                              |                          |
| cefaclor oral capsule 250 mg, 500 mg                                              |                          |
| cefaclor oral suspension for reconstitution 125 mg/5 ml, 250 mg/5 ml, 375 mg/5 ml |                          |
| cefaclor oral tablet extended release 12 hr 500 mg                                |                          |
| cefadroxil oral capsule 500 mg                                                    |                          |
| cefadroxil oral suspension for reconstitution 250 mg/5 ml, 500 mg/5 ml            |                          |
| cefadroxil oral tablet 1 gram                                                     |                          |
| cefazolin injection recon soln 1 gram, 10 gram, 500 mg                            |                          |
| cefazolin intravenous recon soln 3 gram                                           |                          |
| cefdinir oral capsule 300 mg                                                      |                          |
| cefdinir oral suspension for reconstitution 125 mg/5 ml, 250 mg/5 ml              |                          |

| Nombre del Medicamento                                                                                  | Requerimientos / Límites |
|---------------------------------------------------------------------------------------------------------|--------------------------|
| cefepime injection recon soln 1 gram,<br>2 gram                                                         |                          |
| cefixime oral capsule 400 mg                                                                            |                          |
| cefixime oral suspension for reconstitution<br>100 mg/5 ml, 200 mg/5 ml                                 |                          |
| cefotetan in dextrose, iso-osm intravenous<br>piggyback 1 gram/50 ml, 2 gram/50 ml                      |                          |
| cefotetan injection recon soln 1 gram,<br>2 gram (Cefotan)                                              |                          |
| cefoxitin intravenous recon soln 1 gram,<br>10 gram, 2 gram                                             |                          |
| cefpodoxime oral suspension for<br>reconstitution 100 mg/5 ml, 50 mg/5 ml                               |                          |
| cefpodoxime oral tablet 100 mg, 200 mg                                                                  |                          |
| cefprozil oral suspension for reconstitution<br>125 mg/5 ml, 250 mg/5 ml                                |                          |
| cefprozil oral tablet 250 mg, 500 mg                                                                    |                          |
| ceftazidime injection recon soln 1 gram,<br>2 gram, 6 gram (Tazicef)                                    |                          |
| ceftriaxone injection recon soln 1 gram,<br>10 gram, 2 gram, 250 mg, 500 mg                             |                          |
| cefuroxime axetil oral tablet 250 mg,<br>500 mg                                                         |                          |
| cefuroxime sodium injection recon soln<br>750 mg                                                        |                          |
| cefuroxime sodium intravenous recon soln<br>1.5 gram, 7.5 gram                                          |                          |
| cephalexin oral capsule 250 mg, 500 mg                                                                  |                          |
| cephalexin oral suspension for<br>reconstitution 125 mg/5 ml, 250 mg/5 ml                               |                          |
| cephalexin oral tablet 250 mg, 500 mg                                                                   |                          |
| TEFLARO INTRAVENOUS RECON<br>SOLN 400 MG, 600 MG                                                        | NM                       |
| <b>Betalactámico, Penicilinas</b>                                                                       |                          |
| amoxicillin oral capsule 250 mg, 500 mg                                                                 |                          |
| amoxicillin oral suspension for<br>reconstitution 125 mg/5 ml, 200 mg/5 ml,<br>250 mg/5 ml, 400 mg/5 ml |                          |
| amoxicillin oral tablet 500 mg, 875 mg                                                                  |                          |
| amoxicillin oral tablet, chewable 125 mg,<br>250 mg                                                     |                          |

| Nombre del Medicamento                                                                                              | Requerimientos / Límites |
|---------------------------------------------------------------------------------------------------------------------|--------------------------|
| amoxicillin-pot clavulanate oral suspension for reconstitution<br>200-28.5 mg/5 ml, 400-57 mg/5 ml                  |                          |
| amoxicillin-pot clavulanate oral suspension for reconstitution<br>250-62.5 mg/5 ml (Augmentin)                      |                          |
| amoxicillin-pot clavulanate oral suspension for reconstitution<br>600-42.9 mg/5 ml (Augmentin ES-600)               |                          |
| amoxicillin-pot clavulanate oral tablet<br>250-125 mg, 875-125 mg                                                   |                          |
| amoxicillin-pot clavulanate oral tablet<br>500-125 mg (Augmentin)                                                   |                          |
| amoxicillin-pot clavulanate oral tablet extended release 12 hr 1,000-62.5 mg (Augmentin XR)                         |                          |
| amoxicillin-pot clavulanate oral tablet, chewable 200-28.5 mg, 400-57 mg                                            |                          |
| ampicillin oral capsule 500 mg                                                                                      |                          |
| ampicillin sodium injection recon soln<br>1 gram, 10 gram, 125 mg, 2 gram, 250 mg, 500 mg                           |                          |
| ampicillin-sulbactam injection recon soln<br>1.5 gram, 15 gram, 3 gram (Unasyn)                                     |                          |
| BICILLIN L-A INTRAMUSCULAR SYRINGE 1,200,000 UNIT/2 ML, 2,400,000 UNIT/4 ML, 600,000 UNIT/ML                        |                          |
| dicloxacillin oral capsule 250 mg, 500 mg                                                                           |                          |
| nafcillin 1 gm/ 50 ml inj 1 gram/50 ml                                                                              |                          |
| nafcillin injection recon soln 1 gram                                                                               |                          |
| nafcillin injection recon soln 10 gram, 2 gram                                                                      |                          |
| oxacillin in dextrose(iso-osm) intravenous piggyback 1 gram/50 ml, 2 gram/50 ml                                     |                          |
| oxacillin injection recon soln 1 gram, 10 gram, 2 gram                                                              |                          |
| oxacillin intravenous recon soln 1 gram, 2 gram                                                                     |                          |
| penicillin g pot in dextrose intravenous piggyback 1 million unit/50 ml, 2 million unit/50 ml, 3 million unit/50 ml |                          |
| penicillin g potassium injection recon soln 20 million unit (Pfizerpen-G)                                           |                          |
| penicillin g procaine intramuscular syringe<br>1.2 million unit/2 ml                                                |                          |

| Nombre del Medicamento                                                                              | Requerimientos / Límites     |
|-----------------------------------------------------------------------------------------------------|------------------------------|
| <i>penicillin g sodium injection recon soln 5 million unit</i>                                      |                              |
| <i>penicillin v potassium oral recon soln 125 mg/5 ml, 250 mg/5 ml</i>                              |                              |
| <i>penicillin v potassium oral tablet 250 mg, 500 mg</i>                                            |                              |
| <i>pfizerpen-g injection recon soln 20 million unit</i> (penicillin g potassium)                    |                              |
| <i>piperacillin-tazobactam intravenous recon soln 2.25 gram, 3.375 gram, 4.5 gram</i>               |                              |
| <b>Carbapenemasas</b>                                                                               |                              |
| <i>ertapenem injection recon soln 1 gram</i>                                                        |                              |
| <i>imipenem-cilastatin intravenous recon soln 250 mg</i>                                            |                              |
| <i>imipenem-cilastatin intravenous recon soln 500 mg</i> (Primaxin IV)                              |                              |
| <i>meropenem intravenous recon soln 1 gram, 500 mg</i>                                              |                              |
| <b>Macrólidos</b>                                                                                   |                              |
| <i>azithromycin intravenous recon soln 500 mg</i> (Zithromax)                                       |                              |
| <i>azithromycin oral packet 1 gram</i> (Zithromax)                                                  |                              |
| <i>azithromycin oral suspension for reconstitution 100 mg/5 ml, 200 mg/5 ml</i> (Zithromax)         |                              |
| <i>azithromycin oral tablet 250 mg (6 pack), 500 mg (3 pack), 600 mg</i>                            |                              |
| <i>azithromycin oral tablet 250 mg, 500 mg</i> (Zithromax)                                          |                              |
| <i>clarithromycin oral suspension for reconstitution 125 mg/5 ml, 250 mg/5 ml</i>                   |                              |
| <i>clarithromycin oral tablet 250 mg, 500 mg</i>                                                    |                              |
| <i>clarithromycin oral tablet extended release 24 hr 500 mg</i>                                     |                              |
| DIFICID ORAL SUSPENSION FOR RECONSTITUTION 40 MG/ML                                                 | PA; NM; QL (136 per 10 days) |
| DIFICID ORAL TABLET 200 MG                                                                          | PA; NM; QL (20 per 10 days)  |
| ERYTHROCIN INTRAVENOUS RECON SOLN 500 MG (erythromycin lactobionate)                                |                              |
| <i>erythromycin ethylsuccinate oral suspension for reconstitution 200 mg/5 ml</i> (E.E.S. Granules) |                              |
| <i>erythromycin ethylsuccinate oral suspension for reconstitution 400 mg/5 ml</i> (EryPed 400)      |                              |
| <i>erythromycin ethylsuccinate oral tablet 400 mg</i> (E.E.S. 400)                                  |                              |

| Nombre del Medicamento                                                                            | Requerimientos / Límites |
|---------------------------------------------------------------------------------------------------|--------------------------|
| erythromycin oral capsule, delayed release(dr/ec) 250 mg                                          |                          |
| erythromycin oral tablet 250 mg, 500 mg                                                           |                          |
| erythromycin oral tablet, delayed release (dr/ec) 250 mg, 333 mg, 500 mg (Ery-Tab)                |                          |
| <b>Quinolonas</b>                                                                                 |                          |
| ciprofloxacin hcl ophthalmic (eye) drops 0.3 %                                                    |                          |
| ciprofloxacin hcl oral tablet 100 mg, 750 mg                                                      |                          |
| ciprofloxacin hcl oral tablet 250 mg, 500 mg (Cipro)                                              |                          |
| ciprofloxacin in 5 % dextrose intravenous piggyback 200 mg/100 ml, 400 mg/200 ml                  |                          |
| levofloxacin in d5w intravenous piggyback 250 mg/50 ml, 500 mg/100 ml, 750 mg/150 ml              |                          |
| levofloxacin oral solution 250 mg/10 ml                                                           |                          |
| levofloxacin oral tablet 250 mg, 500 mg, 750 mg                                                   |                          |
| moxifloxacin 400 mg/250 ml bag                                                                    |                          |
| moxifloxacin oral tablet 400 mg                                                                   |                          |
| moxifloxacin-sod.chloride(iso) intravenous piggyback 400 mg/250 ml (Avelox in NaCl (iso-osmotic)) |                          |
| ofloxacin oral tablet 300 mg, 400 mg                                                              |                          |
| <b>Sulfonamidas</b>                                                                               |                          |
| sulfacetamide sodium (acne) topical suspension 10 % (Klaron)                                      |                          |
| sulfadiazine oral tablet 500 mg                                                                   |                          |
| sulfamethoxazole-trimethoprim oral suspension 200-40 mg/5 ml (Sulfatrim)                          |                          |
| sulfamethoxazole-trimethoprim oral tablet 400-80 mg (Bactrim)                                     |                          |
| sulfamethoxazole-trimethoprim oral tablet 800-160 mg (Bactrim DS)                                 |                          |
| <b>Tetraciclinas</b>                                                                              |                          |
| doxy-100 intravenous recon soln 100 mg (doxycycline hyclate)                                      |                          |
| doxycycline hyclate intravenous recon soln 100 mg (Doxy-100)                                      |                          |
| doxycycline hyclate oral capsule 100 mg, 50 mg (Morgidox)                                         |                          |

| Nombre del Medicamento                                                                                                                   |                           | Requerimientos / Límites         |
|------------------------------------------------------------------------------------------------------------------------------------------|---------------------------|----------------------------------|
| doxycycline hyclate oral tablet 100 mg, 20 mg                                                                                            |                           |                                  |
| doxycycline monohydrate oral capsule 100 mg                                                                                              | (Mondoxyne NL)            |                                  |
| doxycycline monohydrate oral capsule 50 mg                                                                                               | (Monodox)                 |                                  |
| doxycycline monohydrate oral tablet 100 mg                                                                                               | (Avidoxy)                 |                                  |
| doxycycline monohydrate oral tablet 50 mg, 75 mg                                                                                         |                           |                                  |
| minocycline oral capsule 100 mg, 50 mg, 75 mg                                                                                            |                           |                                  |
| minocycline oral tablet 100 mg, 50 mg, 75 mg                                                                                             |                           |                                  |
| mondoxyne nl oral capsule 100 mg                                                                                                         | (doxycycline monohydrate) |                                  |
| tetracycline oral capsule 250 mg, 500 mg                                                                                                 |                           |                                  |
| <b>ANTICONVULSIVOS</b>                                                                                                                   |                           |                                  |
| <b>Agentes De Aumento De Ácido Gamma-Aminobutírico (GABA)</b>                                                                            |                           |                                  |
| clobazam oral suspension 2.5 mg/ml                                                                                                       | (Onfi)                    | QL (480 per 30 days)             |
| clobazam oral tablet 10 mg, 20 mg                                                                                                        | (Onfi)                    | QL (60 per 30 days)              |
| diazepam rectal kit 12.5-15-17.5-20 mg, 2.5 mg, 5-7.5-10 mg                                                                              |                           |                                  |
| gabapentin oral capsule 100 mg, 300 mg, 400 mg                                                                                           | (Neurontin)               | QL (270 per 30 days)             |
| gabapentin oral solution 250 mg/5 ml                                                                                                     | (Neurontin)               |                                  |
| gabapentin oral tablet 600 mg, 800 mg                                                                                                    | (Neurontin)               | QL (180 per 30 days)             |
| NAYZILAM NASAL SPRAY, NON-AEROSOL 5 MG/SPRAY (0.1 ML)                                                                                    |                           |                                  |
| SYMPAZAN ORAL FILM 10 MG, 20 MG, 5 MG                                                                                                    |                           | ST; NM; QL (60 per 30 days)      |
| tiagabine oral tablet 12 mg, 16 mg, 2 mg, 4 mg                                                                                           |                           |                                  |
| VALTOCO NASAL SPRAY, NON-AEROSOL 10 MG/SPRAY (0.1 ML), 15 MG/2 SPRAY (7.5/0.1ML X 2), 20 MG/2 SPRAY (10MG/0.1ML X2), 5 MG/SPRAY (0.1 ML) |                           | ST                               |
| vigabatrin oral powder in packet 500 mg                                                                                                  | (Sabril)                  | PA NSO; NM; QL (180 per 30 days) |
| vigabatrin oral tablet 500 mg                                                                                                            | (Vigadrone)               | PA NSO; NM; QL (180 per 30 days) |
| vigadrone oral tablet 500 mg                                                                                                             | (vigabatrin)              | PA NSO; NM; QL (180 per 30 days) |

| Nombre del Medicamento                                                                   | Requerimientos / Límites    |
|------------------------------------------------------------------------------------------|-----------------------------|
| <b>Agentes De Canal De Sodio</b>                                                         |                             |
| APTIOM ORAL TABLET 200 MG, 400 MG                                                        | ST; NM; QL (30 per 30 days) |
| APTIOM ORAL TABLET 600 MG, 800 MG                                                        | ST; NM; QL (60 per 30 days) |
| carbamazepine oral capsule, er<br>multiphase 12 hr 100 mg, 200 mg, 300 mg (Carbatrol)    |                             |
| carbamazepine oral suspension<br>100 mg/5 ml (Tegretol)                                  |                             |
| carbamazepine oral tablet 200 mg (Epitol)                                                |                             |
| carbamazepine oral tablet extended<br>release 12 hr 100 mg, 200 mg, 400 mg (Tegretol XR) |                             |
| carbamazepine oral tablet, chewable<br>100 mg                                            |                             |
| DILANTIN ORAL CAPSULE 30 MG                                                              | ST                          |
| epitol oral tablet 200 mg (carbamazepine)                                                |                             |
| lacosamide oral solution 10 mg/ml (Vimpat)                                               | QL (1395 per 30 days)       |
| lacosamide oral tablet 100 mg, 150 mg,<br>200 mg, 50 mg (Vimpat)                         | QL (60 per 30 days)         |
| oxcarbazepine oral suspension<br>300 mg/5 ml (60 mg/ml) (Trileptal)                      |                             |
| oxcarbazepine oral tablet 150 mg,<br>300 mg, 600 mg (Trileptal)                          |                             |
| phenytoin oral suspension 125 mg/5 ml (Dilantin-125)                                     |                             |
| phenytoin oral tablet, chewable 50 mg (Dilantin Infatabs)                                |                             |
| phenytoin sodium extended oral capsule<br>100 mg (Dilantin Extended)                     |                             |
| phenytoin sodium extended oral capsule<br>200 mg, 300 mg (Phenytek)                      |                             |
| rufinamide oral suspension 40 mg/ml (Banzel)                                             | NM; QL (2760 per 30 days)   |
| rufinamide oral tablet 200 mg (Banzel)                                                   | QL (480 per 30 days)        |
| rufinamide oral tablet 400 mg (Banzel)                                                   | NM; QL (240 per 30 days)    |
| <b>Agentes Modificadores De Canal De Calcio</b>                                          |                             |
| ethosuximide oral capsule 250 mg (Zarontin)                                              |                             |
| ethosuximide oral solution 250 mg/5 ml (Zarontin)                                        |                             |
| methsuximide oral capsule 300 mg (Celontin)                                              |                             |
| ZONISADE ORAL SUSPENSION<br>100 MG/5 ML                                                  | QL (900 per 30 days)        |
| zonisamide oral capsule 100 mg, 25 mg (Zonegran)                                         |                             |
| zonisamide oral capsule 50 mg                                                            |                             |
| <b>Anticonvulsivos, Otros</b>                                                            |                             |
| BRIVIACT ORAL SOLUTION 10 MG/ML                                                          | QL (600 per 30 days)        |
| BRIVIACT ORAL TABLET 10 MG,<br>100 MG, 25 MG, 50 MG, 75 MG                               | QL (60 per 30 days)         |

| Nombre del Medicamento                                                                                                 | Requerimientos / Límites    |
|------------------------------------------------------------------------------------------------------------------------|-----------------------------|
| DIACOMIT ORAL CAPSULE 250 MG, 500 MG                                                                                   | PA NSO                      |
| DIACOMIT ORAL POWDER IN PACKET 250 MG, 500 MG                                                                          | PA NSO                      |
| EPIDIOLEX ORAL SOLUTION 100 MG/ML                                                                                      | PA NSO                      |
| <i>felbamate oral suspension 600 mg/5 ml</i>                                                                           | NM                          |
| <i>felbamate oral tablet 400 mg, 600 mg (Felbatol)</i>                                                                 |                             |
| FINTEPLA ORAL SOLUTION 2.2 MG/ML                                                                                       | PA NSO                      |
| FYCOMPA ORAL SUSPENSION 0.5 MG/ML                                                                                      | ST; QL (720 per 30 days)    |
| FYCOMPA ORAL TABLET 10 MG, 12 MG, 4 MG, 6 MG, 8 MG                                                                     | ST; NM; QL (30 per 30 days) |
| FYCOMPA ORAL TABLET 2 MG                                                                                               | ST; QL (30 per 30 days)     |
| <i>lamotrigine oral tablet 100 mg, 150 mg, 200 mg, 25 mg (Lamictal)</i>                                                |                             |
| <i>lamotrigine oral tablet disintegrating, dose pk 25 mg (21) -50 mg (7) (Lamictal ODT Starter (Blue))</i>             |                             |
| <i>lamotrigine oral tablet disintegrating, dose pk 25 mg(14)-50 mg (14)-100 mg (7) (Lamictal ODT Starter (Orange))</i> |                             |
| <i>lamotrigine oral tablet disintegrating, dose pk 50 mg (42) -100 mg (14) (Lamictal ODT Starter (Green))</i>          |                             |
| <i>lamotrigine oral tablet extended release 24hr 100 mg, 200 mg, 25 mg, 250 mg, 300 mg, 50 mg (Lamictal XR)</i>        |                             |
| <i>lamotrigine oral tablet, chewable dispersible 25 mg, 5 mg (Lamictal)</i>                                            |                             |
| <i>lamotrigine oral tablet, disintegrating 100 mg, 200 mg, 25 mg, 50 mg (Lamictal ODT)</i>                             |                             |
| <i>lamotrigine oral tablets, dose pack 25 mg (35) (Lamictal Starter (Blue) Kit)</i>                                    |                             |
| <i>lamotrigine oral tablets, dose pack 25 mg (42) -100 mg (7) (Lamictal Starter (Orange) Kit)</i>                      |                             |
| <i>lamotrigine oral tablets, dose pack 25 mg (84) -100 mg (14) (Lamictal Starter (Green) Kit)</i>                      |                             |
| <i>levetiracetam oral solution 100 mg/ml (Keppra)</i>                                                                  |                             |
| <i>levetiracetam oral tablet 1,000 mg, 250 mg, 500 mg, 750 mg (Keppra)</i>                                             |                             |
| <i>levetiracetam oral tablet extended release 24 hr 500 mg, 750 mg (Keppra XR)</i>                                     |                             |
| LIBERVANT BUCCAL FILM 10 MG, 12.5 MG, 15 MG, 5 MG, 7.5 MG                                                              | QL (10 per 30 days)         |
| <i>phenobarbital oral elixir 20 mg/5 ml (4 mg/ml)</i>                                                                  | QL (1500 per 30 days)       |



| Nombre del Medicamento                                                                                                    | Requerimientos / Límites          |
|---------------------------------------------------------------------------------------------------------------------------|-----------------------------------|
| <i>phenobarbital oral tablet 100 mg, 16.2 mg, 32.4 mg, 64.8 mg, 97.2 mg</i>                                               | QL (90 per 30 days)               |
| <i>phenobarbital oral tablet 15 mg, 60 mg</i>                                                                             | QL (120 per 30 days)              |
| <i>phenobarbital oral tablet 30 mg</i>                                                                                    | QL (300 per 30 days)              |
| <i>primidone oral tablet 125 mg</i>                                                                                       |                                   |
| <i>primidone oral tablet 250 mg, 50 mg (Mysoline)</i>                                                                     |                                   |
| SPRITAM ORAL TABLET FOR SUSPENSION 1,000 MG                                                                               | ST; QL (90 per 30 days)           |
| SPRITAM ORAL TABLET FOR SUSPENSION 250 MG, 500 MG, 750 MG                                                                 | ST; QL (120 per 30 days)          |
| <i>valproic acid (as sodium salt) oral solution 250 mg/5 ml</i>                                                           |                                   |
| <i>valproic acid oral capsule 250 mg</i>                                                                                  |                                   |
| XCOPRI MAINTENANCE PACK ORAL TABLET 250MG/DAY(150 MG X1-100MG X1), 350 MG/DAY (200 MG X1-150MG X1)                        | QL (56 per 28 days)               |
| XCOPRI ORAL TABLET 100 MG, 150 MG, 200 MG, 50 MG                                                                          | QL (60 per 30 days)               |
| XCOPRI TITRATION PACK ORAL TABLETS, DOSE PACK 12.5 MG (14)- 25 MG (14), 150 MG (14)- 200 MG (14), 50 MG (14)- 100 MG (14) | QL (28 per 28 days)               |
| ZTALMY ORAL SUSPENSION 50 MG/ML                                                                                           | PA NSO; NM; QL (1100 per 30 days) |
| <b>ANTIDEPRESIVOS</b>                                                                                                     |                                   |
| <i>citalopram oral capsule 30 mg</i>                                                                                      | QL (30 per 30 days)               |
| <i>citalopram oral solution 10 mg/5 ml</i>                                                                                | QL (600 per 30 days)              |
| <i>citalopram oral tablet 10 mg, 40 mg (Celexa)</i>                                                                       | QL (30 per 30 days)               |
| <i>citalopram oral tablet 20 mg (Celexa)</i>                                                                              | QL (60 per 30 days)               |
| <i>desvenlafaxine oral tablet extended release 24 hr 100 mg, 50 mg</i>                                                    | QL (30 per 30 days)               |
| <i>desvenlafaxine succinate oral tablet extended release 24 hr 100 mg, 25 mg, 50 mg (Pristiq)</i>                         | QL (30 per 30 days)               |
| <i>duloxetine oral capsule, delayed release(dr/ec) 20 mg, 30 mg, 60 mg (Cymbalta)</i>                                     | QL (60 per 30 days)               |
| <i>duloxetine oral capsule, delayed release(dr/ec) 40 mg</i>                                                              | QL (60 per 30 days)               |
| <i>escitalopram oxalate oral solution 5 mg/5 ml</i>                                                                       | QL (600 per 30 days)              |
| <i>escitalopram oxalate oral tablet 10 mg (Lexapro)</i>                                                                   | QL (45 per 30 days)               |
| <i>escitalopram oxalate oral tablet 20 mg (Lexapro)</i>                                                                   | QL (60 per 30 days)               |
| <i>escitalopram oxalate oral tablet 5 mg (Lexapro)</i>                                                                    | QL (30 per 30 days)               |

| Nombre del Medicamento                                                                         | Requerimientos / Límites |
|------------------------------------------------------------------------------------------------|--------------------------|
| FETZIMA ORAL CAPSULE, EXT REL<br>24HR DOSE PACK 20 MG (2)- 40 MG<br>(26)                       | QL (28 per 28 days)      |
| FETZIMA ORAL CAPSULE, EXTENDED<br>RELEASE 24 HR 120 MG, 20 MG,<br>40 MG, 80 MG                 | QL (30 per 30 days)      |
| <i>fluoxetine oral capsule 10 mg, 20 mg,<br/>40 mg</i> (Prozac)                                | QL (60 per 30 days)      |
| <i>fluoxetine oral solution 20 mg/5 ml<br/>(4 mg/ml)</i>                                       | QL (600 per 30 days)     |
| <i>fluoxetine oral tablet 10 mg</i>                                                            | QL (60 per 30 days)      |
| <i>fluoxetine oral tablet 20 mg</i>                                                            | QL (120 per 30 days)     |
| <i>fluvoxamine oral tablet 100 mg, 25 mg,<br/>50 mg</i>                                        | QL (90 per 30 days)      |
| <i>nefazodone oral tablet 100 mg, 150 mg,<br/>200 mg, 250 mg, 50 mg</i>                        |                          |
| <i>paroxetine hcl oral suspension 10 mg/5 ml</i> (Paxil)                                       | QL (900 per 30 days)     |
| <i>paroxetine hcl oral tablet 10 mg, 20 mg</i> (Paxil)                                         | QL (30 per 30 days)      |
| <i>paroxetine hcl oral tablet 30 mg, 40 mg</i> (Paxil)                                         | QL (60 per 30 days)      |
| <i>sertraline oral capsule 150 mg, 200 mg</i>                                                  | QL (30 per 30 days)      |
| <i>sertraline oral concentrate 20 mg/ml</i> (Zoloft)                                           | QL (300 per 30 days)     |
| <i>sertraline oral tablet 100 mg</i> (Zoloft)                                                  | QL (60 per 30 days)      |
| <i>sertraline oral tablet 25 mg, 50 mg</i> (Zoloft)                                            | QL (90 per 30 days)      |
| <i>trazodone oral tablet 100 mg, 150 mg,<br/>300 mg, 50 mg</i>                                 |                          |
| TRINTELLIX ORAL TABLET 10 MG,<br>20 MG, 5 MG                                                   | ST; QL (30 per 30 days)  |
| <i>venlafaxine besylate oral tablet extended<br/>release 24hr 112.5 mg</i>                     | QL (30 per 30 days)      |
| <i>venlafaxine oral capsule, extended<br/>release 24hr 150 mg, 37.5 mg, 75 mg</i> (Effexor XR) | QL (60 per 30 days)      |
| <i>venlafaxine oral tablet 100 mg, 25 mg,<br/>37.5 mg, 50 mg, 75 mg</i>                        | QL (90 per 30 days)      |
| <i>venlafaxine oral tablet extended release<br/>24hr 150 mg, 225 mg, 37.5 mg, 75 mg</i>        | QL (30 per 30 days)      |
| <i>vilazodone oral tablet 10 mg, 20 mg,<br/>40 mg</i> (Viibryd)                                | QL (30 per 30 days)      |
| <b>Antidepresivos, Otros</b>                                                                   |                          |
| AUVELITY ORAL TABLET, IR AND ER,<br>BIPHASIC 45-105 MG                                         | ST; QL (60 per 30 days)  |
| <i>bupropion hcl oral tablet 100 mg</i>                                                        | QL (180 per 30 days)     |
| <i>bupropion hcl oral tablet 75 mg</i>                                                         | QL (120 per 30 days)     |

| Nombre del Medicamento                                                       | Requerimientos / Límites        |
|------------------------------------------------------------------------------|---------------------------------|
| bupropion hcl oral tablet extended release 24 hr 150 mg (Wellbutrin XL)      | QL (60 per 30 days)             |
| bupropion hcl oral tablet extended release 24 hr 300 mg (Wellbutrin XL)      | QL (90 per 30 days)             |
| bupropion hcl oral tablet extended release 24 hr 450 mg (Forfivo XL)         | QL (30 per 30 days)             |
| bupropion hcl oral tablet sustained-release 12 hr 100 mg (Wellbutrin SR)     | QL (120 per 30 days)            |
| bupropion hcl oral tablet sustained-release 12 hr 150 mg (Wellbutrin SR)     | QL (90 per 30 days)             |
| bupropion hcl oral tablet sustained-release 12 hr 200 mg (Wellbutrin SR)     | QL (60 per 30 days)             |
| mirtazapine oral tablet 15 mg, 30 mg (Remeron)                               | QL (30 per 30 days)             |
| mirtazapine oral tablet 45 mg                                                | QL (30 per 30 days)             |
| mirtazapine oral tablet 7.5 mg                                               | QL (45 per 30 days)             |
| mirtazapine oral tablet, disintegrating 15 mg, 30 mg, 45 mg (Remeron SolTab) | QL (30 per 30 days)             |
| olanzapine-fluoxetine oral capsule 12-25 mg, 6-50 mg                         | QL (30 per 30 days)             |
| olanzapine-fluoxetine oral capsule 12-50 mg (Symbyax)                        | QL (30 per 30 days)             |
| olanzapine-fluoxetine oral capsule 3-25 mg, 6-25 mg (Symbyax)                | QL (90 per 30 days)             |
| ZURZUVAE ORAL CAPSULE 20 MG, 25 MG                                           | PA NSO; NM; QL (28 per 14 days) |
| ZURZUVAE ORAL CAPSULE 30 MG                                                  | PA NSO; NM; QL (14 per 14 days) |
| <b>Inhibidores De Monoamino Oxidasa</b>                                      |                                 |
| EMSAM TRANSDERMAL PATCH 24 HOUR 12 MG/24 HR, 6 MG/24 HR, 9 MG/24 HR          | ST; NM; QL (30 per 30 days)     |
| MARPLAN ORAL TABLET 10 MG                                                    | ST; QL (180 per 30 days)        |
| phenelzine oral tablet 15 mg (Nardil)                                        |                                 |
| tranylcypromine oral tablet 10 mg (Parnate)                                  |                                 |
| <b>Non-FRF</b>                                                               |                                 |
| VIIBRYD ORAL TABLETS, DOSE PACK 10 MG (7)- 20 MG (23)                        | QL (30 per 30 days)             |
| <b>Tricíclicos</b>                                                           |                                 |
| amitriptyline oral tablet 10 mg, 100 mg, 150 mg, 25 mg, 50 mg, 75 mg         |                                 |
| amoxapine oral tablet 100 mg, 150 mg, 25 mg, 50 mg                           |                                 |

| Nombre del Medicamento                                                     | Requerimientos / Límites    |
|----------------------------------------------------------------------------|-----------------------------|
| clomipramine oral capsule 25 mg, 50 mg, 75 mg (Anafranil)                  |                             |
| desipramine oral tablet 10 mg, 25 mg (Norpramin)                           |                             |
| desipramine oral tablet 100 mg, 150 mg, 50 mg, 75 mg                       |                             |
| doxepin oral capsule 10 mg, 100 mg, 150 mg, 25 mg, 50 mg, 75 mg            |                             |
| doxepin oral concentrate 10 mg/ml                                          |                             |
| imipramine hcl oral tablet 10 mg, 25 mg, 50 mg                             |                             |
| nortriptyline oral capsule 10 mg, 25 mg, 50 mg, 75 mg (Pamelor)            |                             |
| nortriptyline oral solution 10 mg/5 ml                                     |                             |
| protriptyline oral tablet 10 mg, 5 mg                                      |                             |
| trimipramine oral capsule 100 mg, 25 mg, 50 mg                             |                             |
| <b>ANTIEMÉTICOS</b>                                                        |                             |
| <b>Antieméticos, Otros</b>                                                 |                             |
| meclizine oral tablet 12.5 mg                                              |                             |
| meclizine oral tablet 25 mg (Dramamine (meclizine))                        |                             |
| prochlorperazine maleate oral tablet 10 mg, 5 mg (Compazine)               |                             |
| prochlorperazine rectal suppository 25 mg (Compazine)                      |                             |
| promethazine oral syrup 6.25 mg/5 ml                                       |                             |
| promethazine oral tablet 12.5 mg, 25 mg, 50 mg                             |                             |
| promethazine rectal suppository 12.5 mg, 25 mg, 50 mg (Promethegan)        |                             |
| promethegan rectal suppository 12.5 mg (promethazine)                      |                             |
| scopolamine base transdermal patch 3 day 1 mg over 3 days (Transderm-Scop) |                             |
| <b>Complementos De Terapia Emetógena</b>                                   |                             |
| aprepitant oral capsule 125 mg, 40 mg                                      | PA BvD; QL (30 per 30 days) |
| aprepitant oral capsule 80 mg (Emend)                                      | PA BvD; QL (30 per 30 days) |
| aprepitant oral capsule, dose pack 125 mg (1)- 80 mg (2) (Emend)           | PA BvD; QL (12 per 30 days) |
| dronabinol oral capsule 10 mg, 2.5 mg, 5 mg (Marinol)                      | PA; QL (60 per 30 days)     |
| granisetron hcl oral tablet 1 mg                                           | PA BvD; QL (60 per 30 days) |
| ondansetron hcl oral solution 4 mg/5 ml                                    | PA BvD                      |
| ondansetron hcl oral tablet 4 mg, 8 mg                                     | PA BvD                      |

| Nombre del Medicamento                                                                               | Requerimientos / Límites |
|------------------------------------------------------------------------------------------------------|--------------------------|
| ondansetron oral tablet, disintegrating<br>4 mg, 8 mg                                                | PA BvD                   |
| VARUBI ORAL TABLET 90 MG                                                                             | PA BvD                   |
| <b>ANTIFÚNGICOS</b>                                                                                  |                          |
| <b>Antifúngicos</b>                                                                                  |                          |
| ABELCET INTRAVENOUS<br>SUSPENSION 5 MG/ML                                                            | PA BvD                   |
| amphotericin b injection recon soln 50 mg                                                            | PA BvD                   |
| amphotericin b liposome intravenous<br>suspension for reconstitution 50 mg (AmBisome)                | PA BvD; NM               |
| caspofungin intravenous recon soln 50 mg (Cancidas)                                                  | NM                       |
| caspofungin intravenous recon soln 70 mg (Cancidas)                                                  |                          |
| ciclopirox topical cream 0.77 % (Ciclodan)                                                           |                          |
| ciclopirox topical suspension 0.77 % (Loprox (as olamine))                                           |                          |
| clotrimazole mucous membrane troche<br>10 mg                                                         |                          |
| clotrimazole topical cream 1 % (Antifungal<br>(clotrimazole))                                        |                          |
| clotrimazole topical solution 1 %                                                                    |                          |
| econazole topical cream 1 %                                                                          |                          |
| ERAXIS(WATER DILUENT)<br>INTRAVENOUS RECON SOLN 100 MG                                               | NM                       |
| ERAXIS(WATER DILUENT)<br>INTRAVENOUS RECON SOLN 50 MG                                                |                          |
| fluconazole in nacl (iso-osm) intravenous<br>piggyback 100 mg/50 ml, 200 mg/100 ml,<br>400 mg/200 ml |                          |
| fluconazole oral suspension for<br>reconstitution 10 mg/ml                                           |                          |
| fluconazole oral suspension for<br>reconstitution 40 mg/ml (Diflucan)                                |                          |
| fluconazole oral tablet 100 mg, 200 mg (Diflucan)                                                    |                          |
| fluconazole oral tablet 150 mg, 50 mg                                                                |                          |
| flucytosine oral capsule 250 mg, 500 mg (Ancobon)                                                    | NM                       |
| griseofulvin microsize oral suspension<br>125 mg/5 ml                                                |                          |
| griseofulvin microsize oral tablet 500 mg                                                            |                          |
| griseofulvin ultramicrosize oral tablet<br>125 mg, 250 mg                                            |                          |
| itraconazole oral capsule 100 mg (Sporanox)                                                          | PA                       |
| itraconazole oral solution 10 mg/ml (Sporanox)                                                       | PA                       |

| Nombre del Medicamento                                                                | Requerimientos / Límites |
|---------------------------------------------------------------------------------------|--------------------------|
| JUBLIA TOPICAL SOLUTION WITH APPLICATOR 10 %                                          |                          |
| <i>ketoconazole oral tablet 200 mg</i>                                                |                          |
| <i>ketoconazole topical cream 2 %</i>                                                 |                          |
| <i>ketoconazole topical shampoo 2 %</i>                                               |                          |
| NOXAFIL ORAL SUSP, DELAYED RELEASE FOR RECON 300 MG                                   | PA; NM                   |
| <i>nyamyc topical powder 100,000 unit/gram (nystatin)</i>                             |                          |
| <i>nystatin oral suspension 100,000 unit/ml</i>                                       |                          |
| <i>nystatin oral tablet 500,000 unit</i>                                              |                          |
| <i>nystatin topical cream 100,000 unit/gram</i>                                       |                          |
| <i>nystatin topical ointment 100,000 unit/gram</i>                                    |                          |
| <i>nystatin topical powder 100,000 unit/gram (Nyamyc)</i>                             |                          |
| <i>nystop topical powder 100,000 unit/gram (nystatin)</i>                             |                          |
| <i>posaconazole oral suspension 200 mg/5 ml (40 mg/ml) (Noxafil)</i>                  | PA; NM                   |
| <i>posaconazole oral tablet, delayed release (dr/ec) 100 mg (Noxafil)</i>             | PA                       |
| <i>terbinafine hcl oral tablet 250 mg</i>                                             |                          |
| <i>terconazole vaginal cream 0.4 %, 0.8 %</i>                                         |                          |
| <i>terconazole vaginal suppository 80 mg</i>                                          |                          |
| <i>voriconazole intravenous recon soln 200 mg (Vfend IV)</i>                          | PA; NM                   |
| <i>voriconazole oral suspension for reconstitution 200 mg/5 ml (40 mg/ml) (Vfend)</i> | PA; NM                   |
| <i>voriconazole oral tablet 200 mg, 50 mg (Vfend)</i>                                 | PA                       |
| <b>ANTIMICOBACTERIALES</b>                                                            |                          |
| <b>Antimicobacterianos, Otros</b>                                                     |                          |
| <i>dapsone oral tablet 100 mg, 25 mg</i>                                              |                          |
| PRIFTIN ORAL TABLET 150 MG                                                            |                          |
| <i>rifabutin oral capsule 150 mg (Mycobutin)</i>                                      |                          |
| <b>Antituberculosos</b>                                                               |                          |
| <i>ethambutol oral tablet 100 mg</i>                                                  |                          |
| <i>ethambutol oral tablet 400 mg (Myambutol)</i>                                      |                          |
| <i>isoniazid oral solution 50 mg/5 ml</i>                                             |                          |
| <i>isoniazid oral tablet 100 mg, 300 mg</i>                                           |                          |
| <i>pyrazinamide oral tablet 500 mg</i>                                                |                          |
| <i>rifampin intravenous recon soln 600 mg (Rifadin)</i>                               |                          |
| <i>rifampin oral capsule 150 mg, 300 mg</i>                                           |                          |

| Nombre del Medicamento                                                                   | Requerimientos / Límites         |
|------------------------------------------------------------------------------------------|----------------------------------|
| SIRTURO ORAL TABLET 100 MG,<br>20 MG                                                     | PA; NM                           |
| TRECATOR ORAL TABLET 250 MG                                                              |                                  |
| <b>ANTINEOPLÁSICOS</b>                                                                   |                                  |
| <b>Agentes Alquilantes</b>                                                               |                                  |
| <i>cyclophosphamide intravenous solution<br/>500 mg/ml</i>                               | PA BvD; NM                       |
| <i>cyclophosphamide oral capsule 25 mg,<br/>50 mg</i>                                    | PA BvD                           |
| <i>cyclophosphamide oral tablet 25 mg,<br/>50 mg</i>                                     | PA BvD                           |
| GLEOSTINE ORAL CAPSULE 10 MG,<br>100 MG, 40 MG (lomustine)                               | PA NSO                           |
| LEUKERAN ORAL TABLET 2 MG                                                                |                                  |
| MATULANE ORAL CAPSULE 50 MG                                                              | PA NSO; NM                       |
| VALCHLOR TOPICAL GEL 0.016 %                                                             | PA NSO; NM; QL (60 per 14 days)  |
| <b>Agentes Antiangiogénicos</b>                                                          |                                  |
| <i>lenalidomide oral capsule 10 mg, 15 mg,<br/>2.5 mg, 20 mg, 25 mg, 5 mg</i> (Revlimid) | PA NSO; NM; QL (28 per 28 days)  |
| POMALYST ORAL CAPSULE 1 MG,<br>2 MG, 3 MG, 4 MG                                          | PA NSO; NM; QL (21 per 28 days)  |
| THALOMID ORAL CAPSULE 100 MG,<br>200 MG, 50 MG                                           | PA NSO; NM; QL (30 per 30 days)  |
| THALOMID ORAL CAPSULE 150 MG                                                             | PA NSO; NM; QL (60 per 30 days)  |
| <b>Antiandrógenos</b>                                                                    |                                  |
| <i>abiraterone oral tablet 250 mg, 500 mg</i> (Zytiga)                                   | PA NSO; NM; QL (120 per 30 days) |
| <i>bicalutamide oral tablet 50 mg</i> (Casodex)                                          |                                  |
| ERLEADA ORAL TABLET 240 MG                                                               | PA NSO; NM; QL (30 per 30 days)  |
| ERLEADA ORAL TABLET 60 MG                                                                | PA NSO; NM; QL (120 per 30 days) |
| LYSODREN ORAL TABLET 500 MG                                                              | NM                               |
| <i>nilutamide oral tablet 150 mg</i> (Nilandron)                                         | NM; QL (60 per 30 days)          |
| NUBEQA ORAL TABLET 300 MG                                                                | PA NSO; NM; QL (120 per 30 days) |
| XTANDI ORAL CAPSULE 40 MG                                                                | PA NSO; NM; QL (120 per 30 days) |
| XTANDI ORAL TABLET 40 MG                                                                 | PA NSO; NM; QL (120 per 30 days) |
| XTANDI ORAL TABLET 80 MG                                                                 | PA NSO; NM; QL (90 per 30 days)  |
| YONSA ORAL TABLET 125 MG                                                                 | PA NSO; NM; QL (120 per 30 days) |
| <b>Antiestrógenos/Modificadores</b>                                                      |                                  |
| EMCYT ORAL CAPSULE 140 MG                                                                |                                  |
| ORSERDU ORAL TABLET 345 MG                                                               | PA NSO; NM; QL (30 per 30 days)  |
| ORSERDU ORAL TABLET 86 MG                                                                | PA NSO; NM; QL (90 per 30 days)  |

| Nombre del Medicamento                                                                                                                     | Requerimientos / Límites         |
|--------------------------------------------------------------------------------------------------------------------------------------------|----------------------------------|
| SOLTAMOX ORAL SOLUTION<br>20 MG/10 ML                                                                                                      | PA NSO                           |
| <i>tamoxifen oral tablet 10 mg, 20 mg</i>                                                                                                  |                                  |
| <i>toremifene oral tablet 60 mg</i> (Fareston)                                                                                             | PA NSO; NM                       |
| <b>Antimetabolitos</b>                                                                                                                     |                                  |
| DROXIA ORAL CAPSULE 200 MG,<br>300 MG, 400 MG                                                                                              |                                  |
| <i>hydroxyurea oral capsule 500 mg</i> (Hydrea)                                                                                            |                                  |
| INQOVI ORAL TABLET 35-100 MG                                                                                                               | PA NSO; NM                       |
| <i>mercaptopurine oral tablet 50 mg</i>                                                                                                    |                                  |
| ONUREG ORAL TABLET 200 MG,<br>300 MG                                                                                                       | PA NSO; NM                       |
| PURIXAN ORAL SUSPENSION<br>20 MG/ML                                                                                                        | NM                               |
| TABLOID ORAL TABLET 40 MG (thioguanine)                                                                                                    | PA NSO                           |
| <b>Antineoplásicos, Otros</b>                                                                                                              |                                  |
| ANKTIVA INTRAVESICAL SOLUTION<br>400 MCG/0.4 ML                                                                                            | PA NSO; NM; QL (1.6 per 28 days) |
| ELREXFIO 44 MG/1.1 ML VIAL OUTER,<br>SUV, P/F 40 MG/ML                                                                                     | PA NSO; NM                       |
| ELREXFIO SUBCUTANEOUS<br>SOLUTION 40 MG/ML                                                                                                 | PA NSO; NM; QL (9.5 per 28 days) |
| IDHIFA ORAL TABLET 100 MG                                                                                                                  | PA NSO; NM; QL (30 per 30 days)  |
| IDHIFA ORAL TABLET 50 MG                                                                                                                   | PA NSO; NM; QL (60 per 30 days)  |
| IWILFIN ORAL TABLET 192 MG                                                                                                                 | PA NSO; NM; QL (240 per 30 days) |
| JYLAMVO ORAL SOLUTION 2 MG/ML                                                                                                              | PA BvD                           |
| KISQALI FEMARA CO-PACK ORAL<br>TABLET 200 MG/DAY(200 MG X<br>1)-2.5 MG, 400 MG/DAY(200 MG X<br>2)-2.5 MG, 600 MG/DAY(200 MG X<br>3)-2.5 MG | PA NSO; NM                       |
| KRAZATI ORAL TABLET 200 MG                                                                                                                 | PA NSO; NM; QL (180 per 30 days) |
| <i>leucovorin calcium oral tablet 10 mg,<br/>15 mg, 25 mg, 5 mg</i>                                                                        |                                  |
| LONSURF ORAL TABLET 15-6.14 MG,<br>20-8.19 MG                                                                                              | PA NSO; NM                       |
| LOQTORZI INTRAVENOUS SOLUTION<br>240 MG/6 ML (40 MG/ML)                                                                                    | PA NSO; NM                       |
| LUMAKRAS ORAL TABLET 120 MG                                                                                                                | PA NSO; NM; QL (240 per 30 days) |
| LUMAKRAS ORAL TABLET 320 MG                                                                                                                | PA NSO; NM; QL (90 per 30 days)  |
| LYNPARZA ORAL TABLET 100 MG                                                                                                                | PA NSO; NM; QL (180 per 30 days) |
| LYNPARZA ORAL TABLET 150 MG                                                                                                                | PA NSO; NM; QL (120 per 30 days) |
| MESNEX ORAL TABLET 400 MG                                                                                                                  | NM                               |



| Nombre del Medicamento                                                                                                                                                                                        | Requerimientos / Límites         |
|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|----------------------------------|
| NINLARO ORAL CAPSULE 2.3 MG, 3 MG, 4 MG                                                                                                                                                                       | PA NSO; NM                       |
| OGSIVEO ORAL TABLET 100 MG, 150 MG                                                                                                                                                                            | PA NSO; NM; QL (60 per 30 days)  |
| OGSIVEO ORAL TABLET 50 MG                                                                                                                                                                                     | PA NSO; NM; QL (180 per 30 days) |
| OJEMDA ORAL SUSPENSION FOR RECONSTITUTION 25 MG/ML                                                                                                                                                            | PA NSO; NM; QL (96 per 28 days)  |
| OJEMDA ORAL TABLET 400 MG/WEEK (100 MG X 4)                                                                                                                                                                   | PA NSO; NM; QL (48 per 28 days)  |
| ORGOVYX ORAL TABLET 120 MG                                                                                                                                                                                    | PA NSO; NM; QL (60 per 30 days)  |
| SYNRIBO SUBCUTANEOUS RECON SOLN 3.5 MG                                                                                                                                                                        | PA NSO; NM                       |
| TALVEY SUBCUTANEOUS SOLUTION 2 MG/ML, 40 MG/ML                                                                                                                                                                | PA NSO; NM                       |
| WELIREG ORAL TABLET 40 MG                                                                                                                                                                                     | PA NSO; NM; QL (90 per 30 days)  |
| XATMEP ORAL SOLUTION 2.5 MG/ML                                                                                                                                                                                | PA BvD                           |
| XCOPRI ORAL TABLET 25 MG                                                                                                                                                                                      | QL (28 per 28 days)              |
| XPOVIO ORAL TABLET 100 MG/WEEK (50 MG X 2), 40 MG/WEEK (40 MG X 1), 40MG TWICE WEEK (40 MG X 2), 60 MG/WEEK (60 MG X 1), 60MG TWICE WEEK (120 MG/WEEK), 80 MG/WEEK (40 MG X 2), 80MG TWICE WEEK (160 MG/WEEK) | PA NSO; NM                       |
| ZOLINZA ORAL CAPSULE 100 MG                                                                                                                                                                                   | PA NSO; NM; QL (120 per 30 days) |
| <b>Inhibidores De Aromatasa, 3era Generación</b>                                                                                                                                                              |                                  |
| <i>anastrozole oral tablet 1 mg</i> (Arimidex)                                                                                                                                                                |                                  |
| <i>exemestane oral tablet 25 mg</i> (Aromasin)                                                                                                                                                                |                                  |
| <i>letrozole oral tablet 2.5 mg</i> (Femara)                                                                                                                                                                  |                                  |
| <b>Inhibidores De Objetivo Molecular</b>                                                                                                                                                                      |                                  |
| AKEEGA ORAL TABLET 100-500 MG, 50-500 MG                                                                                                                                                                      | PA NSO; NM; QL (60 per 30 days)  |
| ALECENSA ORAL CAPSULE 150 MG                                                                                                                                                                                  | PA NSO; NM                       |
| ALUNBRIG ORAL TABLET 180 MG                                                                                                                                                                                   | PA NSO; NM; QL (30 per 30 days)  |
| ALUNBRIG ORAL TABLET 30 MG                                                                                                                                                                                    | PA NSO; NM; QL (180 per 30 days) |
| ALUNBRIG ORAL TABLET 90 MG                                                                                                                                                                                    | PA NSO; NM; QL (60 per 30 days)  |
| ALUNBRIG ORAL TABLETS, DOSE PACK 90 MG (7)- 180 MG (23)                                                                                                                                                       | PA NSO; NM; QL (30 per 30 days)  |
| AUGTYRO ORAL CAPSULE 40 MG                                                                                                                                                                                    | PA NSO; NM; QL (240 per 30 days) |
| AYVAKIT ORAL TABLET 100 MG, 200 MG, 25 MG, 300 MG, 50 MG                                                                                                                                                      | PA NSO; NM; QL (30 per 30 days)  |
| BALVERSA ORAL TABLET 3 MG                                                                                                                                                                                     | PA NSO; NM; QL (90 per 30 days)  |
| BALVERSA ORAL TABLET 4 MG                                                                                                                                                                                     | PA NSO; NM; QL (60 per 30 days)  |

| Nombre del Medicamento                                                               | Requerimientos / Límites         |
|--------------------------------------------------------------------------------------|----------------------------------|
| BALVERSA ORAL TABLET 5 MG                                                            | PA NSO; NM; QL (30 per 30 days)  |
| BOSULIF ORAL CAPSULE 100 MG                                                          | PA NSO; NM; QL (180 per 30 days) |
| BOSULIF ORAL CAPSULE 50 MG                                                           | PA NSO; NM; QL (30 per 30 days)  |
| BOSULIF ORAL TABLET 100 MG                                                           | PA NSO; NM; QL (180 per 30 days) |
| BOSULIF ORAL TABLET 400 MG, 500 MG                                                   | PA NSO; NM; QL (30 per 30 days)  |
| BRAFTOVI ORAL CAPSULE 75 MG                                                          | PA NSO; NM; QL (180 per 30 days) |
| BRUKINSA ORAL CAPSULE 80 MG                                                          | PA NSO; NM; QL (120 per 30 days) |
| CABOMETYX ORAL TABLET 20 MG, 40 MG, 60 MG                                            | PA NSO; NM                       |
| CALQUENCE (ACALABRUTINIB MAL) ORAL TABLET 100 MG                                     | PA NSO; NM; QL (60 per 30 days)  |
| CALQUENCE ORAL CAPSULE 100 MG                                                        | PA NSO; NM; QL (60 per 30 days)  |
| CAPRELSA ORAL TABLET 100 MG (vandetanib)                                             | PA NSO; NM; QL (60 per 30 days)  |
| CAPRELSA ORAL TABLET 300 MG (vandetanib)                                             | PA NSO; NM; QL (30 per 30 days)  |
| COMETRIQ ORAL CAPSULE 100 MG/DAY(80 MG X1-20 MG X1)                                  | PA NSO; NM; QL (56 per 28 days)  |
| COMETRIQ ORAL CAPSULE 140 MG/DAY(80 MG X1-20 MG X3)                                  | PA NSO; NM; QL (112 per 28 days) |
| COMETRIQ ORAL CAPSULE 60 MG/DAY (20 MG X 3/DAY)                                      | PA NSO; NM; QL (84 per 28 days)  |
| COPIKTRA ORAL CAPSULE 15 MG, 25 MG                                                   | PA NSO; NM; QL (60 per 30 days)  |
| COTELLIC ORAL TABLET 20 MG                                                           | PA NSO; NM; QL (63 per 28 days)  |
| DAURISMO ORAL TABLET 100 MG, 25 MG                                                   | PA NSO; NM                       |
| ERIVEDGE ORAL CAPSULE 150 MG                                                         | PA NSO; NM                       |
| erlotinib oral tablet 100 mg, 150 mg (Tarceva)                                       | PA NSO; NM; QL (30 per 30 days)  |
| erlotinib oral tablet 25 mg (Tarceva)                                                | PA NSO; NM; QL (90 per 30 days)  |
| everolimus (antineoplastic) oral tablet 10 mg, 2.5 mg, 5 mg, 7.5 mg (Afinitor)       | PA NSO; NM; QL (30 per 30 days)  |
| everolimus (antineoplastic) oral tablet for suspension 2 mg, 3 mg (Afinitor Disperz) | PA NSO; NM; QL (30 per 30 days)  |
| everolimus (antineoplastic) oral tablet for suspension 5 mg (Afinitor Disperz)       | PA NSO; NM; QL (60 per 30 days)  |
| EXKIVITY ORAL CAPSULE 40 MG                                                          | PA NSO; NM                       |
| FOTIVDA ORAL CAPSULE 0.89 MG, 1.34 MG                                                | PA NSO; NM; QL (21 per 28 days)  |
| FRUZAQLA ORAL CAPSULE 1 MG                                                           | PA NSO; NM; QL (84 per 28 days)  |
| FRUZAQLA ORAL CAPSULE 5 MG                                                           | PA NSO; NM; QL (21 per 28 days)  |
| GAVRETO ORAL CAPSULE 100 MG                                                          | PA NSO; NM; QL (120 per 30 days) |
| gefitinib oral tablet 250 mg (Iressa)                                                | PA NSO; NM                       |

You can find information on what the symbols and abbreviations on this table mean by going to page 18 of the introduction. / Puede encontrar información sobre el significado de los símbolos y abreviaturas de esta tabla en la página 18 de la introducción.

| Nombre del Medicamento                                                                                                                                                                                             | Requerimientos / Límites         |
|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|----------------------------------|
| GILOTRIF ORAL TABLET 20 MG, 30 MG, 40 MG                                                                                                                                                                           | PA NSO; NM; QL (30 per 30 days)  |
| IBRANCE ORAL CAPSULE 100 MG, 125 MG, 75 MG                                                                                                                                                                         | PA NSO; NM                       |
| IBRANCE ORAL TABLET 100 MG, 125 MG, 75 MG                                                                                                                                                                          | PA NSO; NM                       |
| ICLUSIG ORAL TABLET 10 MG, 30 MG, 45 MG                                                                                                                                                                            | PA NSO; NM; QL (30 per 30 days)  |
| ICLUSIG ORAL TABLET 15 MG                                                                                                                                                                                          | PA NSO; NM; QL (60 per 30 days)  |
| <i>imatinib oral tablet 100 mg</i> (Gleevec)                                                                                                                                                                       | PA NSO; NM; QL (90 per 30 days)  |
| <i>imatinib oral tablet 400 mg</i> (Gleevec)                                                                                                                                                                       | PA NSO; NM; QL (60 per 30 days)  |
| IMBRUVICA ORAL CAPSULE 140 MG                                                                                                                                                                                      | PA NSO; NM; QL (120 per 30 days) |
| IMBRUVICA ORAL CAPSULE 70 MG                                                                                                                                                                                       | PA NSO; NM; QL (28 per 28 days)  |
| IMBRUVICA ORAL SUSPENSION 70 MG/ML                                                                                                                                                                                 | PA NSO; NM; QL (240 per 30 days) |
| IMBRUVICA ORAL TABLET 140 MG, 280 MG, 420 MG, 560 MG                                                                                                                                                               | PA NSO; NM; QL (28 per 28 days)  |
| INLYTA ORAL TABLET 1 MG                                                                                                                                                                                            | PA NSO; NM; QL (180 per 30 days) |
| INLYTA ORAL TABLET 5 MG                                                                                                                                                                                            | PA NSO; NM; QL (60 per 30 days)  |
| INREBIC ORAL CAPSULE 100 MG                                                                                                                                                                                        | PA NSO; NM; QL (120 per 30 days) |
| JAKAFI ORAL TABLET 10 MG, 15 MG, 20 MG, 25 MG, 5 MG                                                                                                                                                                | PA NSO; NM; QL (60 per 30 days)  |
| JAYPIRCA ORAL TABLET 100 MG                                                                                                                                                                                        | PA NSO; NM; QL (60 per 30 days)  |
| JAYPIRCA ORAL TABLET 50 MG                                                                                                                                                                                         | PA NSO; NM; QL (30 per 30 days)  |
| KISQALI ORAL TABLET 200 MG/DAY (200 MG X 1)                                                                                                                                                                        | PA NSO; NM                       |
| KISQALI ORAL TABLET 400 MG/DAY (200 MG X 2), 600 MG/DAY (200 MG X 3)                                                                                                                                               | PA NSO; NM                       |
| KOSELUGO ORAL CAPSULE 10 MG                                                                                                                                                                                        | PA NSO; NM; QL (240 per 30 days) |
| KOSELUGO ORAL CAPSULE 25 MG                                                                                                                                                                                        | PA NSO; NM; QL (120 per 30 days) |
| <i>lapatinib oral tablet 250 mg</i> (Tykerb)                                                                                                                                                                       | PA NSO; NM; QL (180 per 30 days) |
| LENVIMA ORAL CAPSULE 10 MG/DAY (10 MG X 1), 12 MG/DAY (4 MG X 3), 14 MG/DAY (10 MG X 1-4 MG X 1), 18 MG/DAY (10 MG X 1-4 MG X 2), 20 MG/DAY (10 MG X 2), 24 MG/DAY (10 MG X 2-4 MG X 1), 4 MG, 8 MG/DAY (4 MG X 2) | PA NSO; NM                       |
| LORBRENA ORAL TABLET 100 MG                                                                                                                                                                                        | PA NSO; NM; QL (30 per 30 days)  |
| LORBRENA ORAL TABLET 25 MG                                                                                                                                                                                         | PA NSO; NM; QL (120 per 30 days) |
| LYTGOBI ORAL TABLET 12 MG/DAY (4 MG X 3)                                                                                                                                                                           | PA NSO; NM; QL (84 per 28 days)  |
| LYTGOBI ORAL TABLET 16 MG/DAY (4 MG X 4)                                                                                                                                                                           | PA NSO; NM; QL (112 per 28 days) |

| Nombre del Medicamento                                                                                        | Requerimientos / Límites          |
|---------------------------------------------------------------------------------------------------------------|-----------------------------------|
| LYTGOBI ORAL TABLET 20 MG/DAY<br>(4 MG X 5)                                                                   | PA NSO; NM; QL (140 per 28 days)  |
| MEKINIST ORAL RECON SOLN<br>0.05 MG/ML                                                                        | PA NSO; NM; QL (1260 per 30 days) |
| MEKINIST ORAL TABLET 0.5 MG                                                                                   | PA NSO; NM; QL (120 per 30 days)  |
| MEKINIST ORAL TABLET 2 MG                                                                                     | PA NSO; NM; QL (30 per 30 days)   |
| MEKTOVI ORAL TABLET 15 MG                                                                                     | PA NSO; NM; QL (180 per 30 days)  |
| NERLYNX ORAL TABLET 40 MG                                                                                     | PA NSO; NM; QL (180 per 30 days)  |
| ODOMZO ORAL CAPSULE 200 MG                                                                                    | PA NSO; NM                        |
| OJJAARA ORAL TABLET 100 MG,<br>150 MG, 200 MG                                                                 | PA NSO; NM; QL (30 per 30 days)   |
| <i>pazopanib oral tablet 200 mg</i> (Votrient)                                                                | PA NSO; NM; QL (120 per 30 days)  |
| PEMAZYRE ORAL TABLET 13.5 MG,<br>4.5 MG, 9 MG                                                                 | PA NSO; NM; QL (14 per 21 days)   |
| PIQRAY ORAL TABLET 200 MG/DAY<br>(200 MG X 1), 250 MG/DAY (200 MG<br>X1-50 MG X1), 300 MG/DAY (150 MG X<br>2) | PA NSO; NM                        |
| QINLOCK ORAL TABLET 50 MG                                                                                     | PA NSO; NM; QL (90 per 30 days)   |
| RETEVMO ORAL CAPSULE 40 MG                                                                                    | PA NSO; NM; QL (120 per 30 days)  |
| RETEVMO ORAL CAPSULE 80 MG                                                                                    | PA NSO; NM; QL (180 per 30 days)  |
| REZLIDHIA ORAL CAPSULE 150 MG                                                                                 | PA NSO; NM; QL (60 per 30 days)   |
| ROZLYTREK ORAL CAPSULE 100 MG                                                                                 | PA NSO; NM; QL (150 per 30 days)  |
| ROZLYTREK ORAL CAPSULE 200 MG                                                                                 | PA NSO; NM; QL (90 per 30 days)   |
| ROZLYTREK ORAL PELLETS IN<br>PACKET 50 MG                                                                     | PA NSO; NM; QL (360 per 30 days)  |
| RUBRACA ORAL TABLET 200 MG,<br>250 MG, 300 MG                                                                 | PA NSO; NM                        |
| RYDAPT ORAL CAPSULE 25 MG                                                                                     | PA NSO; NM; QL (240 per 30 days)  |
| SCSEMBLIX ORAL TABLET 20 MG,<br>40 MG                                                                         | PA NSO; NM                        |
| <i>sorafenib oral tablet 200 mg</i> (Nexavar)                                                                 | PA NSO; NM; QL (120 per 30 days)  |
| SPRYCEL ORAL TABLET 100 MG,<br>50 MG, 70 MG, 80 MG                                                            | PA NSO; NM; QL (60 per 30 days)   |
| SPRYCEL ORAL TABLET 140 MG                                                                                    | PA NSO; NM; QL (30 per 30 days)   |
| SPRYCEL ORAL TABLET 20 MG                                                                                     | PA NSO; NM; QL (90 per 30 days)   |
| STIVARGA ORAL TABLET 40 MG                                                                                    | PA NSO; NM; QL (84 per 28 days)   |
| <i>sunitinib malate oral capsule 12.5 mg,<br/>25 mg, 37.5 mg, 50 mg</i> (Sutent)                              | PA NSO; NM; QL (28 per 28 days)   |
| TABRECTA ORAL TABLET 150 MG,<br>200 MG                                                                        | PA NSO; NM; QL (120 per 30 days)  |
| TAFINLAR ORAL CAPSULE 50 MG                                                                                   | PA NSO; NM; QL (180 per 30 days)  |
| TAFINLAR ORAL CAPSULE 75 MG                                                                                   | PA NSO; NM; QL (120 per 30 days)  |

You can find information on what the symbols and abbreviations on this table mean by going to page 18 of the introduction. / Puede encontrar información sobre el significado de los símbolos y abreviaturas de esta tabla en la página 18 de la introducción.

| <b>Nombre del Medicamento</b>                                       | <b>Requerimientos / Límites</b>  |
|---------------------------------------------------------------------|----------------------------------|
| TAFINLAR ORAL TABLET FOR SUSPENSION 10 MG                           | PA NSO; NM; QL (900 per 30 days) |
| TAGRISSO ORAL TABLET 40 MG, 80 MG                                   | PA NSO; NM                       |
| TALZENNA ORAL CAPSULE 0.1 MG, 0.35 MG, 0.75 MG, 1 MG                | PA NSO; NM; QL (30 per 30 days)  |
| TALZENNA ORAL CAPSULE 0.25 MG                                       | PA NSO; NM; QL (120 per 30 days) |
| TALZENNA ORAL CAPSULE 0.5 MG                                        | PA NSO; NM; QL (60 per 30 days)  |
| TASIGNA ORAL CAPSULE 150 MG, 200 MG, 50 MG                          | PA NSO; NM; QL (120 per 30 days) |
| TAZVERIK ORAL TABLET 200 MG                                         | PA NSO; NM; QL (240 per 30 days) |
| TEPMETKO ORAL TABLET 225 MG                                         | PA NSO; NM; QL (60 per 30 days)  |
| TIBSOVO ORAL TABLET 250 MG                                          | PA NSO; NM; QL (60 per 30 days)  |
| TRUQAP ORAL TABLET 160 MG, 200 MG                                   | PA NSO; NM; QL (64 per 28 days)  |
| TUKYSA ORAL TABLET 150 MG, 50 MG                                    | PA NSO; NM; QL (120 per 30 days) |
| TURALIO ORAL CAPSULE 125 MG, 200 MG                                 | PA NSO; NM; QL (120 per 30 days) |
| VANFLYTA ORAL TABLET 17.7 MG, 26.5 MG                               | PA NSO; NM                       |
| VENCLEXTA ORAL TABLET 10 MG, 50 MG                                  | PA NSO                           |
| VENCLEXTA ORAL TABLET 100 MG                                        | PA NSO; NM                       |
| VENCLEXTA STARTING PACK ORAL TABLETS, DOSE PACK 10 MG-50 MG- 100 MG | PA NSO                           |
| VERZENIO ORAL TABLET 100 MG, 150 MG, 200 MG, 50 MG                  | PA NSO; NM                       |
| VITRAKVI ORAL CAPSULE 100 MG                                        | PA NSO; NM; QL (60 per 30 days)  |
| VITRAKVI ORAL CAPSULE 25 MG                                         | PA NSO; NM; QL (180 per 30 days) |
| VITRAKVI ORAL SOLUTION 20 MG/ML                                     | PA NSO; NM; QL (310 per 30 days) |
| VIZIMPRO ORAL TABLET 15 MG, 30 MG, 45 MG                            | PA NSO; NM; QL (30 per 30 days)  |
| VONJO ORAL CAPSULE 100 MG                                           | PA NSO; NM; QL (120 per 30 days) |
| XALKORI ORAL CAPSULE 200 MG, 250 MG                                 | PA NSO; NM; QL (120 per 30 days) |
| XALKORI ORAL PELLETT 150 MG                                         | PA NSO; NM; QL (180 per 30 days) |
| XALKORI ORAL PELLETT 20 MG                                          | PA NSO; NM; QL (240 per 30 days) |
| XALKORI ORAL PELLETT 50 MG                                          | PA NSO; NM; QL (120 per 30 days) |
| XOSPATA ORAL TABLET 40 MG                                           | PA NSO; NM; QL (90 per 30 days)  |
| ZEJULA ORAL CAPSULE 100 MG                                          | PA NSO; NM; QL (90 per 30 days)  |
| ZEJULA ORAL TABLET 100 MG, 200 MG, 300 MG                           | PA NSO; NM; QL (30 per 30 days)  |

You can find information on what the symbols and abbreviations on this table mean by going to page 18 of the introduction. / Puede encontrar información sobre el significado de los símbolos y abreviaturas de esta tabla en la página 18 de la introducción.

| Nombre del Medicamento                                                  | Requerimientos / Límites         |
|-------------------------------------------------------------------------|----------------------------------|
| ZELBORAF ORAL TABLET 240 MG                                             | PA NSO; NM; QL (240 per 30 days) |
| ZYDELIG ORAL TABLET 100 MG, 150 MG                                      | PA NSO; NM; QL (60 per 30 days)  |
| ZYKADIA ORAL TABLET 150 MG                                              | PA NSO; NM; QL (150 per 30 days) |
| <b>Retinoides</b>                                                       |                                  |
| <i>bexarotene oral capsule 75 mg</i> (Targretin)                        | PA NSO; NM; QL (300 per 30 days) |
| <i>bexarotene topical gel 1 %</i> (Targretin)                           | PA NSO; NM                       |
| <i>tretinoin (antineoplastic) oral capsule 10 mg</i>                    | NM                               |
| <b>ANTIPARASITARIOS</b>                                                 |                                  |
| <b>Antihelmínticos</b>                                                  |                                  |
| <i>albendazole oral tablet 200 mg</i>                                   |                                  |
| EMVERM ORAL TABLET, CHEWABLE 100 MG (mebendazole)                       | NM                               |
| <i>ivermectin oral tablet 3 mg</i> (Stromectol)                         | PA                               |
| <b>Antiprotozoarios</b>                                                 |                                  |
| <i>atovaquone oral suspension 750 mg/5 ml</i> (Mepron)                  | NM                               |
| <i>atovaquone-proguanil oral tablet 250-100 mg</i> (Malarone)           |                                  |
| <i>atovaquone-proguanil oral tablet 62.5-25 mg</i> (Malarone Pediatric) |                                  |
| <i>benznidazole oral tablet 100 mg, 12.5 mg</i>                         |                                  |
| <i>chloroquine phosphate oral tablet 250 mg, 500 mg</i>                 |                                  |
| COARTEM ORAL TABLET 20-120 MG                                           |                                  |
| <i>hydroxychloroquine oral tablet 100 mg, 400 mg</i>                    |                                  |
| <i>hydroxychloroquine oral tablet 200 mg</i> (Plaquenil)                |                                  |
| <i>hydroxychloroquine oral tablet 300 mg</i> (Sovuna)                   |                                  |
| LAMPIT ORAL TABLET 120 MG, 30 MG                                        |                                  |
| <i>mefloquine oral tablet 250 mg</i>                                    |                                  |
| <i>nitazoxanide oral tablet 500 mg</i> (Alinia)                         | QL (40 per 30 days)              |
| <i>pentamidine inhalation recon soln 300 mg</i> (Nebupent)              | PA BvD                           |
| <i>pentamidine injection recon soln 300 mg</i> (Pentam)                 |                                  |
| PRIMAQUINE ORAL TABLET 26.3 MG (15 MG BASE)                             |                                  |
| <i>quinine sulfate oral capsule 324 mg</i> (Qualaquin)                  | PA                               |

| Nombre del Medicamento                                                                             | Requerimientos / Límites |
|----------------------------------------------------------------------------------------------------|--------------------------|
| <b>ANTIPSICÓTICOS</b>                                                                              |                          |
| <b>1er Generación/Típico</b>                                                                       |                          |
| chlorpromazine oral concentrate<br>100 mg/ml, 30 mg/ml                                             |                          |
| chlorpromazine oral tablet 10 mg, 100 mg,<br>200 mg, 25 mg, 50 mg                                  |                          |
| fluphenazine decanoate injection solution<br>25 mg/ml                                              |                          |
| fluphenazine hcl injection solution<br>2.5 mg/ml                                                   |                          |
| fluphenazine hcl oral concentrate 5 mg/ml                                                          |                          |
| fluphenazine hcl oral elixir 2.5 mg/5 ml                                                           |                          |
| fluphenazine hcl oral tablet 1 mg, 10 mg,<br>2.5 mg, 5 mg                                          |                          |
| haloperidol decanoate intramuscular<br>solution 100 mg/ml (1 ml), 50 mg/ml(1ml)                    |                          |
| haloperidol decanoate intramuscular<br>solution 100 mg/ml, 50 mg/ml (Haldol Decanoate)             |                          |
| haloperidol lactate injection solution<br>5 mg/ml                                                  |                          |
| haloperidol lactate intramuscular syringe<br>5 mg/ml                                               |                          |
| haloperidol lactate oral concentrate<br>2 mg/ml                                                    |                          |
| haloperidol oral tablet 0.5 mg, 1 mg,<br>10 mg, 2 mg, 20 mg, 5 mg                                  |                          |
| loxapine succinate oral capsule 10 mg,<br>25 mg, 5 mg, 50 mg                                       |                          |
| molindone oral tablet 10 mg, 25 mg, 5 mg                                                           |                          |
| perphenazine oral tablet 16 mg, 2 mg,<br>4 mg, 8 mg                                                |                          |
| pimozide oral tablet 1 mg, 2 mg                                                                    |                          |
| thioridazine oral tablet 10 mg, 100 mg,<br>25 mg, 50 mg                                            |                          |
| thiothixene oral capsule 1 mg, 10 mg,<br>2 mg, 5 mg                                                |                          |
| trifluoperazine oral tablet 1 mg, 10 mg,<br>2 mg, 5 mg                                             |                          |
| <b>2da Generación/Atípico</b>                                                                      |                          |
| ABILIFY ASIMTUFII INTRAMUSCULAR<br>SUSPENSION, EXTENDED REL<br>SYRING 720 MG/2.4 ML, 960 MG/3.2 ML | NM                       |

| Nombre del Medicamento                                                                             | Requerimientos / Límites    |
|----------------------------------------------------------------------------------------------------|-----------------------------|
| ABILIFY MAINTENA INTRAMUSCULAR SUSPENSION, EXTENDED REL RECON 300 MG, 400 MG                       | NM                          |
| ABILIFY MAINTENA INTRAMUSCULAR SUSPENSION, EXTENDED REL SYRING 300 MG, 400 MG                      | NM                          |
| <i>aripiprazole oral solution 1 mg/ml</i>                                                          | QL (750 per 30 days)        |
| <i>aripiprazole oral tablet 10 mg, 15 mg, 2 mg, 20 mg, 30 mg, 5 mg</i> (Abilify)                   | QL (30 per 30 days)         |
| <i>aripiprazole oral tablet, disintegrating 10 mg</i>                                              | NM; QL (90 per 30 days)     |
| <i>aripiprazole oral tablet, disintegrating 15 mg</i>                                              | NM; QL (60 per 30 days)     |
| <i>asenapine maleate sublingual tablet 10 mg, 2.5 mg, 5 mg</i> (Saphris)                           | QL (60 per 30 days)         |
| CAPLYTA ORAL CAPSULE 10.5 MG, 21 MG, 42 MG                                                         | NM                          |
| FANAPT ORAL TABLET 1 MG, 10 MG, 12 MG, 2 MG, 4 MG, 6 MG, 8 MG                                      | ST; NM; QL (60 per 30 days) |
| FANAPT ORAL TABLETS, DOSE PACK 1MG(2)-2MG(2)- 4MG(2)-6MG(2)                                        | ST; QL (60 per 30 days)     |
| INVEGA HAFYERA INTRAMUSCULAR SYRINGE 1,092 MG/3.5 ML, 1,560 MG/5 ML                                | NM                          |
| INVEGA SUSTENNA INTRAMUSCULAR SYRINGE 117 MG/0.75 ML, 156 MG/ML, 234 MG/1.5 ML, 78 MG/0.5 ML       | NM                          |
| INVEGA SUSTENNA INTRAMUSCULAR SYRINGE 39 MG/0.25 ML                                                |                             |
| INVEGA TRINZA INTRAMUSCULAR SYRINGE 273 MG/0.88 ML, 410 MG/1.32 ML, 546 MG/1.75 ML, 819 MG/2.63 ML | NM                          |
| <i>lurasidone oral tablet 120 mg, 20 mg, 40 mg, 60 mg, 80 mg</i> (Latuda)                          | NM                          |
| LYBALVI ORAL TABLET 10-10 MG, 15-10 MG, 20-10 MG, 5-10 MG                                          | ST; NM; QL (30 per 30 days) |
| NUPLAZID ORAL CAPSULE 34 MG                                                                        | PA NSO; NM                  |
| NUPLAZID ORAL TABLET 10 MG                                                                         | PA NSO; NM                  |
| <i>olanzapine intramuscular recon soln 10 mg</i> (Zyprexa)                                         | QL (60 per 30 days)         |
| <i>olanzapine oral tablet 10 mg, 15 mg, 2.5 mg, 5 mg, 7.5 mg</i> (Zyprexa)                         | QL (30 per 30 days)         |
| <i>olanzapine oral tablet 20 mg</i> (Zyprexa)                                                      | QL (60 per 30 days)         |



| Nombre del Medicamento                                                                                           |                    | Requerimientos / Límites    |
|------------------------------------------------------------------------------------------------------------------|--------------------|-----------------------------|
| olanzapine oral tablet, disintegrating<br>10 mg, 5 mg                                                            | (Zyprexa Zydis)    | QL (60 per 30 days)         |
| olanzapine oral tablet, disintegrating<br>15 mg, 20 mg                                                           | (Zyprexa Zydis)    | QL (30 per 30 days)         |
| paliperidone oral tablet extended release<br>24hr 1.5 mg                                                         |                    | QL (30 per 30 days)         |
| paliperidone oral tablet extended release<br>24hr 3 mg, 9 mg                                                     | (Invega)           | QL (30 per 30 days)         |
| paliperidone oral tablet extended release<br>24hr 6 mg                                                           | (Invega)           | QL (60 per 30 days)         |
| quetiapine oral tablet 100 mg, 200 mg,<br>25 mg, 300 mg, 400 mg, 50 mg                                           | (Seroquel)         | QL (60 per 30 days)         |
| quetiapine oral tablet 150 mg                                                                                    |                    | QL (60 per 30 days)         |
| quetiapine oral tablet extended release<br>24 hr 150 mg                                                          | (Seroquel XR)      | QL (90 per 30 days)         |
| quetiapine oral tablet extended release<br>24 hr 200 mg, 300 mg, 400 mg                                          | (Seroquel XR)      | QL (60 per 30 days)         |
| quetiapine oral tablet extended release<br>24 hr 50 mg                                                           | (Seroquel XR)      | QL (120 per 30 days)        |
| REXULTI ORAL TABLET 0.25 MG,<br>0.5 MG, 1 MG, 2 MG, 3 MG, 4 MG                                                   |                    | NM                          |
| risperidone microspheres intramuscular<br>suspension, extended rel recon<br>12.5 mg/2 ml                         | (Risperdal Consta) |                             |
| risperidone microspheres intramuscular<br>suspension, extended rel recon<br>25 mg/2 ml, 37.5 mg/2 ml, 50 mg/2 ml | (Risperdal Consta) | NM                          |
| risperidone oral solution 1 mg/ml                                                                                | (Risperdal)        | QL (480 per 30 days)        |
| risperidone oral tablet 0.25 mg                                                                                  |                    | QL (60 per 30 days)         |
| risperidone oral tablet 0.5 mg                                                                                   | (Risperdal)        | QL (120 per 30 days)        |
| risperidone oral tablet 1 mg, 2 mg, 3 mg,<br>4 mg                                                                | (Risperdal)        | QL (60 per 30 days)         |
| risperidone oral tablet, disintegrating<br>0.25 mg, 1 mg, 2 mg, 3 mg                                             |                    | QL (60 per 30 days)         |
| risperidone oral tablet, disintegrating<br>0.5 mg, 4 mg                                                          |                    | QL (120 per 30 days)        |
| SECUADO TRANSDERMAL PATCH<br>24 HOUR 3.8 MG/24 HOUR,<br>5.7 MG/24 HOUR, 7.6 MG/24 HOUR                           |                    | ST; NM; QL (30 per 30 days) |
| VRAYLAR ORAL CAPSULE 1.5 MG                                                                                      |                    | ST; NM; QL (60 per 30 days) |
| VRAYLAR ORAL CAPSULE 3 MG,<br>4.5 MG, 6 MG                                                                       |                    | ST; NM; QL (30 per 30 days) |
| VRAYLAR ORAL CAPSULE, DOSE<br>PACK 1.5 MG (1)- 3 MG (6)                                                          |                    | ST; QL (7 per 28 days)      |

| Nombre del Medicamento                                                                 | Requerimientos / Límites      |
|----------------------------------------------------------------------------------------|-------------------------------|
| ziprasidone hcl oral capsule 20 mg, 40 mg, 60 mg, 80 mg (Geodon)                       | QL (60 per 30 days)           |
| ziprasidone mesylate intramuscular recon soln 20 mg/ml (final conc.) (Geodon)          | QL (6 per 3 days)             |
| ZYPREXA RELPREVV<br>INTRAMUSCULAR SUSPENSION FOR RECONSTITUTION 210 MG, 300 MG, 405 MG | ST                            |
| <b>Resistente-Tratamiento</b>                                                          |                               |
| clozapine oral tablet 100 mg, 200 mg, 25 mg, 50 mg (Clozaril)                          | QL (120 per 30 days)          |
| clozapine oral tablet, disintegrating 100 mg, 12.5 mg, 150 mg, 25 mg                   | QL (120 per 30 days)          |
| clozapine oral tablet, disintegrating 200 mg                                           | NM; QL (120 per 30 days)      |
| VERSACLOZ ORAL SUSPENSION 50 MG/ML                                                     | ST; NM; QL (540 per 30 days)  |
| <b>ANTIVIRALES</b>                                                                     |                               |
| APTIVUS ORAL CAPSULE 250 MG                                                            | NM; QL (120 per 30 days)      |
| atazanavir oral capsule 150 mg                                                         | QL (60 per 30 days)           |
| atazanavir oral capsule 200 mg (Reyataz)                                               | QL (60 per 30 days)           |
| atazanavir oral capsule 300 mg (Reyataz)                                               | QL (30 per 30 days)           |
| darunavir oral tablet 600 mg (Prezista)                                                | NM; QL (60 per 30 days)       |
| darunavir oral tablet 800 mg (Prezista)                                                | NM; QL (30 per 30 days)       |
| EVOTAZ ORAL TABLET 300-150 MG                                                          | NM; QL (30 per 30 days)       |
| fosamprenavir oral tablet 700 mg                                                       | NM; QL (120 per 30 days)      |
| lagevrio (eua) oral capsule 200 mg                                                     | QL (40 per 5 days)            |
| LEXIVA ORAL SUSPENSION 50 MG/ML                                                        | QL (1575 per 28 days)         |
| lopinavir-ritonavir oral solution 400-100 mg/5 ml (Kaletra)                            | QL (400 per 30 days)          |
| lopinavir-ritonavir oral tablet 100-25 mg (Kaletra)                                    | QL (300 per 30 days)          |
| lopinavir-ritonavir oral tablet 200-50 mg (Kaletra)                                    | QL (150 per 30 days)          |
| NORVIR ORAL POWDER IN PACKET 100 MG                                                    | QL (360 per 30 days)          |
| PAXLOVID ORAL TABLETS, DOSE PACK 150-100 MG                                            | \$0 copay; QL (20 per 5 days) |
| PAXLOVID ORAL TABLETS, DOSE PACK 300 MG (150 MG X 2)-100 MG                            | \$0 copay; QL (30 per 5 days) |
| PREZCOBIX ORAL TABLET 800-150 MG-MG                                                    | NM; QL (30 per 30 days)       |
| PREZISTA ORAL SUSPENSION 100 MG/ML                                                     | NM; QL (360 per 30 days)      |
| PREZISTA ORAL TABLET 150 MG                                                            | QL (240 per 30 days)          |

| Nombre del Medicamento                                              | Requerimientos / Límites    |
|---------------------------------------------------------------------|-----------------------------|
| PREZISTA ORAL TABLET 75 MG                                          | QL (480 per 30 days)        |
| REYATAZ ORAL POWDER IN PACKET<br>50 MG                              | QL (180 per 30 days)        |
| <i>ritonavir oral tablet 100 mg</i> (Norvir)                        | QL (360 per 30 days)        |
| VIRACEPT ORAL TABLET 250 MG                                         | NM; QL (300 per 30 days)    |
| VIRACEPT ORAL TABLET 625 MG                                         | NM; QL (120 per 30 days)    |
| <b>Agentes Anti-Citomegalovirus (CMV)</b>                           |                             |
| LIVTENCITY ORAL TABLET 200 MG                                       | PA; NM                      |
| PREVYMIS ORAL TABLET 240 MG,<br>480 MG                              | PA; NM; QL (28 per 28 days) |
| <i>valganciclovir oral recon soln 50 mg/ml</i> (Valcyte)            |                             |
| <i>valganciclovir oral tablet 450 mg</i> (Valcyte)                  |                             |
| ZIRGAN OPHTHALMIC (EYE) GEL<br>0.15 %                               |                             |
| <b>Agentes Anti-Hepatitis B (HBV)</b>                               |                             |
| <i>adefovir oral tablet 10 mg</i> (Hepsera)                         | QL (30 per 30 days)         |
| BARACLUDE ORAL SOLUTION<br>0.05 MG/ML                               | NM; QL (600 per 30 days)    |
| <i>entecavir oral tablet 0.5 mg, 1 mg</i> (Baraclude)               | QL (30 per 30 days)         |
| <i>lamivudine oral tablet 100 mg</i>                                | QL (90 per 30 days)         |
| VEMLIDY ORAL TABLET 25 MG                                           | NM; QL (30 per 30 days)     |
| <b>Agentes Anti-Hepatitis C (HCV)</b>                               |                             |
| MAVYRET ORAL PELLETS IN PACKET<br>50-20 MG                          | PA; NM                      |
| MAVYRET ORAL TABLET 100-40 MG                                       | PA; NM                      |
| <i>ribavirin oral capsule 200 mg</i>                                |                             |
| <i>ribavirin oral tablet 200 mg</i>                                 |                             |
| <i>sofosbuvir-velpatasvir oral tablet<br/>400-100 mg</i> (Epclusa)  | PA; NM                      |
| VOSEVI ORAL TABLET 400-100-100 MG                                   | PA; NM                      |
| <b>Agentes Antiherpéticos</b>                                       |                             |
| <i>acyclovir oral capsule 200 mg</i>                                |                             |
| <i>acyclovir oral suspension 200 mg/5 ml</i> (Zovirax)              |                             |
| <i>acyclovir oral tablet 400 mg, 800 mg</i>                         |                             |
| <i>acyclovir sodium intravenous recon soln<br/>1,000 mg, 500 mg</i> | PA BvD                      |
| <i>acyclovir sodium intravenous solution<br/>50 mg/ml</i>           | PA BvD                      |
| <i>famciclovir oral tablet 125 mg, 250 mg,<br/>500 mg</i>           |                             |
| <i>trifluridine ophthalmic (eye) drops 1 %</i>                      |                             |

| Nombre del Medicamento                                                              | Requerimientos / Límites |
|-------------------------------------------------------------------------------------|--------------------------|
| valacyclovir oral tablet 1 gram, 500 mg (Valtrex)                                   |                          |
| <b>Agentes Anti-Influenza</b>                                                       |                          |
| oseltamivir oral capsule 30 mg, 45 mg, 75 mg (Tamiflu)                              |                          |
| oseltamivir oral suspension for reconstitution 6 mg/ml (Tamiflu)                    |                          |
| RELENZA DISKHALER INHALATION BLISTER WITH DEVICE 5 MG/ACTUATION                     |                          |
| rimantadine oral tablet 100 mg (Flumadine)                                          |                          |
| XOFLUZA ORAL TABLET 20 MG, 80 MG                                                    |                          |
| XOFLUZA ORAL TABLET 40 MG                                                           |                          |
| <b>Agentes Anti-VIH, Inhibidores De Integrasa (INSTI)</b>                           |                          |
| BIKTARVY ORAL TABLET 30-120-15 MG, 50-200-25 MG                                     | NM; QL (30 per 30 days)  |
| DOVATO ORAL TABLET 50-300 MG                                                        | NM; QL (30 per 30 days)  |
| GENVOYA ORAL TABLET 150-150-200-10 MG                                               | NM; QL (30 per 30 days)  |
| ISENTRESS HD ORAL TABLET 600 MG                                                     | NM; QL (60 per 30 days)  |
| ISENTRESS ORAL POWDER IN PACKET 100 MG                                              | QL (60 per 30 days)      |
| ISENTRESS ORAL TABLET 400 MG                                                        | NM; QL (60 per 30 days)  |
| ISENTRESS ORAL TABLET, CHEWABLE 100 MG, 25 MG                                       | QL (180 per 30 days)     |
| STRIBILD ORAL TABLET 150-150-200-300 MG                                             | NM; QL (30 per 30 days)  |
| SYMTUZA ORAL TABLET 800-150-200-10 MG                                               | NM; QL (30 per 30 days)  |
| TIVICAY ORAL TABLET 10 MG                                                           | QL (60 per 30 days)      |
| TIVICAY ORAL TABLET 25 MG, 50 MG                                                    | NM; QL (60 per 30 days)  |
| TIVICAY PD ORAL TABLET FOR SUSPENSION 5 MG                                          | QL (360 per 30 days)     |
| <b>Agentes Anti-VIH, Inhibidores De Transcriptasa Inversa No-Nucleósido (NNRTI)</b> |                          |
| COMPLERA ORAL TABLET 200-25-300 MG                                                  | NM; QL (30 per 30 days)  |
| EDURANT ORAL TABLET 25 MG                                                           | NM; QL (30 per 30 days)  |
| efavirenz oral capsule 200 mg                                                       | QL (120 per 30 days)     |
| efavirenz oral capsule 50 mg                                                        | QL (360 per 30 days)     |
| efavirenz oral tablet 600 mg                                                        | QL (30 per 30 days)      |
| etravirine oral tablet 100 mg (Intelence)                                           | NM; QL (120 per 30 days) |
| etravirine oral tablet 200 mg (Intelence)                                           | NM; QL (60 per 30 days)  |
| INTELENCE ORAL TABLET 25 MG                                                         | QL (120 per 30 days)     |

| Nombre del Medicamento                                                                       | Requerimientos / Límites |
|----------------------------------------------------------------------------------------------|--------------------------|
| nevirapine oral suspension 50 mg/5 ml                                                        | QL (1200 per 30 days)    |
| nevirapine oral tablet 200 mg                                                                | QL (60 per 30 days)      |
| nevirapine oral tablet extended release 24 hr 100 mg                                         | QL (120 per 30 days)     |
| nevirapine oral tablet extended release 24 hr 400 mg                                         | QL (30 per 30 days)      |
| PIFELTRO ORAL TABLET 100 MG                                                                  | NM; QL (30 per 30 days)  |
| <b>Agentes Anti-VIH, Inhibidores De Transcriptasa Inversa Nucleósido Y Nucleótido (NRTI)</b> |                          |
| abacavir oral solution 20 mg/ml (Ziagen)                                                     | QL (960 per 30 days)     |
| abacavir oral tablet 300 mg                                                                  | QL (60 per 30 days)      |
| abacavir-lamivudine oral tablet 600-300 mg                                                   | QL (30 per 30 days)      |
| CIMDUO ORAL TABLET 300-300 MG                                                                | NM; QL (30 per 30 days)  |
| DELSTRIGO ORAL TABLET 100-300-300 MG                                                         | NM; QL (30 per 30 days)  |
| DESCOVY ORAL TABLET 120-15 MG, 200-25 MG                                                     | NM; QL (30 per 30 days)  |
| efavirenz-emtricitabin-tenofovir oral tablet 600-200-300 mg (Atripla)                        | NM; QL (30 per 30 days)  |
| efavirenz-lamivudine-tenofovir disoproxil oral tablet 400-300-300 mg (Symfi Lo)              | NM; QL (30 per 30 days)  |
| efavirenz-lamivudine-tenofovir disoproxil oral tablet 600-300-300 mg (Symfi)                 | NM; QL (30 per 30 days)  |
| emtricitabine oral capsule 200 mg (Emtriva)                                                  | QL (30 per 30 days)      |
| emtricitabine-tenofovir (tdf) oral tablet 100-150 mg, 133-200 mg, 167-250 mg (Truvada)       | NM; QL (30 per 30 days)  |
| emtricitabine-tenofovir (tdf) oral tablet 200-300 mg (Truvada)                               | QL (30 per 30 days)      |
| EMTRIVA ORAL SOLUTION 10 MG/ML                                                               | QL (680 per 28 days)     |
| JULUCA ORAL TABLET 50-25 MG                                                                  | NM; QL (30 per 30 days)  |
| lamivudine oral solution 10 mg/ml (Epivir)                                                   | QL (900 per 30 days)     |
| lamivudine oral tablet 150 mg (Epivir)                                                       | QL (60 per 30 days)      |
| lamivudine oral tablet 300 mg (Epivir)                                                       | QL (30 per 30 days)      |
| lamivudine-zidovudine oral tablet 150-300 mg                                                 | QL (60 per 30 days)      |
| ODEFSEY ORAL TABLET 200-25-25 MG                                                             | NM; QL (30 per 30 days)  |
| tenofovir disoproxil fumarate oral tablet 300 mg (Viread)                                    | QL (30 per 30 days)      |
| TRIZIVIR ORAL TABLET 300-150-300 MG                                                          | NM; QL (60 per 30 days)  |
| VIREAD ORAL POWDER 40 MG/SCOOP (40 MG/GRAM)                                                  | NM; QL (240 per 30 days) |

| Nombre del Medicamento                                                      | Requerimientos / Límites  |
|-----------------------------------------------------------------------------|---------------------------|
| VIREAD ORAL TABLET 150 MG,<br>200 MG, 250 MG                                | NM; QL (30 per 30 days)   |
| <i>zidovudine oral capsule 100 mg (Retrovir)</i>                            | QL (180 per 30 days)      |
| <i>zidovudine oral syrup 10 mg/ml (Retrovir)</i>                            | QL (1680 per 28 days)     |
| <i>zidovudine oral tablet 300 mg</i>                                        | QL (60 per 30 days)       |
| <b>Agentes Anti-VIH, Otros</b>                                              |                           |
| FUZEON SUBCUTANEOUS RECON<br>SOLN 90 MG                                     | NM; QL (60 per 30 days)   |
| <i>maraviroc oral tablet 150 mg, 300 mg (Selzentry)</i>                     | NM; QL (120 per 30 days)  |
| RUKOBIA ORAL TABLET EXTENDED<br>RELEASE 12 HR 600 MG                        | NM; QL (60 per 30 days)   |
| SELZENTRY ORAL SOLUTION<br>20 MG/ML                                         | NM; QL (1800 per 30 days) |
| SELZENTRY ORAL TABLET 25 MG                                                 | QL (240 per 30 days)      |
| SELZENTRY ORAL TABLET 75 MG                                                 | NM; QL (60 per 30 days)   |
| SUNLENCA ORAL TABLET 300 MG                                                 | NM; QL (5 per 180 days)   |
| SUNLENCA ORAL TABLET 300 MG<br>(4-TABLET PACK)                              | NM; QL (4 per 180 days)   |
| TRIUMEQ ORAL TABLET<br>600-50-300 MG                                        | NM; QL (30 per 30 days)   |
| TRIUMEQ PD ORAL TABLET FOR<br>SUSPENSION 60-5-30 MG                         | NM; QL (180 per 30 days)  |
| TYBOST ORAL TABLET 150 MG                                                   | QL (30 per 30 days)       |
| <b>ELECTROLITOS/MINERALES/METALES/VITAMINAS</b>                             |                           |
| <b>Electrolitos/Minerales/Metales/Vitaminas</b>                             |                           |
| <i>bal-care dha combo pack 27-1-430 mg</i>                                  |                           |
| <i>bal-care dha essential pack 27 mg<br/>iron-1 mg -374 mg</i>              |                           |
| CLINIMIX 5%/D15W SULFITE FREE<br>INTRAVENOUS PARENTERAL<br>SOLUTION 5 %     | PA BvD                    |
| CLINIMIX 4.25%/D10W SULF FREE<br>INTRAVENOUS PARENTERAL<br>SOLUTION 4.25 %  | PA BvD                    |
| CLINIMIX 4.25%/D5W SULFIT FREE<br>INTRAVENOUS PARENTERAL<br>SOLUTION 4.25 % | PA BvD                    |
| CLINIMIX 5%-D20W(SULFITE-FREE)<br>INTRAVENOUS PARENTERAL<br>SOLUTION 5 %    | PA BvD                    |

| <b>Nombre del Medicamento</b>                                               | <b>Requerimientos / Límites</b> |
|-----------------------------------------------------------------------------|---------------------------------|
| CLINIMIX 6%-D5W (SULFITE-FREE)<br>INTRAVENOUS PARENTERAL<br>SOLUTION 6-5 %  | PA BvD                          |
| CLINIMIX 8%-D10W(SULFITE-FREE)<br>INTRAVENOUS PARENTERAL<br>SOLUTION 8-10 % | PA BvD                          |
| CLINIMIX 8%-D14W(SULFITE-FREE)<br>INTRAVENOUS PARENTERAL<br>SOLUTION 8-14 % | PA BvD                          |
| CLINIMIX E 2.75%/D5W SULF FREE<br>INTRAVENOUS PARENTERAL<br>SOLUTION 2.75 % | PA BvD                          |
| CLINIMIX E 4.25%/D10W SUL FREE<br>INTRAVENOUS PARENTERAL<br>SOLUTION 4.25 % | PA BvD                          |
| CLINIMIX E 4.25%/D5W SULF FREE<br>INTRAVENOUS PARENTERAL<br>SOLUTION 4.25 % | PA BvD                          |
| CLINIMIX E 5%/D15W SULFIT FREE<br>INTRAVENOUS PARENTERAL<br>SOLUTION 5 %    | PA BvD                          |
| CLINIMIX E 5%/D20W SULFIT FREE<br>INTRAVENOUS PARENTERAL<br>SOLUTION 5 %    | PA BvD                          |
| CLINIMIX E 8%-D10W SULFITEFREE<br>INTRAVENOUS PARENTERAL<br>SOLUTION 8-10 % | PA BvD                          |
| CLINIMIX E 8%-D14W SULFITEFREE<br>INTRAVENOUS PARENTERAL<br>SOLUTION 8-14 % | PA BvD                          |
| <i>c-nate dha softgel 28 mg<br/>iron-1 mg -200 mg</i>                       |                                 |
| <i>completenate tablet chew 29 mg<br/>iron- 1 mg</i>                        |                                 |
| <i>d10 %-0.45 % sodium chloride<br/>intravenous parenteral solution</i>     |                                 |
| <i>d2.5 %-0.45 % sodium chloride<br/>intravenous parenteral solution</i>    |                                 |
| <i>d5 % and 0.9 % sodium chloride<br/>intravenous parenteral solution</i>   |                                 |
| <i>d5 %-0.45 % sodium chloride intravenous<br/>parenteral solution</i>      |                                 |
| <i>dextrose 10 % and 0.2 % nacl intravenous<br/>parenteral solution</i>     |                                 |

| Nombre del Medicamento                                                                                | Requerimientos / Límites |
|-------------------------------------------------------------------------------------------------------|--------------------------|
| dextrose 10 % in water (d10w)<br>intravenous parenteral solution 10 %                                 | PA BvD                   |
| dextrose 5 % in water (d5w) intravenous<br>parenteral solution                                        |                          |
| dextrose 5 % in water (d5w) intravenous<br>piggyback 5 %                                              |                          |
| dextrose 5%-0.2 % sod chloride<br>intravenous parenteral solution                                     |                          |
| DOJOLVI ORAL LIQUID 8.3 KCAL/ML                                                                       | PA; NM                   |
| folivane-ob capsule 85-1 mg                                                                           |                          |
| INTRALIPID INTRAVENOUS EMULSION<br>20 %, 30 %                                                         | PA BvD                   |
| ISOLYTE-P IN 5 % DEXTROSE<br>INTRAVENOUS PARENTERAL<br>SOLUTION 5 %                                   |                          |
| kosher prenatal plus iron tab 30 mg<br>iron- 1 mg                                                     |                          |
| levocarnitine (with sugar) oral solution<br>100 mg/ml (Carnitor)                                      |                          |
| levocarnitine oral tablet 330 mg (Carnitor)                                                           |                          |
| levocarnitine sf 1 g/10 ml sol 100 mg/ml (Carnitor (sugar-free))                                      |                          |
| marnatal-f capsule 60 mg iron-1 mg                                                                    |                          |
| m-natal plus tablet 27 mg iron- 1 mg<br>(pnv, calcium 72-iron-folic acid)                             |                          |
| mynatal advance oral tablet 90-1-50 mg                                                                |                          |
| mynatal capsule 65 mg iron- 1 mg                                                                      |                          |
| mynatal oral tablet 90-1-50 mg                                                                        |                          |
| mynatal plus captab 65 mg iron- 1 mg                                                                  |                          |
| mynatal-z captab 65 mg iron- 1 mg                                                                     |                          |
| mynate 90 plus oral tablet extended<br>release 90 mg iron-1 mg                                        |                          |
| newgen tablet 32-1,000 mg-mcg                                                                         |                          |
| niva-plus tablet 27 mg iron- 1 mg                                                                     |                          |
| NUTRILIPID INTRAVENOUS EMULSION<br>20 %                                                               | PA BvD                   |
| obstetrix dha combo pack 29 mg<br>iron- 1,700 mcg dfe                                                 |                          |
| obstetrix dha oral combo pack, tablet and<br>cap, dr 29 mg iron-1 mg -50 mg                           |                          |
| o-cal prenatal tablet 15 mg<br>iron- 1,000 mcg                                                        |                          |
| pnv 29-1 tablet (rx) 29 mg iron- 1 mg                                                                 |                          |
| pnv prenatal plus multivit tab gluten-free<br>(rx) 27 mg iron- 1 mg (pnv, calcium 72-iron-folic acid) |                          |



| Nombre del Medicamento                                                        | Requerimientos / Límites              |
|-------------------------------------------------------------------------------|---------------------------------------|
| <i>pnv-dha + docusate oral capsule</i><br>27-1.25-55-300 mg                   |                                       |
| <i>pnv-omega softgel 28-1-300 mg</i>                                          |                                       |
| <i>pr natal 400 combo pack 29-1-400 mg</i>                                    |                                       |
| <i>pr natal 400 ec combo pack 29-1-400 mg</i>                                 |                                       |
| <i>pr natal 430 combo pack 29 mg</i><br><i>iron-1 mg -430 mg</i>              |                                       |
| <i>pr natal 430 ec combo pack 29-1-430 mg</i>                                 |                                       |
| PREMASOL 10 % INTRAVENOUS<br>PARENTERAL SOLUTION 10 %                         | PA BvD                                |
| <i>prena1 true combo pack 30 mg</i><br><i>iron- 1.4 mg-300 mg</i>             |                                       |
| <i>prenaissance oral capsule</i><br>29-1.25-55-325 mg                         |                                       |
| <i>prenaissance plus oral capsule</i><br>28-1-50-250 mg                       |                                       |
| <i>prenatabs fa tablet 29-1 mg</i>                                            |                                       |
| <i>prenatal 19 (with docusate) oral tablet</i><br>29 mg iron- 1 mg-25 mg      |                                       |
| <i>prenatal 19 chewable tablet 29 mg</i><br><i>iron- 1 mg</i>                 |                                       |
| <i>prenatal low iron tablet (rx) 27 mg</i><br><i>iron- 1 mg</i>               |                                       |
| <i>prenatal plus iron tablet (rx) 29 mg</i><br><i>iron- 1 mg</i>              | (pnv, calcium 72-iron,<br>carb-folic) |
| <i>prenatal vitamin plus low iron oral tablet</i><br>27 mg iron- 1 mg         | (pnv, calcium<br>72-iron-folic acid)  |
| <i>prenatal-u capsule 106.5-1 mg</i>                                          |                                       |
| <i>preplus ca-fe 27 mg-fa 1 mg tb (rx) 27 mg</i><br><i>iron- 1 mg</i>         | (pnv, calcium<br>72-iron-folic acid)  |
| <i>pretab 29 mg-1 mg tablet (rx) 29-1 mg</i>                                  |                                       |
| PROSOL 20 % INTRAVENOUS<br>PARENTERAL SOLUTION                                | PA BvD                                |
| <i>r-natal ob softgel 20 mg</i><br><i>iron- 1 mg-320 mg</i>                   |                                       |
| <i>select-ob chewable caplet 29 mg</i><br><i>iron- 1 mg</i>                   |                                       |
| <i>select-ob chewable caplet 29 mg</i><br><i>iron- 1 mg</i>                   |                                       |
| <i>se-natal 19 chewable tablet 29 mg</i><br><i>iron- 1 mg</i>                 |                                       |
| <i>taron-c dha capsule 35-1-200 mg</i>                                        |                                       |
| <i>taron-prex prenatal-dha oral capsule</i><br>30 mg iron-1.2 mg-55 mg-265 mg |                                       |

| Nombre del Medicamento                                              | Requerimientos / Límites |
|---------------------------------------------------------------------|--------------------------|
| TPN ELECTROLYTES II INTRAVENOUS SOLUTION 18-18-5-4.5-35 MEQ/20 ML   |                          |
| TPN ELECTROLYTES INTRAVENOUS SOLUTION 35-20-5 MEQ/20 ML             |                          |
| TRAVASOL 10 % INTRAVENOUS PARENTERAL SOLUTION 10 %                  | PA BvD                   |
| <i>triveen-duo dha combo pack 29-1-400 mg</i>                       |                          |
| TROPHAMINE 10 % INTRAVENOUS PARENTERAL SOLUTION 10 %                | PA BvD                   |
| <i>vinate care oral tablet, chewable 40 mg iron- 1 mg</i>           |                          |
| <i>virt-c dha softgel (rx) 35-1-200 mg</i>                          |                          |
| <i>virt-nate dha softgel 28 mg iron-1 mg -200 mg</i>                |                          |
| <i>virt-pn dha softgel (rx) 27 mg iron-1 mg -300 mg</i>             |                          |
| <i>virt-pn plus softgel (rx) 28-1-300 mg</i>                        |                          |
| <i>vitafol gummies 3.33 mg iron- 0.33 mg</i>                        |                          |
| <i>vitafol nano tablet 18 mg iron- 1 mg</i>                         |                          |
| <i>vitafol-ob+dha combo pack 65-1-250 mg</i>                        |                          |
| <i>vp-ch-pnv oral capsule 30 mg iron-1 mg -50 mg-260 mg</i>         |                          |
| <i>vp-pnv-dha softgel (rx) 28 mg iron- 1 mg-200 mg</i>              |                          |
| <i>zatean-pn dha capsule 27 mg iron-1 mg -300 mg</i>                |                          |
| <i>zatean-pn plus softgel 28-1-300 mg</i>                           |                          |
| <i>zingiber tablet 1.2 mg-40 mg- 124.1 mg-100 mg</i>                |                          |
| <b>Enlaces De Fosfato</b>                                           |                          |
| AURYXIA ORAL TABLET 210 MG IRON                                     | PA                       |
| <i>calcium acetate(phosphat bind) oral capsule 667 mg</i>           |                          |
| <i>calcium acetate(phosphat bind) oral tablet 667 mg</i>            |                          |
| <i>sevelamer carbonate oral powder in packet 0.8 gram (Renvela)</i> | QL (540 per 30 days)     |
| <i>sevelamer carbonate oral powder in packet 2.4 gram (Renvela)</i> | QL (180 per 30 days)     |
| <i>sevelamer carbonate oral tablet 800 mg (Renvela)</i>             | QL (540 per 30 days)     |
| VELPHORO ORAL TABLET, CHEWABLE 500 MG                               |                          |

| Nombre del Medicamento                                                                                                | Requerimientos / Límites     |
|-----------------------------------------------------------------------------------------------------------------------|------------------------------|
| <b>Modificadores De Electrolitos/Minerales/Metales</b>                                                                |                              |
| deferasirox oral granules in packet 180 mg, 360 mg, 90 mg (Jadenu Sprinkle)                                           | PA; NM                       |
| deferasirox oral tablet 180 mg, 360 mg (Jadenu)                                                                       | PA; NM                       |
| deferasirox oral tablet 90 mg (Jadenu)                                                                                | PA                           |
| deferasirox oral tablet, dispersible 125 mg (Exjade)                                                                  | PA                           |
| deferasirox oral tablet, dispersible 250 mg, 500 mg (Exjade)                                                          | PA; NM                       |
| deferiprone oral tablet 1,000 mg, 500 mg (Ferriprox)                                                                  | PA; NM                       |
| FERRIPROX (2 TIMES A DAY) ORAL TABLET, MODIFIED RELEASE 1,000 MG                                                      | PA; NM                       |
| FERRIPROX ORAL SOLUTION 100 MG/ML                                                                                     | PA; NM                       |
| kionex (with sorbitol) oral suspension 15-20 gram/60 ml                                                               | NM                           |
| LOKELMA ORAL POWDER IN PACKET 10 GRAM, 5 GRAM                                                                         |                              |
| sodium polystyrene sulfonate oral powder                                                                              |                              |
| sps (with sorbitol) oral suspension 15-20 gram/60 ml                                                                  |                              |
| tolvaptan oral tablet 15 mg (Samsca)                                                                                  | PA; NM; QL (120 per 30 days) |
| tolvaptan oral tablet 30 mg (Samsca)                                                                                  | PA; NM; QL (60 per 30 days)  |
| trientine oral capsule 250 mg (Syprine)                                                                               | PA; NM                       |
| <b>Sustituto De Electrolitos/Minerales</b>                                                                            |                              |
| carglumic acid oral tablet, dispersible 200 mg (Carbaglu)                                                             | PA; NM                       |
| electrolyte-148 intravenous parenteral solution                                                                       |                              |
| fluoride (sodium) oral tablet 1 mg (2.2 mg sod. fluoride)                                                             |                              |
| fluoride (sodium) oral tablet, chewable 0.5 mg (1.1 mg sodium fluorid), 1 mg (2.2 mg sod. fluoride) (Ludent Fluoride) |                              |
| fluoritab oral tablet, chewable 0.5 mg (1.1 mg sodium fluorid), 1 mg (2.2 mg sod. fluoride (sodium)) fluoride)        |                              |
| ISOLYTE S IV SOLUTION-EXCEL SINGLE USE                                                                                |                              |
| ISOLYTE S PH 7.4 INTRAVENOUS PARENTERAL SOLUTION                                                                      |                              |
| KLOR-CON 10 ORAL TABLET EXTENDED RELEASE 10 MEQ (potassium chloride)                                                  |                              |

| Nombre del Medicamento                                                                                                                       |                      | Requerimientos / Límites |
|----------------------------------------------------------------------------------------------------------------------------------------------|----------------------|--------------------------|
| KLOR-CON 8 ORAL TABLET<br>EXTENDED RELEASE 8 MEQ                                                                                             | (potassium chloride) |                          |
| <i>klor-con m10 oral tablet, er<br/>particles/crystals 10 meq</i>                                                                            | (potassium chloride) |                          |
| <i>klor-con m15 oral tablet, er<br/>particles/crystals 15 meq</i>                                                                            | (potassium chloride) |                          |
| <i>klor-con m20 oral tablet, er<br/>particles/crystals 20 meq</i>                                                                            | (potassium chloride) |                          |
| KLOR-CON ORAL PACKET 20 MEQ                                                                                                                  | (potassium chloride) |                          |
| <i>ludent fluoride 0.25 mg tb chw d/f,<br/>chewable (rx) 0.25 mg(0.55 mg sod.<br/>fluoride)</i>                                              | (fluoride (sodium))  |                          |
| <i>ludent fluoride 0.5 mg tb chew d/f,<br/>chewable (rx) 0.5 mg (1.1 mg sodium<br/>fluorid)</i>                                              | (fluoride (sodium))  |                          |
| <i>ludent fluoride 1 mg tab chew d/f,<br/>chewable (rx) 1 mg (2.2 mg sod. fluoride)</i>                                                      | (fluoride (sodium))  |                          |
| <i>magnesium sulfate injection solution<br/>500 mg/ml (50 %)</i>                                                                             |                      |                          |
| <i>magnesium sulfate injection syringe<br/>500 mg/ml (50 %)</i>                                                                              |                      |                          |
| PLASMA-LYTE A INTRAVENOUS<br>PARENTERAL SOLUTION                                                                                             | (electrolyte-a)      |                          |
| <i>potassium chlorid-d5-0.45%nacl<br/>intravenous parenteral solution 10 meq/l,<br/>20 meq/l, 30 meq/l, 40 meq/l</i>                         |                      | PA BvD                   |
| <i>potassium chloride in 0.9%nacl<br/>intravenous parenteral solution 20 meq/l,<br/>40 meq/l</i>                                             |                      | PA BvD                   |
| <i>potassium chloride in 5 % dex intravenous<br/>parenteral solution 10 meq/l, 20 meq/l</i>                                                  |                      | PA BvD                   |
| <i>potassium chloride in lr-d5 intravenous<br/>parenteral solution 20 meq/l</i>                                                              |                      |                          |
| <i>potassium chloride in water intravenous<br/>piggyback 10 meq/100 ml, 10 meq/50 ml,<br/>20 meq/100 ml, 20 meq/50 ml, 40<br/>meq/100 ml</i> |                      | PA BvD                   |
| <i>potassium chloride intravenous solution 2<br/>meq/ml, 2 meq/ml (20 ml)</i>                                                                |                      | PA BvD                   |
| <i>potassium chloride oral capsule, extended<br/>release 10 meq, 8 meq</i>                                                                   |                      |                          |
| <i>potassium chloride oral liquid 20<br/>meq/15 ml, 40 meq/15 ml</i>                                                                         |                      |                          |
| <i>potassium chloride oral packet 20 meq</i>                                                                                                 | (Klor-Con)           |                          |

| Nombre del Medicamento                                                            | Requerimientos / Límites |
|-----------------------------------------------------------------------------------|--------------------------|
| potassium chloride oral tablet extended release 10 meq (Klor-Con 10)              |                          |
| potassium chloride oral tablet extended release 20 meq (K-Tab)                    |                          |
| potassium chloride oral tablet extended release 8 meq (Klor-Con 8)                |                          |
| potassium chloride oral tablet, er particles/crystals 10 meq (Klor-Con M10)       |                          |
| potassium chloride oral tablet, er particles/crystals 15 meq (Klor-Con M15)       |                          |
| potassium chloride oral tablet, er particles/crystals 20 meq (Klor-Con M20)       |                          |
| potassium chloride-0.45 % nacl intravenous parenteral solution 20 meq/l           |                          |
| potassium chloride-d5-0.2%nacl intravenous parenteral solution 20 meq/l           |                          |
| potassium chloride-d5-0.9%nacl intravenous parenteral solution 20 meq/l, 40 meq/l |                          |
| potassium citrate oral tablet extended release 10 meq (1,080 mg) (Urocit-K 10)    |                          |
| potassium citrate oral tablet extended release 15 meq (Urocit-K 15)               |                          |
| potassium citrate oral tablet extended release 5 meq (540 mg) (Urocit-K 5)        |                          |
| sodium chloride 0.45 % intravenous parenteral solution 0.45 %                     |                          |
| sodium chloride 0.9 % intravenous parenteral solution                             |                          |
| sodium chloride 0.9% solution mini-bag, single use                                |                          |
| sodium chloride 3 % hypertonic intravenous parenteral solution 3 %                |                          |
| sodium chloride 5 % hypertonic intravenous parenteral solution 5 %                |                          |
| sodium chloride irrigation solution 0.9 % (Sterile Saline)                        |                          |
| sodium fluoride 0.5 mg/ml drop (rx) 0.5 mg (1.1 mg sod.fluorid)/ml                |                          |
| <b>NON-FRF</b>                                                                    |                          |
| <b>Non-FRF</b>                                                                    |                          |
| OXLUMO SUBCUTANEOUS SOLUTION 94.5 MG/0.5 ML                                       | PA; NM                   |

| Nombre del Medicamento                                                                                                   | Requerimientos / Límites |
|--------------------------------------------------------------------------------------------------------------------------|--------------------------|
| <b>REGULADORES DE GLUCOSA EN SANGRE</b>                                                                                  |                          |
| <b>Agentes Antidiabetico</b>                                                                                             |                          |
| acarbose oral tablet 100 mg, 25 mg, 50 mg (Precose)                                                                      |                          |
| glimepiride oral tablet 1 mg, 2 mg, 4 mg                                                                                 |                          |
| glipizide oral tablet 10 mg, 2.5 mg, 5 mg                                                                                |                          |
| glipizide oral tablet extended release 24hr 10 mg, 2.5 mg, 5 mg (Glucotrol XL)                                           |                          |
| glipizide-metformin oral tablet 2.5-250 mg, 2.5-500 mg, 5-500 mg                                                         |                          |
| glyburide micronized oral tablet 1.5 mg, 3 mg, 6 mg                                                                      |                          |
| glyburide oral tablet 1.25 mg, 2.5 mg, 5 mg                                                                              |                          |
| glyburide-metformin oral tablet 1.25-250 mg, 2.5-500 mg, 5-500 mg                                                        |                          |
| INVOKAMET ORAL TABLET 150-1,000 MG, 150-500 MG, 50-1,000 MG, 50-500 MG                                                   |                          |
| INVOKAMET XR ORAL TABLET, IR - ER, BIPHASIC 24HR 150-1,000 MG, 150-500 MG, 50-1,000 MG, 50-500 MG                        |                          |
| INVOKANA ORAL TABLET 100 MG, 300 MG                                                                                      |                          |
| JANUMET ORAL TABLET 50-1,000 MG, 50-500 MG                                                                               |                          |
| JANUMET XR ORAL TABLET, ER MULTIPHASE 24 HR 100-1,000 MG, 50-1,000 MG, 50-500 MG                                         |                          |
| JANUVIA ORAL TABLET 100 MG, 25 MG, 50 MG                                                                                 |                          |
| JARDIANCE ORAL TABLET 10 MG, 25 MG                                                                                       |                          |
| metformin oral tablet 1,000 mg, 500 mg, 850 mg                                                                           |                          |
| metformin oral tablet extended release 24 hr 500 mg, 750 mg                                                              |                          |
| miglitol oral tablet 100 mg, 25 mg, 50 mg                                                                                |                          |
| MOUNJARO SUBCUTANEOUS PEN INJECTOR 10 MG/0.5 ML, 12.5 MG/0.5 ML, 15 MG/0.5 ML, 2.5 MG/0.5 ML, 5 MG/0.5 ML, 7.5 MG/0.5 ML | PA; QL (2 per 28 days)   |

| Nombre del Medicamento                                                                                        | Requerimientos / Límites        |
|---------------------------------------------------------------------------------------------------------------|---------------------------------|
| <i>nateglinide oral tablet 120 mg, 60 mg</i>                                                                  |                                 |
| OZEMPIC SUBCUTANEOUS PEN INJECTOR 0.25 MG OR 0.5 MG (2 MG/3 ML), 1 MG/DOSE (4 MG/3 ML), 2 MG/DOSE (8 MG/3 ML) | PA; QL (3 per 28 days)          |
| <i>pioglitazone oral tablet 15 mg, 30 mg, 45 mg</i> (Actos)                                                   |                                 |
| <i>pioglitazone-metformin oral tablet 15-500 mg</i>                                                           |                                 |
| <i>pioglitazone-metformin oral tablet 15-850 mg</i> (Actoplus MET)                                            |                                 |
| <i>repaglinide oral tablet 0.5 mg, 1 mg, 2 mg</i>                                                             |                                 |
| RYBELSUS ORAL TABLET 14 MG, 3 MG, 7 MG                                                                        | PA; QL (30 per 30 days)         |
| SYMLINPEN 120 SUBCUTANEOUS PEN INJECTOR 2,700 MCG/2.7 ML                                                      | PA                              |
| SYMLINPEN 60 SUBCUTANEOUS PEN INJECTOR 1,500 MCG/1.5 ML                                                       | PA                              |
| SYNJARDY ORAL TABLET 12.5-1,000 MG, 12.5-500 MG, 5-1,000 MG, 5-500 MG                                         |                                 |
| SYNJARDY XR ORAL TABLET, IR - ER, BIPHASIC 24HR 10-1,000 MG, 12.5-1,000 MG, 25-1,000 MG, 5-1,000 MG           |                                 |
| TRULICITY SUBCUTANEOUS PEN INJECTOR 0.75 MG/0.5 ML, 1.5 MG/0.5 ML, 3 MG/0.5 ML, 4.5 MG/0.5 ML                 | PA; QL (2 per 28 days)          |
| VICTOZA SUBCUTANEOUS PEN INJECTOR 0.6 MG/0.1 ML (18 MG/3 ML) (liraglutide)                                    | PA; QL (9 per 28 days)          |
| XULTOPHY 100/3.6 SUBCUTANEOUS INSULIN PEN 100 UNIT-3.6 MG /ML (3 ML)                                          | max \$35 copay per month supply |
| <b>Agentes Glucémicos</b>                                                                                     |                                 |
| BAQSIMI NASAL SPRAY, NON-AEROSOL 3 MG/ACTUATION                                                               |                                 |
| <i>diazoxide oral suspension 50 mg/ml</i> (Proglycem)                                                         | NM                              |
| GLUCAGEN DIAGNOSTIC 1 MG VIAL OUTER, SUV 1 MG/ML                                                              |                                 |
| GLUCAGEN HYPOKIT INJECTION RECON SOLN 1 MG                                                                    |                                 |
| <i>mifepristone oral tablet 300 mg</i> (Korlym)                                                               | PA; NM                          |

| Nombre del Medicamento                                                                        | Requerimientos / Límites |
|-----------------------------------------------------------------------------------------------|--------------------------|
| <b>Insulinas</b>                                                                              |                          |
| 1ST TIER UNIFINE PENTP 5MM 31G 31 GAUGE X 3/16" (pen needle, diabetic)                        |                          |
| 1ST TIER UNIFINE PNTIP 4MM 32G 32 GAUGE X 5/32" (pen needle, diabetic)                        |                          |
| 1ST TIER UNIFINE PNTIP 6MM 31G 31 GAUGE X 1/4" (pen needle, diabetic)                         |                          |
| 1ST TIER UNIFINE PNTIP 8MM 31G STRL, SINGLE-USE, SHRT 31 GAUGE X 5/16" (pen needle, diabetic) |                          |
| 1ST TIER UNIFINE PNTTP 29GX1/2" 29 GAUGE X 1/2" (pen needle, diabetic)                        |                          |
| 1ST TIER UNIFINE PNTTP 31GX3/16 31 GAUGE X 3/16" (pen needle, diabetic)                       |                          |
| 1ST TIER UNIFINE PNTTP 32GX5/32 32 GAUGE X 5/32" (pen needle, diabetic)                       |                          |
| ABOUTTIME PEN NEEDLE 30G X 8MM 30 GAUGE X 5/16" (pen needle, diabetic)                        |                          |
| ABOUTTIME PEN NEEDLE 31G X 5MM 31 GAUGE X 3/16" (pen needle, diabetic)                        |                          |
| ABOUTTIME PEN NEEDLE 31G X 8MM 31 GAUGE X 5/16" (pen needle, diabetic)                        |                          |
| ABOUTTIME PEN NEEDLE 32G X 4MM 32 GAUGE X 5/32" (pen needle, diabetic)                        |                          |
| ADVOCATE INS 0.3 ML 30GX5/16" 0.3 ML 30 GAUGE X 5/16" (insulin syringe-needle u-100)          |                          |
| ADVOCATE INS 0.3 ML 31GX5/16" 0.3 ML 31 GAUGE X 5/16" (insulin syringe-needle u-100)          |                          |
| ADVOCATE INS 0.5 ML 30GX5/16" 0.5 ML 30 GAUGE X 5/16" (insulin syringe-needle u-100)          |                          |
| ADVOCATE INS 0.5 ML 31GX5/16" 0.5 ML 31 GAUGE X 5/16" (insulin syringe-needle u-100)          |                          |
| ADVOCATE INS 1 ML 31GX5/16" 1 ML 31 GAUGE X 5/16" (insulin syringe-needle u-100)              |                          |
| ADVOCATE INS SYR 0.3 ML 29GX1/2 0.3 ML 29 GAUGE X 1/2" (insulin syringe-needle u-100)         |                          |
| ADVOCATE INS SYR 0.5 ML 29GX1/2 0.5 ML 29 GAUGE X 1/2" (insulin syringe-needle u-100)         |                          |
| ADVOCATE INS SYR 1 ML 29GX1/2" 1 ML 29 GAUGE X 1/2" (insulin syringe-needle u-100)            |                          |
| ADVOCATE INS SYR 1 ML 30GX5/16 1 ML 30 GAUGE X 5/16" (insulin syringe-needle u-100)           |                          |
| ADVOCATE PEN NDL 12.7MM 29G 29 GAUGE X 1/2" (pen needle, diabetic)                            |                          |



| Nombre del Medicamento                                                          | Requerimientos / Límites |
|---------------------------------------------------------------------------------|--------------------------|
| ADVOCATE PEN NEEDLE 32G 4MM 32 GAUGE X 5/32" (pen needle, diabetic)             |                          |
| ADVOCATE PEN NEEDLE 4MM 33G 33 GAUGE X 5/32" (pen needle, diabetic)             |                          |
| ADVOCATE PEN NEEDLES 5MM 31G 31 GAUGE X 3/16" (pen needle, diabetic)            |                          |
| ADVOCATE PEN NEEDLES 8MM 31G 31 GAUGE X 5/16" (pen needle, diabetic)            |                          |
| AQINJECT PEN NEEDLE 31G 5MM 31 GAUGE X 3/16" (pen needle, diabetic)             |                          |
| AQINJECT PEN NEEDLE 32G 4MM 32 GAUGE X 5/32" (pen needle, diabetic)             |                          |
| ASSURE ID DUO PRO NDL 31G 5MM 31 GAUGE X 3/16" (pen needle, diabetic, safety)   |                          |
| ASSURE ID DUO-SHIELD 30GX3/16" 30 GAUGE X 3/16"                                 |                          |
| ASSURE ID DUO-SHIELD 30GX5/16" 30 GAUGE X 5/16"                                 |                          |
| ASSURE ID INSULIN SAFETY SYRINGE 1 ML 29 GAUGE X 1/2"                           |                          |
| ASSURE ID PEN NEEDLE 30GX3/16" 30 GAUGE X 3/16"                                 |                          |
| ASSURE ID PEN NEEDLE 30GX5/16" 30 GAUGE X 5/16"                                 |                          |
| ASSURE ID PEN NEEDLE 31GX3/16" 31 GAUGE X 3/16" (pen needle, diabetic, safety)  |                          |
| ASSURE ID PRO PEN NDL 30G 5MM 30 GAUGE X 3/16"                                  |                          |
| ASSURE ID SYR 0.5 ML 29GX1/2" (RX) 0.5 ML 29 GAUGE X 1/2"                       |                          |
| ASSURE ID SYR 0.5 ML 31GX15/64" 0.5 ML 31 GAUGE X 15/64"                        |                          |
| ASSURE ID SYR 1 ML 31GX15/64" 1 ML 31 GAUGE X 15/64"                            |                          |
| BD AUTOSHIELD DUO NDL 5MMX30G 30 GAUGE X 3/16"                                  |                          |
| BD ECLIPSE 30GX1/2" SYRINGE 1 ML 30 GAUGE X 1/2" (insulin syringe-needle u-100) |                          |
| BD ECLIPSE NEEDLE 30GX1/2" (OTC) 30 X 1/2 "                                     |                          |
| BD INS SYR 0.3 ML 8MMX31G(1/2) 0.3 ML 31 GAUGE X 5/16"                          |                          |

| Nombre del Medicamento                                                                      | Requerimientos / Límites          |
|---------------------------------------------------------------------------------------------|-----------------------------------|
| BD INS SYRINGE 1/2 ML 6MMX31G<br>(ONLY FOR 500 UNIT/ML INSULIN)<br>1/2 ML 31 GAUGE X 15/64" |                                   |
| BD INS SYRN UF 1 ML 12.7MMX30G<br>NOT FOR RETAIL SALE 1 ML 30<br>GAUGE X 1/2"               | (insulin syringe-needle<br>u-100) |
| BD INSULIN SYR 1 ML 25GX1" 1 ML 25<br>X 1"                                                  |                                   |
| BD INSULIN SYR 1 ML 25GX5/8" 1 ML<br>25 GAUGE X 5/8"                                        | (insulin syringe-needle<br>u-100) |
| BD INSULIN SYR 1 ML 26GX1/2" 1 ML<br>26 X 1/2"                                              |                                   |
| BD INSULIN SYR 1 ML 27GX5/8"<br>MICRO-FINE 1 ML 27 GAUGE X 5/8"                             |                                   |
| BD INSULIN SYR 1 ML 28GX1/2" (OTC)<br>1 ML 28 GAUGE X 1/2"                                  | (Comfort EZ Insulin<br>Syringe)   |
| BD INSULIN SYRINGE 1 ML W/O<br>NEEDLE                                                       | (insulin syringe<br>needleless)   |
| BD LUER-LOK SYRINGE 1 ML                                                                    | (Easy Touch Luer Lock<br>Insulin) |
| BD NANO 2 GEN PEN NDL 32G 4MM 32<br>GAUGE X 5/32"                                           | (pen needle, diabetic)            |
| BD SAFETGLD INS 0.3 ML 29G 13MM<br>0.3 ML 29 GAUGE X 1/2"                                   |                                   |
| BD SAFETGLD INS 0.5 ML 13MMX29G<br>0.5 ML 29 GAUGE X 1/2"                                   | (insulin syringe-needle<br>u-100) |
| BD SAFETYGLD INS 0.3 ML 31G 8MM<br>0.3 ML 31 GAUGE X 5/16"                                  |                                   |
| BD SAFETYGLD INS 0.5 ML 30G 8MM<br>0.5 ML 30 GAUGE X 5/16"                                  |                                   |
| BD SAFETYGLD INS 1 ML 29G 13MM<br>1 ML 29 GAUGE X 1/2"                                      |                                   |
| BD SAFETYGLID INS 1 ML 6MMX31G<br>1 ML 31 GAUGE X 15/64"                                    |                                   |
| BD SAFETYGLIDE SYRINGE 27GX5/8<br>1 ML 27 GAUGE X 5/8"                                      |                                   |
| BD SAFTYGLD INS 0.3 ML 6MMX31G<br>0.3 ML 31 GAUGE X 15/64"                                  |                                   |
| BD SAFTYGLD INS 0.5 ML 29G 13MM<br>0.5 ML 29 GAUGE X 1/2"                                   |                                   |
| BD SAFTYGLD INS 0.5 ML 6MMX31G<br>0.5 ML 31 GAUGE X 15/64"                                  |                                   |
| BD UF MICRO PEN NEEDLE 6MMX32G<br>32 GAUGE X 1/4"                                           | (pen needle, diabetic)            |

| Nombre del Medicamento                                   |                                | Requerimientos / Límites |
|----------------------------------------------------------|--------------------------------|--------------------------|
| BD UF MINI PEN NEEDLE 5MMX31G 31 GAUGE X 3/16"           | (pen needle, diabetic)         |                          |
| BD UF NANO PEN NEEDLE 4MMX32G 32 GAUGE X 5/32"           | (pen needle, diabetic)         |                          |
| BD UF ORIG PEN NDL 12.7MMX29G 29 GAUGE X 1/2"            | (pen needle, diabetic)         |                          |
| BD UF SHORT PEN NEEDLE 8MMX31G 31 GAUGE X 5/16"          | (pen needle, diabetic)         |                          |
| BD VEO INS 0.3 ML 6MMX31G (1/2) 0.3 ML 31 GAUGE X 15/64" |                                |                          |
| BD VEO INS SYRING 1 ML 6MMX31G 1 ML 31 GAUGE X 15/64"    | (insulin syringe-needle u-100) |                          |
| BD VEO INS SYRN 0.3 ML 6MMX31G 0.3 ML 31 GAUGE X 15/64"  | (insulin syringe-needle u-100) |                          |
| BD VEO INS SYRN 0.5 ML 6MMX31G 1/2 ML 31 GAUGE X 15/64"  | (insulin syringe-needle u-100) |                          |
| BORDERED GAUZE 2"X2" 2 X 2 "                             | (gauze bandage)                |                          |
| CAREFINE PEN NEEDLE 12.7MM 29G 29 GAUGE X 1/2"           | (pen needle, diabetic)         |                          |
| CAREFINE PEN NEEDLE 4MM 32G 32 GAUGE X 5/32"             | (pen needle, diabetic)         |                          |
| CAREFINE PEN NEEDLE 5MM 32G 32 GAUGE X 3/16"             | (pen needle, diabetic)         |                          |
| CAREFINE PEN NEEDLE 6MM 31G 31 GAUGE X 1/4"              | (pen needle, diabetic)         |                          |
| CAREFINE PEN NEEDLE 8MM 30G 30 GAUGE X 5/16"             | (pen needle, diabetic)         |                          |
| CAREFINE PEN NEEDLES 6MM 32G 32 GAUGE X 1/4"             | (pen needle, diabetic)         |                          |
| CAREFINE PEN NEEDLES 8MM 31G 31 GAUGE X 5/16"            | (pen needle, diabetic)         |                          |
| CARETOUCH PEN NEEDLE 29G 12MM 29 GAUGE X 1/2"            | (pen needle, diabetic)         |                          |
| CARETOUCH PEN NEEDLE 31GX1/4" 31 GAUGE X 1/4"            | (pen needle, diabetic)         |                          |
| CARETOUCH PEN NEEDLE 31GX3/16" 31 GAUGE X 3/16"          | (pen needle, diabetic)         |                          |
| CARETOUCH PEN NEEDLE 31GX5/16" 31 GAUGE X 5/16"          | (pen needle, diabetic)         |                          |
| CARETOUCH PEN NEEDLE 32GX3/16" 32 GAUGE X 3/16"          | (pen needle, diabetic)         |                          |
| CARETOUCH PEN NEEDLE 32GX5/32" 32 GAUGE X 5/32"          | (pen needle, diabetic)         |                          |

| Nombre del Medicamento                                                               |                                   | Requerimientos / Límites |
|--------------------------------------------------------------------------------------|-----------------------------------|--------------------------|
| CARETOUCH SYR 0.3 ML 31GX5/16"<br>0.3 ML 31 GAUGE X 5/16"                            | (insulin syringe-needle<br>u-100) |                          |
| CARETOUCH SYR 0.5 ML 30GX5/16"<br>0.5 ML 30 GAUGE X 5/16"                            | (insulin syringe-needle<br>u-100) |                          |
| CARETOUCH SYR 0.5 ML 31GX5/16"<br>0.5 ML 31 GAUGE X 5/16"                            | (insulin syringe-needle<br>u-100) |                          |
| CARETOUCH SYR 1 ML 28GX5/16" 1 ML<br>28 X 5/16"                                      |                                   |                          |
| CARETOUCH SYR 1 ML 29GX5/16" 1 ML<br>29 GAUGE X 5/16"                                |                                   |                          |
| CARETOUCH SYR 1 ML 30GX5/16" 1 ML<br>30 GAUGE X 5/16"                                | (insulin syringe-needle<br>u-100) |                          |
| CARETOUCH SYR 1 ML 31GX5/16" 1 ML<br>31 GAUGE X 5/16"                                | (insulin syringe-needle<br>u-100) |                          |
| CLICKFINE 31G X 5/16" NEEDLES 8MM,<br>UNIVERSAL 31 GAUGE X 5/16"                     | (pen needle, diabetic)            |                          |
| CLICKFINE PEN NEEDLE 32GX5/32"<br>32GX4MM, STERILE 32 GAUGE X 5/32"                  | (pen needle, diabetic)            |                          |
| CLICKFINE UNIVERSAL 31G X 1/4"<br>6MM, STORE BRAND 31 GAUGE X 1/4"                   | (pen needle, diabetic)            |                          |
| COMFORT EZ INS 0.3 ML 30GX1/2"<br>0.3 ML 30 GAUGE X 1/2"                             | (insulin syringe-needle<br>u-100) |                          |
| COMFORT EZ INS 0.3 ML 30GX5/16"<br>0.3 ML 30 GAUGE X 5/16"                           | (insulin syringe-needle<br>u-100) |                          |
| COMFORT EZ INS 1 ML 31GX5/16" 1 ML<br>31 GAUGE X 5/16"                               | (insulin syringe-needle<br>u-100) |                          |
| COMFORT EZ INSULIN SYR 0.3 ML<br>0.3 ML 31 GAUGE X 5/16"                             | (insulin syringe-needle<br>u-100) |                          |
| COMFORT EZ INSULIN SYR 0.5 ML<br>0.5 ML 30 GAUGE X 5/16", 0.5 ML 31<br>GAUGE X 5/16" | (insulin syringe-needle<br>u-100) |                          |
| COMFORT EZ PEN NEEDLE 12MM 29G<br>29 GAUGE X 1/2"                                    | (pen needle, diabetic)            |                          |
| COMFORT EZ PEN NEEDLES 4MM 32G<br>SINGLE USE, MICRO 32 GAUGE X 5/32"                 | (pen needle, diabetic)            |                          |
| COMFORT EZ PEN NEEDLES 4MM 33G<br>33 GAUGE X 5/32"                                   | (pen needle, diabetic)            |                          |
| COMFORT EZ PEN NEEDLES 5MM 31G<br>MINI 31 GAUGE X 3/16"                              | (pen needle, diabetic)            |                          |
| COMFORT EZ PEN NEEDLES 5MM 32G<br>SINGLE USE, MINI,HRI 32 GAUGE X<br>3/16"           | (pen needle, diabetic)            |                          |
| COMFORT EZ PEN NEEDLES 5MM 33G<br>33 GAUGE X 3/16"                                   | (pen needle, diabetic)            |                          |

| Nombre del Medicamento                                   |                                   | Requerimientos / Límites |
|----------------------------------------------------------|-----------------------------------|--------------------------|
| COMFORT EZ PEN NEEDLES 6MM 31G<br>31 GAUGE X 1/4"        | (pen needle, diabetic)            |                          |
| COMFORT EZ PEN NEEDLES 6MM 32G<br>32 GAUGE X 1/4"        | (pen needle, diabetic)            |                          |
| COMFORT EZ PEN NEEDLES 6MM 33G<br>33 GAUGE X 1/4"        | (pen needle, diabetic)            |                          |
| COMFORT EZ PEN NEEDLES 8MM 31G<br>SHORT 31 GAUGE X 5/16" | (pen needle, diabetic)            |                          |
| COMFORT EZ PEN NEEDLES 8MM 32G<br>32 GAUGE X 5/16"       | (pen needle, diabetic)            |                          |
| COMFORT EZ PEN NEEDLES 8MM 33G<br>33 GAUGE X 5/16"       |                                   |                          |
| COMFORT EZ PRO PEN NDL 30G 8MM<br>30 GAUGE X 5/16"       |                                   |                          |
| COMFORT EZ PRO PEN NDL 31G 4MM<br>31 GAUGE X 5/32"       | (pen needle, diabetic,<br>safety) |                          |
| COMFORT EZ PRO PEN NDL 31G 5MM<br>31 GAUGE X 3/16"       | (pen needle, diabetic,<br>safety) |                          |
| COMFORT EZ SYR 0.3 ML 29GX1/2"<br>0.3 ML 29 GAUGE X 1/2" | (insulin syringe-needle<br>u-100) |                          |
| COMFORT EZ SYR 0.5 ML 28GX1/2"<br>1/2 ML 28 GAUGE X 1/2" | (insulin syringe-needle<br>u-100) |                          |
| COMFORT EZ SYR 0.5 ML 29GX1/2"<br>0.5 ML 29 GAUGE X 1/2" | (insulin syringe-needle<br>u-100) |                          |
| COMFORT EZ SYR 0.5 ML 30GX1/2"<br>0.5 ML 30 GAUGE X 1/2" | (insulin syringe-needle<br>u-100) |                          |
| COMFORT EZ SYR 1 ML 28GX1/2" 1 ML<br>28 GAUGE X 1/2"     | (insulin syringe-needle<br>u-100) |                          |
| COMFORT EZ SYR 1 ML 29GX1/2" 1 ML<br>29 GAUGE X 1/2"     | (insulin syringe-needle<br>u-100) |                          |
| COMFORT EZ SYR 1 ML 30GX1/2" 1 ML<br>30 GAUGE X 1/2"     | (insulin syringe-needle<br>u-100) |                          |
| COMFORT EZ SYR 1 ML 30GX5/16"<br>1 ML 30 GAUGE X 5/16    | (insulin syringe-needle<br>u-100) |                          |
| COMFORT POINT PEN NDL 31GX1/3"<br>31 GAUGE X 1/3"        |                                   |                          |
| COMFORT POINT PEN NDL 31GX1/6"<br>31 GAUGE X 1/6"        |                                   |                          |
| COMFORT TOUCH PEN NDL 31G 4MM<br>31 GAUGE X 5/32"        | (pen needle, diabetic)            |                          |
| COMFORT TOUCH PEN NDL 31G 5MM<br>31 GAUGE X 3/16"        | (pen needle, diabetic)            |                          |
| COMFORT TOUCH PEN NDL 31G 6MM<br>31 GAUGE X 1/4"         | (pen needle, diabetic)            |                          |

| Nombre del Medicamento                                      |                                   | Requerimientos / Límites |
|-------------------------------------------------------------|-----------------------------------|--------------------------|
| COMFORT TOUCH PEN NDL 31G 8MM<br>31 GAUGE X 5/16"           | (pen needle, diabetic)            |                          |
| COMFORT TOUCH PEN NDL 32G 4MM<br>32 GAUGE X 5/32"           | (pen needle, diabetic)            |                          |
| COMFORT TOUCH PEN NDL 32G 5MM<br>32 GAUGE X 3/16"           | (pen needle, diabetic)            |                          |
| COMFORT TOUCH PEN NDL 32G 6MM<br>32 GAUGE X 1/4"            | (pen needle, diabetic)            |                          |
| COMFORT TOUCH PEN NDL 32G 8MM<br>32 GAUGE X 5/16"           | (pen needle, diabetic)            |                          |
| COMFORT TOUCH PEN NDL 33G 4MM<br>33 GAUGE X 5/32"           | (pen needle, diabetic)            |                          |
| COMFORT TOUCH PEN NDL 33G 6MM<br>33 GAUGE X 1/4"            | (pen needle, diabetic)            |                          |
| COMFORT TOUCH PEN NDL 33GX5MM<br>33 GAUGE X 3/16"           | (pen needle, diabetic)            |                          |
| CURAD GAUZE PADS 2" X 2" 2 X 2 "                            | (gauze bandage)                   |                          |
| CURITY GAUZE SPONGES (12<br>PLY)-200/BAG 2 X 2 "            |                                   |                          |
| CURITY GAUZE PADS 1'S(12 PLY) 2 X 2<br>"                    | (gauze bandage)                   |                          |
| DERMACEA 2"X2" GAUZE 12 PLY, USP<br>TYPE VII 2 X 2 "        | (gauze bandage)                   |                          |
| DERMACEA GAUZE 2"X2" SPONGE 8<br>PLY 2 X 2 "                |                                   |                          |
| DERMACEA NON-WOVEN 2"X2" SPNGE<br>2 X 2 "                   |                                   |                          |
| DROPLET 0.5 ML 29GX12.5MM(1/2)<br>0.5 ML 29 GAUGE X 1/2"    |                                   |                          |
| DROPLET 0.5 ML 30GX12.5MM(1/2)<br>0.5 ML 30 GAUGE X 1/2"    |                                   |                          |
| DROPLET INS 0.3 ML 29GX12.5MM<br>0.3 ML 29 GAUGE X 1/2"     | (insulin syringe-needle<br>u-100) |                          |
| DROPLET INS 0.3 ML 30GX12.5MM<br>0.3 ML 30 GAUGE X 1/2"     | (insulin syringe-needle<br>u-100) |                          |
| DROPLET INS 0.5 ML 30GX6MM(1/2)<br>0.5ML 30 GAUGE X 15/64"  |                                   |                          |
| DROPLET INS 0.5 ML 30GX8MM(1/2)<br>0.5 ML 30 GAUGE X 5/16"  |                                   |                          |
| DROPLET INS 0.5 ML 31GX6MM(1/2)<br>0.5 ML 31 GAUGE X 15/64" |                                   |                          |
| DROPLET INS 0.5 ML 31GX8MM(1/2)<br>0.5 ML 31 GAUGE X 5/16"  |                                   |                          |

| Nombre del Medicamento                                      |                                   | Requerimientos / Límites |
|-------------------------------------------------------------|-----------------------------------|--------------------------|
| DROPLET INS SYR 0.3 ML 30GX6MM<br>0.3 ML 30 GAUGE X 15/64"  |                                   |                          |
| DROPLET INS SYR 0.3 ML 30GX8MM<br>0.3 ML 30 GAUGE X 5/16"   | (insulin syringe-needle<br>u-100) |                          |
| DROPLET INS SYR 0.3 ML 31GX6MM<br>0.3 ML 31 GAUGE X 15/64"  | (insulin syringe-needle<br>u-100) |                          |
| DROPLET INS SYR 0.3 ML 31GX8MM<br>0.3 ML 31 GAUGE X 5/16"   | (insulin syringe-needle<br>u-100) |                          |
| DROPLET INS SYR 1 ML 29GX12.5MM<br>1 ML 29 GAUGE X 1/2"     | (insulin syringe-needle<br>u-100) |                          |
| DROPLET INS SYR 1 ML 30GX12.5MM<br>1 ML 30 GAUGE X 1/2"     | (insulin syringe-needle<br>u-100) |                          |
| DROPLET INS SYR 1 ML 30GX6MM<br>1 ML 30 GAUGE X 15/64"      |                                   |                          |
| DROPLET INS SYR 1 ML 30GX8MM<br>1 ML 30 GAUGE X 5/16"       | (insulin syringe-needle<br>u-100) |                          |
| DROPLET INS SYR 1 ML 31GX6MM<br>1 ML 31 GAUGE X 15/64"      | (insulin syringe-needle<br>u-100) |                          |
| DROPLET INS SYR 1 ML 31GX8MM<br>1 ML 31 GAUGE X 5/16"       | (insulin syringe-needle<br>u-100) |                          |
| DROPLET MICRON 34G X 9/64" 34<br>GAUGE X 9/64"              |                                   |                          |
| DROPLET PEN NEEDLE 29GX1/2" 29<br>GAUGE X 1/2"              | (pen needle, diabetic)            |                          |
| DROPLET PEN NEEDLE 29GX3/8" 29<br>GAUGE X 3/8"              |                                   |                          |
| DROPLET PEN NEEDLE 30GX5/16" 30<br>GAUGE X 5/16"            | (pen needle, diabetic)            |                          |
| DROPLET PEN NEEDLE 31GX1/4" 31<br>GAUGE X 1/4"              | (pen needle, diabetic)            |                          |
| DROPLET PEN NEEDLE 31GX3/16" 31<br>GAUGE X 3/16"            | (pen needle, diabetic)            |                          |
| DROPLET PEN NEEDLE 31GX5/16" 31<br>GAUGE X 5/16"            | (pen needle, diabetic)            |                          |
| DROPLET PEN NEEDLE 32GX1/4" 32<br>GAUGE X 1/4"              | (pen needle, diabetic)            |                          |
| DROPLET PEN NEEDLE 32GX3/16" 32<br>GAUGE X 3/16"            | (pen needle, diabetic)            |                          |
| DROPLET PEN NEEDLE 32GX5/16" 32<br>GAUGE X 5/16"            | (pen needle, diabetic)            |                          |
| DROPLET PEN NEEDLE 32GX5/32" 32<br>GAUGE X 5/32"            | (pen needle, diabetic)            |                          |
| DROPSAFE INS SYR 0.3 ML 31G 6MM<br>0.3 ML 31 GAUGE X 15/64" |                                   |                          |

| Nombre del Medicamento                                                                                                                                                                   | Requerimientos / Límites          |
|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----------------------------------|
| DROPSAFE INS SYR 0.3 ML 31G 8MM<br>0.3 ML 31 GAUGE X 5/16"                                                                                                                               |                                   |
| DROPSAFE INS SYR 0.5 ML 31G 6MM<br>0.5 ML 31 GAUGE X 15/64"                                                                                                                              |                                   |
| DROPSAFE INS SYR 0.5 ML 31G 8MM<br>0.5 ML 31 GAUGE X 5/16"                                                                                                                               |                                   |
| DROPSAFE INSUL SYR 1 ML 31G 6MM<br>1 ML 31 GAUGE X 15/64"                                                                                                                                |                                   |
| DROPSAFE INSUL SYR 1 ML 31G 8MM<br>1 ML 31 GAUGE X 5/16"                                                                                                                                 |                                   |
| DROPSAFE INSULN 1 ML 29G 12.5MM<br>1 ML 29 GAUGE X 1/2"                                                                                                                                  |                                   |
| DROPSAFE PEN NEEDLE 31GX1/4" 31<br>GAUGE X 1/4"                                                                                                                                          |                                   |
| DROPSAFE PEN NEEDLE 31GX3/16" 31<br>GAUGE X 3/16"                                                                                                                                        | (pen needle, diabetic,<br>safety) |
| DROPSAFE PEN NEEDLE 31GX5/16" 31<br>GAUGE X 5/16"                                                                                                                                        |                                   |
| DRUG MART ULTRA COMFORT SYR<br>0.3 ML 29 GAUGE X 1/2", 0.3 ML 31<br>GAUGE X 5/16", 0.5 ML 30 GAUGE X<br>5/16", 0.5 ML 31 GAUGE X 5/16", 1 ML<br>29 GAUGE X 1/2", 1 ML 30 GAUGE X<br>5/16 | (insulin syringe-needle<br>u-100) |
| EASY CMFT SFTY PEN NDL 31G 5MM<br>31 GAUGE X 3/16"                                                                                                                                       | (pen needle, diabetic,<br>safety) |
| EASY CMFT SFTY PEN NDL 31G 6MM<br>31 GAUGE X 1/4"                                                                                                                                        |                                   |
| EASY CMFT SFTY PEN NDL 32G 4MM<br>32 GAUGE X 5/32"                                                                                                                                       |                                   |
| EASY COMFORT 0.3 ML 31G 1/2"<br>0.3 ML 31 X 1/2"                                                                                                                                         |                                   |
| EASY COMFORT 0.3 ML 31G 5/16"<br>0.3 ML 31 GAUGE X 5/16"                                                                                                                                 | (insulin syringe-needle<br>u-100) |
| EASY COMFORT 0.3 ML SYRINGE<br>0.3 ML 30 GAUGE X 5/16"                                                                                                                                   | (insulin syringe-needle<br>u-100) |
| EASY COMFORT 0.5 ML 30GX1/2"<br>0.5 ML 30 GAUGE X 1/2"                                                                                                                                   | (insulin syringe-needle<br>u-100) |
| EASY COMFORT 0.5 ML 31GX5/16"<br>0.5 ML 31 GAUGE X 5/16"                                                                                                                                 | (insulin syringe-needle<br>u-100) |
| EASY COMFORT 0.5 ML 32GX5/16"<br>1/2 ML 32 GAUGE X 5/16"                                                                                                                                 |                                   |
| EASY COMFORT 0.5 ML SYRINGE<br>0.5 ML 30 GAUGE X 5/16"                                                                                                                                   | (insulin syringe-needle<br>u-100) |



| Nombre del Medicamento                                                                | Requerimientos / Límites |
|---------------------------------------------------------------------------------------|--------------------------|
| EASY COMFORT 1 ML 31GX5/16" 1 ML 31 GAUGE X 5/16 (insulin syringe-needle u-100)       |                          |
| EASY COMFORT 1 ML 32GX5/16" 1 ML 32 GAUGE X 5/16"                                     |                          |
| EASY COMFORT INSULIN 1 ML SYR 1 ML 30 GAUGE X 5/16 (insulin syringe-needle u-100)     |                          |
| EASY COMFORT PEN NDL 31GX1/4" 31 GAUGE X 1/4" (pen needle, diabetic)                  |                          |
| EASY COMFORT PEN NDL 31GX3/16" 31 GAUGE X 3/16" (pen needle, diabetic)                |                          |
| EASY COMFORT PEN NDL 31GX5/16" 31 GAUGE X 5/16" (pen needle, diabetic)                |                          |
| EASY COMFORT PEN NDL 32GX5/32" 32 GAUGE X 5/32" (pen needle, diabetic)                |                          |
| EASY COMFORT PEN NDL 33G 4MM 33 GAUGE X 5/32" (pen needle, diabetic)                  |                          |
| EASY COMFORT PEN NDL 33G 5MM 33 GAUGE X 3/16" (pen needle, diabetic)                  |                          |
| EASY COMFORT PEN NDL 33G 6MM 33 GAUGE X 1/4" (pen needle, diabetic)                   |                          |
| EASY COMFORT SYR 1 ML 30GX1/2" 1 ML 30 GAUGE X 1/2" (insulin syringe-needle u-100)    |                          |
| EASY GLIDE INS 0.3 ML 31GX6MM 0.3 ML 31 GAUGE X 15/64" (insulin syringe-needle u-100) |                          |
| EASY GLIDE INS 0.5 ML 31GX6MM 1/2 ML 31 GAUGE X 15/64" (insulin syringe-needle u-100) |                          |
| EASY GLIDE INS 1 ML 31GX6MM 1 ML 31 GAUGE X 15/64" (insulin syringe-needle u-100)     |                          |
| EASY GLIDE PEN NEEDLE 4MM 33G 33 GAUGE X 5/32" (pen needle, diabetic)                 |                          |
| EASY TOUCH 0.3 ML SYR 30GX1/2" 0.3 ML 30 GAUGE X 1/2" (insulin syringe-needle u-100)  |                          |
| EASY TOUCH 0.5 ML SYR 27GX1/2" 1/2 ML 27 GAUGE X 1/2" (insulin syringe-needle u-100)  |                          |
| EASY TOUCH 0.5 ML SYR 29GX1/2" 0.5 ML 29 GAUGE X 1/2"                                 |                          |
| EASY TOUCH 0.5 ML SYR 30GX1/2" 0.5 ML 30 GAUGE X 1/2" (insulin syringe-needle u-100)  |                          |
| EASY TOUCH 0.5 ML SYR 30GX5/16 0.5 ML 30 GAUGE X 5/16"                                |                          |
| EASY TOUCH 1 ML SYR 27GX1/2" 1 ML 27 GAUGE X 1/2" (insulin syringe-needle u-100)      |                          |
| EASY TOUCH 1 ML SYR 29GX1/2" 1 ML 29 GAUGE X 1/2"                                     |                          |

| Nombre del Medicamento                                                         |                                | Requerimientos / Límites |
|--------------------------------------------------------------------------------|--------------------------------|--------------------------|
| EASY TOUCH 1 ML SYR 30GX1/2" 1 ML 30 GAUGE X 1/2"                              |                                |                          |
| EASY TOUCH FLIPLOK 1 ML 27GX0.5 1 ML 27 GAUGE X 1/2"                           |                                |                          |
| EASY TOUCH INSULIN 1 ML 29GX1/2 1 ML 29 GAUGE X 1/2"                           |                                |                          |
| EASY TOUCH INSULIN 1 ML 30GX1/2 1 ML 30 GAUGE X 1/2"                           |                                |                          |
| EASY TOUCH INSULIN SYR 0.3 ML 0.3 ML 30 GAUGE X 5/16", 0.3 ML 31 GAUGE X 5/16" | (insulin syringe-needle u-100) |                          |
| EASY TOUCH INSULIN SYR 0.5 ML 0.5 ML 30 GAUGE X 5/16", 0.5 ML 31 GAUGE X 5/16" | (insulin syringe-needle u-100) |                          |
| EASY TOUCH INSULIN SYR 1 ML 1 ML 30 GAUGE X 5/16, 1 ML 31 GAUGE X 5/16         | (insulin syringe-needle u-100) |                          |
| EASY TOUCH INSULIN SYR 1 ML RETRACTABLE 1 ML 30 GAUGE X 1/2"                   | (insulin syringe-needle u-100) |                          |
| EASY TOUCH INSULN 1 ML 29GX1/2" 1 ML 29 GAUGE X 1/2"                           |                                |                          |
| EASY TOUCH INSULN 1 ML 30GX1/2" 1 ML 30 GAUGE X 1/2"                           |                                |                          |
| EASY TOUCH INSULN 1 ML 30GX5/16 1 ML 30 GAUGE X 5/16"                          |                                |                          |
| EASY TOUCH INSULN 1 ML 30GX5/16 1 ML 30 GAUGE X 5/16"                          |                                |                          |
| EASY TOUCH INSULN 1 ML 31GX5/16 1 ML 31 GAUGE X 5/16"                          |                                |                          |
| EASY TOUCH INSULN 1 ML 31GX5/16 1 ML 31 GAUGE X 5/16"                          |                                |                          |
| EASY TOUCH LUER LOK INSUL 1 ML                                                 | (insulin syringe needleless)   |                          |
| EASY TOUCH PEN NEEDLE 29GX1/2" 29 GAUGE X 1/2"                                 | (pen needle, diabetic)         |                          |
| EASY TOUCH PEN NEEDLE 30GX5/16 30 GAUGE X 5/16"                                | (pen needle, diabetic)         |                          |
| EASY TOUCH PEN NEEDLE 31GX1/4" 31 GAUGE X 1/4"                                 | (pen needle, diabetic)         |                          |
| EASY TOUCH PEN NEEDLE 31GX3/16 31 GAUGE X 3/16"                                | (pen needle, diabetic)         |                          |
| EASY TOUCH PEN NEEDLE 31GX5/16 31 GAUGE X 5/16"                                | (pen needle, diabetic)         |                          |

| Nombre del Medicamento                                     |                                    | Requerimientos / Límites |
|------------------------------------------------------------|------------------------------------|--------------------------|
| EASY TOUCH PEN NEEDLE 32GX1/4"<br>32 GAUGE X 1/4"          | (pen needle, diabetic)             |                          |
| EASY TOUCH PEN NEEDLE 32GX3/16"<br>32 GAUGE X 3/16"        | (pen needle, diabetic)             |                          |
| EASY TOUCH PEN NEEDLE 32GX5/32"<br>32 GAUGE X 5/32"        | (pen needle, diabetic)             |                          |
| EASY TOUCH SAF PEN NDL 29G 5MM<br>29 GAUGE X 3/16"         |                                    |                          |
| EASY TOUCH SAF PEN NDL 29G 8MM<br>29 GAUGE X 5/16"         |                                    |                          |
| EASY TOUCH SAF PEN NDL 30G 5MM<br>30 GAUGE X 3/16"         |                                    |                          |
| EASY TOUCH SAF PEN NDL 30G 8MM<br>30 GAUGE X 5/16"         |                                    |                          |
| EASY TOUCH SYR 0.5 ML 28G 12.7MM<br>1/2 ML 28 GAUGE X 1/2" | (insulin syringe-needle<br>u-100)  |                          |
| EASY TOUCH SYR 0.5 ML 29G 12.7MM<br>0.5 ML 29 GAUGE X 1/2" | (insulin syringe-needle<br>u-100)  |                          |
| EASY TOUCH SYR 1 ML 27G 16MM<br>1 ML 27 GAUGE X 5/8"       |                                    |                          |
| EASY TOUCH SYR 1 ML 28G 12.7MM<br>1 ML 28 GAUGE X 1/2"     | (insulin syringe-needle<br>u-100)  |                          |
| EASY TOUCH SYR 1 ML 29G 12.7MM<br>1 ML 29 GAUGE X 1/2"     | (insulin syringe-needle<br>u-100)  |                          |
| EASY TOUCH UNI-SLIP SYR 1 ML                               | (insulin syringe<br>needleless)    |                          |
| EASYTOUCH SAF PEN NDL 30G 6MM<br>30 GAUGE X 1/4"           |                                    |                          |
| EMBRACE PEN NEEDLE 29G 12MM 29<br>GAUGE X 1/2"             | (pen needle, diabetic)             |                          |
| EMBRACE PEN NEEDLE 30G 5MM 30<br>GAUGE X 3/16"             | (pen needle, diabetic)             |                          |
| EMBRACE PEN NEEDLE 30G 8MM 30<br>GAUGE X 5/16"             | (pen needle, diabetic)             |                          |
| EMBRACE PEN NEEDLE 31G 5MM 31<br>GAUGE X 3/16"             | (pen needle, diabetic)             |                          |
| EMBRACE PEN NEEDLE 31G 6MM 31<br>GAUGE X 1/4"              | (pen needle, diabetic)             |                          |
| EMBRACE PEN NEEDLE 31G 8MM 31<br>GAUGE X 5/16"             | (pen needle, diabetic)             |                          |
| EMBRACE PEN NEEDLE 32G 4MM 32<br>GAUGE X 5/32"             | (pen needle, diabetic)             |                          |
| EQL INSULIN 0.3 ML SYRINGE SHORT<br>NEEDLE 0.3 ML 30       | (Ultra Comfort Insulin<br>Syringe) |                          |

| Nombre del Medicamento                                                    |                                 | Requerimientos / Límites        |
|---------------------------------------------------------------------------|---------------------------------|---------------------------------|
| EQL INSULIN 0.5 ML SYRINGE SHORT NEEDLE 1/2 ML 30 GAUGE                   | (Ultra Comfort Insulin Syringe) |                                 |
| EQL INSULIN 1 ML SYRINGE SHORT NEEDLE 1 ML 30 GAUGE X 7/16"               | (Ultra Comfort Insulin Syringe) |                                 |
| EXEL INSULIN SYRINGE 27G-1 ML 1 ML 27 GAUGE X 1/2"                        | (insulin syringe-needle u-100)  |                                 |
| FIASP FLEXTOUCH U-100 INSULIN SUBCUTANEOUS INSULIN PEN 100 UNIT/ML (3 ML) |                                 | max \$35 copay per month supply |
| FIASP PENFILL U-100 INSULIN SUBCUTANEOUS CARTRIDGE 100 UNIT/ML (3 ML)     |                                 | max \$35 copay per month supply |
| FIASP U-100 INSULIN SUBCUTANEOUS SOLUTION 100 UNIT/ML                     |                                 | max \$35 copay per month supply |
| FIFTY50 INS 0.5 ML 31GX5/16" SHORT NEEDLE 0.5 ML 31 GAUGE X 5/16"         | (Advocate Syringes)             |                                 |
| FIFTY50 INS SYR 1 ML 31GX5/16" SHORT NEEDLE (OTC) 1 ML 31 GAUGE X 5/16    | (Advocate Syringes)             |                                 |
| FIFTY50 PEN 31G X 3/16" NEEDLE (OTC) 31 GAUGE X 3/16"                     | (pen needle, diabetic)          |                                 |
| FP INSULIN 1 ML SYRINGE 1 ML 28 GAUGE                                     | (Ultra Comfort Insulin Syringe) |                                 |
| FREESTYLE PREC 0.5 ML 30GX5/16 0.5 ML 30 GAUGE X 5/16"                    | (insulin syringe-needle u-100)  |                                 |
| FREESTYLE PREC 0.5 ML 31GX5/16 0.5 ML 31 GAUGE X 5/16"                    | (insulin syringe-needle u-100)  |                                 |
| FREESTYLE PREC 1 ML 30GX5/16" 1 ML 30 GAUGE X 5/16                        | (insulin syringe-needle u-100)  |                                 |
| FREESTYLE PREC 1 ML 31GX5/16" 1 ML 31 GAUGE X 5/16                        | (insulin syringe-needle u-100)  |                                 |
| GAUZE PAD TOPICAL BANDAGE 2 X 2 "                                         | (gauze bandage)                 |                                 |
| GNP ULT C 0.3 ML 29GX1/2" (1/2) 1/2 UNIT 0.3 ML 29 GAUGE X 1/2"           |                                 |                                 |
| GNP ULTRA COMFORT 0.5 ML SYR 1/2 ML 29 , 1/2 ML 30 GAUGE                  | (insulin syringe-needle u-100)  |                                 |
| GNP ULTRA COMFORT 1 ML SYRINGE 1 ML 28 GAUGE, 1 ML 30 GAUGE X 7/16"       | (insulin syringe-needle u-100)  |                                 |
| GNP ULTRA COMFORT 1 ML SYRINGE 1 ML 29 GAUGE                              |                                 |                                 |
| GNP ULTRA COMFORT 3/10 ML SYR 0.3 ML 30                                   | (insulin syringe-needle u-100)  |                                 |

| Nombre del Medicamento                                                  |                                            | Requerimientos / Límites        |
|-------------------------------------------------------------------------|--------------------------------------------|---------------------------------|
| HEALTHWISE INS 0.3 ML 30GX5/16"<br>0.3 ML 30 GAUGE X 5/16"              | (insulin syringe-needle<br>u-100)          |                                 |
| HEALTHWISE INS 0.3 ML 31GX5/16"<br>0.3 ML 31 GAUGE X 5/16"              | (insulin syringe-needle<br>u-100)          |                                 |
| HEALTHWISE INS 0.5 ML 30GX5/16"<br>0.5 ML 30 GAUGE X 5/16"              | (insulin syringe-needle<br>u-100)          |                                 |
| HEALTHWISE INS 0.5 ML 31GX5/16"<br>0.5 ML 31 GAUGE X 5/16"              | (insulin syringe-needle<br>u-100)          |                                 |
| HEALTHWISE INS 1 ML 30GX5/16" 1 ML<br>30 GAUGE X 5/16                   | (insulin syringe-needle<br>u-100)          |                                 |
| HEALTHWISE INS 1 ML 31GX5/16" 1 ML<br>31 GAUGE X 5/16                   | (insulin syringe-needle<br>u-100)          |                                 |
| HEALTHWISE PEN NEEDLE 31G 5MM<br>31 GAUGE X 3/16"                       | (pen needle, diabetic)                     |                                 |
| HEALTHWISE PEN NEEDLE 31G 8MM<br>31 GAUGE X 5/16"                       | (pen needle, diabetic)                     |                                 |
| HEALTHWISE PEN NEEDLE 32G 4MM<br>32 GAUGE X 5/32"                       | (pen needle, diabetic)                     |                                 |
| HEALTHY ACCENTS PENTIP 4MM 32G<br>32 GAUGE X 5/32"                      | (pen needle, diabetic)                     |                                 |
| HEALTHY ACCENTS PENTIP 5MM 31G<br>31 GAUGE X 3/16"                      | (pen needle, diabetic)                     |                                 |
| HEALTHY ACCENTS PENTIP 6MM 31G<br>31 GAUGE X 1/4"                       | (pen needle, diabetic)                     |                                 |
| HEALTHY ACCENTS PENTIP 8MM 31G<br>31 GAUGE X 5/16"                      | (pen needle, diabetic)                     |                                 |
| HEALTHY ACCENTS PENTIP 12MM 29G<br>29 GAUGE X 1/2"                      |                                            |                                 |
| INCONTROL PEN NEEDLE 12MM 29G<br>29 GAUGE X 1/2"                        | (pen needle, diabetic)                     |                                 |
| INCONTROL PEN NEEDLE 4MM 32G 32<br>GAUGE X 5/32"                        | (pen needle, diabetic)                     |                                 |
| INCONTROL PEN NEEDLE 5MM 31G 31<br>GAUGE X 3/16"                        | (pen needle, diabetic)                     |                                 |
| INCONTROL PEN NEEDLE 6MM 31G 31<br>GAUGE X 1/4"                         | (pen needle, diabetic)                     |                                 |
| INCONTROL PEN NEEDLE 8MM 31G 31<br>GAUGE X 5/16"                        | (pen needle, diabetic)                     |                                 |
| <i>insulin glargine subcutaneous insulin pen<br/>100 unit/ml (3 ml)</i> | <i>(Lantus Solostar U-100<br/>Insulin)</i> | max \$35 copay per month supply |
| <i>insulin glargine subcutaneous solution<br/>100 unit/ml</i>           | <i>(Lantus U-100 Insulin)</i>              | max \$35 copay per month supply |
| INSULIN SYR 0.3 ML 31GX1/4(1/2)<br>0.3 ML 31 GAUGE X 1/4"               | (UltiCare Insulin<br>Syr(half unit))       |                                 |

| Nombre del Medicamento                                                       |                                | Requerimientos / Límites |
|------------------------------------------------------------------------------|--------------------------------|--------------------------|
| INSULIN SYRIN 0.3 ML 30GX1/2"<br>SHORT NEEDLE 0.3 ML 30 GAUGE X 1/2"         | (Comfort EZ Insulin Syringe)   |                          |
| INSULIN SYRIN 0.5 ML 28GX1/2" 1/2 ML 28 GAUGE X 1/2"                         | (Comfort EZ Insulin Syringe)   |                          |
| INSULIN SYRIN 0.5 ML 29GX1/2" (OTC) 0.5 ML 29 GAUGE X 1/2"                   | (Comfort EZ Insulin Syringe)   |                          |
| INSULIN SYRIN 0.5 ML 30GX1/2"<br>SHORT NEEDLE (OTC) 0.5 ML 30 GAUGE X 1/2"   | (Comfort EZ Insulin Syringe)   |                          |
| INSULIN SYRIN 0.5 ML 30GX5/16"<br>SHORT NEEDLE (OTC) 0.5 ML 30 GAUGE X 5/16" | (Advocate Syringes)            |                          |
| INSULIN SYRINGE 0.5 ML 27G 1/2"<br>INNER 1/2 ML 27 GAUGE X 1/2"              | (Easy Touch Insulin Syringe)   |                          |
| INSULIN SYRINGE 0.3 ML 0.3 ML 29 GAUGE                                       | (insulin syringe-needle u-100) |                          |
| INSULIN SYRINGE 0.3 ML 31GX1/4 0.3 ML 31 GAUGE X 1/4"                        | (Sure Comfort Insulin Syringe) |                          |
| INSULIN SYRINGE 0.5 ML 1/2 ML 29                                             | (insulin syringe-needle u-100) |                          |
| INSULIN SYRINGE 0.5 ML 31GX1/4 1/2 ML 31 GAUGE X 1/4"                        | (Sure Comfort Insulin Syringe) |                          |
| INSULIN SYRINGE 1 ML 1 ML 29 GAUGE                                           |                                |                          |
| INSULIN SYRINGE 1 ML 30GX1/2" (RX) 1 ML 30 GAUGE X 1/2"                      | (BD Eclipse Luer-Lok)          |                          |
| INSULIN SYRINGE 1 ML 30GX5/16"<br>SHORT NEEDLE (OTC) 1 ML 30 GAUGE X 5/16    | (Advocate Syringes)            |                          |
| INSULIN SYRINGE 1 ML 31GX1/4" 1 ML 31 GAUGE X 1/4"                           | (Sure Comfort Insulin Syringe) |                          |
| INSULIN SYRINGE-NEEDLE U-100 SYRINGE 0.3 ML 29 GAUGE                         | (Ultilet Insulin Syringe)      |                          |
| INSULIN SYRINGE-NEEDLE U-100 SYRINGE 1 ML 29 GAUGE X 1/2"                    | (Comfort EZ Insulin Syringe)   |                          |
| INSULIN SYRINGE-NEEDLE U-100 SYRINGE 1/2 ML 28 GAUGE                         | (Monoject Syringe)             |                          |
| INSUPEN 30G ULTRAFIN NEEDLE 30 GAUGE X 5/16"                                 | (pen needle, diabetic)         |                          |
| INSUPEN 31G ULTRAFIN NEEDLE 31 GAUGE X 1/4", 31 GAUGE X 5/16"                | (pen needle, diabetic)         |                          |
| INSUPEN 32G 6MM PEN NEEDLE 32 GAUGE X 1/4"                                   | (pen needle, diabetic)         |                          |

| Nombre del Medicamento                                                     |                                | Requerimientos / Límites        |
|----------------------------------------------------------------------------|--------------------------------|---------------------------------|
| INSUPEN 32G 8MM PEN NEEDLE 32 GAUGE X 5/16"                                | (pen needle, diabetic)         |                                 |
| INSUPEN PEN NEEDLE 29GX12MM 29 GAUGE X 1/2"                                | (pen needle, diabetic)         |                                 |
| INSUPEN PEN NEEDLE 31GX3/16" 31 GAUGE X 3/16"                              | (pen needle, diabetic)         |                                 |
| INSUPEN PEN NEEDLE 32GX4MM 32 GAUGE X 5/32"                                | (pen needle, diabetic)         |                                 |
| INSUPEN PEN NEEDLE 33GX4MM 33 GAUGE X 5/32"                                | (pen needle, diabetic)         |                                 |
| LANTUS SOLOSTAR U-100 INSULIN SUBCUTANEOUS INSULIN PEN 100 UNIT/ML (3 ML)  | (insulin glargine)             | max \$35 copay per month supply |
| LANTUS U-100 INSULIN SUBCUTANEOUS SOLUTION 100 UNIT/ML                     | (insulin glargine)             | max \$35 copay per month supply |
| LEVEMIR FLEXPEN SUBCUTANEOUS INSULIN PEN 100 UNIT/ML (3 ML)                |                                | max \$35 copay per month supply |
| LEVEMIR U-100 INSULIN SUBCUTANEOUS SOLUTION 100 UNIT/ML                    |                                | max \$35 copay per month supply |
| LISCO SPONGES 100/BAG 2 X 2 "                                              |                                |                                 |
| LITE TOUCH 31GX1/4" PEN NEEDLE 31 GAUGE X 1/4"                             | (pen needle, diabetic)         |                                 |
| LITE TOUCH INSULIN 0.5 ML SYR 1/2 ML 28 GAUGE, 1/2 ML 29 , 1/2 ML 30 GAUGE | (insulin syringe-needle u-100) |                                 |
| LITE TOUCH INSULIN 1 ML SYR 1 ML 28 GAUGE, 1 ML 30 GAUGE X 7/16"           | (insulin syringe-needle u-100) |                                 |
| LITE TOUCH INSULIN 1 ML SYR 1 ML 29 GAUGE                                  |                                |                                 |
| LITE TOUCH INSULIN SYR 1 ML 1 ML 31 GAUGE X 5/16                           | (insulin syringe-needle u-100) |                                 |
| LITE TOUCH PEN NEEDLE 29G 29 GAUGE X 1/2"                                  | (pen needle, diabetic)         |                                 |
| LITE TOUCH PEN NEEDLE 31G 31 GAUGE X 3/16", 31 GAUGE X 5/16"               | (pen needle, diabetic)         |                                 |
| LITETOUCH INS 0.3 ML 29GX1/2" 0.3 ML 29 GAUGE X 1/2"                       | (insulin syringe-needle u-100) |                                 |
| LITETOUCH INS 0.3 ML 30GX5/16" 0.3 ML 30 GAUGE X 5/16"                     | (insulin syringe-needle u-100) |                                 |
| LITETOUCH INS 0.3 ML 31GX5/16" 0.3 ML 31 GAUGE X 5/16"                     | (insulin syringe-needle u-100) |                                 |

| Nombre del Medicamento                                                          |                                   | Requerimientos / Límites |
|---------------------------------------------------------------------------------|-----------------------------------|--------------------------|
| LITETOUCH INS 0.5 ML 31GX5/16"<br>0.5 ML 31 GAUGE X 5/16"                       | (insulin syringe-needle<br>u-100) |                          |
| LITETOUCH SYR 0.5 ML 28GX1/2"<br>1/2 ML 28 GAUGE X 1/2"                         | (insulin syringe-needle<br>u-100) |                          |
| LITETOUCH SYR 0.5 ML 29GX1/2"<br>0.5 ML 29 GAUGE X 1/2"                         | (insulin syringe-needle<br>u-100) |                          |
| LITETOUCH SYR 0.5 ML 30GX5/16"<br>0.5 ML 30 GAUGE X 5/16"                       | (insulin syringe-needle<br>u-100) |                          |
| LITETOUCH SYRIN 1 ML 28GX1/2" 1 ML<br>28 GAUGE X 1/2"                           | (insulin syringe-needle<br>u-100) |                          |
| LITETOUCH SYRIN 1 ML 29GX1/2" 1 ML<br>29 GAUGE X 1/2"                           | (insulin syringe-needle<br>u-100) |                          |
| LITETOUCH SYRIN 1 ML 30GX5/16"<br>1 ML 30 GAUGE X 5/16                          | (insulin syringe-needle<br>u-100) |                          |
| MAGELLAN INSUL SYRINGE 0.3 ML<br>0.3 ML 30 X 5/16"                              |                                   |                          |
| MAGELLAN INSUL SYRINGE 0.5 ML<br>0.5 ML 30 GAUGE X 5/16"                        |                                   |                          |
| MAGELLAN INSULIN SYR 0.3 ML 0.3 ML<br>29 GAUGE X 1/2"                           |                                   |                          |
| MAGELLAN INSULIN SYR 0.5 ML 0.5 ML<br>29 GAUGE X 1/2"                           |                                   |                          |
| MAGELLAN INSULIN SYRINGE 1 ML<br>1 ML 29 GAUGE X 1/2", 1 ML 30 GAUGE<br>X 5/16" |                                   |                          |
| MAXICOMFORT II PEN NDL 31GX6MM<br>31 GAUGE X 1/4"                               | (pen needle, diabetic)            |                          |
| MAXICOMFORT INS 0.5 ML 27GX1/2"<br>1/2 ML 27 GAUGE X 1/2"                       | (insulin syringe-needle<br>u-100) |                          |
| MAXI-COMFORT INS 0.5 ML 28G 1/2 ML<br>28 GAUGE X 1/2"                           | (insulin syringe-needle<br>u-100) |                          |
| MAXICOMFORT INS 1 ML 27GX1/2"<br>1 ML 27 GAUGE X 1/2"                           | (insulin syringe-needle<br>u-100) |                          |
| MAXI-COMFORT INS 1 ML 28GX1/2"<br>1 ML 28 GAUGE X 1/2"                          | (insulin syringe-needle<br>u-100) |                          |
| MAXICOMFORT PEN NDL 29G X 5MM<br>29 GAUGE X 3/16"                               |                                   |                          |
| MAXICOMFORT PEN NDL 29G X 8MM<br>29 GAUGE X 5/16"                               |                                   |                          |
| MICRODOT PEN NEEDLE 31GX6MM 31<br>GAUGE X 1/4"                                  | (pen needle, diabetic)            |                          |
| MICRODOT PEN NEEDLE 32GX4MM 32<br>GAUGE X 5/32"                                 | (pen needle, diabetic)            |                          |



| Nombre del Medicamento                                                      |                                  | Requerimientos / Límites |
|-----------------------------------------------------------------------------|----------------------------------|--------------------------|
| MICRODOT PEN NEEDLE 33GX4MM 33 GAUGE X 5/32"                                | (pen needle, diabetic)           |                          |
| MICRODOT READYGARD NDL 31G 5MM OUTER 31 GAUGE X 3/16"                       |                                  |                          |
| MINI PEN NEEDLE 32G 4MM 32 GAUGE X 5/32"                                    | (1st Tier Unifine Pentips)       |                          |
| MINI PEN NEEDLE 32G 5MM 32 GAUGE X 3/16"                                    | (CareFine Pen Needle)            |                          |
| MINI PEN NEEDLE 32G 6MM 32 GAUGE X 1/4"                                     | (BD Ultra-Fine Micro Pen Needle) |                          |
| MINI PEN NEEDLE 32G 8MM 32 GAUGE X 5/16"                                    | (Comfort EZ Pen Needles)         |                          |
| MINI PEN NEEDLE 33G 4MM 33 GAUGE X 5/32"                                    | (Advocate Pen Needle)            |                          |
| MINI PEN NEEDLE 33G 5MM 33 GAUGE X 3/16"                                    | (Comfort EZ Pen Needles)         |                          |
| MINI PEN NEEDLE 33G 6MM 33 GAUGE X 1/4"                                     | (Comfort EZ Pen Needles)         |                          |
| MINI ULTRA-THIN II PEN NDL 31G STERILE 31 GAUGE X 3/16"                     | (pen needle, diabetic)           |                          |
| MONOJECT 0.5 ML SYRN 28GX1/2" 1/2 ML 28 GAUGE                               | (insulin syringe-needle u-100)   |                          |
| MONOJECT 1 ML SYRN 27X1/2" 1 ML 27 GAUGE X 1/2"                             | (insulin syringe-needle u-100)   |                          |
| MONOJECT 1 ML SYRN 28GX1/2" (OTC) 1 ML 28 GAUGE X 1/2"                      | (insulin syringe-needle u-100)   |                          |
| MONOJECT INSUL SYR U100 (OTC) 0.3 ML 29 GAUGE X 1/2"                        | (insulin syringe-needle u-100)   |                          |
| MONOJECT INSUL SYR U100 .5ML,29GX1/2" (OTC) 0.5 ML 29 GAUGE X 1/2"          | (insulin syringe-needle u-100)   |                          |
| MONOJECT INSUL SYR U100 0.5 ML CONVERTS TO 29G (OTC) 1/2 ML 28 GAUGE X 1/2" | (insulin syringe-needle u-100)   |                          |
| MONOJECT INSUL SYR U100 1 ML 1 ML 25 GAUGE X 5/8"                           | (insulin syringe-needle u-100)   |                          |
| MONOJECT INSUL SYR U100 1 ML 3'S, 29GX1/2" (OTC) 1 ML 29 GAUGE X 1/2"       | (insulin syringe-needle u-100)   |                          |
| MONOJECT INSUL SYR U100 1 ML W/O NEEDLE (OTC)                               | (insulin syringes (disposable))  |                          |
| MONOJECT INSULIN SYR 0.3 ML (OTC) 0.3 ML 30 GAUGE X 5/16"                   | (insulin syringe-needle u-100)   |                          |
| MONOJECT INSULIN SYR 0.3 ML 0.3 ML 30 GAUGE X 5/16"                         | (insulin syringe-needle u-100)   |                          |

| Nombre del Medicamento                                                    |                                  | Requerimientos / Límites        |
|---------------------------------------------------------------------------|----------------------------------|---------------------------------|
| MONOJECT INSULIN SYR 0.5 ML (OTC) 0.5 ML 30 GAUGE X 5/16"                 | (insulin syringe-needle u-100)   |                                 |
| MONOJECT INSULIN SYR 0.5 ML 0.5 ML 30 GAUGE X 5/16"                       | (insulin syringe-needle u-100)   |                                 |
| MONOJECT INSULIN SYR 1 ML 3'S (OTC) 1 ML 30 GAUGE X 5/16                  | (insulin syringe-needle u-100)   |                                 |
| MONOJECT INSULIN SYR U-100 0.5 ML 29 GAUGE X 1/2"                         | (insulin syringe-needle u-100)   |                                 |
| MONOJECT INSULIN SYR U-100 29 GAUGE X 1/2"                                |                                  |                                 |
| MONOJECT SYRINGE 0.3 ML 0.3 ML 31 GAUGE X 5/16"                           | (insulin syringe-needle u-100)   |                                 |
| MONOJECT SYRINGE 0.5 ML 0.5 ML 31 GAUGE X 5/16"                           | (insulin syringe-needle u-100)   |                                 |
| MONOJECT SYRINGE 1 ML 1 ML 31 GAUGE X 5/16                                | (insulin syringe-needle u-100)   |                                 |
| NOVOFINE 30 NEEDLE                                                        |                                  |                                 |
| NOVOFINE 32G NEEDLES 32 GAUGE X 1/4"                                      | (pen needle, diabetic)           |                                 |
| NOVOFINE PLUS PEN NDL 32GX1/6" 32 GAUGE X 1/6"                            |                                  |                                 |
| NOVOLIN 70/30 U-100 INSULIN SUBCUTANEOUS SUSPENSION 100 UNIT/ML (70-30)   |                                  | max \$35 copay per month supply |
| NOVOLIN 70-30 FLEXPEN U-100 SUBCUTANEOUS INSULIN PEN 100 UNIT/ML (70-30)  |                                  | max \$35 copay per month supply |
| NOVOLIN N FLEXPEN SUBCUTANEOUS INSULIN PEN 100 UNIT/ML (3 ML)             |                                  | max \$35 copay per month supply |
| NOVOLIN N NPH U-100 INSULIN SUBCUTANEOUS SUSPENSION 100 UNIT/ML           |                                  | max \$35 copay per month supply |
| NOVOLIN R FLEXPEN SUBCUTANEOUS INSULIN PEN 100 UNIT/ML (3 ML)             |                                  | max \$35 copay per month supply |
| NOVOLIN R REGULAR U100 INSULIN INJECTION SOLUTION 100 UNIT/ML             |                                  | max \$35 copay per month supply |
| NOVOLOG FLEXPEN U-100 INSULIN SUBCUTANEOUS INSULIN PEN 100 UNIT/ML (3 ML) | (insulin aspart u-100)           | max \$35 copay per month supply |
| NOVOLOG MIX 70-30 U-100 INSULIN SUBCUTANEOUS SOLUTION 100 UNIT/ML (70-30) | (insulin asp prt-insulin aspart) | max \$35 copay per month supply |

| Nombre del Medicamento                                                      |                                  | Requerimientos / Límites        |
|-----------------------------------------------------------------------------|----------------------------------|---------------------------------|
| NOVOLOG MIX 70-30FLEXPEN U-100 SUBCUTANEOUS INSULIN PEN 100 UNIT/ML (70-30) | (insulin asp prt-insulin aspart) | max \$35 copay per month supply |
| NOVOLOG PENFILL U-100 INSULIN SUBCUTANEOUS CARTRIDGE 100 UNIT/ML            | (insulin aspart u-100)           | max \$35 copay per month supply |
| NOVOLOG U-100 INSULIN ASPART SUBCUTANEOUS SOLUTION 100 UNIT/ML              | (insulin aspart u-100)           | max \$35 copay per month supply |
| NOVOTWIST NEEDLE 32G 5MM 32 GAUGE X 1/5"                                    |                                  |                                 |
| PC UNIFINE PENTIPS 8MM NEEDLE SHORT 31 GAUGE X 5/16"                        | (pen needle, diabetic)           |                                 |
| PEN NEEDLE 30G 5MM OUTER 30 GAUGE X 3/16"                                   | (Embrace Pen Needle)             |                                 |
| PEN NEEDLE 30G 8MM INNER 30 GAUGE X 5/16"                                   | (CareFine Pen Needle)            |                                 |
| PEN NEEDLE 30G X 5/16" 30 GAUGE X 5/16"                                     | (pen needle, diabetic)           |                                 |
| PEN NEEDLE, DIABETIC NEEDLE 29 GAUGE X 1/2"                                 | (1st Tier Unifine Pentips Plus)  |                                 |
| PEN NEEDLES 12MM 29G 29GX12MM, STRL 29 GAUGE X 1/2"                         | (pen needle, diabetic)           |                                 |
| PEN NEEDLES 4MM 32G 32 GAUGE X 5/32"                                        | (pen needle, diabetic)           |                                 |
| PEN NEEDLES 6MM 31G 31GX6MM, STRL 31 GAUGE X 1/4"                           | (1st Tier Unifine Pentips)       |                                 |
| PEN NEEDLES 8MM 31G 31GX8MM, STRL, SHORT (OTC) 31 GAUGE X 5/16"             | (pen needle, diabetic)           |                                 |
| PENTIPS PEN NEEDLE 29GX1/2" 29 GAUGE X 1/2"                                 | (pen needle, diabetic)           |                                 |
| PENTIPS PEN NEEDLE 31GX3/16" MINI, 5MM 31 GAUGE X 3/16"                     | (pen needle, diabetic)           |                                 |
| PENTIPS PEN NEEDLE 31GX5/16" SHORT, 8MM 31 GAUGE X 5/16"                    | (pen needle, diabetic)           |                                 |
| PENTIPS PEN NEEDLE 32G 6MM 32 GAUGE X 1/4"                                  | (pen needle, diabetic)           |                                 |
| PENTIPS PEN NEEDLE 32GX5/32" 4MM 32 GAUGE X 5/32"                           | (pen needle, diabetic)           |                                 |
| PENTIPS PEN NEEDLE 6MM 31G 31 GAUGE X 1/4"                                  | (pen needle, diabetic)           |                                 |
| PIP PEN NEEDLE 31G X 5MM 31 GAUGE X 3/16"                                   | (pen needle, diabetic)           |                                 |

| Nombre del Medicamento                                                                 | Requerimientos / Límites |
|----------------------------------------------------------------------------------------|--------------------------|
| PIP PEN NEEDLE 32G X 4MM 32 GAUGE X 5/32" (pen needle, diabetic)                       |                          |
| PREVENT PEN NEEDLE 31GX1/4" 31 GAUGE X 1/4"                                            |                          |
| PREVENT PEN NEEDLE 31GX5/16" 31 GAUGE X 5/16"                                          |                          |
| PRO COMFORT 0.5 ML 30GX1/2" 0.5 ML 30 GAUGE X 1/2" (insulin syringe-needle u-100)      |                          |
| PRO COMFORT 0.5 ML 30GX5/16" 0.5 ML 30 GAUGE X 5/16" (insulin syringe-needle u-100)    |                          |
| PRO COMFORT 0.5 ML 31GX5/16" 0.5 ML 31 GAUGE X 5/16" (insulin syringe-needle u-100)    |                          |
| PRO COMFORT 1 ML 30GX1/2" 1 ML 30 GAUGE X 1/2" (insulin syringe-needle u-100)          |                          |
| PRO COMFORT 1 ML 30GX5/16" 1 ML 30 GAUGE X 5/16" (insulin syringe-needle u-100)        |                          |
| PRO COMFORT 1 ML 31GX5/16" 1 ML 31 GAUGE X 5/16" (insulin syringe-needle u-100)        |                          |
| PRO COMFORT PEN NDL 31GX5/16" 31 GAUGE X 5/16" (pen needle, diabetic)                  |                          |
| PRO COMFORT PEN NDL 32G X 1/4" 32 GAUGE X 1/4" (pen needle, diabetic)                  |                          |
| PRO COMFORT PEN NDL 4MM 32G 32 GAUGE X 5/32" (pen needle, diabetic)                    |                          |
| PRO COMFORT PEN NDL 5MM 32G 32 GAUGE X 3/16" (pen needle, diabetic)                    |                          |
| PRODIGY INS SYR 1 ML 28GX1/2" 1 ML 28 GAUGE X 1/2" (insulin syringe-needle u-100)      |                          |
| PRODIGY SYRNG 0.5 ML 31GX5/16" 0.5 ML 31 GAUGE X 5/16" (insulin syringe-needle u-100)  |                          |
| PRODIGY SYRNGE 0.3 ML 31GX5/16" 0.3 ML 31 GAUGE X 5/16" (insulin syringe-needle u-100) |                          |
| PURE CMFT SFTY PEN NDL 31G 5MM 31 GAUGE X 3/16" (pen needle, diabetic, safety)         |                          |
| PURE CMFT SFTY PEN NDL 31G 6MM 31 GAUGE X 1/4"                                         |                          |
| PURE CMFT SFTY PEN NDL 32G 4MM 32 GAUGE X 5/32"                                        |                          |
| PURE COMFORT PEN NDL 32G 4MM 32 GAUGE X 5/32" (pen needle, diabetic)                   |                          |
| PURE COMFORT PEN NDL 32G 5MM 32 GAUGE X 3/16" (pen needle, diabetic)                   |                          |
| PURE COMFORT PEN NDL 32G 6MM 32 GAUGE X 1/4" (pen needle, diabetic)                    |                          |

| Nombre del Medicamento                                                             | Requerimientos / Límites |
|------------------------------------------------------------------------------------|--------------------------|
| PURE COMFORT PEN NDL 32G 8MM 32 GAUGE X 5/16" (pen needle, diabetic)               |                          |
| RAYA SURE PEN NEEDLE 29G 12MM 29 GAUGE X 15/32"                                    |                          |
| RAYA SURE PEN NEEDLE 31G 4MM 31 GAUGE X 5/32" (Comfort Touch Pen Needle)           |                          |
| RAYA SURE PEN NEEDLE 31G 5MM 31 GAUGE X 13/64"                                     |                          |
| RAYA SURE PEN NEEDLE 31G 6MM 31 GAUGE X 15/64"                                     |                          |
| RELION INS SYR 0.3 ML 31GX6MM 0.3 ML 31 GAUGE X 15/64" (BD Veo Insulin Syringe UF) |                          |
| RELION INS SYR 0.5 ML 31GX6MM 1/2 ML 31 GAUGE X 15/64" (BD Veo Insulin Syringe UF) |                          |
| RELION INS SYR 1 ML 31GX15/64" 1 ML 31 GAUGE X 15/64" (BD Veo Insulin Syringe UF)  |                          |
| RELI-ON INSULIN 0.5 ML SYR 1/2 ML 29 (Ultilet Insulin Syringe)                     |                          |
| RELI-ON INSULIN 1 ML SYR 1 ML 29 GAUGE X 7/16"                                     |                          |
| RELION MINI PEN 31G X 1/4" NDL 31 GAUGE X 1/4" (pen needle, diabetic)              |                          |
| RELION NEEDLES NEEDLE 31 GAUGE X 1/4" (pen needle, diabetic)                       |                          |
| RELION PEN NEEDLES NEEDLE 32 GAUGE X 5/32" (pen needle, diabetic)                  |                          |
| SAFESNAP INS SYR UNITS-100 0.3 ML 30GX5/16",10X10 0.3 ML 30 GAUGE X 5/16"          |                          |
| SAFESNAP INS SYR UNITS-100 0.5 ML 29GX1/2",10X10 0.5 ML 29 GAUGE X 1/2"            |                          |
| SAFESNAP INS SYR UNITS-100 0.5 ML 30GX5/16",10X10 0.5 ML 30 GAUGE X 5/16"          |                          |
| SAFESNAP INS SYR UNITS-100 1 ML 28GX1/2",10X10 1 ML 28 GAUGE X 1/2"                |                          |
| SAFESNAP INS SYR UNITS-100 1 ML 29GX1/2",10X10 1 ML 29 GAUGE X 1/2"                |                          |
| SAFETY PEN NEEDLE 31G 4MM 31 GAUGE X 5/32" (Comfort EZ PRO Safety Pen Ndl)         |                          |
| SAFETY PEN NEEDLE 5MM X 31G 31 GAUGE X 3/16" (pen needle, diabetic, safety)        |                          |
| SAFETY SYRINGE 0.5 ML 30G 1/2" 0.5 ML 30 GAUGE X 1/2"                              |                          |

| Nombre del Medicamento                                                                                                                                                            | Requerimientos / Límites        |
|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|---------------------------------|
| SECURESAFE PEN NDL 30GX5/16"<br>OUTER 30 GAUGE X 5/16"                                                                                                                            |                                 |
| SECURESAFE SYR 0.5 ML 29G 1/2"<br>OUTER 0.5 ML 29 GAUGE X 1/2"                                                                                                                    |                                 |
| SECURESAFE SYRNG 1 ML 29G 1/2"<br>OUTER 1 ML 29 GAUGE X 1/2"                                                                                                                      |                                 |
| SKY SAFETY PEN NEEDLE 30G 5MM 30<br>GAUGE X 3/16"                                                                                                                                 |                                 |
| SKY SAFETY PEN NEEDLE 30G 8MM 30<br>GAUGE X 5/16"                                                                                                                                 |                                 |
| SM ULT CFT 0.3 ML 31GX5/16(1/2)<br>0.3 ML 31 GAUGE X 5/16"                                                                                                                        |                                 |
| SOLIQUA 100/33 SUBCUTANEOUS<br>INSULIN PEN 100 UNIT-33 MCG/ML                                                                                                                     | max \$35 copay per month supply |
| STERILE PADS 2" X 2" 2 X 2 " (gauze bandage)                                                                                                                                      |                                 |
| SURE CMFT SFTY PEN NDL 31G 6MM<br>31 GAUGE X 1/4"                                                                                                                                 |                                 |
| SURE CMFT SFTY PEN NDL 32G 4MM<br>32 GAUGE X 5/32"                                                                                                                                |                                 |
| NEEDLES, INSULIN DISP., SAFETY (insulin syringe-needle<br>u-100)                                                                                                                  |                                 |
| SURE COMFORT 0.5 ML SYRINGE<br>0.5 ML 30 GAUGE X 1/2", 0.5 ML 30<br>GAUGE X 5/16", 0.5 ML 31 GAUGE X<br>5/16", 1/2 ML 28 GAUGE X 1/2" (insulin syringe-needle<br>u-100)           |                                 |
| SURE COMFORT 1 ML SYRINGE 1 ML<br>28 GAUGE X 1/2", 1 ML 29 GAUGE X<br>1/2", 1 ML 30 GAUGE X 1/2", 1 ML 30<br>GAUGE X 5/16, 1 ML 31 GAUGE X 5/16 (insulin syringe-needle<br>u-100) |                                 |
| SURE COMFORT 3/10 ML SYRINGE<br>0.3 ML 29 GAUGE X 1/2", 0.3 ML 30<br>GAUGE X 1/2", 0.3 ML 30 GAUGE X<br>5/16" (insulin syringe-needle<br>u-100)                                   |                                 |
| SURE COMFORT 3/10 ML SYRINGE<br>INSULIN SYRINGE 0.3 ML 31 GAUGE X<br>5/16" (insulin syringe-needle<br>u-100)                                                                      |                                 |
| SURE COMFORT 30G PEN NEEDLE 30<br>GAUGE X 5/16" (pen needle, diabetic)                                                                                                            |                                 |
| SURE COMFORT INS 0.3 ML 31GX1/4<br>0.3 ML 31 GAUGE X 1/4" (insulin syringe-needle<br>u-100)                                                                                       |                                 |
| SURE COMFORT INS 0.5 ML 31GX1/4<br>1/2 ML 31 GAUGE X 1/4" (insulin syringe-needle<br>u-100)                                                                                       |                                 |
| SURE COMFORT INS 1 ML 31GX1/4"<br>1 ML 31 GAUGE X 1/4" (insulin syringe-needle<br>u-100)                                                                                          |                                 |

| Nombre del Medicamento                                                                                                                            | Requerimientos / Límites |
|---------------------------------------------------------------------------------------------------------------------------------------------------|--------------------------|
| SURE COMFORT PEN NDL 29GX1/2"<br>12.7MM 29 GAUGE X 1/2" (pen needle, diabetic)                                                                    |                          |
| SURE COMFORT PEN NDL 31G 5MM 31<br>GAUGE X 3/16" (pen needle, diabetic)                                                                           |                          |
| SURE COMFORT PEN NDL 31G 8MM 31<br>GAUGE X 5/16" (pen needle, diabetic)                                                                           |                          |
| SURE COMFORT PEN NDL 32G 4MM 32<br>GAUGE X 5/32" (pen needle, diabetic)                                                                           |                          |
| SURE COMFORT PEN NDL 32G 6MM 32<br>GAUGE X 1/4" (pen needle, diabetic)                                                                            |                          |
| SURE-FINE PEN NEEDLES 12.7MM 29<br>GAUGE X 1/2" (pen needle, diabetic)                                                                            |                          |
| SURE-FINE PEN NEEDLES 5MM 31<br>GAUGE X 3/16" (pen needle, diabetic)                                                                              |                          |
| SURE-FINE PEN NEEDLES 8MM 31<br>GAUGE X 5/16" (pen needle, diabetic)                                                                              |                          |
| SURE-JECT INSU SYR U100 0.3 ML<br>0.3 ML 29 GAUGE X 1/2", 0.3 ML 30<br>GAUGE X 5/16" (insulin syringe-needle<br>u-100)                            |                          |
| SURE-JECT INSU SYR U100 0.5 ML<br>0.5 ML 29 GAUGE X 1/2", 0.5 ML 30<br>GAUGE X 5/16", 1/2 ML 28 GAUGE X<br>1/2" (insulin syringe-needle<br>u-100) |                          |
| SURE-JECT INSU SYR U100 1 ML 1 ML<br>28 GAUGE X 1/2" (insulin syringe-needle<br>u-100)                                                            |                          |
| SURE-JECT INSUL SYR U100 1 ML 1 ML<br>29 GAUGE X 1/2", 1 ML 30 GAUGE X<br>5/16 (insulin syringe-needle<br>u-100)                                  |                          |
| SURE-JECT INSULIN SYRINGE 1 ML<br>1 ML 31 GAUGE X 5/16 (insulin syringe-needle<br>u-100)                                                          |                          |
| TECHLITE 0.3 ML 29GX12MM (1/2)<br>0.3 ML 29 GAUGE X 1/2"                                                                                          |                          |
| TECHLITE 0.3 ML 30GX12MM (1/2)<br>0.3 ML 30 GAUGE X 1/2"                                                                                          |                          |
| TECHLITE 0.3 ML 30GX8MM (1/2)<br>0.3 ML 30 GAUGE X 5/16"                                                                                          |                          |
| TECHLITE 0.3 ML 31GX6MM (1/2)<br>0.3 ML 31 GAUGE X 15/64"                                                                                         |                          |
| TECHLITE 0.3 ML 31GX8MM (1/2)<br>0.3 ML 31 GAUGE X 5/16"                                                                                          |                          |
| TECHLITE 0.5 ML 29GX12MM (1/2)<br>0.5 ML 29 GAUGE X 1/2"                                                                                          |                          |
| TECHLITE 0.5 ML 30GX12MM (1/2)<br>0.5 ML 30 GAUGE X 1/2"                                                                                          |                          |

| Nombre del Medicamento                                                                              |                                   | Requerimientos / Límites |
|-----------------------------------------------------------------------------------------------------|-----------------------------------|--------------------------|
| TECHLITE 0.5 ML 30GX8MM (1/2)<br>0.5 ML 30 GAUGE X 5/16"                                            |                                   |                          |
| TECHLITE 0.5 ML 31GX6MM (1/2)<br>0.5 ML 31 GAUGE X 15/64"                                           |                                   |                          |
| TECHLITE 0.5 ML 31GX8MM (1/2)<br>0.5 ML 31 GAUGE X 5/16"                                            |                                   |                          |
| TECHLITE INS SYR 1 ML 29GX12MM<br>1 ML 29 GAUGE X 1/2"                                              | (insulin syringe-needle<br>u-100) |                          |
| TECHLITE INS SYR 1 ML 30GX12MM<br>1 ML 30 GAUGE X 1/2"                                              | (insulin syringe-needle<br>u-100) |                          |
| TECHLITE INS SYR 1 ML 30GX8MM<br>1 ML 30 GAUGE X 5/16                                               | (insulin syringe-needle<br>u-100) |                          |
| TECHLITE INS SYR 1 ML 31GX6MM<br>1 ML 31 GAUGE X 15/64"                                             | (insulin syringe-needle<br>u-100) |                          |
| TECHLITE INS SYR 1 ML 31GX8MM<br>1 ML 31 GAUGE X 5/16                                               | (insulin syringe-needle<br>u-100) |                          |
| TECHLITE PEN NEEDLE 29GX1/2" 29<br>GAUGE X 1/2"                                                     | (pen needle, diabetic)            |                          |
| TECHLITE PEN NEEDLE 29GX3/8" 29<br>GAUGE X 3/8"                                                     |                                   |                          |
| TECHLITE PEN NEEDLE 31GX1/4" 31<br>GAUGE X 1/4"                                                     | (pen needle, diabetic)            |                          |
| TECHLITE PEN NEEDLE 31GX3/16" 31<br>GAUGE X 3/16"                                                   | (pen needle, diabetic)            |                          |
| TECHLITE PEN NEEDLE 31GX5/16" 31<br>GAUGE X 5/16"                                                   | (pen needle, diabetic)            |                          |
| TECHLITE PEN NEEDLE 32GX1/4" 32<br>GAUGE X 1/4"                                                     | (pen needle, diabetic)            |                          |
| TECHLITE PEN NEEDLE 32GX5/16" 32<br>GAUGE X 5/16"                                                   | (pen needle, diabetic)            |                          |
| TECHLITE PEN NEEDLE 32GX5/32" 32<br>GAUGE X 5/32"                                                   | (pen needle, diabetic)            |                          |
| TECHLITE PLUS PEN NDL 32G 4MM 32<br>GAUGE X 5/32"                                                   | (pen needle, diabetic)            |                          |
| TERUMO INS SYRINGE U100-1 ML 1 ML<br>27 GAUGE X 1/2", 1 ML 28 GAUGE X<br>1/2", 1 ML 29 GAUGE X 1/2" | (insulin syringe-needle<br>u-100) |                          |
| TERUMO INS SYRINGE U100-1 ML 1 ML<br>30 GAUGE X 3/8"                                                | (Thinpro Insulin Syringe)         |                          |
| TERUMO INS SYRINGE U100-1/2 ML<br>1/2 ML 30 X 3/8"                                                  | (insulin syringe-needle<br>u-100) |                          |
| TERUMO INS SYRINGE U100-1/3 ML<br>0.3 ML 30 X 3/8"                                                  | (insulin syringe-needle<br>u-100) |                          |



| Nombre del Medicamento                                                                                                                                                                                                                                                 |                                   | Requerimientos / Límites        |
|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----------------------------------|---------------------------------|
| TERUMO INS SYRNG U100-1/2 ML<br>0.5 ML 29 GAUGE X 1/2", 1/2 ML 27<br>GAUGE X 1/2", 1/2 ML 28 GAUGE X 1/2"                                                                                                                                                              | (insulin syringe-needle<br>u-100) |                                 |
| THINPRO INS SYRIN U100-0.3 ML<br>0.3 ML 29 GAUGE X 1/2", 0.3 ML 30 X<br>3/8"                                                                                                                                                                                           | (insulin syringe-needle<br>u-100) |                                 |
| THINPRO INS SYRIN U100-0.3 ML<br>0.3 ML 31 X 3/8"                                                                                                                                                                                                                      |                                   |                                 |
| THINPRO INS SYRIN U100-0.5 ML<br>0.5 ML 29 GAUGE X 1/2", 1/2 ML 28<br>GAUGE X 1/2", 1/2 ML 30 X 3/8"                                                                                                                                                                   | (insulin syringe-needle<br>u-100) |                                 |
| THINPRO INS SYRIN U100-0.5 ML<br>0.5 ML 31 X 3/8"                                                                                                                                                                                                                      |                                   |                                 |
| THINPRO INS SYRIN U100-1 ML 1 ML<br>28 GAUGE X 1/2", 1 ML 29 GAUGE X<br>1/2", 1 ML 30 GAUGE X 3/8"                                                                                                                                                                     | (insulin syringe-needle<br>u-100) |                                 |
| THINPRO INS SYRIN U100-1 ML 1 ML<br>31 X 3/8"                                                                                                                                                                                                                          |                                   |                                 |
| TOPCARE CLICKFINE 31G X 1/4" 31<br>GAUGE X 1/4"                                                                                                                                                                                                                        | (pen needle, diabetic)            |                                 |
| TOPCARE CLICKFINE 31G X 5/16" 31<br>GAUGE X 5/16"                                                                                                                                                                                                                      | (pen needle, diabetic)            |                                 |
| TOPCARE ULTRA COMFORT SYRINGE<br>0.3 ML 29 GAUGE X 1/2", 0.3 ML 30<br>GAUGE X 5/16", 0.3 ML 31 GAUGE X<br>5/16", 0.5 ML 29 GAUGE X 1/2", 0.5 ML<br>30 GAUGE X 5/16", 0.5 ML 31 GAUGE X<br>5/16", 1 ML 29 GAUGE X 1/2", 1 ML 30<br>GAUGE X 5/16", 1 ML 31 GAUGE X 5/16" | (insulin syringe-needle<br>u-100) |                                 |
| TOUJEO MAX U-300 SOLOSTAR<br>SUBCUTANEOUS INSULIN PEN<br>300 UNIT/ML (3 ML)                                                                                                                                                                                            | (insulin glargine u-300<br>conc)  | max \$35 copay per month supply |
| TOUJEO SOLOSTAR U-300 INSULIN<br>SUBCUTANEOUS INSULIN PEN<br>300 UNIT/ML (1.5 ML)                                                                                                                                                                                      | (insulin glargine u-300<br>conc)  | max \$35 copay per month supply |
| TRESIBA FLEXTOUCH U-100<br>SUBCUTANEOUS INSULIN PEN<br>100 UNIT/ML (3 ML)                                                                                                                                                                                              | (insulin degludec)                | max \$35 copay per month supply |
| TRESIBA FLEXTOUCH U-200<br>SUBCUTANEOUS INSULIN PEN<br>200 UNIT/ML (3 ML)                                                                                                                                                                                              | (insulin degludec)                | max \$35 copay per month supply |
| TRESIBA U-100 INSULIN<br>SUBCUTANEOUS SOLUTION<br>100 UNIT/ML                                                                                                                                                                                                          | (insulin degludec)                | max \$35 copay per month supply |

| Nombre del Medicamento           |                                | Requerimientos / Límites |
|----------------------------------|--------------------------------|--------------------------|
| TRUE CMFRT PRO 0.5 ML 30G 5/16"  | (insulin syringe-needle u-100) |                          |
| 0.5 ML 30 GAUGE X 5/16"          |                                |                          |
| TRUE CMFRT PRO 0.5 ML 31G 5/16"  | (insulin syringe-needle u-100) |                          |
| 0.5 ML 31 GAUGE X 5/16"          |                                |                          |
| TRUE CMFRT PRO 0.5 ML 32G 5/16"  |                                |                          |
| 1/2 ML 32 GAUGE X 5/16"          |                                |                          |
| TRUE CMFT SFTY PEN NDL 31G 5MM   | (pen needle, diabetic, safety) |                          |
| 31 GAUGE X 3/16"                 |                                |                          |
| TRUE CMFT SFTY PEN NDL 31G 6MM   |                                |                          |
| 31 GAUGE X 1/4"                  |                                |                          |
| TRUE CMFT SFTY PEN NDL 32G 4MM   |                                |                          |
| 32 GAUGE X 5/32"                 |                                |                          |
| TRUE COMFORT 0.5 ML 31GX5/16"    | (insulin syringe-needle u-100) |                          |
| 0.5 ML 31 GAUGE X 5/16"          |                                |                          |
| TRUE COMFORT 1 ML 31GX5/16" 1 ML | (insulin syringe-needle u-100) |                          |
| 31 GAUGE X 5/16                  |                                |                          |
| TRUE COMFORT PEN NDL 31G 8MM 31  | (pen needle, diabetic)         |                          |
| GAUGE X 5/16"                    |                                |                          |
| TRUE COMFORT PEN NDL 31GX5MM     | (pen needle, diabetic)         |                          |
| 31 GAUGE X 3/16"                 |                                |                          |
| TRUE COMFORT PEN NDL 31GX6MM     | (pen needle, diabetic)         |                          |
| 31 GAUGE X 1/4"                  |                                |                          |
| TRUE COMFORT PEN NDL 32G 5MM 32  | (pen needle, diabetic)         |                          |
| GAUGE X 3/16"                    |                                |                          |
| TRUE COMFORT PEN NDL 32G 6MM 32  | (pen needle, diabetic)         |                          |
| GAUGE X 1/4"                     |                                |                          |
| TRUE COMFORT PEN NDL 32GX4MM     | (pen needle, diabetic)         |                          |
| 32 GAUGE X 5/32"                 |                                |                          |
| TRUE COMFORT PEN NDL 33G 4MM 33  | (pen needle, diabetic)         |                          |
| GAUGE X 5/32"                    |                                |                          |
| TRUE COMFORT PEN NDL 33G 5MM 33  | (pen needle, diabetic)         |                          |
| GAUGE X 3/16"                    |                                |                          |
| TRUE COMFORT PEN NDL 33G 6MM 33  | (pen needle, diabetic)         |                          |
| GAUGE X 1/4"                     |                                |                          |
| TRUE COMFORT PRO 1 ML 30G 1/2"   | (insulin syringe-needle u-100) |                          |
| 1 ML 30 GAUGE X 1/2"             |                                |                          |
| TRUE COMFORT PRO 1 ML 30G 5/16"  | (insulin syringe-needle u-100) |                          |
| 1 ML 30 GAUGE X 5/16             |                                |                          |
| TRUE COMFORT PRO 1 ML 31G 5/16"  | (insulin syringe-needle u-100) |                          |
| 1 ML 31 GAUGE X 5/16             |                                |                          |
| TRUE COMFORT PRO 1 ML 32G 5/16"  |                                |                          |
| 1 ML 32 GAUGE X 5/16"            |                                |                          |
| TRUE COMFRT PRO 0.5 ML 30G 1/2"  | (insulin syringe-needle u-100) |                          |
| 0.5 ML 30 GAUGE X 1/2"           |                                |                          |

| Nombre del Medicamento                                     |                                  | Requerimientos / Límites |
|------------------------------------------------------------|----------------------------------|--------------------------|
| TRUEPLUS PEN NEEDLE 29G 12MM 29 GAUGE X 1/2"               | (pen needle, diabetic)           |                          |
| TRUEPLUS PEN NEEDLE 31G 5MM 31 GAUGE X 3/16"               | (pen needle, diabetic)           |                          |
| TRUEPLUS PEN NEEDLE 31G 8MM 31 GAUGE X 5/16"               | (pen needle, diabetic)           |                          |
| TRUEPLUS PEN NEEDLE 31G X 1/4" 31 GAUGE X 1/4"             | (pen needle, diabetic)           |                          |
| TRUEPLUS PEN NEEDLE 32GX5/32" 32 GAUGE X 5/32"             | (pen needle, diabetic)           |                          |
| TRUEPLUS SYR 0.3 ML 29GX1/2"<br>0.3 ML 29 GAUGE X 1/2"     | (insulin syringe-needle u-100)   |                          |
| TRUEPLUS SYR 0.3 ML 30GX5/16"<br>0.3 ML 30 GAUGE X 5/16"   | (insulin syringe-needle u-100)   |                          |
| TRUEPLUS SYR 0.3 ML 31GX5/16"<br>0.3 ML 31 GAUGE X 5/16"   | (insulin syringe-needle u-100)   |                          |
| TRUEPLUS SYR 0.5 ML 28GX1/2"<br>1/2 ML 28 GAUGE X 1/2"     | (insulin syringe-needle u-100)   |                          |
| TRUEPLUS SYR 0.5 ML 29GX1/2"<br>0.5 ML 29 GAUGE X 1/2"     | (insulin syringe-needle u-100)   |                          |
| TRUEPLUS SYR 0.5 ML 30GX5/16"<br>0.5 ML 30 GAUGE X 5/16"   | (insulin syringe-needle u-100)   |                          |
| TRUEPLUS SYR 0.5 ML 31GX5/16"<br>0.5 ML 31 GAUGE X 5/16"   | (insulin syringe-needle u-100)   |                          |
| TRUEPLUS SYR 1 ML 28GX1/2" 1 ML 28 GAUGE X 1/2"            | (insulin syringe-needle u-100)   |                          |
| TRUEPLUS SYR 1 ML 29GX1/2" 1 ML 29 GAUGE X 1/2"            | (insulin syringe-needle u-100)   |                          |
| TRUEPLUS SYR 1 ML 30GX5/16" 1 ML 30 GAUGE X 5/16"          | (insulin syringe-needle u-100)   |                          |
| TRUEPLUS SYR 1 ML 31GX5/16" 1 ML 31 GAUGE X 5/16"          | (insulin syringe-needle u-100)   |                          |
| ULTICAR INS 0.3 ML 31GX1/4(1/2)<br>0.3 ML 31 GAUGE X 1/4"  | (insulin syr/ndl u100 half mark) |                          |
| ULTICARE INS 1 ML 31GX1/4" 1 ML 31 GAUGE X 1/4"            | (insulin syringe-needle u-100)   |                          |
| ULTICARE INS SYR 0.3 ML 30G 8MM<br>0.3 ML 30 GAUGE X 5/16" | (Advocate Syringes)              |                          |
| ULTICARE INS SYR 0.3 ML 31G 6MM<br>0.3 ML 31 GAUGE X 1/4"  | (insulin syringe-needle u-100)   |                          |
| ULTICARE INS SYR 0.3 ML 31G 8MM<br>0.3 ML 31 GAUGE X 5/16" | (Advocate Syringes)              |                          |
| ULTICARE INS SYR 0.5 ML 31G 6MM<br>1/2 ML 31 GAUGE X 1/4"  | (insulin syringe-needle u-100)   |                          |

| Nombre del Medicamento                                                                         | Requerimientos / Límites |
|------------------------------------------------------------------------------------------------|--------------------------|
| ULTICARE INS SYR 1 ML 30GX1/2" 1 ML 30 GAUGE X 1/2" (insulin syringe-needle u-100)             |                          |
| ULTICARE PEN NEEDLE 31GX3/16" 31 GAUGE X 3/16" (pen needle, diabetic)                          |                          |
| ULTICARE PEN NEEDLE 6MM 31G 31 GAUGE X 1/4" (pen needle, diabetic)                             |                          |
| ULTICARE PEN NEEDLE 8MM 31G 31 GAUGE X 5/16" (pen needle, diabetic)                            |                          |
| ULTICARE PEN NEEDLES 12MM 29G 29 GAUGE X 1/2" (pen needle, diabetic)                           |                          |
| ULTICARE PEN NEEDLES 4MM 32G MICRO, 32GX4MM 32 GAUGE X 5/32" (pen needle, diabetic)            |                          |
| ULTICARE PEN NEEDLES 6MM 32G 32 GAUGE X 1/4" (pen needle, diabetic)                            |                          |
| ULTICARE SAFE PEN NDL 30G 8MM 30 GAUGE X 5/16"                                                 |                          |
| ULTICARE SAFE PEN NDL 5MM 30G 30 GAUGE X 3/16"                                                 |                          |
| ULTICARE SYR 0.3 ML 29G 12.7MM 0.3 ML 29 GAUGE X 1/2" (Comfort EZ Insulin Syringe)             |                          |
| ULTICARE SYR 0.3 ML 30GX1/2" 0.3 ML 30 GAUGE X 1/2" (insulin syringe-needle u-100)             |                          |
| ULTICARE SYR 0.3 ML 31GX5/16" SHORT NDL 0.3 ML 31 GAUGE X 5/16" (insulin syringe-needle u-100) |                          |
| ULTICARE SYR 0.5 ML 30GX1/2" 0.5 ML 30 GAUGE X 1/2" (insulin syringe-needle u-100)             |                          |
| ULTICARE SYR 0.5 ML 31GX5/16" SHORT NDL 0.5 ML 31 GAUGE X 5/16" (insulin syringe-needle u-100) |                          |
| ULTICARE SYR 1 ML 31GX5/16" 1 ML 31 GAUGE X 5/16" (insulin syringe-needle u-100)               |                          |
| ULTIGUARD SAFE 1 ML 30G 12.7MM 1 ML 30 X 1/2"                                                  |                          |
| ULTIGUARD SAFE PACK 32G 4MM 32 GAUGE X 5/32"                                                   |                          |
| ULTIGUARD SAFE0.3 ML 30G 12.7MM 0.3 ML 30 X 1/2"                                               |                          |
| ULTIGUARD SAFE0.5 ML 30G 12.7MM 1/2 ML 30 X 1/2"                                               |                          |
| ULTIGUARD SAFEPACK 1 ML 31G 8MM 1 ML 31 X 5/16"                                                |                          |
| ULTIGUARD SAFEPACK 29G 12.7MM 29 GAUGE X 1/2"                                                  |                          |
| ULTIGUARD SAFEPACK 31G 5MM 31 GAUGE X 3/16"                                                    |                          |

| Nombre del Medicamento                                                                                  | Requerimientos / Límites       |
|---------------------------------------------------------------------------------------------------------|--------------------------------|
| ULTIGUARD SAFEPAK 31G 6MM 31 GAUGE X 1/4"                                                               |                                |
| ULTIGUARD SAFEPAK 31G 8MM 31 GAUGE X 5/16"                                                              |                                |
| ULTIGUARD SAFEPAK 32G 6MM 32 GAUGE X 1/4"                                                               |                                |
| ULTIGUARD SAFEPAK 0.3 ML 31G 8MM 0.3 ML 31 X 5/16"                                                      |                                |
| ULTIGUARD SAFEPAK 0.5 ML 31G 8MM 1/2 ML 31 X 5/16"                                                      |                                |
| ULTILET INSULIN SYRINGE 0.3 ML 0.3 ML 29 GAUGE X 1/2", 0.3 ML 30 GAUGE X 5/16", 0.3 ML 31 GAUGE X 5/16" | (insulin syringe-needle u-100) |
| ULTILET INSULIN SYRINGE 0.5 ML 0.5 ML 29 GAUGE X 1/2", 0.5 ML 30 GAUGE X 5/16", 0.5 ML 31 GAUGE X 5/16" | (insulin syringe-needle u-100) |
| ULTILET INSULIN SYRINGE 1 ML 1 ML 29 GAUGE X 1/2", 1 ML 30 GAUGE X 5/16, 1 ML 31 GAUGE X 5/16           | (insulin syringe-needle u-100) |
| ULTILET PEN NEEDLE 29 GAUGE                                                                             |                                |
| ULTILET PEN NEEDLE 4MM 32G 32 GAUGE X 5/32"                                                             | (pen needle, diabetic)         |
| ULTRA COMFORT 0.3 ML SYRINGE 0.3 ML 30 GAUGE X 5/16"                                                    | (insulin syringe-needle u-100) |
| ULTRA COMFORT 0.5 ML 28GX1/2" CONVERTS TO 29G 1/2 ML 28 GAUGE X 1/2"                                    | (insulin syringe-needle u-100) |
| ULTRA COMFORT 0.5 ML 29GX1/2" 0.5 ML 29 GAUGE X 1/2"                                                    | (insulin syringe-needle u-100) |
| ULTRA COMFORT 0.5 ML SYRINGE 1/2 ML 28 GAUGE                                                            | (insulin syringe-needle u-100) |
| ULTRA COMFORT 1 ML 31GX5/16" 1 ML 31 GAUGE X 5/16                                                       | (insulin syringe-needle u-100) |
| ULTRA COMFORT 1 ML SYRINGE 1 ML 28 GAUGE X 1/2"                                                         | (insulin syringe-needle u-100) |
| ULTRA FLO 0.3 ML 30G 1/2" (1/2) 0.3 ML 30 GAUGE X 1/2"                                                  |                                |
| ULTRA FLO 0.3 ML 30G 5/16"(1/2) 0.3 ML 30 GAUGE X 5/16"                                                 |                                |
| ULTRA FLO 0.3 ML 31G 5/16"(1/2) 0.3 ML 31 GAUGE X 5/16"                                                 |                                |
| ULTRA FLO PEN NEEDLE 31G 5MM 31 GAUGE X 3/16"                                                           | (pen needle, diabetic)         |

| Nombre del Medicamento                                 |                                | Requerimientos / Límites |
|--------------------------------------------------------|--------------------------------|--------------------------|
| ULTRA FLO PEN NEEDLE 31G 8MM 31 GAUGE X 5/16"          | (pen needle, diabetic)         |                          |
| ULTRA FLO PEN NEEDLE 32G 4MM 32 GAUGE X 5/32"          | (pen needle, diabetic)         |                          |
| ULTRA FLO PEN NEEDLE 33G 4MM 33 GAUGE X 5/32"          | (pen needle, diabetic)         |                          |
| ULTRA FLO PEN NEEDLES 12MM 29G 29 GAUGE X 1/2"         | (pen needle, diabetic)         |                          |
| ULTRA FLO SYR 0.3 ML 29GX1/2" 0.3 ML 29 GAUGE X 1/2"   | (insulin syringe-needle u-100) |                          |
| ULTRA FLO SYR 0.3 ML 30G 5/16" 0.3 ML 30 GAUGE X 5/16" | (insulin syringe-needle u-100) |                          |
| ULTRA FLO SYR 0.3 ML 31G 5/16" 0.3 ML 31 GAUGE X 5/16" | (insulin syringe-needle u-100) |                          |
| ULTRA FLO SYR 0.5 ML 29G 1/2" 0.5 ML 29 GAUGE X 1/2"   | (insulin syringe-needle u-100) |                          |
| ULTRA THIN PEN NDL 32G X 4MM 32 GAUGE X 5/32"          | (pen needle, diabetic)         |                          |
| ULTRACARE INS 0.3 ML 30GX5/16" 0.3 ML 30 GAUGE X 5/16" | (insulin syringe-needle u-100) |                          |
| ULTRACARE INS 0.3 ML 31GX5/16" 0.3 ML 31 GAUGE X 5/16" | (insulin syringe-needle u-100) |                          |
| ULTRACARE INS 0.5 ML 30GX1/2" 0.5 ML 30 GAUGE X 1/2"   | (insulin syringe-needle u-100) |                          |
| ULTRACARE INS 0.5 ML 30GX5/16" 0.5 ML 30 GAUGE X 5/16" | (insulin syringe-needle u-100) |                          |
| ULTRACARE INS 0.5 ML 31GX5/16" 0.5 ML 31 GAUGE X 5/16" | (insulin syringe-needle u-100) |                          |
| ULTRACARE INS 1 ML 30G X 5/16" 1 ML 30 GAUGE X 5/16"   | (insulin syringe-needle u-100) |                          |
| ULTRACARE INS 1 ML 30GX1/2" 1 ML 30 GAUGE X 1/2"       | (insulin syringe-needle u-100) |                          |
| ULTRACARE INS 1 ML 31G X 5/16" 1 ML 31 GAUGE X 5/16"   | (insulin syringe-needle u-100) |                          |
| ULTRACARE PEN NEEDLE 31GX1/4" 31 GAUGE X 1/4"          | (pen needle, diabetic)         |                          |
| ULTRACARE PEN NEEDLE 31GX3/16" 31 GAUGE X 3/16"        | (pen needle, diabetic)         |                          |
| ULTRACARE PEN NEEDLE 31GX5/16" 31 GAUGE X 5/16"        | (pen needle, diabetic)         |                          |
| ULTRACARE PEN NEEDLE 32GX1/4" 32 GAUGE X 1/4"          | (pen needle, diabetic)         |                          |
| ULTRACARE PEN NEEDLE 32GX3/16" 32 GAUGE X 3/16"        | (pen needle, diabetic)         |                          |

| Nombre del Medicamento                                               |                                   | Requerimientos / Límites |
|----------------------------------------------------------------------|-----------------------------------|--------------------------|
| ULTRACARE PEN NEEDLE 32GX5/32"<br>32 GAUGE X 5/32"                   | (pen needle, diabetic)            |                          |
| ULTRACARE PEN NEEDLE 33GX5/32"<br>33 GAUGE X 5/32"                   | (pen needle, diabetic)            |                          |
| ULTRA-THIN II 1 ML 31GX5/16" 1 ML 31<br>GAUGE X 5/16                 | (insulin syringe-needle<br>u-100) |                          |
| ULTRA-THIN II INS 0.3 ML 30G 0.3 ML<br>30 GAUGE X 5/16"              | (insulin syringe-needle<br>u-100) |                          |
| ULTRA-THIN II INS 0.3 ML 31G 0.3 ML<br>31 GAUGE X 5/16"              | (insulin syringe-needle<br>u-100) |                          |
| ULTRA-THIN II INS 0.5 ML 29G 0.5 ML<br>29 GAUGE X 1/2"               | (insulin syringe-needle<br>u-100) |                          |
| ULTRA-THIN II INS 0.5 ML 30G 0.5 ML<br>30 GAUGE X 5/16"              | (insulin syringe-needle<br>u-100) |                          |
| ULTRA-THIN II INS 0.5 ML 31G 0.5 ML<br>31 GAUGE X 5/16"              | (insulin syringe-needle<br>u-100) |                          |
| ULTRA-THIN II INS SYR 1 ML 29G 1 ML<br>29 GAUGE X 1/2"               | (insulin syringe-needle<br>u-100) |                          |
| ULTRA-THIN II INS SYR 1 ML 30G 1 ML<br>30 GAUGE X 5/16               | (insulin syringe-needle<br>u-100) |                          |
| ULTRA-THIN II PEN NDL 29GX1/2" 29<br>GAUGE X 1/2"                    | (pen needle, diabetic)            |                          |
| ULTRA-THIN II PEN NDL 31GX5/16 31<br>GAUGE X 5/16"                   | (pen needle, diabetic)            |                          |
| UNIFINE PEN NEEDLE 32G 4MM 32<br>GAUGE X 5/32"                       | (pen needle, diabetic)            |                          |
| UNIFINE PENTIPS 12MM 29G<br>29GX12MM, STRL 29 GAUGE X 1/2"           | (pen needle, diabetic)            |                          |
| UNIFINE PENTIPS 31GX3/16"<br>31GX5MM, STRL, MINI 31 GAUGE X<br>3/16" | (pen needle, diabetic)            |                          |
| UNIFINE PENTIPS 32GX1/4" 32 GAUGE<br>X 1/4"                          | (pen needle, diabetic)            |                          |
| UNIFINE PENTIPS 32GX5/32"<br>32GX4MM, STRL, NANO 32 GAUGE X<br>5/32" | (pen needle, diabetic)            |                          |
| UNIFINE PENTIPS 33GX5/32" 33<br>GAUGE X 5/32"                        | (pen needle, diabetic)            |                          |
| UNIFINE PENTIPS 6MM 31G 31 GAUGE<br>X 1/4"                           | (pen needle, diabetic)            |                          |
| UNIFINE PENTIPS MAX 30GX3/16" 30<br>GAUGE X 3/16"                    | (pen needle, diabetic)            |                          |
| UNIFINE PENTIPS NEEDLES 29G 29<br>GAUGE                              |                                   |                          |

| Nombre del Medicamento                                            |                                   | Requerimientos / Límites |
|-------------------------------------------------------------------|-----------------------------------|--------------------------|
| UNIFINE PENTIPS PLUS 29GX1/2"<br>12MM 29 GAUGE X 1/2"             | (pen needle, diabetic)            |                          |
| UNIFINE PENTIPS PLUS 30GX3/16" 30<br>GAUGE X 3/16"                | (pen needle, diabetic)            |                          |
| UNIFINE PENTIPS PLUS 31GX1/4"<br>ULTRA SHORT, 6MM 31 GAUGE X 1/4" | (pen needle, diabetic)            |                          |
| UNIFINE PENTIPS PLUS 31GX3/16"<br>MINI 31 GAUGE X 3/16"           | (pen needle, diabetic)            |                          |
| UNIFINE PENTIPS PLUS 31GX5/16"<br>SHORT 31 GAUGE X 5/16"          | (pen needle, diabetic)            |                          |
| UNIFINE PENTIPS PLUS 32GX5/32" 32<br>GAUGE X 5/32"                | (pen needle, diabetic)            |                          |
| UNIFINE PENTIPS PLUS 33GX5/32" 33<br>GAUGE X 5/32"                | (pen needle, diabetic)            |                          |
| UNIFINE PROTECT 30G 5MM 30<br>GAUGE X 3/16"                       |                                   |                          |
| UNIFINE PROTECT 30G 8MM 30<br>GAUGE X 5/16"                       |                                   |                          |
| UNIFINE PROTECT 32G 4MM 32<br>GAUGE X 5/32"                       |                                   |                          |
| UNIFINE SAFECONTROL 30GX3/16" 30<br>GAUGE X 3/16"                 |                                   |                          |
| UNIFINE SAFECONTROL 30GX5/16" 30<br>GAUGE X 5/16"                 |                                   |                          |
| UNIFINE SAFECONTROL 31G 5MM 31<br>GAUGE X 3/16"                   | (pen needle, diabetic)            |                          |
| UNIFINE SAFECONTROL 31G 6MM 31<br>GAUGE X 1/4"                    | (pen needle, diabetic)            |                          |
| UNIFINE SAFECONTROL 31G 8MM 31<br>GAUGE X 5/16"                   | (pen needle, diabetic)            |                          |
| UNIFINE SAFECONTROL 32G 4MM 32<br>GAUGE X 5/32"                   |                                   |                          |
| UNIFINE ULTRA PEN NDL 31G 5MM 31<br>GAUGE X 3/16"                 | (pen needle, diabetic)            |                          |
| UNIFINE ULTRA PEN NDL 31G 6MM 31<br>GAUGE X 1/4"                  | (pen needle, diabetic)            |                          |
| UNIFINE ULTRA PEN NDL 31G 8MM 31<br>GAUGE X 5/16"                 | (pen needle, diabetic)            |                          |
| UNIFINE ULTRA PEN NDL 32G 4MM 32<br>GAUGE X 5/32"                 | (pen needle, diabetic)            |                          |
| VANISHPOINT 0.5 ML 30GX1/2" SY<br>OUTER 0.5 ML 30 GAUGE X 1/2"    | (insulin syringe-needle<br>u-100) |                          |
| VANISHPOINT INS 1 ML 30GX3/16"<br>1 ML 30 GAUGE X 3/16"           |                                   |                          |



| Nombre del Medicamento                                                |                                   | Requerimientos / Límites |
|-----------------------------------------------------------------------|-----------------------------------|--------------------------|
| VANISHPOINT U-100 29X1/2 SYR 1 ML<br>29 GAUGE X 1/2"                  | (insulin syringe-needle<br>u-100) |                          |
| VERIFINE INS SYR 1 ML 29G 1/2" 1 ML<br>29 GAUGE X 1/2"                | (insulin syringe-needle<br>u-100) |                          |
| VERIFINE PEN NEEDLE 29G 12MM 29<br>GAUGE X 1/2"                       | (pen needle, diabetic)            |                          |
| VERIFINE PEN NEEDLE 31G 5MM 31<br>GAUGE X 3/16"                       | (pen needle, diabetic)            |                          |
| VERIFINE PEN NEEDLE 31G X 6MM 31<br>GAUGE X 1/4"                      | (pen needle, diabetic)            |                          |
| VERIFINE PEN NEEDLE 31G X 8MM 31<br>GAUGE X 5/16"                     | (pen needle, diabetic)            |                          |
| VERIFINE PEN NEEDLE 32G 6MM 32<br>GAUGE X 1/4"                        | (pen needle, diabetic)            |                          |
| VERIFINE PEN NEEDLE 32G X 4MM 32<br>GAUGE X 5/32"                     | (pen needle, diabetic)            |                          |
| VERIFINE PEN NEEDLE 32G X 5MM 32<br>GAUGE X 3/16"                     | (pen needle, diabetic)            |                          |
| VERIFINE PLUS PEN NDL 31G 5MM 31<br>GAUGE X 3/16"                     | (pen needle, diabetic)            |                          |
| VERIFINE PLUS PEN NDL 31G 8MM 31<br>GAUGE X 5/16"                     | (pen needle, diabetic)            |                          |
| VERIFINE PLUS PEN NDL 32G 4MM 32<br>GAUGE X 5/32"                     | (pen needle, diabetic)            |                          |
| VERIFINE PLUS PEN NDL 32G<br>4MM-SHARPS CONTAINER 32 GAUGE<br>X 5/32" |                                   |                          |
| VERIFINE SYRING 0.5 ML 29G 1/2"<br>0.5 ML 29 GAUGE X 1/2"             | (insulin syringe-needle<br>u-100) |                          |
| VERIFINE SYRING 1 ML 31G 5/16" 1 ML<br>31 GAUGE X 5/16"               | (insulin syringe-needle<br>u-100) |                          |
| VERIFINE SYRNG 0.3 ML 31G 5/16"<br>0.3 ML 31 GAUGE X 5/16"            | (insulin syringe-needle<br>u-100) |                          |
| VERIFINE SYRNG 0.5 ML 31G 5/16"<br>0.5 ML 31 GAUGE X 5/16"            | (insulin syringe-needle<br>u-100) |                          |
| VERSALON ALL PURPOSE SPONGE<br>25'S, N-STERILE,3PLY 2 X 2 "           |                                   |                          |
| <b>RELAJANTES MUSCULARES ESQUELÉTICOS</b>                             |                                   |                          |
| <b><i>Relajantes Musculares Esqueléticos</i></b>                      |                                   |                          |
| chlorzoxazone oral tablet 250 mg, 500 mg                              |                                   |                          |
| chlorzoxazone oral tablet 375 mg, 750 mg                              | (Lorzone)                         |                          |
| cyclobenzaprine oral tablet 10 mg, 5 mg                               |                                   |                          |
| cyclobenzaprine oral tablet 7.5 mg                                    | (Fexmid)                          |                          |

| Nombre del Medicamento                                                                                | Requerimientos / Límites |
|-------------------------------------------------------------------------------------------------------|--------------------------|
| <i>methocarbamol oral tablet 500 mg, 750 mg</i>                                                       |                          |
| <i>orphenadrine citrate oral tablet extended release 100 mg</i>                                       |                          |
| <b>VÍA RESPIRATORIA/AGENTES PULMONARES</b>                                                            |                          |
| <b>Agentes De Fibrosis Pulmonar</b>                                                                   |                          |
| OFEV ORAL CAPSULE 100 MG, 150 MG                                                                      | PA; NM                   |
| <i>pirfenidone oral capsule 267 mg (Esbriet)</i>                                                      | PA; NM                   |
| <i>pirfenidone oral tablet 267 mg, 801 mg (Esbriet)</i>                                               | PA; NM                   |
| <i>pirfenidone oral tablet 534 mg</i>                                                                 | PA; NM                   |
| <b>Agentes De Fibrosis Quística</b>                                                                   |                          |
| BRONCHITOL INHALATION CAPSULE, W/INHALATION DEVICE 40 MG                                              | PA; NM                   |
| CAYSTON INHALATION SOLUTION FOR NEBULIZATION 75 MG/ML                                                 | PA; NM                   |
| KALYDECO ORAL GRANULES IN PACKET 13.4 MG, 25 MG, 5.8 MG, 50 MG, 75 MG                                 | PA; NM                   |
| KALYDECO ORAL TABLET 150 MG                                                                           | PA; NM                   |
| ORKAMBI ORAL GRANULES IN PACKET 100-125 MG, 150-188 MG, 75-94 MG                                      | PA; NM                   |
| ORKAMBI ORAL TABLET 100-125 MG, 200-125 MG                                                            | PA; NM                   |
| PULMOZYME INHALATION SOLUTION 1 MG/ML                                                                 | PA BvD; NM               |
| SYMDEKO ORAL TABLETS, SEQUENTIAL 100-150 MG (D)/ 150 MG (N), 50-75 MG (D)/ 75 MG (N)                  | PA; NM                   |
| TOBI PODHALER INHALATION CAPSULE, W/INHALATION DEVICE 28 MG                                           | PA; NM                   |
| <i>tobramycin in 0.225 % nacl inhalation solution for nebulization 300 mg/5 ml (Tobi)</i>             | PA BvD; NM               |
| TRIKAFTA ORAL GRANULES IN PACKET, SEQUENTIAL 100-50-75MG (D) /75 MG (N), 80-40-60 MG (D) /59.5 MG (N) | PA; NM                   |
| TRIKAFTA ORAL TABLETS, SEQUENTIAL 100-50-75 MG(D) /150 MG (N), 50-25-37.5 MG (D)/75 MG (N)            | PA; NM                   |

| Nombre del Medicamento                                                                                                                                                      | Requerimientos / Límites   |
|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------|----------------------------|
| <b>Agentes Del Tracto Respiratorio, Otros</b>                                                                                                                               |                            |
| acetylcysteine solution 100 mg/ml (10 %),<br>200 mg/ml (20 %)                                                                                                               | PA BvD                     |
| ADVAIR HFA INHALATION HFA<br>AEROSOL INHALER<br>115-21 MCG/ACTUATION,<br>230-21 MCG/ACTUATION,<br>45-21 MCG/ACTUATION<br>(fluticasone<br>propion-salmeterol)                | QL (12 per 30 days)        |
| ANORO ELLIPTA INHALATION BLISTER<br>WITH DEVICE<br>62.5-25 MCG/ACTUATION                                                                                                    | QL (60 per 30 days)        |
| BREO ELLIPTA INHALATION BLISTER<br>WITH DEVICE 100-25 MCG/DOSE,<br>200-25 MCG/DOSE<br>(fluticasone<br>furoate-vilanterol)                                                   | QL (60 per 30 days)        |
| BREO ELLIPTA INHALATION BLISTER<br>WITH DEVICE 50-25 MCG/DOSE                                                                                                               | QL (60 per 30 days)        |
| breynd inhalation hfa aerosol inhaler<br>160-4.5 mcg/actuation,<br>80-4.5 mcg/actuation<br>(budesonide-formoterol)                                                          | QL (10.3 per 30 days)      |
| BREZTRI AEROSPHERE INHALATION<br>HFA AEROSOL INHALER<br>160-9-4.8 MCG/ACTUATION                                                                                             | QL (10.7 per 30 days)      |
| budesonide-formoterol inhalation hfa<br>aerosol inhaler 160-4.5 mcg/actuation,<br>80-4.5 mcg/actuation<br>(Breynd)                                                          | QL (10.2 per 30 days)      |
| COMBIVENT RESPIMAT INHALATION<br>MIST 20-100 MCG/ACTUATION                                                                                                                  | QL (4 per 20 days)         |
| cromolyn inhalation solution for<br>nebulization 20 mg/2 ml                                                                                                                 | PA BvD                     |
| FASENRA PEN SUBCUTANEOUS<br>AUTO-INJECTOR 30 MG/ML                                                                                                                          | PA; NM; QL (1 per 28 days) |
| FASENRA SUBCUTANEOUS SYRINGE<br>10 MG/0.5 ML, 30 MG/ML                                                                                                                      | PA; NM; QL (1 per 28 days) |
| fluticasone propion-salmeterol inhalation<br>aerosol powdr breath activated<br>113-14 mcg/actuation,<br>232-14 mcg/actuation,<br>55-14 mcg/actuation<br>(AirDuo RespiClick) | QL (1 per 30 days)         |
| fluticasone propion-salmeterol inhalation<br>blister with device 100-50 mcg/dose,<br>250-50 mcg/dose, 500-50 mcg/dose<br>(Advair Diskus)                                    | QL (60 per 30 days)        |
| ipratropium-albuterol inhalation solution<br>for nebulization 0.5 mg-3 mg(2.5 mg<br>base)/3 ml                                                                              | PA BvD                     |

| Nombre del Medicamento                                                                                            | Requerimientos / Límites    |
|-------------------------------------------------------------------------------------------------------------------|-----------------------------|
| NUCALA SUBCUTANEOUS<br>AUTO-INJECTOR 100 MG/ML                                                                    | PA; NM                      |
| NUCALA SUBCUTANEOUS RECON<br>SOLN 100 MG                                                                          | PA; NM                      |
| NUCALA SUBCUTANEOUS SYRINGE<br>100 MG/ML, 40 MG/0.4 ML                                                            | PA; NM                      |
| TRELEGY ELLIPTA INHALATION<br>BLISTER WITH DEVICE<br>100-62.5-25 MCG, 200-62.5-25 MCG                             | QL (60 per 30 days)         |
| <b>Antihipertensivos Pulmonares</b>                                                                               |                             |
| ADEMPAS ORAL TABLET 0.5 MG, 1 MG,<br>1.5 MG, 2 MG, 2.5 MG                                                         | PA; NM; QL (90 per 30 days) |
| <i>ambrisentan oral tablet 10 mg, 5 mg</i> (Letairis)                                                             | PA; NM; QL (30 per 30 days) |
| <i>bosentan oral tablet 125 mg, 62.5 mg</i> (Tracleer)                                                            | PA; NM; QL (60 per 30 days) |
| OPSUMIT ORAL TABLET 10 MG                                                                                         | PA; NM; QL (90 per 30 days) |
| <i>sildenafil (pulm.hypertension) oral tablet 20 mg</i> (Revatio)                                                 | PA; QL (90 per 30 days)     |
| WINREVAIR SUBCUTANEOUS KIT<br>45 MG, 45 MG (2 PACK), 60 MG, 60 MG<br>(2 PACK)                                     | PA; NM; QL (1 per 21 days)  |
| <b>Antihistamínicos</b>                                                                                           |                             |
| <i>azelastine nasal spray, non-aerosol 137 mcg (0.1 %)</i>                                                        | QL (30 per 25 days)         |
| <i>azelastine nasal spray, non-aerosol 205.5 mcg (0.15 %)</i> (Astepro Allergy)                                   | QL (30 per 25 days)         |
| <i>cetirizine oral solution 1 mg/ml</i> (All Day Allergy (cetirizine))                                            |                             |
| <i>cyproheptadine oral syrup 2 mg/5 ml</i>                                                                        |                             |
| <i>cyproheptadine oral tablet 4 mg</i>                                                                            |                             |
| <i>levocetirizine oral solution 2.5 mg/5 ml</i> (Xyzal)                                                           |                             |
| <i>levocetirizine oral tablet 5 mg</i> (24HR Allergy Relief)                                                      |                             |
| <b>Antiinflamatorios, Corticoesteroides Inhalados</b>                                                             |                             |
| ARNUITY ELLIPTA INHALATION<br>BLISTER WITH DEVICE<br>100 MCG/ACTUATION,<br>200 MCG/ACTUATION,<br>50 MCG/ACTUATION | QL (30 per 30 days)         |
| ASMANEX HFA INHALATION HFA<br>AEROSOL INHALER<br>100 MCG/ACTUATION,<br>200 MCG/ACTUATION,<br>50 MCG/ACTUATION     | QL (26 per 30 days)         |

| Nombre del Medicamento                                                                                                                                                                    | Requerimientos / Límites |
|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|--------------------------|
| ASMANEX TWISTHALER INHALATION AEROSOL POWDR BREATH ACTIVATED 110 MCG/ ACTUATION (30), 220 MCG/ ACTUATION (120), 220 MCG/ ACTUATION (14), 220 MCG/ ACTUATION (30), 220 MCG/ ACTUATION (60) | QL (2 per 30 days)       |
| <i>budesonide inhalation suspension for nebulization 0.25 mg/2 ml, 0.5 mg/2 ml, 1 mg/2 ml</i> (Pulmicort)                                                                                 | PA BvD                   |
| <i>flunisolide nasal spray, non-aerosol 25 mcg (0.025 %)</i>                                                                                                                              | QL (50 per 30 days)      |
| <i>fluticasone propionate inhalation hfa aerosol inhaler 110 mcg/actuation, 220 mcg/actuation</i>                                                                                         | QL (24 per 30 days)      |
| <i>fluticasone propionate inhalation hfa aerosol inhaler 44 mcg/actuation</i>                                                                                                             | QL (10.6 per 30 days)    |
| <i>fluticasone propionate nasal spray, suspension 50 mcg/actuation</i> (24 Hour Allergy Relief)                                                                                           | QL (16 per 30 days)      |
| <i>mometasone nasal spray, non-aerosol 50 mcg/actuation</i> (Allergy Nasal (mometasone))                                                                                                  | QL (34 per 30 days)      |
| <b>Antileucotrinós</b>                                                                                                                                                                    |                          |
| <i>montelukast oral granules in packet 4 mg</i> (Singulair)                                                                                                                               | QL (30 per 30 days)      |
| <i>montelukast oral tablet 10 mg</i> (Singulair)                                                                                                                                          | QL (30 per 30 days)      |
| <i>montelukast oral tablet, chewable 4 mg, 5 mg</i> (Singulair)                                                                                                                           | QL (30 per 30 days)      |
| <i>zafirlukast oral tablet 10 mg, 20 mg</i> (Accolate)                                                                                                                                    | QL (60 per 30 days)      |
| <b>Broncodilatadores, Anticolinérgicos</b>                                                                                                                                                |                          |
| ATROVENT HFA INHALATION HFA AEROSOL INHALER 17 MCG/ACTUATION                                                                                                                              | QL (26 per 30 days)      |
| <i>ipratropium bromide inhalation solution 0.02 %</i>                                                                                                                                     | PA BvD                   |
| <i>ipratropium bromide nasal spray, non-aerosol 21 mcg (0.03 %)</i>                                                                                                                       | QL (60 per 30 days)      |
| <i>ipratropium bromide nasal spray, non-aerosol 42 mcg (0.06 %)</i>                                                                                                                       | QL (30 per 30 days)      |
| SPIRIVA RESPIMAT INHALATION MIST 1.25 MCG/ACTUATION, 2.5 MCG/ACTUATION                                                                                                                    | QL (4 per 30 days)       |
| SPIRIVA WITH HANDIHALER INHALATION CAPSULE, W/INHALATION DEVICE 18 MCG (tiotropium bromide)                                                                                               | QL (30 per 30 days)      |

| Nombre del Medicamento                                                                                                          | Requerimientos / Límites |
|---------------------------------------------------------------------------------------------------------------------------------|--------------------------|
| <b>Broncodilatadores, Simpaticomiméticos</b>                                                                                    |                          |
| <i>albuterol sulfate inhalation hfa aerosol inhaler 90 mcg/actuation</i> (Ventolin HFA)                                         | QL (17 per 30 days)      |
| <i>albuterol sulfate inhalation hfa aerosol inhaler 90 mcg/actuation (nda020503)</i>                                            | QL (13.4 per 30 days)    |
| <i>albuterol sulfate inhalation hfa aerosol inhaler 90 mcg/actuation (nda020983)</i>                                            | QL (36 per 30 days)      |
| <i>albuterol sulfate inhalation solution for nebulization 0.63 mg/3 ml, 1.25 mg/3 ml, 2.5 mg /3 ml (0.083 %), 2.5 mg/0.5 ml</i> | PA BvD                   |
| <i>albuterol sulfate oral syrup 2 mg/5 ml</i>                                                                                   |                          |
| <i>albuterol sulfate oral tablet 2 mg, 4 mg</i>                                                                                 |                          |
| <i>epinephrine injection auto-injector 0.15 mg/0.15 ml, 0.3 mg/0.3 ml</i> (Auvi-Q)                                              |                          |
| <i>epinephrine injection auto-injector 0.15 mg/0.3 ml</i> (EpiPen Jr)                                                           |                          |
| SEREVENT DISKUS INHALATION BLISTER WITH DEVICE 50 MCG/DOSE                                                                      | QL (60 per 30 days)      |
| <i>terbutaline oral tablet 2.5 mg, 5 mg</i>                                                                                     |                          |
| VENTOLIN HFA INHALATION HFA AEROSOL INHALER (albuterol sulfate) 90 MCG/ACTUATION                                                | QL (36 per 30 days)      |
| <b>Inhibidores De Fosfodiesterasa, Enfermedad Pulmonar</b>                                                                      |                          |
| <i>roflumilast oral tablet 250 mcg, 500 mcg</i> (Daliresp)                                                                      | QL (30 per 30 days)      |
| <i>theophylline oral tablet extended release 12 hr 100 mg, 200 mg</i>                                                           |                          |
| <i>theophylline oral tablet extended release 12 hr 300 mg, 450 mg</i>                                                           |                          |
| <i>theophylline oral tablet extended release 24 hr 400 mg, 600 mg</i>                                                           |                          |

# Index of Drugs / Índice de drogas

## 1

1ST TIER UNIFINE PENTIPS ....  
.....60, 247  
1ST TIER UNIFINE PENTIPS  
PLUS .....60, 247

## A

abacavir .....54, 236  
abacavir-lamivudine .....54, 236  
ABELCET.....36, 220  
ABILIFY ASIMTUFII .....50, 230  
ABILIFY MAINTENA .....50, 231  
abiraterone .....40, 222  
ABOUTTIME PEN NEEDLE .....  
.....60, 61, 247  
ABRYSVO (PF).....138, 196  
acamprostate .....21, 156  
acarbose .....58, 245  
accutane .....107, 173, 177  
acebutolol.....97, 161  
acetaminophen-codeine ..20, 203  
acetazolamide .....146, 199  
acetic acid .....146, 202  
acetylcysteine.....150, 282  
acitretin .....107, 173, 177  
ACTHIB (PF).....138, 196  
ACTIMMUNE .....136, 192  
acyclovir .....53, 234  
acyclovir sodium.....53, 234  
ADACEL(TDAP  
ADOLESN/ADULT)(PF) .....  
.....138, 196  
adefovir .....53, 234  
ADEMPAS .....150, 283  
ADVAIR HFA.....150, 282  
ADVOCATE PEN NEEDLE .....  
.....61, 247, 248  
ADVOCATE SYRINGES .....  
.....61, 247  
afirmelle .....125, 181  
AKEEGA .....42, 224  
albendazole.....47, 229  
albuterol sulfate.....148, 149, 285  
alclometasone .....108, 173  
ALCOH-GLOVE .....110, 176

ALCOHOL PADS .....110, 176  
ALCOHOL PREP PADS.....  
.....110, 177  
ALCOHOL PREP SWABS.....  
.....110, 176  
ALCOHOL SWABS .....110, 176  
ALCOHOL WIPES.....110, 176  
ALCOH-WIPE .....110, 176  
ALECENSA .....43, 224  
alendronate .....142, 169  
alfuzosin.....122, 179  
aliskiren.....99, 162  
allopurinol.....38, 157  
alosetron .....119, 177  
alprazolam .....57, 206  
ALPRAZOLAM INTENSOL.....  
.....57, 206  
altavera (28) .....125, 181  
ALUNBRIG.....43, 224  
alyacen 1/35 (28) .....125, 181  
alyacen 7/7/7 (28).....126, 181  
amantadine hcl.....48, 159  
ambrisentan .....150, 283  
amcinonide.....108, 173  
amikacin .....22, 206  
amiloride .....102, 167  
amiloride-hydrochlorothiazide.....  
.....99, 162  
amiodarone .....97, 165  
amitriptyline .....35, 218  
amlodipine.....98, 160  
amlodipine-atorvastatin .100, 162  
amlodipine-benazepril ...100, 162  
amlodipine-olmesartan ..100, 162  
amlodipine-valsartan ....100, 163  
ammonium lactate .....108, 173  
amnestem .....107, 173  
amoxapine .....35, 218  
amoxicillin .....25, 209  
amoxicillin-pot clavulanate.....  
.....26, 210  
amphotericin b.....36, 220  
amphotericin b liposome..36, 220  
ampicillin .....26, 210  
ampicillin sodium .....26, 210  
ampicillin-sulbactam .....26, 210  
anagrelide .....95, 153

anastrozole .....42, 224  
ANKTIVA.....41, 223  
ANORO ELLIPTA.....150, 282  
apraclonidine.....146, 199  
aprepitant .....36, 219  
apri.....126, 181  
APTIOM .....31, 214  
APTIVUS.....56, 233  
AQINJECT PEN NEEDLE .....  
.....61, 248  
aranelle (28).....126, 181  
ARCALYST .....135, 192  
AREXVY (PF).....138, 196  
AREXVY ANTIGEN  
COMPONENT.....138, 196  
ARIKAYCE.....22, 206  
aripiprazole .....50, 231  
armodafinil .....152, 170  
ARNUITY ELLIPTA .....147, 283  
asenapine maleate .....50, 231  
ASMANEX HFA .....147, 283  
ASMANEX TWISTHALER.....  
.....147, 284  
aspirin-dipyridamole .....95, 154  
ASSURE ID DUO PRO SFTY  
PEN NDL .....61, 248  
ASSURE ID DUO-SHIELD .....  
.....61, 248  
ASSURE ID INSULIN SAFETY  
.....61, 62, 248  
ASSURE ID PEN NEEDLE.....  
.....62, 248  
ASSURE ID PRO PEN NEEDLE  
.....62, 248  
atazanavir .....56, 233  
atenolol .....97, 161  
atenolol-chlorthalidone ..100, 163  
atomoxetine .....105, 172  
atorvastatin .....103, 166  
atovaquone .....47, 229  
atovaquone-proguanil.....47, 229  
atropine .....143, 200  
ATROVENT HFA.....148, 284  
aubra eq.....126, 181  
AUGTYRO .....43, 224  
aurovela 1.5/30 (21) .....126, 181  
aurovela 1/20 (21) .....126, 182

aurovela fe 1.5/30 (28) ..126, 182  
aurovela fe 1-20 (28) .....126, 182  
AURYXIA .....119, 241  
AUSTEDO.....105, 172  
AUSTEDO XR.....105, 172  
AUSTEDO XR TITRATION  
KT(WK1-4).....105, 172  
AUVELITY.....33, 217  
aviane .....126, 182  
avita .....107, 177  
AVONEX.....106, 170  
ayuna .....126, 182  
AYVAKIT.....43, 224  
AZASITE.....144, 202  
azathioprine .....136, 192  
azelastine..... 144, 147, 200, 283  
azithromycin.....27, 211  
AZOPT.....146, 199  
aztreonam .....23, 207  
azurette (28).....126, 182

## B

bacitracin.....144, 202  
bacitracin-polymyxin b ...144, 202  
baclofen .....52, 157  
bal-care dha .....114, 237  
bal-care dha essential ...114, 237  
balsalazide .....142, 169  
BALVERSA .....43, 224, 225  
balziva (28) .....126, 182  
BAQSIMI.....60, 246  
BARACLUDE .....53, 234  
BCG VACCINE, LIVE (PF) .....  
.....138, 196  
BD ALCOHOL SWABS .....  
.....110, 176  
BD AUTOSHIELD DUO PEN  
NEEDLE .....62, 248  
BD ECLIPSE LUER-LOK .....  
.....62, 248  
BD INSULIN SYRINGE ...62, 249  
BD INSULIN SYRINGE (HALF  
UNIT) .....62, 248  
BD INSULIN SYRINGE SLIP TIP  
.....62, 249  
BD INSULIN SYRINGE U-500....  
.....62, 249  
BD INSULIN SYRINGE ULTRA-  
FINE .....62, 249  
BD NANO 2ND GEN PEN  
NEEDLE .....62, 249

BD SAFETYGLIDE INSULIN  
SYRINGE.....63, 249  
BD SAFETYGLIDE SYRINGE....  
.....63, 249  
BD ULTRA-FINE MICRO PEN  
NEEDLE .....63, 249  
BD ULTRA-FINE MINI PEN  
NEEDLE .....63, 250  
BD ULTRA-FINE NANO PEN  
NEEDLE .....63, 250  
BD ULTRA-FINE ORIG PEN  
NEEDLE .....63, 250  
BD ULTRA-FINE SHORT PEN  
NEEDLE .....63, 250  
BD VEO INSULIN SYR (HALF  
UNIT) .....63, 250  
BD VEO INSULIN SYRINGE UF  
.....63, 250  
BELSOMRA .....152, 170  
benazepril .....96, 168  
benazepril-hydrochlorothiazide  
.....100, 163  
BENLYSTA .....136, 192  
benznidazole .....47, 229  
benztropine .....48, 159  
BESREMI.....136, 192  
betaine .....121, 153  
betamethasone dipropionate .....  
.....108, 173  
betamethasone valerate .....  
.....108, 173  
betamethasone, augmented .....  
.....108, 173, 174  
BETASERON .....106, 170  
betaxolol..... 97, 145, 162, 199  
bethanechol chloride ....123, 180  
bexarotene .....47, 229  
BEXSERO.....138, 196  
bicalutamide .....40, 222  
BICILLIN L-A.....26, 210  
BIKTARVY .....53, 235  
bisoprolol fumarate .....97, 162  
bisoprolol-hydrochlorothiazide  
.....100, 163  
blisovi fe 1.5/30 (28) .....126, 182  
blisovi fe 1/20 (28) .....126, 182  
BOOSTRIX TDAP .....138, 196  
BORDERED GAUZE.....63, 250  
bosentan .....150, 283  
BOSULIF.....43, 225  
BRAFTOVI.....43, 225  
BREO ELLIPTA..... 150, 151, 282  
breyana.....151, 282

BREZTRI AEROSPHERE .....  
.....151, 282  
briellyn .....126, 182  
BRILINTA.....96, 154  
brimonidine .....146, 199  
brimonidine-timolol .....146, 199  
BRIVIACT .....29, 214  
bromfenac .....145, 201  
bromocriptine .....48, 159  
BRONCHITOL.....149, 281  
BRUKINSA.....43, 225  
budesonide ... 142, 148, 169, 284  
budesonide-formoterol...151, 282  
bumetanide .....102, 167  
buprenorphine hcl.....22, 155  
buprenorphine-naloxone..22, 155  
bupropion hcl.....33, 217, 218  
bupropion hcl (smoking deter) ....  
.....22, 155  
buspirone .....57, 205  
butalbital-acetaminophen-caff.....  
.....19, 203  
butalbital-aspirin-cafeine.....  
.....19, 203  
BYLVAY .....120, 178

## C

cabergoline .....133, 190  
CABLIVI .....96, 154  
CABOMETYX.....43, 225  
calcipotriene .....110, 176  
calcitonin (salmon) .....142, 169  
calcitriol.....142, 169  
calcium acetate(phosphat bind)  
.....119, 241  
CALQUENCE .....43, 225  
CALQUENCE (ACALABRUTINIB  
MAL) .....43, 225  
camila .....131, 188  
CAMZYOS .....100, 163  
candesartan .....96, 165  
candesartan-hydrochlorothiazid  
.....100, 163  
CAPLYTA.....50, 231  
CAPRELSA.....43, 225  
captopril .....97, 168  
carbamazepine.....31, 32, 214  
carbidopa .....48, 159  
carbidopa-levodopa...48, 49, 159  
carbidopa-levodopa-entacapone  
.....48, 159  
CARDURA XL .....123, 180



|                                    |                                     |                                    |
|------------------------------------|-------------------------------------|------------------------------------|
| CAREFINE PEN NEEDLE.....           | ciprofloxacin in 5 % dextrose ..... | clobetasol.....108, 174            |
| .....63, 64, 250                   | .....28, 212                        | clobetasol-emollient.....108, 174  |
| CARETOUCH ALCOHOL PREP             | ciprofloxacin-dexamethasone         | clomipramine.....35, 219           |
| PAD.....110, 176                   | .....147, 202                       | clonazepam.....57, 206             |
| CARETOUCH INSULIN                  | ciprofloxacin-fluocinolone .....    | clonidine.....96, 164, 165         |
| SYRINGE.....64, 251                | .....147, 202                       | clonidine hcl.....96, 164          |
| CARETOUCH PEN NEEDLE .....         | citalopram.....34, 216              | clopidogrel.....96, 154            |
| .....64, 250                       | claravis.....107, 174               | clorazepate dipotassium..57, 206   |
| carglumic acid.....112, 242        | clarithromycin.....27, 211          | clotrimazole.....37, 220           |
| carteolol.....145, 199             | CLENPIQ.....120, 178                | clotrimazole-betamethasone.....    |
| cartia xt.....99, 160              | CLICKFINE PEN NEEDLE .....          | .....110, 176                      |
| carvedilol.....97, 162             | .....64, 251                        | clozapine.....52, 233              |
| carvedilol phosphate.....98, 162   | clindamycin hcl.....23, 207         | c-nate dha.....115, 238            |
| caspofungin.....36, 220            | CLINDAMYCIN IN 0.9 % SOD            | COARTEM.....47, 229                |
| CAYSTON.....149, 281               | CHLOR.....23, 207                   | codeine sulfate.....20, 203        |
| caziant (28).....126, 182          | clindamycin in 5 % dextrose .....   | codeine-butalbital-asa-caff .....  |
| cefaclor.....24, 208               | .....23, 207                        | .....19, 203                       |
| cefadroxil.....24, 208             | CLINDAMYCIN IN 5 %                  | colchicine.....38, 157             |
| cefazolin.....24, 208              | DEXTROSE.....23, 207                | colestipol.....103, 166            |
| cefdinir.....24, 208               | clindamycin pediatric.....23, 207   | colistin (colistimethate na) ..... |
| cefepime.....25, 209               | clindamycin phosphate .....         | .....23, 207                       |
| cefixime.....25, 209               | .....23, 111, 174, 207              | COMBIGAN.....146, 199              |
| cefotetan.....25, 209              | clindamycin-benzoyl peroxide        | COMBIVENT RESPIMAT.....            |
| cefotetan in dextrose, iso-osm.... | .....107, 174                       | .....151, 282                      |
| .....25, 209                       | CLINIMIX 5%/D15W SULFITE            | COMETRIQ.....43, 225               |
| cefoxitin.....25, 209              | FREE.....115, 237                   | COMFORT EZ INSULIN                 |
| cefpodoxime.....25, 209            | CLINIMIX 4.25%/D10W SULF            | SYRINGE.....64, 65, 66,            |
| cefprozil.....25, 209              | FREE.....115, 237                   | .....251, 252                      |
| ceftazidime.....25, 209            | CLINIMIX 4.25%/D5W SULFIT           | COMFORT EZ PEN NEEDLES             |
| ceftriaxone.....25, 209            | FREE.....115, 237                   | .....65, 251, 252                  |
| cefuroxime axetil.....25, 209      | CLINIMIX 5%-D20W(SULFITE-           | COMFORT EZ PRO SAFETY              |
| cefuroxime sodium.....25, 209      | FREE).....115, 237                  | PEN NDL.....65, 252                |
| celecoxib.....19, 204              | CLINIMIX 6%-D5W (SULFITE-           | COMFORT TOUCH PEN                  |
| cephalexin.....25, 209             | FREE).....115, 238                  | NEEDLE.....66, 252, 253            |
| cetirizine.....147, 283            | CLINIMIX 8%-D10W(SULFITE-           | COMPLERA.....54, 235               |
| chateal eq (28).....126, 182       | FREE).....115, 238                  | completenate.....116, 238          |
| chlorthalidone.....102, 167        | CLINIMIX 8%-D14W(SULFITE-           | constulose.....119, 177            |
| chlorhexidine gluconate.....       | FREE).....115, 238                  | COPAXONE.....106, 170              |
| .....107, 173                      | CLINIMIX E 2.75%/D5W SULF           | COPIKTRA.....43, 225               |
| chloroquine phosphate ....47, 229  | FREE.....115, 238                   | CORLANOR.....100, 163              |
| chlorpromazine.....49, 230         | CLINIMIX E 4.25%/D10W SUL           | COSENTYX.....135, 192, 195         |
| chlorthalidone.....102, 167        | FREE.....115, 238                   | COSENTYX (2 SYRINGES).....         |
| chlorzoxazone.....151, 280         | CLINIMIX E 4.25%/D5W SULF           | .....135, 192                      |
| cholestyramine (with sugar).....   | FREE.....115, 238                   | COSENTYX PEN (2 PENS) .....        |
| .....103, 166                      | CLINIMIX E 5%/D15W SULFIT           | .....135, 192                      |
| cholestyramine light.....103, 166  | FREE.....115, 238                   | COSENTYX UNOREADY PEN              |
| ciclopirox.....36, 111, 174, 220   | CLINIMIX E 5%/D20W SULFIT           | .....135, 192                      |
| cilostazol.....96, 154             | FREE.....115, 238                   | COTELIC.....43, 225                |
| CIMDUO.....54, 236                 | CLINIMIX E 8%-D10W                  | CREON.....121, 153                 |
| cinacalcet.....142, 169            | SULFITEFREE.....115, 238            | cromolyn.....121, 144, 151, 153,   |
| ciprofloxacin hcl.....             | CLINIMIX E 8%-D14W                  | .....200, 282                      |
| .....28, 146, 202, 212             | SULFITEFREE.....115, 238            | cryselle (28).....126, 182         |
|                                    | clobazam.....31, 213                | CURAD GAUZE PAD.....66, 253        |

CURITY ALCOHOL SWABS .....  
 .....110, 176  
 CURITY GAUZE .....66, 253  
 cyclobenzaprine .....152, 280  
 cyclophosphamide.....40, 222  
 cyclosporine .. 136, 143, 192, 200  
 cyclosporine modified ....136, 192  
 cyproheptadine.....147, 283  
 cyred eq .....126, 182  
 CYSTADROPS .....143, 200  
 CYSTAGON .....121, 153  
 CYSTARAN .....143, 200

## D

d10 %-0.45 % sodium chloride  
 .....116, 238  
 d2.5 %-0.45 % sodium chloride  
 .....116, 238  
 d5 % and 0.9 % sodium chloride  
 .....116, 238  
 d5 %-0.45 % sodium chloride  
 .....116, 238  
 dalfampridine.....106, 170  
 danazol .....124, 187  
 dapson .....39, 221  
 DAPTACEL (DTAP PEDIATRIC)  
 (PF).....139, 196  
 daptomycin.....23, 207  
 darifenacin .....122, 180  
 darunavir .....56, 233  
 dasetta 1/35 (28) .....126, 182  
 dasetta 7/7/7 (28) .....126, 182  
 DAURISMO.....43, 225  
 deblitane .....131, 188  
 deferasirox .....114, 242  
 deferiprone .....114, 242  
 DELSTRIGO .....54, 236  
 DEPO-SUBQ PROVERA 104  
 .....131, 188  
 DERMACEA.....67, 253  
 DERMACEA NON-WOVEN.....  
 .....67, 253  
 dermacinrx lidocan .....21, 205  
 DESCOVY .....54, 236  
 desipramine .....35, 219  
 desmopressin .....124, 189  
 desog-e.estradiol/e.estradiol.....  
 .....126, 182  
 desogestrel-ethinyl estradiol .....  
 .....126, 182  
 desonide .....108, 174  
 desoximetasone .....108, 174

desvenlafaxine .....34, 216  
 desvenlafaxine succinate .....  
 .....34, 216  
 dexamethasone.....123, 190  
 dexamethasone sodium  
 phosphate .....145, 201  
 dexlansoprazole .....121, 179  
 dexmethylphenidate .....105, 172  
 dextroamphetamine sulfate .....  
 .....104, 105, 171  
 dextroamphetamine-  
 amphetamine .....105, 172  
 dextrose 10 % and 0.2 % nacl  
 .....116, 238  
 dextrose 10 % in water (d10w)  
 .....116, 239  
 dextrose 5 % in water (d5w) .....  
 .....116, 239  
 dextrose 5%-0.2 % sod chloride  
 .....116, 239  
 DIACOMIT .....29, 215  
 diazepam .....31, 57, 206, 213  
 diazepam intensol .....57, 206  
 diazoxide.....60, 246  
 diclofenac potassium.....19, 204  
 diclofenac sodium... 19, 110, 145,  
 .....176, 201, 204  
 dicloxacillin .....26, 210  
 dicyclomine .....119, 179  
 DIFICID .....27, 211  
 diflunisal .....19, 204  
 digitek .....100, 163  
 digox .....100, 163  
 digoxin .....100, 163  
 DIGOXIN.....100, 163  
 dihydroergotamine.....38, 158  
 DILANTIN.....32, 214  
 diltiazem hcl .....99, 160  
 dilt-xr .....99, 160  
 dimethyl fumarate .....106, 171  
 diphenoxylate-atropine .....  
 .....119, 177, 178  
 disopyramide phosphate .97, 165  
 disulfiram.....21, 156  
 divalproex.....58, 160  
 dofetilide.....97, 165  
 DOJOLVI.....116, 239  
 donepezil.....32, 33, 157  
 dorzolamide .....146, 200  
 dorzolamide-timolol .....146, 200  
 dorzolamide-timolol (pf) .....  
 .....146, 200  
 DOVATO.....53, 235

doxazosin.....96, 161  
 doxepin .....35, 219  
 doxy-100 .....28, 212  
 doxycycline hyclate .....28, 29,  
 .....212, 213  
 doxycycline monohydrate .....  
 .....29, 213  
 dronabinol .....36, 219  
 DROPLET INSULIN SYR(HALF  
 UNIT) .....67, 253  
 DROPLET INSULIN SYRINGE  
 .....67, 253, 254  
 DROPLET MICRON PEN  
 NEEDLE .....67, 254  
 DROPLET PEN NEEDLE .....  
 .....68, 254  
 DROPSAFE ALCOHOL PREP  
 PADS.....110, 176  
 DROPSAFE INSULIN SYRINGE  
 .....68, 254, 255  
 DROPSAFE PEN NEEDLE .....  
 .....68, 255  
 drospirenone-ethinyl estradiol  
 .....127, 182  
 DROXIA .....41, 223  
 droxidopa .....96, 165  
 DUAVEE .....125, 188  
 duloxetine.....34, 216  
 DUPIXENT PEN.....135, 192  
 DUPIXENT SYRINGE ...135, 193  
 DUREZOL .....145, 201  
 dutasteride .....123, 180  
 dutasteride-tamsulosin ..123, 180

## E

EASY COMFORT ALCOHOL  
 PAD .....110, 176  
 EASY COMFORT INSULIN  
 SYRINGE..... 69, 70, 255, 256  
 EASY COMFORT PEN  
 NEEDLES .....69, 70, 256  
 EASY COMFORT SAFETY PEN  
 NEEDLE .....69, 255  
 EASY GLIDE INSULIN  
 SYRINGE.....70, 256  
 EASY GLIDE PEN NEEDLE.....  
 .....70, 256  
 EASY TOUCH.....71, 257, 258  
 EASY TOUCH ALCOHOL PREP  
 PADS .....110, 176  
 EASY TOUCH FLIPLOCK  
 INSULIN.....71, 257

EASY TOUCH FLIPLOCK  
 SYRINGE..... 70, 257  
 EASY TOUCH INSULIN  
 SAFETY SYR..... 70, 256, 257  
 EASY TOUCH INSULIN  
 SYRINGE..... 70, 71, 72,  
 ..... 256, 257, 258  
 EASY TOUCH LUER LOCK  
 INSULIN..... 71, 257  
 EASY TOUCH PEN NEEDLE.....  
 ..... 71, 257  
 EASY TOUCH SAFETY PEN  
 NEEDLE ..... 71, 72, 258  
 EASY TOUCH SHEATHLOCK  
 INSULIN..... 70, 71, 257  
 EASY TOUCH UNI-SLIP .....  
 ..... 72, 258  
 ec-naproxen ..... 19, 204  
 econazole..... 37, 220  
 EDURANT..... 54, 235  
 efavirenz ..... 54, 235  
 efavirenz-emtricitabin-tenofov.....  
 ..... 54, 236  
 efavirenz-lamivu-tenofov disop  
 ..... 55, 236  
 electrolyte-148..... 112, 242  
 ELIGARD ..... 133, 191  
 ELIGARD (3 MONTH) ... 133, 190  
 ELIGARD (4 MONTH) ... 133, 191  
 ELIGARD (6 MONTH) ... 133, 191  
 elinest ..... 127, 182  
 ELIQUIS..... 94, 154  
 ELIQUIS DVT-PE TREAT 30D  
 START ..... 94, 154  
 ELMIRON..... 123, 180  
 ELREXFIO ..... 41, 223  
 eluryng ..... 127, 182  
 EMBRACE PEN NEEDLE .....  
 ..... 72, 258  
 EMCYT ..... 41, 222  
 EMGALITY PEN..... 38, 158  
 EMGALITY SYRINGE ..... 38, 158  
 EMSAM..... 34, 218  
 emtricitabine ..... 55, 236  
 emtricitabine-tenofovir (tdf).....  
 ..... 55, 236  
 EMTRIVA ..... 55, 236  
 EMVERM ..... 47, 229  
 enalapril maleate ..... 97, 168  
 enalapril-hydrochlorothiazide.....  
 ..... 100, 163  
 ENBREL..... 136, 193  
 ENBREL MINI ..... 136, 193

ENBREL SURECLICK... 136, 193  
 ENDARI ..... 121, 153  
 ENGERIX-B (PF)..... 139, 196  
 ENGERIX-B PEDIATRIC (PF)  
 ..... 139, 196  
 enilloring..... 127, 182  
 enoxaparin ..... 94, 154, 155  
 enpresse ..... 127, 183  
 enskyce..... 127, 183  
 ENSPRYNG ..... 136, 193  
 entacapone ..... 48, 159  
 entecavir ..... 53, 234  
 ENTRESTO ..... 101, 163  
 enulose ..... 119, 178  
 ENVARSUS XR ..... 137, 193  
 EPIDIOLEX ..... 29, 215  
 epinephrine ..... 149, 285  
 epitol ..... 32, 214  
 eplerenone ..... 102, 167  
 EPRONTIA..... 38, 158  
 ERAXIS(WATER DILUENT).....  
 ..... 37, 220  
 ergotamine-caffeine..... 38, 158  
 ERIVEDGE ..... 43, 225  
 ERLEADA ..... 40, 222  
 erlotinib ..... 43, 225  
 errin..... 131, 188  
 ertapenem..... 27, 211  
 ery pads ..... 111, 174  
 ERYTHROCIN ..... 27, 211  
 erythromycin.... 28, 144, 202, 212  
 erythromycin ethylsuccinate .....  
 ..... 27, 211  
 erythromycin with ethanol.....  
 ..... 111, 174  
 erythromycin-benzoyl peroxide  
 ..... 107, 174  
 escitalopram oxalate ..... 34, 216  
 esomeprazole magnesium .....  
 ..... 121, 179  
 estarylla..... 127, 183  
 estradiol ..... 125, 188  
 ethambutol ..... 40, 221  
 ethosuximide ..... 31, 214  
 ethynodiol diac-eth estradiol.....  
 ..... 127, 183  
 etodolac ..... 19, 204  
 etonogestrel-ethinyl estradiol.....  
 ..... 127, 183  
 etravirine ..... 54, 235  
 EUCRISA ..... 108, 174  
 euthyrox ..... 132, 180

everolimus (antineoplastic) .....  
 ..... 43, 44, 225  
 everolimus (immunosuppressive)  
 ..... 137, 193  
 EVOTAZ..... 56, 233  
 EVRYSDI ..... 105, 172  
 EXEL INSULIN..... 72, 259  
 exemestane ..... 42, 224  
 EXKIVITY..... 44, 225  
 EYSUVIS ..... 143, 200  
 ezetimibe..... 103, 166  
 ezetimibe-simvastatin .....  
 ..... 103, 166, 167

## F

falmina (28) ..... 127, 183  
 famciclovir ..... 53, 234  
 famotidine ..... 120, 179  
 FANAPT..... 50, 231  
 FASENRA ..... 151, 282  
 FASENRA PEN..... 151, 282  
 febuxostat ..... 38, 157  
 felbamate ..... 29, 215  
 felodipine..... 98, 161  
 fenofibrate ..... 102, 103, 166  
 fenofibrate micronized .....  
 ..... 102, 165, 166  
 fenofibrate nanocrystallized.....  
 ..... 102, 166  
 fenofibric acid (choline).. 103, 166  
 fentanyl ..... 20, 204  
 fentanyl citrate..... 20, 203  
 FERRIPROX ..... 114, 242  
 FERRIPROX (2 TIMES A DAY)  
 ..... 114, 242  
 fesoterodine ..... 122, 180  
 FETZIMA..... 34, 217  
 FIASP FLEXTOUCH U-100  
 INSULIN..... 72, 259  
 FIASP PENFILL U-100 INSULIN  
 ..... 72, 259  
 FIASP U-100 INSULIN .... 72, 259  
 FILSPARI ..... 101, 163  
 finasteride ..... 123, 180  
 fingolimod..... 106, 171  
 FINTEPLA..... 29, 215  
 FIRMAGON KIT W DILUENT  
 SYRINGE..... 133, 191  
 FIRVANQ ..... 23, 207  
 flecainide..... 97, 165  
 fluconazole ..... 37, 220

fluconazole in nacl (iso-osm) .....  
 .....37, 220  
 flucytosine .....37, 220  
 fludrocortisone .....123, 190  
 flunisolide .....148, 284  
 fluocinolone .....108, 174  
 fluocinolone acetonide oil .....  
 .....147, 202  
 fluocinonide .....109, 174, 175  
 fluocinonide-emollient .....109, 175  
 fluoride (sodium) .....112, 114,  
 .....242, 244  
 fluoritab .....112, 242  
 fluorometholone .....145, 201  
 fluorouracil .....110, 176  
 fluoxetine .....34, 217  
 fluphenazine decanoate ..49, 230  
 fluphenazine hcl .....49, 230  
 flurbiprofen .....19, 204  
 flurbiprofen sodium .....145, 201  
 fluticasone propionate ..109, 148,  
 .....175, 284  
 fluticasone propion-salmeterol  
 .....151, 282  
 fluvastatin .....103, 166  
 fluvoxamine .....34, 217  
 folivane-ob .....116, 239  
 fondaparinux .....94, 95, 155  
 fosamprenavir .....56, 233  
 fosinopril .....97, 168  
 fosinopril-hydrochlorothiazide  
 .....101, 163  
 FOTIVDA .....44, 225  
 FREESTYLE PRECISION .....  
 .....73, 259  
 FRUZAQLA .....44, 225  
 furosemide .....102, 167  
 FUZEON .....55, 237  
 FYCOMPA .....29, 215

## G

gabapentin .....31, 213  
 GALAFOLD .....121, 153  
 galantamine .....33, 157  
 GARDASIL 9 (PF) .....139, 196  
 gatifloxacin .....144, 202  
 GATTEX 30-VIAL .....120, 178  
 GAUZE PAD .....73, 259  
 gavilyte-c .....120, 178  
 gavilyte-g .....120, 178  
 gavilyte-n .....120, 178  
 GAVRETO .....44, 225

gefitinib .....44, 225  
 gemfibrozil .....103, 166  
 generlac .....119, 178  
 gengraf .....137, 193  
 gentamicin .....22, 23, 144,  
 .....202, 206, 207  
 gentamicin in nacl (iso-osm) .....  
 .....23, 207  
 GENVOYA .....53, 235  
 GILOTRIF .....44, 226  
 GLEOSTINE .....40, 222  
 glimepiride .....58, 245  
 glipizide .....58, 245  
 glipizide-metformin .....58, 245  
 GLUCAGEN DIAGNOSTIC KIT  
 .....60, 246  
 GLUCAGEN HYPOKIT .....60, 246  
 glyburide .....58, 245  
 glyburide micronized .....58, 245  
 glyburide-metformin .....58, 245  
 glycopyrrolate .....119, 179  
 granisetron hcl .....36, 219  
 griseofulvin microsize .....37, 220  
 griseofulvin ultramicrosize .....  
 .....37, 220  
 guanfacine .....96, 105, 165, 172

## H

hailey .....127, 183  
 hailey fe 1.5/30 (28) .....127, 183  
 hailey fe 1/20 (28) .....127, 183  
 halobetasol propionate ..109, 175  
 haloette .....127, 183  
 haloperidol .....49, 230  
 haloperidol decanoate .....49, 230  
 haloperidol lactate .....49, 230  
 HAVRIX (PF) .....139, 196  
 HEALTHWISE INSULIN  
 SYRINGE .....73, 260  
 HEALTHWISE PEN NEEDLE .....  
 .....73, 74, 260  
 HEALTHY ACCENTS UNIFINE  
 PENTIP .....74, 260  
 heather .....131, 188  
 heparin (porcine) .....95, 155  
 HEPLISAV-B (PF) .....139, 197  
 HIBERIX (PF) .....139, 197  
 HUMIRA .....137, 193  
 HUMIRA PEN .....137, 193  
 HUMIRA PEN CROHNS-UC-HS  
 START .....137, 195

HUMIRA PEN PSOR-UEITS-  
 ADOL HS .....137, 195  
 HUMIRA(CF) .....137, 193  
 HUMIRA(CF) PEDI CROHNS  
 STARTER .....137, 195  
 HUMIRA(CF) PEN .....137, 193  
 HUMIRA(CF) PEN CROHNS-  
 UC-HS .....137, 193  
 HUMIRA(CF) PEN PEDIATRIC  
 UC .....137, 193  
 HUMIRA(CF) PEN PSOR-UV-  
 ADOL HS .....137, 193  
 hydralazine .....104, 168  
 hydrochlorothiazide .....102, 167  
 hydrocodone-acetaminophen .....  
 .....20, 203  
 hydrocodone-ibuprofen .....20, 203  
 hydrocortisone .....109, 123, 142,  
 .....169, 175, 177, 190  
 hydrocortisone valerate .....  
 .....109, 175  
 hydrocortisone-pramoxine .....  
 .....110, 176  
 hydromorphone .....20, 203  
 hydroxychloroquine .....47, 229  
 hydroxyurea .....41, 223  
 hydroxyzine hcl .....57, 206  
 hydroxyzine pamoate .....57, 206  
 HYFTOR .....109, 175

## I

ibandronate .....142, 169  
 IBRANCE .....44, 226  
 ibu .....19, 205  
 ibuprofen .....19, 205  
 icatibant .....134, 195  
 iclevia .....127, 183  
 ICLUSIG .....44, 226  
 icosapent ethyl .....103, 167  
 IDHIFA .....41, 223  
 ILEVRO .....145, 202  
 imatinib .....44, 226  
 IMBRUVICA .....44, 226  
 imipenem-cilastatin .....27, 211  
 imipramine hcl .....35, 219  
 imiquimod .....110, 177  
 IMOVAX RABIES VACCINE (PF)  
 .....139, 197  
 IMVEXXY MAINTENANCE  
 PACK .....125, 188  
 IMVEXXY STARTER PACK .....  
 .....125, 188

INBRIJA .....49, 159  
 incassia .....131, 188  
 INCONTROL ALCOHOL PADS  
     .....110, 176  
 INCONTROL PEN NEEDLE.....  
     .....74, 260  
 INCRELEX .....124, 189  
 indapamide .....102, 167  
 indomethacin.....19, 205  
 INFANRIX (DTAP) (PF).....  
     .....139, 197  
 INGREZZA .....106, 172  
 INGREZZA INITIATION  
     PK(TARDIV).....106, 172  
 INGREZZA SPRINKLE.....  
     .....106, 172  
 INLYTA .....44, 226  
 INQOVI .....41, 223  
 INREBIC .....44, 226  
 insulin glargine .....74, 260  
 INSULIN SYR/NDL U100 HALF  
     MARK .....74, 260  
 INSULIN SYRINGE .....63, 249  
 INSULIN SYRINGE MICROFINE  
     .....62, 249  
 INSULIN SYRINGE  
     NEEDLELESS.....62, 249  
 INSULIN SYRINGE-NEEDLE U-  
     100.....62, 72, 73, 74, 75,  
     .....81, 82, 85, 88, 89,  
     .....249, 258, 259, 261,  
     .....268, 271, 274, 275  
 INSUPEN PEN NEEDLE.....  
     .....75, 261, 262  
 INTELENCE .....54, 235  
 INTRALIPID .....116, 239  
 INTRAROSA .....127, 183  
 INVEGA HAFYERA.....50, 231  
 INVEGA SUSTENNA .....50, 231  
 INVEGA TRINZA.....51, 231  
 INVOKAMET .....58, 245  
 INVOKAMET XR .....58, 245  
 INVOKANA .....59, 245  
 IPOL .....139, 197  
 ipratropium bromide .....148, 284  
 ipratropium-albuterol .....151, 282  
 irbesartan .....96, 165  
 irbesartan-hydrochlorothiazide  
     .....101, 163  
 ISENTRESS.....54, 235  
 ISENTRESS HD.....53, 235  
 isibloom.....127, 183  
 ISOLYTE S PH 7.4.....112, 242

ISOLYTE-P IN 5 % DEXTROSE  
     .....116, 239  
 ISOLYTE-S .....112, 242  
 isoniazid .....40, 221  
 ISOPROPYL ALCOHOL.....  
     .....110, 177  
 isosorbide dinitrate .....104, 168  
 isosorbide mononitrate ..104, 168  
 isosorbide-hydralazine...101, 163  
 isotretinoin.....107, 175  
 isradipine.....98, 161  
 ISTURISA .....123, 190  
 itraconazole.....37, 220  
 IV PREP WIPES .....110, 177  
 ivermectin.....47, 229  
 IWILFIN.....41, 223  
 IXCHIQ (PF).....139, 197  
 IXIARO (PF).....139, 197

## J

JAKAFI.....44, 226  
 jantoven .....95, 155  
 JANUMET .....59, 245  
 JANUMET XR .....59, 245  
 JANUVIA.....59, 245  
 JARDIANCE .....59, 245  
 jasmiel (28) .....127, 183  
 JAYPIRCA .....44, 226  
 jencycla.....132, 189  
 jolessa.....127, 183  
 JUBLIA.....37, 221  
 juleber .....127, 183  
 JULUCA .....55, 236  
 junel 1.5/30 (21) .....128, 183  
 junel 1/20 (21) .....128, 183  
 junel fe 1.5/30 (28) .....128, 183  
 junel fe 1/20 (28) .....128, 183  
 JUXTAPID.....103, 167  
 JYLAMVO .....41, 223  
 JYNNEOS (PF) .....139, 197

## K

kalliga.....128, 183  
 KALYDECO .....149, 281  
 kariva (28) .....128, 184  
 KATERZIA .....98, 161  
 kelnor 1/35 (28) .....128, 184  
 kelnor 1-50 (28).....128, 184  
 KERENDIA.....102, 167  
 KESIMPTA PEN.....106, 171  
 ketoconazole .....37, 221  
 ketorolac .....19, 145, 202, 205

KINERET .....137, 193  
 KINRIX (PF) .....139, 197  
 kionex (with sorbitol).....114, 242  
 KISQALI .....44, 226  
 KISQALI FEMARA CO-PACK ....  
     .....41, 223  
 KLOR-CON .....112, 243  
 KLOR-CON 10 .....112, 242  
 KLOR-CON 8 .....112, 243  
 klor-con m10 .....112, 243  
 klor-con m15 .....112, 243  
 klor-con m20 .....112, 243  
 KLOXXADO .....22, 156  
 KOSELUGO .....44, 226  
 kosher prenatal plus iron .....  
     .....116, 239  
 KOURZEQ .....107, 173  
 KRAZATI.....41, 223  
 kurvelo (28) .....128, 184

## L

labetalol.....98, 162  
 lacosamide.....32, 214  
 lactulose.....119, 178  
 lagevrio (eua) .....57, 233  
 lamivudine.....53, 55, 234, 236  
 lamivudine-zidovudine .....55, 236  
 lamotrigine .....29, 30, 215  
 LAMPIT .....48, 229  
 LANOXIN .....101, 164  
 lansoprazole.....121, 179  
 LANTUS SOLOSTAR U-100  
     INSULIN.....75, 262  
 LANTUS U-100 INSULIN .....  
     .....76, 262  
 lapatinib.....44, 226  
 larin 1.5/30 (21) .....128, 184  
 larin 1/20 (21) .....128, 184  
 larin fe 1.5/30 (28) .....128, 184  
 larin fe 1/20 (28) .....128, 184  
 latanoprost .....146, 201  
 leena 28 .....128, 184  
 leflunomide.....135, 193  
 lenalidomide .....40, 222  
 LENVIMA .....45, 226  
 lessina.....128, 184  
 letrozole .....42, 224  
 leucovorin calcium.....42, 223  
 LEUKERAN.....40, 222  
 LEUKINE.....95, 153  
 leuprolide .....133, 191  
 leuprolide (3 month) .....133, 191

LEVEMIR FLEXPEN ..... 76, 262  
 LEVEMIR U-100 INSULIN .....  
 ..... 76, 262  
 levetiracetam ..... 30, 215  
 levobunolol ..... 145, 200  
 levocarnitine ..... 116, 239  
 levocarnitine (with sugar) .....  
 ..... 116, 239  
 levocetirizine ..... 147, 283  
 levofloxacin ..... 28, 212  
 levofloxacin in d5w ..... 28, 212  
 levonest (28) ..... 128, 184  
 levonorgestrel-ethinyl estrad .....  
 ..... 128, 184  
 levonorg-eth estrad triphasic .....  
 ..... 128, 184  
 levora-28 ..... 128, 184  
 LEVO-T ..... 132, 181  
 levothyroxine ..... 132, 181  
 LEVOXYL ..... 133, 181  
 LEXIVA ..... 56, 233  
 LIALDA ..... 142, 169  
 LIBERVANT ..... 30, 215  
 lidocaine ..... 21, 205  
 lidocaine hcl ..... 21, 205  
 lidocaine viscous ..... 21, 205  
 lidocaine-prilocaine ..... 21, 205  
 lidocan iii ..... 21, 205  
 linezolid ..... 23, 207  
 linezolid in dextrose 5% ... 23, 207  
 LINZESS ..... 119, 178  
 liothyronine ..... 133, 181  
 LISCO ..... 76, 262  
 lisinopril ..... 97, 168  
 lisinopril-hydrochlorothiazide .....  
 ..... 101, 164  
 LITE TOUCH INSULIN PEN  
 NEEDLES ..... 76, 262  
 LITE TOUCH INSULIN  
 SYRINGE ..... 76, 262, 263  
 lithium carbonate ..... 58, 160  
 lithium citrate ..... 58, 160  
 LIVALO ..... 103, 166  
 LIVMARLI ..... 120, 178  
 LIVTENCITY ..... 52, 234  
 LOKELMA ..... 114, 242  
 LONSURF ..... 42, 223  
 loperamide ..... 119, 178  
 lopinavir-ritonavir ..... 56, 233  
 LOQTORZI ..... 42, 223  
 lorazepam ..... 57, 58, 206  
 lorazepam intensol ..... 58, 206  
 LORBRENA ..... 45, 226

loryna (28) ..... 128, 184  
 losartan ..... 96, 165  
 losartan-hydrochlorothiazide .....  
 ..... 101, 164  
 loteprednol etabonate ..... 145, 202  
 lovastatin ..... 103, 166  
 low-ogestrel (28) ..... 129, 184  
 loxapine succinate ..... 49, 230  
 lo-zumandimine (28) ..... 129, 184  
 lubiprostone ..... 119, 178  
 ludent fluoride ..... 112, 243  
 LUMAKRAS ..... 42, 223  
 LUMIGAN ..... 146, 201  
 LUPKYNIS ..... 137, 194  
 LUPRON DEPOT ..... 133, 191  
 LUPRON DEPOT (3 MONTH)  
 ..... 133, 191  
 LUPRON DEPOT (4 MONTH)  
 ..... 133, 191  
 LUPRON DEPOT (6 MONTH)  
 ..... 133, 191  
 LUPRON DEPOT-PED.. 134, 191  
 LUPRON DEPOT-PED  
 (3 MONTH) ..... 134, 191  
 lurasidone ..... 51, 231  
 lutera (28) ..... 129, 184  
 LYBALVI ..... 51, 231  
 lyleq ..... 132, 189  
 LYNPARZA ..... 42, 223  
 LYSODREN ..... 40, 222  
 LYTGobi ..... 45, 226, 227  
 lyza ..... 132, 189

## M

MAGELLAN INSULIN SAFETY  
 SYRNG ..... 77, 263  
 MAGELLAN SYRINGE ..... 77, 263  
 magnesium sulfate ..... 112, 243  
 malathion ..... 111, 177  
 maraviroc ..... 55, 237  
 marlissa (28) ..... 129, 184  
 marnatal-f ..... 116, 239  
 MARPLAN ..... 34, 218  
 MATULANE ..... 40, 222  
 matzim la ..... 99, 161  
 MAVYRET ..... 53, 234  
 MAXICOMFORT II PEN  
 NEEDLE ..... 77, 263  
 MAXI-COMFORT INSULIN  
 SYRINGE ..... 77, 263  
 MAXICOMFORT INSULIN  
 SYRINGE ..... 77

MAXICOMFORT INSULIN  
 SYRINGE ..... 77  
 MAXICOMFORT INSULIN  
 SYRINGE ..... 263  
 MAXICOMFORT INSULIN  
 SYRINGE ..... 263  
 MAXICOMFORT SAFETY PEN  
 NEEDLE ..... 77, 263  
 MAYZENT ..... 106, 171  
 MAYZENT STARTER(FOR 1MG  
 MAINT) ..... 106, 171  
 MAYZENT STARTER(FOR 2MG  
 MAINT) ..... 107, 171  
 meclizine ..... 36, 219  
 medroxyprogesterone ... 132, 189  
 mefloquine ..... 48, 229  
 megestrol ..... 132, 189  
 MEKINIST ..... 45, 227  
 MEKTOVI ..... 45, 227  
 meloxicam ..... 19, 205  
 memantine ..... 32, 156  
 MENACTRA (PF) ..... 139, 197  
 MENEST ..... 125, 188  
 MENQUADFI (PF) ..... 139, 197  
 MENVEO A-C-Y-W-135-DIP (PF)  
 ..... 139, 197  
 mercaptopurine ..... 41, 223  
 meropenem ..... 27, 211  
 mesalamine ..... 142, 169  
 MESNEX ..... 42, 223  
 metformin ..... 59, 245  
 methadone ..... 20, 204  
 methazolamide ..... 146, 200  
 methenamine hippurate ... 23, 207  
 methimazole ..... 134, 192  
 methocarbamol ..... 152, 281  
 methotrexate sodium .....  
 ..... 137, 138, 194  
 methotrexate sodium (pf) .....  
 ..... 137, 194  
 methsuximide ..... 31, 214  
 methylphenidate hcl ..... 105, 172  
 methylprednisolone ..... 123, 190  
 metoclopramide hcl ..... 120, 178  
 metolazone ..... 102, 168  
 metoprolol succinate ..... 98, 162  
 metoprolol ta-hydrochlorothiaz  
 ..... 101, 164  
 metoprolol tartrate ..... 98, 162  
 metronidazole ..... 24, 208  
 metronidazole in nacl (iso-os) .....  
 ..... 24, 208  
 metytrosine ..... 101, 164

mexiletine .....97, 165  
 MICRODOT INSULIN PEN  
     NEEDLE ..... 77, 263, 264  
 MICRODOT READYGARD PEN  
     NEEDLE ..... 77, 264  
 microgestin 1.5/30 (21).....129, 184  
 microgestin 1/20 (21).....129, 185  
 microgestin fe 1.5/30 (28).....  
     .....129, 185  
 microgestin fe 1/20 (28).....  
     .....129, 185  
 midodrine .....96, 165  
 mifepristone .....60, 246  
 miglitol.....59, 245  
 miglustat.....121, 153  
 mili .....129, 185  
 MINI ULTRA-THIN II .....78, 264  
 minocycline .....29, 213  
 minoxidil .....104, 168  
 mirtazapine .....33, 218  
 misoprostol.....120, 179  
 M-M-R II (PF) .....140, 197  
 m-natal plus .....116, 239  
 modafinil.....152, 170  
 moexipril.....97, 168  
 molindone .....49, 230  
 mometasone . 109, 148, 175, 284  
 mondoxylene nl.....29, 213  
 MONOJECT INSULIN SAFETY  
     SYRING ..... 78, 264, 265  
 MONOJECT INSULIN SYRINGE  
     ..... 78, 79, 264, 265  
 MONOJECT SYRINGE ...78, 264  
 MONOJECT ULTRA COMFORT  
     INSULIN.....90, 276  
 mono-lynyah .....129, 185  
 montelukast.....148, 284  
 morphine .....20, 203, 204  
 MORPHINE.....21, 204  
 morphine concentrate.....20, 203  
 MOUNJARO.....59, 245  
 MOVANTIK .....119, 178  
 moxifloxacin ... 28, 144, 202, 212  
 moxifloxacin-sod.ace,sul-water  
     .....28, 212  
 moxifloxacin-sod.chloride(iso) ....  
     .....28, 212  
 MRESVIA (PF) .....140, 197  
 MULTAQ .....97, 165  
 mupirocin .....111, 175  
 mupirocin calcium.....111, 175  
 mycophenolate mofetil...138, 194

mycophenolate sodium.....  
     .....138, 194  
 mynatal .....116, 239  
 mynatal advance .....116, 239  
 mynatal plus .....116, 239  
 mynatal-z .....116, 239  
 mynate 90 plus .....116, 239  
 MYRBETRIQ.....122, 180

## N

nabumetone .....19, 205  
 nadolol .....98, 162  
 nafcillin .....26, 210  
 nafcillin in dextrose iso-osm.....  
     .....26, 210  
 naloxone .....22, 156  
 naltrexone .....21, 156  
 NAMZARIC .....32, 156  
 naproxen .....19, 205  
 naproxen sodium.....20, 205  
 naratriptan .....39, 157  
 NARCAN.....22, 156  
 NATACYN.....145, 202  
 nateglinide.....59, 246  
 NATPARA .....143, 169  
 NAYZILAM .....31, 213  
 nebivolol.....98, 162  
 necon 0.5/35 (28) .....129, 185  
 nefazodone .....34, 217  
 neomycin.....23, 207  
 neomycin-bacitracin-poly-hc .....  
     .....143, 200  
 neomycin-bacitracin-polymyxin  
     .....145, 202  
 neomycin-polymyxin b-dexameth  
     .....144, 200, 201  
 neomycin-polymyxin-gramicidin  
     .....144, 201  
 neomycin-polymyxin-hc .....  
     .....144, 147, 201, 203  
 NERLYNX .....45, 227  
 NEUPRO.....48, 159  
 nevirapine .....54, 236  
 newgen .....116, 239  
 niacin .....103, 167  
 nicardipine.....98, 161  
 NICOTROL .....22, 155  
 nifedipine.....98, 161  
 nikki (28) .....129, 185  
 nilutamide.....40, 222  
 NINLARO .....42, 224  
 nitazoxanide .....48, 229

nitisinone .....121, 153  
 NITRO-BID.....104, 168  
 nitrofurantoin macrocrystal .....  
     .....24, 208  
 nitrofurantoin monohyd/m-cryst  
     .....24, 208  
 nitroglycerin.....104, 168  
 niva-plus.....117, 239  
 nizatidine .....120, 179  
 NOCDURNA (MEN) .....124, 189  
 NOCDURNA (WOMEN) .....  
     .....124, 189  
 nora-be .....132, 189  
 norethindrone (contraceptive)  
     .....132, 189  
 norethindrone acetate ...132, 189  
 norethindrone ac-eth estradiol  
     .....129, 185  
 norethindrone-e.estradiol-iron  
     .....129, 185  
 norgestimate-ethinyl estradiol  
     .....129, 185  
 nortrel 0.5/35 (28).....129, 185  
 nortrel 1/35 (21).....129, 185  
 nortrel 1/35 (28).....129, 185  
 nortrel 7/7/7 (28).....130, 185  
 nortriptyline .....35, 219  
 NORVIR.....56, 233  
 NOVOFINE 30 .....79, 265  
 NOVOFINE 32 .....79, 265  
 NOVOFINE PLUS .....79, 265  
 NOVOLIN 70/30 U-100 INSULIN  
     .....79, 265  
 NOVOLIN 70-30 FLEXPEN U-  
     100.....79, 265  
 NOVOLIN N FLEXPEN ...79, 265  
 NOVOLIN N NPH U-100  
     INSULIN.....79, 265  
 NOVOLIN R FLEXPEN ...79, 265  
 NOVOLIN R REGULAR U100  
     INSULIN.....79, 265  
 NOVOLOG FLEXPEN U-100  
     INSULIN.....79, 265  
 NOVOLOG MIX 70-30 U-100  
     INSULN.....79, 265  
 NOVOLOG MIX 70-30FLEXPEN  
     U-100 .....79, 266  
 NOVOLOG PENFILL U-100  
     INSULIN.....79, 266  
 NOVOLOG U-100 INSULIN  
     ASPART .....79, 266  
 NOVOTWIST .....79, 266  
 NOXAFIL.....37, 221

NUBEQA.....40, 222  
 NUCALA .....151, 283  
 NUDEXTA .....106, 172  
 NUPLAZID .....51, 231  
 NUTRILIPID .....117, 239  
 nyamyc .....37, 221  
 nylia 1/35 (28) .....130, 185  
 nylia 7/7/7 (28) .....130, 185  
 nymyo .....130, 185  
 nystatin .....37, 221  
 nystatin-triamcinolone .....  
 .....110, 111, 177  
 nystop .....37, 221

## O

obstetrix dha.....117, 239  
 obstetrix dha prenatal duo .....  
 .....117, 239  
 o-cal prenatal .....117, 239  
 ocella .....130, 185  
 octreotide acetate.....134, 191  
 ODEFSEY.....55, 236  
 ODOMZO.....45, 227  
 OFEV .....150, 281  
 ofloxacin.....28, 145, 147,  
 .....202, 203, 212  
 OGSIVEO .....42, 224  
 OJEMDA.....42, 224  
 OJJAARA.....45, 227  
 olanzapine.....51, 231, 232  
 olanzapine-fluoxetine .....33, 218  
 olmesartan .....96, 165  
 olmesartan-amlodipin-hcthiiazid  
 .....101, 164  
 olmesartan-hydrochlorothiazide  
 .....101, 164  
 olopatadine .....144, 200  
 omega-3 acid ethyl esters .....  
 .....104, 167  
 omeprazole .....121, 179  
 OMNITROPE .....124, 189, 190  
 ondansetron .....36, 220  
 ondansetron hcl.....36, 219  
 ONUREG .....41, 223  
 OPSUMIT.....150, 283  
 OPVEE .....22, 156  
 oralone .....107, 173  
 ORGOVYX.....42, 224  
 ORKAMBI .....149, 281  
 orphenadrine citrate .....152, 281  
 ORSERDU .....41, 222  
 oseltamivir .....56, 235

OSPHEA .....130, 186  
 OTEZLA .....135, 194  
 OTEZLA STARTER.....  
 .....135, 194, 195  
 oxacillin .....26, 210  
 oxacillin in dextrose(iso-osm) .....  
 .....26, 210  
 oxaprozin .....20, 205  
 oxazepam .....57, 206  
 oxcarbazepine .....32, 214  
 OXLUMO .....143, 244  
 oxybutynin chloride.....122, 180  
 oxycodone.....20, 21, 204  
 oxycodone-acetaminophen.....  
 .....21, 204  
 OZEMPIC.....59, 246

## P

paliperidone .....51, 232  
 PANRETIN.....111, 177  
 pantoprazole .....121, 179  
 PANZYGA.....135, 194  
 paricalcitol .....143, 169  
 parox oral rinse .....107, 173  
 paromomycin.....23, 207  
 paroxetine hcl .....35, 217  
 PAXLOVID .....57, 233  
 pazopanib .....45, 227  
 PEDIARIX (PF) .....140, 197  
 PEDVAX HIB (PF).....140, 197  
 peg 3350-electrolytes ....120, 178  
 PEGASYS.....136, 194  
 peg-electrolyte soln .....120, 178  
 PEMAZYRE .....45, 227  
 PEN NEEDLE .....73, 80, 82,  
 .....259, 266, 268  
 PEN NEEDLE, DIABETIC .....  
 .....66, 77, 78, 79, 80, 81,  
 .....252, 264, 266, 268  
 PEN NEEDLE, DIABETIC,  
 SAFETY .....82, 268  
 PENBRAYA (PF).....140, 197  
 PENBRAYA MENACWY  
 COMPONENT(PF)....140, 197  
 PENBRAYA MENB  
 COMPONENT (PF) ...140, 197  
 penicillamine .....123, 180  
 penicillin g pot in dextrose .....  
 .....26, 210  
 penicillin g potassium .....26, 210  
 penicillin g procaine.....26, 210  
 penicillin g sodium .....27, 211

penicillin v potassium .....27, 211  
 PENTACEL (PF) .....140, 198  
 pentamidine .....48, 229  
 PENTIPS.....80, 266  
 pentoxifylline .....101, 164  
 perindopril erbumine.....97, 168  
 periogard.....107, 173  
 permethrin.....111, 177  
 perphenazine .....50, 230  
 pfizerpen-g .....27, 211  
 phenelzine.....34, 218  
 phenobarbital .....30, 215, 216  
 phenytoin .....32, 214  
 phenytoin sodium extended.....  
 .....32, 214  
 philith .....130, 186  
 PIFELTRO .....54, 236  
 pilocarpine hcl .....107, 146,  
 .....173, 200  
 pimicrolimus .....109, 175  
 pimozone.....50, 230  
 pimtrea (28).....130, 186  
 pindolol .....98, 162  
 pioglitazone .....59, 246  
 pioglitazone-metformin ....59, 246  
 PIP PEN NEEDLE...80, 266, 267  
 piperacillin-tazobactam....27, 211  
 PIQRAY .....45, 227  
 pirfenidone .....150, 281  
 pirmella .....130, 186  
 piroxicam.....20, 205  
 PLASMA-LYTE A .....112, 243  
 pnv 29-1 .....117, 239  
 pnv-dha + docusate.....117, 240  
 pnv-omega .....117, 240  
 podofilox.....111, 177  
 polymyxin b sulf-trimethoprim  
 .....144, 201  
 POMALYST .....41, 222  
 portia 28 .....130, 186  
 posaconazole .....38, 221  
 potassium chlorid-d5-0.45%nacl  
 .....113, 243  
 potassium chloride .....  
 .....113, 243, 244  
 potassium chloride in 0.9%nacl  
 .....113, 243  
 potassium chloride in 5 % dex  
 .....113, 243  
 potassium chloride in lr-d5.....  
 .....113, 243  
 potassium chloride in water .....  
 .....113, 243



potassium chloride-0.45 % nacl  
..... 113, 244  
potassium chloride-d5-0.2%nacl  
..... 113, 244  
potassium chloride-d5-0.9%nacl  
..... 113, 244  
potassium citrate ... 113, 114, 244  
pr natal 400 ..... 117, 240  
pr natal 400 ec ..... 117, 240  
pr natal 430 ..... 117, 240  
pr natal 430 ec ..... 117, 240  
pramipexole ..... 48, 159  
prasugrel ..... 96, 154  
pravastatin ..... 103, 166  
prazosin ..... 96, 161  
prednisolone ..... 123, 190  
prednisolone acetate .... 145, 202  
prednisolone sodium phosphate  
..... 123, 145, 190, 202  
prednisone ..... 124, 190  
PREDNISON INTENSOL .....  
..... 124, 190  
pregabalin ..... 106, 171  
PREHEVBRIO (PF)..... 140, 198  
PREMARIN ..... 125, 188  
PREMASOL 10 % ..... 117, 240  
PREMPHASE..... 130, 186  
PREMPRO ..... 130, 186  
prena1 true..... 117, 240  
prenaissance..... 117, 240  
prenaissance plus ..... 117, 240  
prenatabs fa ..... 117, 240  
prenatal 19 ..... 117, 240  
prenatal 19 (with docusate) .....  
..... 117, 240  
prenatal low iron ..... 117, 240  
prenatal plus..... 117, 240  
prenatal plus (calcium carb).....  
..... 117, 239  
prenatal vitamin plus low iron .....  
..... 117, 240  
prenatal-u ..... 117, 240  
preplus ..... 117, 240  
pretab..... 117, 240  
PREVENT DROPSAFE PEN  
NEEDLE ..... 80, 267  
PREVYMIS ..... 53, 234  
PREZCOBIX ..... 56, 233  
PREZISTA ..... 56, 233, 234  
PRIFTIN ..... 39, 221  
PRIMAQUINE ..... 48, 229  
primidone ..... 30, 216  
PRIORIX (PF) ..... 140, 198

PRIVIGEN..... 135, 194  
PRO COMFORT ALCOHOL  
PADS ..... 111, 177  
PRO COMFORT INSULIN  
SYRINGE..... 80, 81, 267  
PRO COMFORT PEN NEEDLE  
..... 81, 267  
probenecid ..... 38, 157  
probenecid-colchicine ..... 38, 157  
prochlorperazine ..... 36, 219  
prochlorperazine maleate .....  
..... 36, 219  
procto-med hc ..... 109, 175  
proctosol hc..... 109, 175  
proctozone-hc ..... 109, 175  
PRODIGY INSULIN SYRINGE  
..... 81, 267  
progesterone micronized .....  
..... 132, 189  
PROGRAF ..... 138, 194  
PROLASTIN-C ..... 121, 153  
PROLIA..... 143, 170  
PROMACTA..... 95, 153  
promethazine ..... 36, 219  
promethegan ..... 36, 219  
propafenone ..... 97, 165  
propranolol ..... 38, 98, 158, 162  
propylthiouracil ..... 134, 192  
PROQUAD (PF) ..... 140, 198  
PROSOL 20 % ..... 118, 240  
protriptyline ..... 35, 219  
PULMOZYME ..... 149, 281  
PURE COMFORT ALCOHOL  
PADS..... 111, 177  
PURE COMFORT PEN NEEDLE  
..... 81, 267, 268  
PURE COMFORT SAFETY PEN  
NEEDLE ..... 81, 267  
PURIXAN ..... 41, 223  
pyrazinamide..... 40, 221  
pyridostigmine bromide ... 39, 157

## Q

QINLOCK..... 45, 227  
QUADRACEL (PF) ..... 140, 198  
quetiapine ..... 51, 232  
quinapril ..... 97, 168  
quinapril-hydrochlorothiazide.....  
..... 101, 164  
quinidine sulfate ..... 97, 165  
quinine sulfate ..... 48, 229

## R

RABAVERT (PF)..... 140, 198  
raloxifene ..... 143, 170  
ramipril ..... 97, 168  
ranolazine ..... 101, 164  
rasagiline..... 49, 160  
RAVICTI..... 121, 153  
reclipsen (28) ..... 130, 186  
RECOMBIVAX HB (PF).....  
..... 140, 198  
REGRANEX..... 111, 177  
RELENZA DISKHALER... 56, 235  
RELION NEEDLES ..... 82, 268  
RELION PEN NEEDLES .....  
..... 82, 268  
repaglinide ..... 59, 246  
REPATHA PUSHTRONEX.....  
..... 104, 167  
REPATHA SURECLICK .....  
..... 104, 167  
REPATHA SYRINGE .... 104, 167  
RESTASIS ..... 144, 201  
RESTASIS MULTIDOSE.....  
..... 144, 201  
RETACRIT ..... 95, 153  
RETEVMO ..... 45, 227  
REXULTI..... 51, 232  
REYATAZ ..... 56, 234  
REZLIDHIA ..... 45, 227  
REZUROCK..... 138, 194  
RHOPRESSA..... 146, 200  
ribavirin ..... 53, 234  
rifabutin ..... 39, 221  
rifampin ..... 40, 221  
riluzole ..... 106, 172  
rimantadine ..... 56, 235  
RINVOQ..... 135, 194  
risedronate ..... 143, 170  
risperidone ..... 51, 52, 232  
risperidone microspheres .....  
..... 51, 232  
ritonavir ..... 56, 234  
rivastigmine ..... 33, 157  
rivastigmine tartrate..... 33, 157  
rizatriptan ..... 39, 157, 158  
r-natal ob..... 118, 240  
ROCKLATAN ..... 146, 200  
roflumilast..... 150, 285  
ropinirole ..... 48, 159  
rosadan ..... 24, 208  
rosuvastatin..... 103, 166  
ROTARIX ..... 141, 198

ROTATEQ VACCINE ....141, 198  
 ROZLYTREK.....45, 227  
 RUBRACA .....45, 227  
 rufinamide .....32, 214  
 RUKOBIA.....55, 237  
 RYBELSUS.....59, 246  
 RYDAPT .....45, 227  
 RYTARY .....49, 159

## S

SAFESNAP INSULIN SYRINGE  
 .....82, 268  
 SAFETY PEN NEEDLE...82, 268  
 SANTYL.....111, 177  
 sapropterin .....121, 153  
 SAVELLA.....106, 171  
 SCEMBLIX.....45, 227  
 scopolamine base .....36, 219  
 SECUADO .....52, 232  
 SECURESAFE INSULIN  
 SYRINGE.....82, 269  
 SECURESAFE PEN NEEDLE....  
 .....82, 269  
 select-ob .....118, 240  
 select-ob (folic acid) .....118, 240  
 selegiline hcl.....49, 160  
 selenium sulfide .....109, 175  
 SELZENTRY.....55, 237  
 se-natal 19 chewable ....118, 240  
 SEREVENT DISKUS.....149, 285  
 sertraline .....35, 217  
 setlakin.....130, 186  
 sevelamer carbonate.....119, 241  
 sharobel .....132, 189  
 SHINGRIX (PF).....141, 198  
 SIGNIFOR.....134, 191  
 sildenafil (pulm.hypertension)  
 .....150, 283  
 silodosin .....123, 180  
 silver sulfadiazine .....111, 177  
 SIMBRINZA .....146, 200  
 simliya (28).....130, 186  
 simvastatin .....103, 166  
 sirolimus.....138, 194  
 SIRTURO.....40, 222  
 SKY SAFETY PEN NEEDLE.....  
 .....82, 269  
 SKYRIZI.....135, 194  
 sodium chloride .....114, 244  
 sodium chloride 0.45 % .....  
 .....114, 244  
 sodium chloride 0.9 % ...114, 244

sodium chloride 3 % hypertonic  
 .....114, 244  
 sodium chloride 5 % hypertonic  
 .....114, 244  
 sodium oxybate .....152, 170  
 sodium polystyrene sulfonate  
 .....114, 242  
 sodium,potassium,mag sulfates  
 .....120, 178  
 sofosbuvir-velpatasvir .....53, 234  
 solifenacin .....122, 180  
 SOLIQUA 100/33 .....82, 269  
 SOLTAMOX .....41, 223  
 SOMAVERT .....134, 191  
 sorafenib .....46, 227  
 sotalol .....97, 165  
 sotalol af.....97, 165  
 SPIRIVA RESPIMAT .....148, 284  
 SPIRIVA WITH HANDIHALER  
 .....148, 284  
 spironolactone .....102, 167  
 spironolacton-hydrochlorothiaz  
 .....101, 164  
 sprintec (28) .....130, 186  
 SPRITAM .....30, 216  
 SPRYCEL .....46, 227  
 sps (with sorbitol) .....114, 242  
 sronyx .....130, 186  
 ssd .....111, 177  
 STELARA.....135, 136, 194, 195  
 STERILE PADS .....82, 269  
 STIVARGA.....46, 227  
 STRIBILD.....54, 235  
 SUBOXONE.....22, 155  
 sucralfate .....121, 179  
 sulfacetamide sodium....145, 202  
 sulfacetamide sodium (acne).....  
 .....28, 212  
 sulfacetamide-prednisolone.....  
 .....144, 201  
 sulfadiazine .....28, 212  
 sulfamethoxazole-trimethoprim  
 .....28, 212  
 sulfasalazine .....142, 169  
 sulindac .....20, 205  
 sumatriptan .....39, 158  
 sumatriptan succinate .....39, 158  
 sunitinib malate .....46, 227  
 SUNLENCA .....55, 237  
 SURE COMFORT ALCOHOL  
 PREP PADS .....111, 177  
 SURE COMFORT INS. SYR. U-  
 100.....83, 269

SURE COMFORT INSULIN  
 SYRINGE.....83, 269  
 SURE COMFORT PEN NEEDLE  
 .....83, 269, 270  
 SURE COMFORT SAFETY PEN  
 NEEDLE .....83, 269  
 SURE-FINE PEN NEEDLES .....  
 .....83, 270  
 SURE-JECT INSULIN SYRINGE  
 .....84, 270  
 SURE-PREP ALCOHOL PREP  
 PADS.....111, 177  
 SUTAB.....120, 179  
 syeda .....130, 186  
 SYMDEKO .....149, 281  
 SYMLINPEN 120.....59, 246  
 SYMLINPEN 60 .....59, 246  
 SYMPAZAN .....31, 213  
 SYMTUZA.....54, 235  
 SYNAREL .....134, 192  
 SYNJARDY .....59, 246  
 SYNJARDY XR .....60, 246  
 SYNRIBO.....42, 224  
 SYNTHROID.....133, 181  
 SYRINGE WITH NEEDLE,  
 SAFETY.....82, 268

## T

TABLOID.....41, 223  
 TABRECTA.....46, 227  
 tacrolimus.....109, 138, 175, 195  
 TAFINLAR.....46, 227, 228  
 TAGRISSO .....46, 228  
 TAKHZYRO .....134, 195  
 TALVEY .....42, 224  
 TALZENNA .....46, 228  
 tamoxifen .....41, 223  
 tamsulosin.....123, 180  
 tarina fe 1-20 eq (28) .....130, 186  
 taron-c dha.....118, 240  
 taron-prex prenatal-dha.....  
 .....118, 240  
 TASIGNA .....46, 228  
 TAVNEOS.....136, 195  
 tazarotene .....107, 175  
 TAZORAC.....107, 175  
 taztia xt .....99, 161  
 TAZVERIK .....46, 228  
 TDVAX.....141, 198  
 TECHLITE INSULIN SYRINGE  
 .....84, 271

|                                       |                    |                                      |                         |                                      |             |
|---------------------------------------|--------------------|--------------------------------------|-------------------------|--------------------------------------|-------------|
| TECHLITE INSULN SYR (HALF UNIT) ..... | 84, 270, 271       | tobramycin-dexamethasone .....       | 144, 201                | trimipramine .....                   | 36, 219     |
| TECHLITE PEN NEEDLE .....             | 85, 271            | tolterodine .....                    | 122, 180                | TRINTELLIX.....                      | 35, 217     |
| TECHLITE PLUS PEN NEEDLE .....        | 85, 271            | tolvaptan .....                      | 114, 242                | tri-nymyo .....                      | 131, 186    |
| TEFLARO .....                         | 25, 209            | TOPCARE CLICKFINE .....              | 86, 272                 | tri-sprintec (28) .....              | 131, 186    |
| TEGSEDI .....                         | 121, 154           | TOPCARE ULTRA COMFORT .....          | 86, 272                 | TRIUMEQ .....                        | 55, 237     |
| telmisartan .....                     | 96, 165            | topiramate .....                     | 38, 39, 158             | TRIUMEQ PD.....                      | 56, 237     |
| telmisartan-amlodipine .....          | 101, 164           | toremifene .....                     | 41, 223                 | triveen-duo dha .....                | 118, 241    |
| telmisartan-hydrochlorothiazid .....  | 101, 164           | torsemide .....                      | 102, 167                | trivora (28).....                    | 131, 186    |
| temazepam .....                       | 152, 170           | TOUJEO MAX U-300 SOLOSTAR .....      | 86, 272                 | tri-vylibra .....                    | 131, 186    |
| TENIVAC (PF).....                     | 141, 198           | TOUJEO SOLOSTAR U-300 INSULIN.....   | 86, 272                 | TRIZIVIR.....                        | 55, 236     |
| tenofovir disoproxil fumarate.....    | 55, 236            | TPN ELECTROLYTES .....               | 118, 241                | TROPHAMINE 10 % .....                | 118, 241    |
| TEPMETKO .....                        | 46, 228            | TPN ELECTROLYTES II .....            | 118, 241                | trospium .....                       | 122, 180    |
| terazosin .....                       | 96, 161            | tramadol .....                       | 21, 204                 | TRUE COMFORT ALCOHOL PADS.....       | 111, 177    |
| terbinafine hcl.....                  | 38, 221            | tramadol-acetaminophen.....          | 21, 204                 | TRUE COMFORT INSULIN SYRINGE.....    | 86, 273     |
| terbutaline .....                     | 149, 285           | trandolapril .....                   | 97, 168                 | TRUE COMFORT PEN NEEDLE .....        | 86, 87, 273 |
| terconazole .....                     | 38, 221            | trandolapril-verapamil....           | 101, 164                | TRUE COMFORT PRO ALCOHOL PADS .....  | 111, 177    |
| teriparatide .....                    | 143, 170           | tranexamic acid .....                | 95, 154                 | TRUE COMFORT PRO INS SYRINGE.....    | 86, 87, 273 |
| TERUMO INSULIN SYRINGE....            | 85, 271, 272       | tranylcypromine .....                | 34, 218                 | TRUE COMFORT SAFETY PEN NEEDLE ..... | 86, 273     |
| testosterone .....                    | 124, 125, 187, 188 | TRAVASOL 10 %.....                   | 118, 241                | TRUEPLUS INSULIN .....               | 87, 88, 274 |
| testosterone cypionate .....          | 124, 187           | travoprost .....                     | 146, 201                | TRUEPLUS PEN NEEDLE.....             | 87, 274     |
| testosterone enanthate.....           | 124, 187           | trazodone .....                      | 35, 217                 | TRULICITY .....                      | 60, 246     |
| TETANUS,DIPHThERIA TOX PED(PF) .....  | 141, 198           | TRECTOR .....                        | 40, 222                 | TRUMENBA.....                        | 141, 199    |
| tetrabenazine .....                   | 106, 172           | TRELEGY ELLIPTA .....                | 151, 283                | TRUQAP .....                         | 46, 228     |
| tetracycline .....                    | 29, 213            | TRELSTAR .....                       | 134, 192                | TUKYSA.....                          | 46, 228     |
| THALOMID .....                        | 41, 222            | TRESIBA FLEXTOUCH U-100 .....        | 86, 272                 | tulana .....                         | 132, 189    |
| theophylline .....                    | 150, 285           | TRESIBA FLEXTOUCH U-200 .....        | 86, 272                 | TURALIO .....                        | 46, 228     |
| THINPRO INSULIN SYRINGE .....         | 85, 272            | TRESIBA U-100 INSULIN.....           | 86, 272                 | turqoz (28).....                     | 131, 186    |
| thioridazine .....                    | 50, 230            | tretinoin .....                      | 107, 108, 175, 176      | TWINRIX (PF) .....                   | 141, 199    |
| thiothixene.....                      | 50, 230            | tretinoin (antineoplastic) .....     | 47, 229                 | TYBOST.....                          | 56, 237     |
| tiadylt er .....                      | 99, 161            | TREXALL .....                        | 138, 195                | TYMLOS .....                         | 143, 170    |
| tiagabine .....                       | 31, 213            | triamcinolone acetonide.....         | 107, 109, 110, 173, 176 | TYPHIM VI.....                       | 141, 199    |
| TIBSOVO .....                         | 46, 228            | triamterene-hydrochlorothiazid ..... | 101, 164                |                                      |             |
| TICOVAC .....                         | 141, 199           | tridacaine .....                     | 21, 205                 |                                      |             |
| tigecycline .....                     | 24, 208            | tridacaine ii .....                  | 21, 205                 |                                      |             |
| timolol maleate .....                 | 98, 145, 162, 200  | trientine .....                      | 114, 242                |                                      |             |
| tinidazole.....                       | 24, 208            | tri-estarylla .....                  | 130, 186                |                                      |             |
| TIVICAY .....                         | 54, 235            | trifluoperazine.....                 | 50, 230                 |                                      |             |
| TIVICAY PD .....                      | 54, 235            | trifluridine .....                   | 53, 234                 |                                      |             |
| tizanidine.....                       | 52, 157            | trihexyphenidyl .....                | 48, 159                 |                                      |             |
| TOBI PODHALER .....                   | 149, 281           | TRIKAFTA.....                        | 149, 150, 281           |                                      |             |
| tobramycin .....                      | 145, 202           | tri-linyah .....                     | 130, 186                |                                      |             |
| tobramycin in 0.225 % nacl.....       | 149, 281           | trimethoprim .....                   | 24, 208                 |                                      |             |
| tobramycin sulfate .....              | 23, 207            | tri-mili .....                       | 130, 186                |                                      |             |

## U

|                                      |             |
|--------------------------------------|-------------|
| UBRELVY .....                        | 39, 159     |
| ULTICARE .....                       | 88, 89, 275 |
| ULTICARE INSULIN SYRINGE .....       | 88, 274     |
| ULTICARE INSULN SYR(HALF UNIT) ..... | 88, 274     |
| ULTICARE PEN NEEDLE .....            | 88, 275     |
| ULTICARE SAFETY PEN NEEDLE .....     | 88, 275     |

ULTIGUARD SAFEPAK-  
 INSULIN SYR ..... 89, 275, 276  
 ULTIGUARD SAFEPAK-PEN  
 NEEDLE ..... 89, 275, 276  
 ULTILET ALCOHOL SWAB.....  
 ..... 111, 177  
 ULTILET INSULIN SYRINGE.....  
 ..... 75, 89, 90, 261, 276  
 ULTILET PEN NEEDLE ..90, 276  
 ULTRA CMFT INS SYR (HALF  
 UNIT) ..... 73, 82, 259, 269  
 ULTRA COMFORT INSULIN  
 SYRINGE..... 69, 73, 90,  
 ..... 255, 259, 276  
 ULTRA FLO INSUL SYR(HALF  
 UNIT) ..... 90, 276  
 ULTRA FLO INSULIN SYRINGE  
 ..... 90, 277  
 ULTRA FLO PEN NEEDLE .....  
 ..... 90, 276, 277  
 ULTRA THIN PEN NEEDLE.....  
 ..... 91, 277  
 ULTRACARE INSULIN  
 SYRINGE..... 91, 277  
 ULTRACARE PEN NEEDLE .....  
 ..... 91, 277, 278  
 ULTRA-THIN II (SHORT) INS  
 SYR ..... 91, 92, 278  
 ULTRA-THIN II (SHORT) PEN  
 NDL ..... 92, 278  
 ULTRA-THIN II INS PEN  
 NEEDLES ..... 92, 278  
 ULTRA-THIN II INSULIN  
 SYRINGE..... 91, 92, 278  
 UNIFINE PEN NEEDLE ..92, 278  
 UNIFINE PENTIPS..... 79, 92,  
 ..... 266, 278  
 UNIFINE PENTIPS MAXFLOW  
 ..... 92, 278  
 UNIFINE PENTIPS PLUS .....  
 ..... 92, 279  
 UNIFINE PENTIPS PLUS  
 MAXFLOW..... 92, 279  
 UNIFINE PROTECT ..92, 93, 279  
 UNIFINE SAFECONTROL .....  
 ..... 93, 279  
 UNIFINE SAFECONTROL PEN  
 NEEDLE ..... 93, 279  
 UNIFINE ULTRA PEN NEEDLE  
 ..... 93, 279  
 UNITHROID ..... 133, 181  
 ursodiol ..... 120, 179

## V

valacyclovir ..... 53, 235  
 VALCHLOR..... 40, 222  
 valganciclovir..... 53, 234  
 valproic acid ..... 30, 216  
 valproic acid (as sodium salt) .....  
 ..... 30, 216  
 valsartan ..... 96, 165  
 valsartan-hydrochlorothiazide  
 ..... 102, 164  
 VALTOCO..... 31, 213  
 vancomycin ..... 24, 208  
 VANFLYTA ..... 46, 228  
 VANISHPOINT INSULIN  
 SYRINGE..... 93, 279  
 VANISHPOINT SYRINGE .....  
 ..... 93, 279, 280  
 VAQTA (PF)..... 141, 199  
 varenicline ..... 22, 156  
 VARIVAX (PF)..... 141, 199  
 VARUBI..... 36, 220  
 VASCEPA ..... 104, 167  
 velivet triphasic regimen (28).....  
 ..... 131, 187  
 VELPHORO ..... 119, 241  
 VEMPLIDY ..... 53, 234  
 VENCLEXTA..... 46, 228  
 VENCLEXTA STARTING PACK  
 ..... 46, 228  
 venlafaxine ..... 35, 217  
 venlafaxine besylate ..... 35, 217  
 VENTOLIN HFA ..... 149, 285  
 verapamil ..... 99, 161  
 VERIFINE INSULIN SYRINGE  
 ..... 93, 94, 280  
 VERIFINE PEN NEEDLE .....  
 ..... 93, 94, 280  
 VERIFINE PLUS PEN NEEDLE  
 ..... 94, 280  
 VERIFINE PLUS PEN NEEDLE-  
 SHARP ..... 94, 280  
 VERQUVO ..... 102, 164  
 VERSACLOZ ..... 52, 233  
 VERSALON ..... 94, 280  
 VERZENIO..... 46, 228  
 vestura (28) ..... 131, 187  
 VICTOZA ..... 60, 246  
 vienva ..... 131, 187  
 vigabatrin ..... 31, 213  
 vigadrone ..... 31, 213  
 VIIBRYD..... 35, 218  
 VIJOICE ..... 122, 154

vilazodone ..... 35, 217  
 vinate care ..... 118, 241  
 viorele (28) ..... 131, 187  
 VIRACEPT ..... 56, 234  
 VIREAD..... 55, 236, 237  
 virt-c dha ..... 118, 241  
 virt-nate dha ..... 118, 241  
 virt-pn dha ..... 118, 241  
 virt-pn plus ..... 118, 241  
 vitafol gummies ..... 118, 241  
 vitafol nano..... 118, 241  
 vitafol-ob+dha ..... 118, 241  
 VITRAKVI..... 46, 228  
 VIVITROL..... 21, 156  
 VIZIMPRO..... 47, 228  
 volnea (28) ..... 131, 187  
 VONJO ..... 47, 228  
 voriconazole ..... 38, 221  
 VOSEVI..... 53, 234  
 vp-ch-pnv ..... 118, 241  
 vp-pnv-dha ..... 118, 241  
 VRAYLAR ..... 52, 232  
 vyfemla (28) ..... 131, 187  
 vylibra ..... 131, 187  
 VYNDAMAX..... 122, 154  
 VYZULTA..... 146, 201

## W

warfarin ..... 95, 155  
 WEBCOL ..... 111, 177  
 WELIREG ..... 42, 224  
 wera (28)..... 131, 187  
 WINREVAIR..... 150, 283

## X

XALKORI ..... 47, 228  
 XARELTO ..... 95, 155  
 XARELTO DVT-PE TREAT 30D  
 START ..... 95, 155  
 XATMEP ..... 42, 224  
 XCOPRI ..... 30, 42, 216, 224  
 XCOPRI MAINTENANCE PACK  
 ..... 30, 216  
 XCOPRI TITRATION PACK .....  
 ..... 31, 216  
 XERMELO ..... 119, 178  
 XGEVA ..... 143, 170  
 XIFAXAN..... 24, 208  
 XIIDRA ..... 144, 201  
 XOFLUZA ..... 56, 235  
 XOLAIR..... 136, 195  
 XOSPATA..... 47, 228

XPOVIO .....42, 224  
 XTANDI.....40, 222  
 XULTOPHY 100/3.6 .....60, 246  
 XURIDEN.....122, 154

## Y

yargesa .....122, 154  
 YF-VAX (PF) .....142, 199  
 YONSA .....40, 222

## Z

zafirlukast.....148, 284  
 zaleplon.....152, 170  
 zarah.....131, 187  
 ZARXIO.....95, 154  
 zatean-pn dha .....118, 241  
 zatean-pn plus.....118, 241  
 ZEJULA.....47, 228  
 ZELBORAF .....47, 229  
 ZEMDRI .....23, 207  
 ZENPEP.....122, 154  
 zidovudine .....55, 237  
 ZIEXTENZO .....95, 154  
 ZIMHI .....22, 156  
 zingiber .....118, 241

ziprasidone hcl .....52, 233  
 ziprasidone mesylate.....52, 233  
 ZIRGAN .....53, 234  
 ZOKINVY .....122, 154  
 ZOLINZA.....42, 224  
 zolmitriptan.....39, 158  
 zolpidem.....152, 170  
 ZONISADE.....31, 214  
 zonisamide .....31, 214  
 zovia 1-35 (28) .....131, 187  
 ZTALMY .....31, 216  
 zumandimine (28).....131, 187  
 ZURZUVAE.....33, 218  
 ZYDELIG.....47, 229  
 ZYKADIA.....47, 229  
 ZYPREXA RELPREVV.....52, 233

**To learn what the abbreviations on this table mean, see the beginning of the drug list table.**  
 (Para saber qué significan las abreviaturas en esta tabla, consulte el comienzo de la tabla de la lista de medicamentos.)

This formulary was updated on 07/23/2024. For more recent information or other questions, please contact Member Service at 1-800-838-8271, or, for TTY users, 711, October 1 – March 31: Monday – Sunday, from 8:00 a.m. – 8:00 p.m. or April 1 – September 30: Monday – Friday, from 8:00 a.m. – 8:00 p.m. and Saturday-Sunday from 10:00 a.m. – 2:00 p.m., or visit [www.imperialhealthplan.com](http://www.imperialhealthplan.com).

Imperial Insurance Companies (HMO) (HMO SNP) complies with applicable Federal civil rights laws and does not discriminate on the basis of race, color, national origin, age, disability, or sex.

ATTENTION: If you speak English, language assistance services, free of charge, are available to you. Call 1-800-838-8271 (TTY: 711).

ATENCIÓN: si habla español, tiene a su disposición servicios gratuitos de asistencia lingüística. Llame al 1-800-838-8271 (TTY: 711).

Este formulario se actualizó el 23/07/24. Para obtener información más reciente o si tiene otras preguntas, comuníquese con Imperial Strong (HMO) llamando al 1-800-838-8271, del 1 de octubre al 31 de marzo: lunes a domingo, de 8:00 a.m. a 8:00 p.m. o del 1 de abril al 30 de septiembre: lunes a viernes, de 8:00 a.m. a 8:00 p.m. y sábado a domingo, de 10:00 a.m. a 2:00 p.m., o visite [www.imperialhealthplan.com](http://www.imperialhealthplan.com).

Imperial Insurance Companies (HMO) (HMO SNP) cumple con leyes federales de derechos civiles aplicables y no discrimina basándose en raza, color, origen nacional, edad, discapacidad, o sexo.

ATENCIÓN: Si habla inglés, tiene a su disposición servicios de asistencia lingüística gratuitos. Llame al 1-800-838-8271 (TTY: 711).

ATENCIÓN: si habla español, tiene a su disposición servicios gratuitos de asistencia lingüística. Llame al 1-800-838-8271 (TTY: 711).